

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (E) S/DN-I[166] BU 4166

Substation No/ Name :- 283045 / BAJI PRABHU

Feeder No / Name : 302 / Ganesh Mandir

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.2024 | 2.2375 | .6097 | .5144 | .5335 | .4801 | .4458 |
| 2 | 2.0119 | 1.957 | .5716 | .4801 | .4954 | .4115 | .4458 |
| 3 | 1.8214 | 1.7985 | .5335 | .4801 | .4954 | .4458 | .4115 |
| 4 | 1.7223 | 1.7009 | .5335 | .4458 | .4572 | .4115 | .4115 |
| 5 | 1.6919 | 1.64 | .5716 | .4458 | .4572 | .4115 | .4115 |
| 6 | 1.73 | 1.7071 | .5716 | .5144 | .4572 | .4115 | .5144 |
| 7 | 1.9205 | 1.9022 | .6478 | .5144 | .5335 | .4458 | .5487 |
| 8 | 2.0576 | 1.9243 | .6219 | .6219 | .5853 | .5121 | .543 |
| 9 | 2.2901 | 2.1834 | .7316 | .6584 | .6584 | .4755 | .724 |
| 10 | 2.8007 | 2.7892 | .9511 | .8326 | .7682 | .5121 | .8688 |
| 11 | 3.5361 | 3.6085 | 1.2437 | 1.134 | 1.0242 | .5853 | 1.1946 |
| 12 | 3.9686 | 4.0048 | 1.1946 | 1.1584 | 1.0242 | .5853 | 1.1584 |
| 13 | 3.9438 | 3.94 | 1.1584 | 1.086 | .9412 | .5853 | 1.1584 |
| 14 | 3.799 | 3.7418 | 1.0136 | .9145 | .7964 | .5121 | 1.0136 |
| 15 | 3.458 | 3.2426 | 1.0136 | .8779 | .7964 | .5121 | .9774 |
| 16 | 3.3409 | 3.1855 | .9774 | .8764 | .724 | .4755 | .9907 |
| 17 | 3.3898 | 3.437 | 1.0631 | .9526 | .7545 | .5487 | 1.0669 |
| 18 | 3.9323 | 3.818 | 1.0974 | 1.1222 | .9945 | .6219 | 1.2574 |
| 19 | 4.4688 | 4.222 | 1.406 | 1.448 | 1.2003 | .8048 | 1.448 |
| 20 | 4.7554 | 4.6487 | 1.406 | 1.4098 | 1.2003 | .8413 | 1.3717 |
| 21 | 4.5176 | 4.4353 | 1.2003 | 1.3336 | 1.0631 | .8048 | 1.2193 |
| 22 | 3.847 | 3.818 | .8573 | .9907 | .7202 | .6859 | .8383 |
| 23 | 3.0361 | 3.0026 | .7202 | .7621 | .6173 | .583 | .724 |
| 24 | 2.5911 | .695 | .6516 | .6516 | .6859 | .5144 | .5487 |
| Max | 4.7554 | 4.6487 | 1.406 | 1.448 | 1.2003 | .8413 | 1.448 |
| Min | 1.6919 | .695 | .5335 | .4458 | .4572 | .4115 | .4115 |
| Avg | 3.0347 | 2.9017 | .8895 | .8427 | .7493 | .5491 | .8455 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (E) S/DN-I[166] BU 4166

Substation No/ Name :- 283045 / BAJI PRABHU

Feeder No / Name : 305 / Tilak Nagar

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.9552 | 3.9552 | 1.105 | 1.3336 | 1.0669 | .9907 | .9907 |
| 2 | 3.5513 | 3.5056 | 1.0669 | 1.0288 | 1.0288 | .9145 | .9145 |
| 3 | 3.2922 | 3.155 | .9907 | .8916 | .9907 | .9145 | .8764 |
| 4 | 3.1017 | 3.0255 | .9526 | .9526 | .9526 | .7888 | .8764 |
| 5 | 3.0331 | 3.0331 | .9907 | .9526 | .9145 | .7888 | .9145 |
| 6 | 3.1702 | 3.1779 | 1.0669 | 1.0669 | .9145 | .9145 | .9526 |
| 7 | 3.658 | 3.7951 | 1.3336 | 1.2193 | 1.0288 | .9526 | 1.0669 |
| 8 | 4.2066 | 4.2143 | 1.3336 | 1.2955 | 1.1812 | .9145 | 1.1812 |
| 9 | 4.222 | 4.2143 | 1.3336 | 1.2955 | 1.1812 | .9526 | 1.1812 |
| 10 | 4.5573 | 4.5954 | 1.6385 | 1.7147 | 1.2955 | .9526 | 1.448 |
| 11 | 5.7004 | 5.5022 | 2.0195 | 1.6004 | 1.6385 | .9907 | 1.829 |
| 12 | 6.2643 | 5.8375 | 1.9433 | 1.5623 | 1.6385 | 1.0288 | 1.829 |
| 13 | 6.1576 | 5.5861 | 1.9052 | 1.9433 | 1.5623 | 1.105 | 1.7909 |
| 14 | 5.8147 | 5.5327 | 1.6385 | 1.6004 | 1.3336 | .9907 | 1.5623 |
| 15 | 5.3803 | 5.3422 | 1.6385 | 1.4861 | 1.2955 | .9526 | 1.5242 |
| 16 | 5.2508 | 5.1974 | 1.6766 | 1.4861 | 1.2955 | .8383 | 1.5623 |
| 17 | 5.7613 | 5.487 | 1.8671 | 1.6385 | 1.448 | 1.0288 | 1.7147 |
| 18 | 6.31 | 5.7613 | 1.9814 | 1.7528 | 1.6766 | 1.1812 | 1.829 |
| 19 | 6.9731 | 6.9197 | 2.0195 | 2.1338 | 1.9433 | 1.3717 | 2.2481 |
| 20 | 7.4303 | 7.4075 | 2.4006 | 2.1338 | 1.9814 | 1.4098 | 2.21 |
| 21 | 7.0111 | 7.0492 | 2.1719 | 1.9433 | 1.5775 | 1.2955 | 2.0195 |
| 22 | 6.0738 | 6.0433 | 1.5623 | 1.5623 | 1.1431 | 1.2574 | 1.4861 |
| 23 | 4.8393 | 4.702 | 1.448 | 1.2574 | 1.1431 | 1.2193 | 1.3336 |
| 24 | 4.42 | 1.3336 | 1.2955 | 1.3336 | 1.1812 | 1.105 | 1.105 |
| Max | 7.4303 | 7.4075 | 2.4006 | 2.1338 | 1.9814 | 1.4098 | 2.2481 |
| Min | 3.0331 | 1.3336 | .9526 | .8916 | .9145 | .7888 | .8764 |
| Avg | 5.0056 | 4.7655 | 1.5575 | 1.4661 | 1.3089 | 1.0358 | 1.4353 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (E) S/DN-I[166] BU 4166

Substation No/ Name :- 283045 / BAJI PRABHU

Feeder No / Name : 306 / Ram Nagar

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.8578 | 2.7633 | 2.8197 | 2.5377 | 2.4768 | 2.1948 | 2.1605 |
| 2 | 2.7816 | 2.5766 | 2.5911 | 2.2634 | 2.4387 | 2.0576 | 2.0919 |
| 3 | 2.7435 | 2.4646 | 2.5149 | 2.1948 | 2.4387 | 1.9204 | 1.989 |
| 4 | 2.4768 | 2.4272 | 2.5911 | 2.1948 | 2.2862 | 1.8861 | 1.9547 |
| 5 | 2.7435 | 2.332 | 2.7435 | 2.1948 | 2.3624 | 1.8861 | 1.9547 |
| 6 | 2.934 | 2.4006 | 2.8959 | 2.4691 | 2.3243 | 2.0233 | 2.332 |
| 7 | 3.0864 | 2.8807 | 3.0864 | 2.6063 | 2.4006 | 2.0919 | 2.5377 |
| 8 | 2.8959 | 2.8121 | 2.9127 | 2.726 | 2.3899 | 2.2032 | 2.5873 |
| 9 | 2.7351 | 2.572 | 2.726 | 2.6886 | 2.5019 | 2.1285 | 2.4394 |
| 10 | 2.5873 | 2.5034 | 2.6139 | 2.6981 | 2.5393 | 2.3152 | 2.3285 |
| 11 | 2.5873 | 2.4348 | 2.5766 | 2.6139 | 2.6139 | 2.3152 | 2.4025 |
| 12 | 2.5133 | 2.5034 | 2.6139 | 2.6981 | 2.5766 | 2.5766 | 2.2916 |
| 13 | 2.809 | 2.4006 | 2.5766 | 2.6242 | 2.4394 | 2.5019 | 2.2177 |
| 14 | 2.6242 | 2.1262 | 2.4272 | 2.2779 | 2.2177 | 2.3152 | 2.2177 |
| 15 | 2.5133 | 2.1948 | 2.3285 | 2.2032 | 2.0698 | 2.1285 | 2.1807 |
| 16 | 2.5019 | 2.1948 | 2.3285 | 2.21 | 2.1437 | 2.0911 | 2.21 |
| 17 | 2.6513 | 2.4768 | 2.2634 | 2.3624 | 2.0919 | 2.1658 | 2.2481 |
| 18 | 2.6886 | 2.5149 | 2.4006 | 2.4387 | 2.2634 | 2.2779 | 2.4006 |
| 19 | 3.3608 | 3.1245 | 2.915 | 3.0102 | 2.7435 | 2.7633 | 3.1245 |
| 20 | 3.6222 | 3.5437 | 3.0864 | 3.2769 | 2.915 | 2.95 | 3.3532 |
| 21 | 3.6222 | 3.6199 | 3.2236 | 2.9721 | 2.9835 | 3.0994 | 3.4675 |
| 22 | 3.5848 | 3.658 | 3.1893 | 3.4294 | 2.7778 | 2.9835 | 3.3532 |
| 23 | 3.4355 | 3.4294 | 2.915 | 3.0483 | 2.6063 | 2.7435 | 3.1626 |
| 24 | 3.1245 | 3.1741 | 2.8807 | 2.7778 | 2.7054 | 2.4691 | 2.3663 |
| Max | 3.6222 | 3.658 | 3.2236 | 3.4294 | 2.9835 | 3.0994 | 3.4675 |
| Min | 2.4768 | 2.1262 | 2.2634 | 2.1948 | 2.0698 | 1.8861 | 1.9547 |
| Avg | 2.8950 | 2.7137 | 2.7175 | 2.6049 | 2.4711 | 2.3370 | 2.4738 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (E) S/DN-I[166] BU 4166

Substation No/ Name :- 283045 / BAJI PRABHU

Feeder No / Name : 309 / Nalanda

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .3429 | .415 | .381 | .3429 | .381 | .3429 | .3429 |
| 2 | .3048 | .3395 | .3429 | .2743 | .3429 | .3086 | .3086 |
| 3 | .3048 | .3018 | .3048 | .2743 | .3048 | .3086 | .3086 |
| 4 | .3048 | .3018 | .3048 | .2743 | .3048 | .3086 | .3086 |
| 5 | .3048 | .3018 | .3048 | .2743 | .3048 | .3086 | .3086 |
| 6 | .3429 | .3429 | .3429 | .2743 | .3429 | .3086 | .3086 |
| 7 | .3429 | .3086 | .3048 | .2743 | .3048 | .2743 | .3086 |
| 8 | .381 | .3086 | .3772 | .3772 | .3772 | .3395 | .3734 |
| 9 | .5601 | .5144 | .5601 | .4527 | .4527 | .3772 | .5601 |
| 10 | .8589 | .6859 | .7842 | .6722 | .6413 | .3772 | .8589 |
| 11 | 1.0829 | 1.0631 | 1.094 | .8962 | .9335 | .415 | 1.0829 |
| 12 | 1.1949 | 1.0631 | 1.1317 | 1.0082 | 1.1317 | .415 | 1.2696 |
| 13 | 1.2696 | 1.1317 | 1.1203 | 1.0456 | 1.0498 | .4904 | 1.1949 |
| 14 | 1.1949 | .9259 | 1.0082 | 1.094 | .8962 | .4904 | 1.1576 |
| 15 | 1.0456 | .8573 | 1.0829 | .9431 | .8962 | .4904 | 1.1576 |
| 16 | 1.1694 | .9945 | 1.0829 | .9145 | .9709 | .5281 | 1.2574 |
| 17 | 1.2449 | 1.1812 | 1.1317 | 1.0669 | 1.0631 | .6348 | 1.448 |
| 18 | 1.2071 | 1.2193 | 1.1317 | 1.1694 | 1.0631 | .6722 | 1.2574 |
| 19 | 1.3957 | 1.4098 | 1.2689 | 1.6004 | 1.3032 | .8215 | 1.4098 |
| 20 | 1.4335 | 1.5242 | 1.406 | 1.6385 | 1.406 | .9709 | 1.6004 |
| 21 | 1.2449 | 1.2955 | 1.0974 | 1.3717 | 1.1317 | .8962 | 1.3717 |
| 22 | .7545 | .8002 | .7202 | .9526 | .7202 | .7202 | .9145 |
| 23 | .6036 | .5716 | .583 | .8383 | .6173 | .5144 | .5716 |
| 24 | .4572 | .5281 | .4115 | .4458 | .5335 | .4458 | .4458 |
| Max | 1.4335 | 1.5242 | 1.406 | 1.6385 | 1.406 | .9709 | 1.6004 |
| Min | .3048 | .3018 | .3048 | .2743 | .3048 | .2743 | .3086 |
| Avg | .8061 | .7661 | .7616 | .7698 | .7281 | .4900 | .8386 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (E) S/DN-I[166] BU 4166

Substation No/ Name :- 283045 / BAJI PRABHU

Feeder No / Name : 312 / Datta Nagar

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.5149 | 2.5133 | 2.5911 | 2.1948 | 2.2862 | 1.9547 | 1.8519 |
| 2 | 2.4006 | 2.3285 | 2.4387 | 2.0919 | 2.21 | 1.8176 | 1.749 |
| 3 | 2.3243 | 2.2177 | 2.2862 | 1.9204 | 2.1338 | 1.749 | 1.6804 |
| 4 | 2.2862 | 2.1807 | 2.21 | 1.8519 | 2.0576 | 1.7147 | 1.6461 |
| 5 | 2.3624 | 2.2546 | 2.4006 | 1.8519 | 2.0957 | 1.7147 | 1.6804 |
| 6 | 2.4768 | 2.4394 | 2.5149 | 2.0576 | 2.0957 | 1.749 | 1.9547 |
| 7 | 2.5911 | 2.4006 | 2.7435 | 2.1948 | 2.21 | 1.8861 | 2.1582 |
| 8 | 2.5149 | 2.332 | 2.5133 | 2.4394 | 2.1807 | 1.9387 | 2.0851 |
| 9 | 2.268 | 2.2977 | 2.2916 | 2.3777 | 2.268 | 2.0119 | 2.0485 |
| 10 | 2.0485 | 2.1262 | 1.2071 | 2.3045 | 2.1948 | 2.0119 | 2.0119 |
| 11 | 2.0851 | 2.0576 | 2.1437 | 2.0851 | 2.0851 | 1.9753 | 1.8656 |
| 12 | 2.0119 | 1.9547 | 2.0328 | 2.0851 | 1.9753 | 2.1216 | 1.829 |
| 13 | 2.0485 | 1.9204 | 2.0328 | 2.0119 | 1.9387 | 2.1216 | 1.7924 |
| 14 | 2.0119 | 1.8861 | 1.922 | 1.9589 | 1.8656 | 1.9753 | 1.7924 |
| 15 | 1.9753 | 1.0631 | 1.9022 | 1.922 | 1.829 | 1.829 | 1.7558 |
| 16 | 1.9589 | 1.9204 | 1.8656 | 2.0576 | 1.7558 | 1.7558 | 1.829 |
| 17 | 2.1068 | 2.1719 | 1.7833 | 1.8671 | 1.7833 | 2.0119 | 1.7909 |
| 18 | 2.4394 | 2.5149 | 2.0919 | 2.3243 | 1.9547 | 2.0485 | 1.9433 |
| 19 | 3.0308 | 3.0483 | 2.6749 | 2.7816 | 2.4691 | 2.6337 | 2.5149 |
| 20 | 3.2156 | 3.2007 | 2.6749 | 3.0102 | 2.6406 | 2.7435 | 2.8959 |
| 21 | 3.2895 | 3.3913 | 2.7778 | 2.8959 | 2.6749 | 2.7801 | 2.934 |
| 22 | 3.2526 | 3.4675 | 2.9835 | 3.0102 | 2.6063 | 2.6063 | 2.8197 |
| 23 | 3.0678 | 3.2007 | 2.6063 | 2.8578 | 2.4006 | 2.4348 | 2.8959 |
| 24 | 2.6673 | 2.809 | 2.6063 | 2.4006 | 2.5911 | 2.1605 | 2.0919 |
| Max | 3.2895 | 3.4675 | 2.9835 | 3.0102 | 2.6749 | 2.7801 | 2.934 |
| Min | 1.9589 | 1.0631 | 1.2071 | 1.8519 | 1.7558 | 1.7147 | 1.6461 |
| Avg | 2.4562 | 2.4041 | 2.3040 | 2.2731 | 2.1793 | 2.0728 | 2.0674 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (E) S/DN-I[166] BU 4166

Substation No/ Name :- 283211 / MSEB Colony Switching

Station

Feeder No / Name : 315 / 22 KV Thakurli (East)

SHEDDABLE URBAN

Feeder Feeder KV- 22 /
OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | *** | *** | *** | *** | *** | *** | *** |
| 2 | *** | | *** | | *** | | *** |
| 3 | *** | *** | *** | *** | *** | *** | *** |
| 4 | *** | *** | *** | *** | *** | *** | *** |
| 5 | *** | *** | *** | *** | *** | *** | *** |
| 6 | *** | *** | *** | *** | *** | *** | *** |
| 7 | *** | *** | *** | *** | *** | *** | *** |
| 8 | *** | *** | *** | *** | *** | *** | *** |
| 9 | *** | *** | *** | *** | *** | *** | *** |
| 10 | *** | *** | *** | *** | *** | *** | *** |
| 11 | *** | *** | *** | *** | *** | *** | *** |
| 12 | *** | *** | *** | *** | *** | *** | *** |
| 13 | *** | *** | *** | *** | *** | *** | *** |
| 14 | *** | *** | *** | *** | *** | *** | *** |
| 15 | *** | *** | *** | *** | *** | *** | *** |
| 16 | *** | *** | *** | *** | *** | *** | *** |
| 17 | *** | *** | *** | *** | *** | *** | *** |
| 18 | *** | *** | *** | *** | *** | *** | *** |
| 19 | *** | *** | *** | *** | *** | *** | *** |
| 20 | *** | *** | *** | *** | *** | *** | *** |
| 21 | *** | *** | *** | *** | *** | *** | *** |
| 22 | *** | *** | *** | *** | *** | *** | *** |
| 23 | *** | *** | *** | *** | *** | *** | *** |
| 24 | *** | *** | *** | *** | *** | *** | *** |
| Max | 73.1597 | 73.1597 | 73.1597 | 67.063 | 67.063 | 67.063 | 67.063 |
| Min | 42.6765 | 42.6765 | 42.6765 | 42.6765 | 42.6765 | 42.6765 | 36.5798 |
| Avg | 59.9503 | 58.5808 | 56.9020 | 56.1951 | 52.8376 | 53.0143 | 50.5513 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (W) SN-III[167] BU 4167

Substation No/ Name :- 283067 / Anand Nagar

Feeder No / Name : 310 / Phule Road

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .5228 | .5228 | .4481 | .3734 | .4481 | .3734 | .3734 |
| 2 | .4481 | .4481 | .3734 | .3361 | .3734 | .3361 | .2987 |
| 3 | .3734 | .4108 | .3361 | .2987 | .3361 | .2987 | .2987 |
| 4 | .4481 | .4108 | .3734 | .3361 | .2987 | .3361 | .2987 |
| 5 | .5228 | .4854 | .4481 | .3734 | .3361 | .3734 | .3734 |
| 6 | .5601 | .5601 | .5228 | .4481 | .3734 | .4108 | .4481 |
| 7 | .5228 | .5975 | .5601 | .4854 | .3734 | .3734 | .4854 |
| 8 | .4854 | .5228 | .5228 | .4854 | .4481 | .3734 | .4481 |
| 9 | .5228 | .4481 | .4854 | .4481 | .4481 | .3734 | .5228 |
| 10 | .4854 | .5228 | .4481 | .4854 | .4854 | .3734 | .4481 |
| 11 | .4481 | .5228 | .4854 | .4481 | .4854 | .4108 | .4854 |
| 12 | .4854 | .4854 | .4481 | .4481 | .4854 | .4108 | .4481 |
| 13 | .4854 | .4854 | .4481 | .4481 | .4481 | .3734 | .4481 |
| 14 | .4854 | .4481 | .4481 | .4108 | .4108 | .3734 | .3734 |
| 15 | .4854 | .4481 | .4108 | .4108 | .4108 | .3734 | .4108 |
| 16 | .4854 | .4854 | .4481 | .4108 | .4108 | .4108 | .3734 |
| 17 | .4481 | .4108 | .4108 | .3361 | .3734 | .3361 | .4108 |
| 18 | .4854 | .4481 | .4108 | .3734 | .4108 | .3361 | .4108 |
| 19 | .5975 | .5975 | .5601 | .5228 | .5228 | .4854 | .5601 |
| 20 | .5975 | .6348 | .5975 | .5601 | .5601 | .4854 | .5975 |
| 21 | .6348 | .6722 | .5975 | .5975 | .5601 | .5228 | .5975 |
| 22 | .6722 | .6722 | .6348 | .5601 | .5601 | .5601 | .5228 |
| 23 | .7095 | .6348 | .6722 | .6348 | .5601 | .5975 | .5228 |
| 24 | .5601 | .5601 | .5975 | .4854 | .4481 | .4108 | .4481 |
| Max | .7095 | .6722 | .6722 | .6348 | .5601 | .5975 | .5975 |
| Min | .3734 | .4108 | .3361 | .2987 | .2987 | .2987 | .2987 |
| Avg | .5197 | .5181 | .4870 | .4465 | .4403 | .4045 | .4419 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (W) SN-III[167] BU 4167

Substation No/ Name :- 283067 / Anand Nagar

Feeder No / Name : 311 / Gaondevi Feeder

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.1203 | 1.2696 | 1.2323 | 1.1203 | 1.1203 | 1.1203 | 1.0456 |
| 2 | 1.0456 | 1.1949 | 1.1203 | 1.0456 | 1.0456 | 1.0456 | .8962 |
| 3 | 1.0456 | 1.1576 | 1.0456 | 1.0456 | .8962 | .8962 | .8215 |
| 4 | 1.1203 | 1.1203 | 1.1203 | 1.1203 | .8962 | 1.0456 | .8962 |
| 5 | 1.307 | 1.307 | 1.307 | 1.1949 | 1.0456 | 1.1203 | 1.0829 |
| 6 | 1.4937 | 1.531 | 1.4937 | 1.4563 | 1.1576 | 1.1949 | 1.2323 |
| 7 | 1.419 | 1.419 | 1.3817 | 1.4937 | 1.1949 | 1.0829 | 1.1203 |
| 8 | 1.2696 | 1.2696 | 1.2696 | 1.531 | 1.2323 | 1.0456 | 1.0456 |
| 9 | .9709 | 1.0829 | 1.0829 | 1.1203 | 1.0829 | 1.0456 | .9335 |
| 10 | .8962 | .9335 | .9709 | .9335 | 1.0082 | .8962 | .8589 |
| 11 | .8215 | .8962 | .8962 | .8962 | .9335 | .8962 | .7468 |
| 12 | .8215 | .8589 | .7468 | .8589 | .8589 | 1.0456 | .8215 |
| 13 | .9335 | .9335 | .8215 | .8962 | .9709 | 1.0082 | .8215 |
| 14 | .9335 | .8962 | .8962 | .8589 | .8962 | .9335 | .8215 |
| 15 | .9335 | .8962 | .8589 | .7842 | .8589 | .8962 | .8215 |
| 16 | .8962 | .8589 | .8215 | .8589 | .8962 | .8589 | .8215 |
| 17 | .8962 | .8589 | .8215 | .8589 | .8215 | .8589 | .8589 |
| 18 | .8962 | .8962 | .8215 | .8589 | .8589 | .8962 | .8962 |
| 19 | 1.419 | 1.3443 | 1.307 | 1.307 | 1.3817 | 1.3443 | 1.2696 |
| 20 | 1.6057 | 1.5684 | 1.4937 | 1.4937 | 1.6804 | 1.5684 | 1.4563 |
| 21 | 1.6057 | 1.531 | 1.4563 | 1.419 | 1.4937 | 1.4563 | 1.4563 |
| 22 | 1.643 | 1.6804 | 1.5684 | 1.531 | 1.531 | 1.531 | 1.4937 |
| 23 | 1.6057 | 1.5684 | 1.4937 | 1.419 | 1.419 | 1.3817 | 1.3817 |
| 24 | 1.307 | 1.3817 | 1.307 | 1.307 | 1.2323 | 1.2323 | 1.1949 |
| Max | 1.643 | 1.6804 | 1.5684 | 1.531 | 1.6804 | 1.5684 | 1.4937 |
| Min | .8215 | .8589 | .7468 | .7842 | .8215 | .8589 | .7468 |
| Avg | 1.1669 | 1.1856 | 1.1389 | 1.1421 | 1.1047 | 1.1000 | 1.0331 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (W) SN-III[167] BU 4167

Substation No/ Name :- 283067 / Anand Nagar

Feeder No / Name : 312 / Garibacha Wada

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.0119 | 2.0119 | 1.9387 | 1.829 | 1.7558 | 1.829 | 1.6461 |
| 2 | 1.829 | 1.8656 | 1.7558 | 1.6461 | 1.6095 | 1.6461 | 1.4632 |
| 3 | 1.829 | 1.7924 | 1.7558 | 1.4632 | 1.4632 | 1.5364 | 1.2803 |
| 4 | 2.0119 | 1.7558 | 1.829 | 1.6461 | 1.2803 | 1.4632 | 1.4632 |
| 5 | 2.1948 | 2.0119 | 2.0119 | 1.829 | 1.4632 | 1.5364 | 1.5729 |
| 6 | 2.3045 | 2.1948 | 2.268 | 2.0119 | 1.6827 | 1.6827 | 1.829 |
| 7 | 2.268 | 2.3045 | 2.2314 | 2.1216 | 1.7558 | 1.6461 | 1.8656 |
| 8 | 1.9387 | 1.9022 | 2.0851 | 1.9022 | 1.7193 | 1.6461 | 1.6827 |
| 9 | 1.7924 | 1.829 | 1.7558 | 1.7558 | 1.7558 | 1.6461 | 1.5729 |
| 10 | 1.5364 | 1.5729 | 1.6095 | 1.6827 | 1.829 | 1.6095 | 1.5729 |
| 11 | 1.4632 | 1.5364 | 1.4632 | 1.6095 | 1.7558 | 1.6827 | 1.4266 |
| 12 | 1.4998 | 1.4998 | 1.5729 | 1.5364 | 1.6827 | 1.7193 | 1.3169 |
| 13 | 1.7193 | 1.7558 | 1.6461 | 1.6461 | 1.7558 | 1.6827 | 1.39 |
| 14 | 1.7558 | 1.6827 | 1.6461 | 1.6827 | 1.7558 | 1.6827 | 1.3169 |
| 15 | 1.5729 | 1.4998 | 1.3535 | 1.4266 | 1.4998 | 1.4998 | 1.2803 |
| 16 | 1.4266 | 1.4632 | 1.39 | 1.39 | 1.39 | 1.3535 | 1.2803 |
| 17 | 1.4632 | 1.4632 | 1.3169 | 1.3118 | 1.39 | 1.3535 | 1.3535 |
| 18 | 1.5364 | 1.5364 | 1.3535 | 1.4632 | 1.4998 | 1.4632 | 1.4266 |
| 19 | 2.1216 | 2.0851 | 1.9387 | 1.9753 | 1.9387 | 1.9387 | 1.9753 |
| 20 | 2.4143 | 2.3411 | 2.2314 | 2.1948 | 2.268 | 2.1948 | 2.2314 |
| 21 | 2.4874 | 2.4508 | 2.3045 | 2.2314 | 2.2314 | 2.1948 | 2.3045 |
| 22 | 2.5606 | 2.5972 | 2.4508 | 2.3777 | 2.268 | 2.3045 | 2.3411 |
| 23 | 2.524 | 2.524 | 2.3411 | 2.268 | 2.1948 | 2.1216 | 2.268 |
| 24 | 2.1582 | 2.2314 | 2.1582 | 2.0851 | 1.9022 | 1.9387 | 1.829 |
| Max | 2.5606 | 2.5972 | 2.4508 | 2.3777 | 2.268 | 2.3045 | 2.3411 |
| Min | 1.4266 | 1.4632 | 1.3169 | 1.3118 | 1.2803 | 1.3535 | 1.2803 |
| Avg | 1.9342 | 1.9128 | 1.8503 | 1.7953 | 1.7436 | 1.7238 | 1.6537 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (W) SN-III[167] BU 4167

Substation No/ Name :- 283067 / Anand Nagar

Feeder No / Name : 313 / Jai Hind Colony

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.2536 | 1.3253 | 1.2536 | 1.2178 | 1.1462 | 1.0745 | 1.0029 |
| 2 | 1.0745 | 1.1104 | 1.0745 | 1.0745 | 1.0387 | 1.0029 | .8596 |
| 3 | .8954 | 1.0745 | 1.0029 | 1.0029 | .9313 | .8954 | .788 |
| 4 | .9313 | 1.1462 | 1.0029 | 1.0029 | .8596 | .788 | .8596 |
| 5 | 1.0745 | 1.2536 | 1.1462 | 1.0745 | .9313 | .8954 | .9671 |
| 6 | 1.2894 | 1.3611 | 1.2894 | 1.2178 | 1.0387 | 1.0029 | 1.0745 |
| 7 | 1.3253 | 1.3969 | 1.3611 | 1.2894 | 1.1462 | 1.0029 | 1.2178 |
| 8 | 1.2894 | 1.3253 | 1.3611 | 1.3253 | 1.182 | 1.0029 | 1.1462 |
| 9 | 1.3253 | 1.3969 | 1.3611 | 1.4327 | 1.2536 | .9671 | 1.1462 |
| 10 | 1.2536 | 1.3253 | 1.3611 | 1.2178 | 1.3253 | 1.1462 | 1.0745 |
| 11 | 1.3611 | 1.6476 | 1.4685 | 1.4327 | 1.3969 | 1.5043 | 1.1462 |
| 12 | 1.6834 | 1.7193 | 1.6476 | 1.7193 | 1.576 | 1.576 | 1.0745 |
| 13 | 1.5402 | 1.5402 | 1.5402 | 1.5402 | 1.4685 | 1.4327 | 1.1104 |
| 14 | 1.2894 | 1.2178 | 1.2178 | 1.182 | 1.1462 | 1.0029 | 1.0387 |
| 15 | 1.182 | 1.2178 | 1.0745 | 1.1462 | 1.0387 | .9313 | .9671 |
| 16 | 1.1462 | 1.1462 | 1.1462 | 1.0745 | .8954 | 1.0029 | .9671 |
| 17 | 1.1104 | 1.182 | 1.1462 | 1.0745 | 1.0387 | 1.0029 | .9671 |
| 18 | 1.2178 | 1.2178 | 1.1462 | 1.1462 | 1.1462 | 1.0387 | 1.1104 |
| 19 | 1.5402 | 1.576 | 1.4685 | 1.5043 | 1.4327 | 1.3969 | 1.3969 |
| 20 | 1.6476 | 1.6476 | 1.5402 | 1.5402 | 1.5043 | 1.4327 | 1.4685 |
| 21 | 1.6834 | 1.6476 | 1.576 | 1.5402 | 1.5043 | 1.4327 | 1.4685 |
| 22 | 1.5402 | 1.5043 | 1.6118 | 1.5043 | 1.4327 | 1.4327 | 1.4327 |
| 23 | 1.576 | 1.5043 | 1.576 | 1.3969 | 1.2536 | 1.2536 | 1.3611 |
| 24 | 1.4685 | 1.4327 | 1.3253 | 1.3969 | 1.2894 | 1.2536 | 1.0745 |
| Max | 1.6834 | 1.7193 | 1.6476 | 1.7193 | 1.576 | 1.576 | 1.4685 |
| Min | .8954 | 1.0745 | 1.0029 | 1.0029 | .8596 | .788 | .788 |
| Avg | 1.3208 | 1.3715 | 1.3208 | 1.2939 | 1.2074 | 1.1447 | 1.1133 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (W) SN-III[167] BU 4167

Substation No/ Name :- 283067 / Anand Nagar

Feeder No / Name : 314 / Umeshnagar Feeder

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .6516 | .724 | .724 | .6516 | .6878 | .5792 | .5792 |
| 2 | .5792 | .6878 | .6516 | .5792 | .5792 | .5068 | .5068 |
| 3 | .543 | .6516 | .543 | .5792 | .5068 | .4344 | .4344 |
| 4 | .6516 | .6878 | .6516 | .6516 | .5068 | .5068 | .5068 |
| 5 | .7964 | .7602 | .724 | .724 | .5792 | .5792 | .5792 |
| 6 | .905 | .8688 | .8688 | .7964 | .6878 | .6516 | .6878 |
| 7 | .8326 | .8326 | .7602 | .724 | .6154 | .5792 | .6516 |
| 8 | .6878 | .6878 | .6878 | .6154 | .6516 | .5068 | .6154 |
| 9 | .6516 | .6878 | .6516 | .6878 | .6878 | .5068 | .5792 |
| 10 | .5792 | .6154 | .6154 | .3258 | .6516 | .5792 | .543 |
| 11 | .5792 | .543 | .543 | .6154 | .6516 | .5792 | .543 |
| 12 | .6154 | .5792 | .543 | .5792 | .5792 | .6516 | .543 |
| 13 | .6516 | .5792 | .5792 | .5792 | .6516 | .6154 | .543 |
| 14 | .6516 | .5792 | .6154 | .5792 | .6154 | .5792 | .5068 |
| 15 | .5792 | .5068 | .543 | .5068 | .543 | .543 | .5068 |
| 16 | .5068 | .5068 | .5068 | .5068 | .5068 | .5068 | .5068 |
| 17 | .5068 | .543 | .5068 | .5068 | .5068 | .5068 | .5068 |
| 18 | .543 | .5792 | .5792 | .5792 | .6154 | .5068 | .543 |
| 19 | .7964 | .7964 | .7602 | .7964 | .7964 | .7602 | .7964 |
| 20 | .8688 | .905 | .8688 | .8688 | .8326 | .8326 | .8688 |
| 21 | .905 | .9412 | .905 | .905 | .8688 | .8688 | .905 |
| 22 | .905 | .9412 | .905 | .8688 | .8688 | .8688 | .8688 |
| 23 | .9412 | .905 | .8688 | .7964 | .7964 | .7964 | .8688 |
| 24 | .7964 | .8326 | .724 | .724 | .6878 | .6516 | .6878 |
| Max | .9412 | .9412 | .905 | .905 | .8688 | .8688 | .905 |
| Min | .5068 | .5068 | .5068 | .3258 | .5068 | .4344 | .4344 |
| Avg | .6969 | .7059 | .6803 | .6561 | .6531 | .6124 | .6199 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (W) SN-III[167] BU 4167

Substation No/ Name :- 283067 / Anand Nagar

Feeder No / Name : 315 / 22 KV Subhash Road

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 4.9344 | 1.448 | 1.4118 | 1.3756 | 4.0905 | 3.9019 | 4.0048 |
| 2 | 4.4049 | 1.3032 | 1.267 | 1.2308 | 3.6047 | 3.5132 | 3.5856 |
| 3 | 4.0105 | 1.1946 | 1.086 | 1.086 | 3.3132 | 3.2522 | 3.3303 |
| 4 | 3.8886 | 1.1946 | 1.267 | 1.086 | 3.1855 | 3.0522 | 3.2694 |
| 5 | 4.0696 | 1.3394 | 1.3756 | 1.2308 | 3.2998 | 3.1303 | 3.4389 |
| 6 | 4.5991 | 1.4842 | 1.448 | 1.3394 | 3.5551 | 3.4523 | 3.9552 |
| 7 | 5.0507 | 1.6651 | 1.5565 | 1.8099 | 4.0048 | 3.7552 | 4.8296 |
| 8 | 4.9841 | 1.6289 | 1.5565 | 1.5203 | 4.3934 | 4.0048 | 4.7707 |
| 9 | 4.8125 | 1.5927 | 1.5565 | 1.5203 | 4.6183 | 3.9324 | 4.7097 |
| 10 | 4.8125 | 1.5203 | 1.4842 | 1.5927 | 4.9154 | 3.9686 | 4.5154 |
| 11 | 4.721 | 1.4842 | 1.4842 | 1.5203 | 4.6792 | 4.1324 | 4.6849 |
| 12 | 4.643 | 1.448 | 1.4118 | 1.4118 | 4.4849 | 4.302 | 4.4239 |
| 13 | 4.4487 | 1.448 | 1.3756 | 1.3394 | 4.2296 | 4.0905 | 4.2658 |
| 14 | 4.2658 | 1.3032 | 1.2308 | 1.1584 | 3.8352 | 3.7018 | 3.9686 |
| 15 | 4.4963 | 1.3032 | 1.267 | 1.3032 | 3.5913 | 3.5247 | 3.7857 |
| 16 | 5.0316 | 1.5203 | 1.4842 | 1.3394 | 4.1686 | 4.0353 | 3.6885 |
| 17 | 4.6068 | 1.3394 | 1.3394 | 1.267 | 3.8771 | 3.5494 | 3.8466 |
| 18 | 4.5878 | 1.4118 | 1.3756 | 1.3032 | 3.8524 | 3.6275 | 4.2658 |
| 19 | 1.8099 | 1.8461 | 1.7013 | 1.6651 | 5.0068 | 4.4963 | 5.2678 |
| 20 | 1.8099 | 1.8823 | 1.8099 | 1.7013 | 5.2621 | 4.843 | 5.6146 |
| 21 | 1.8099 | 1.8461 | 1.7375 | 1.6651 | 5.0678 | 5.0373 | 5.5422 |
| 22 | 1.8461 | 1.8099 | 1.8461 | 1.6651 | 5.0316 | 5.123 | 5.3421 |
| 23 | 2.0995 | 1.7737 | 1.9185 | 1.7375 | 5.4088 | 5.4945 | 5.0926 |
| 24 | 1.6289 | 1.6289 | 1.6651 | 1.5203 | 4.8145 | 4.6868 | 4.6621 |
| Max | 5.0507 | 1.8823 | 1.9185 | 1.8099 | 5.4088 | 5.4945 | 5.6146 |
| Min | 1.6289 | 1.1946 | 1.086 | 1.086 | 3.1855 | 3.0522 | 3.2694 |
| Avg | 3.8905 | 1.5173 | 1.4857 | 1.4329 | 4.2621 | 4.0253 | 4.3692 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI WEST IISDN[720] BU 4720

Substation No/ Name :- 283211 / MSEB Colony Switching

Station

Feeder No / Name : 305 / Gograswadi

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | *** | *** | *** | *** | *** | *** | *** |
| 2 | *** | 1.5242 | 1.7147 | 1.5242 | 1.3336 | 1.3336 | 1.2955 |
| 3 | *** | *** | *** | *** | *** | *** | *** |
| 4 | *** | *** | *** | *** | *** | *** | *** |
| 5 | *** | *** | *** | *** | *** | *** | *** |
| 6 | *** | *** | *** | *** | *** | *** | *** |
| 7 | *** | *** | *** | *** | *** | *** | *** |
| 8 | *** | *** | *** | *** | *** | *** | *** |
| 9 | *** | *** | *** | *** | *** | *** | *** |
| 10 | *** | *** | *** | *** | *** | *** | *** |
| 11 | *** | *** | *** | *** | *** | *** | *** |
| 12 | *** | *** | *** | *** | *** | *** | *** |
| 13 | *** | *** | *** | *** | *** | *** | *** |
| 14 | *** | *** | *** | *** | *** | *** | *** |
| 15 | *** | *** | *** | *** | *** | 24.3866 | *** |
| 16 | *** | *** | *** | *** | *** | *** | *** |
| 17 | *** | *** | *** | *** | *** | *** | *** |
| 18 | *** | *** | *** | *** | *** | *** | *** |
| 19 | *** | *** | *** | *** | *** | *** | *** |
| 20 | *** | *** | *** | *** | *** | *** | *** |
| 21 | *** | *** | *** | *** | *** | *** | *** |
| 22 | *** | *** | *** | *** | *** | *** | *** |
| 23 | *** | *** | *** | *** | *** | *** | *** |
| 24 | *** | *** | *** | *** | *** | *** | *** |
| Max | 44.8103 | 44.696 | 38.5993 | 38.5993 | 38.5612 | 38.4469 | 38.6374 |
| Min | 25.6059 | 1.5242 | 1.7147 | 1.5242 | 1.3336 | 1.3336 | 1.2955 |
| Avg | 33.8348 | 32.0534 | 31.0818 | 31.0802 | 29.7322 | 29.2798 | 29.1813 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI WEST IISDN[720] BU 4720

Substation No/ Name :- 283211 / MSEB Colony Switching

Station

Feeder No / Name : 306 / KARADE BRAHAMAN

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .7621 | .7621 | .8002 | .7621 | .6478 | .6478 | .6097 |
| 2 | .6859 | .724 | .6478 | .6859 | .5716 | .5716 | .6097 |
| 3 | | .6859 | .6859 | .6097 | .5335 | .5716 | .5716 |
| 4 | .6478 | .6097 | .6097 | .6097 | .5335 | .5335 | .5716 |
| 5 | .6478 | .6097 | .6097 | .6097 | .5335 | .5335 | .5716 |
| 6 | .6859 | .7621 | .7621 | .724 | .5716 | .5716 | .6859 |
| 7 | .8002 | .8383 | .8002 | .724 | .6097 | .6097 | .8002 |
| 8 | .8383 | .8383 | .8764 | .9145 | .6859 | .6859 | .8383 |
| 9 | .9907 | .9907 | .9145 | .9145 | .8002 | .724 | .8383 |
| 10 | .8764 | | .9526 | .9907 | .8383 | .724 | .9526 |
| 11 | .9526 | .9145 | .9907 | .8764 | .9145 | .7621 | .8764 |
| 12 | .8764 | .9145 | .9145 | .9526 | .7621 | .724 | .8383 |
| 13 | .9907 | .9526 | .9907 | .9145 | .8383 | .8002 | .8383 |
| 14 | .9526 | .9145 | .8383 | .8002 | .7621 | .6859 | .7621 |
| 15 | .8764 | .8383 | .8002 | .724 | .6478 | .5716 | .6859 |
| 16 | .8002 | .8002 | .7621 | .6859 | .6097 | .5335 | .724 |
| 17 | .9145 | .8764 | .7621 | .7621 | .6859 | .5716 | .7621 |
| 18 | .9145 | .8764 | .8383 | .8002 | .7621 | .6859 | .8383 |
| 19 | 1.0669 | 1.0288 | .8764 | .9526 | .9145 | .8002 | .9907 |
| 20 | 1.1431 | 1.0669 | 1.0288 | .9526 | .9526 | .8383 | .9907 |
| 21 | 1.1431 | 1.0669 | 1.0288 | .9526 | .9145 | .8383 | .9907 |
| 22 | 1.0288 | .9907 | 1.0288 | .8764 | .8383 | .8383 | .9526 |
| 23 | 1.0288 | .9526 | .9526 | .8383 | .7621 | .8002 | .9145 |
| 24 | .9145 | .9145 | .8764 | .8764 | .724 | .7621 | .6859 |
| Max | 1.1431 | 1.0669 | 1.0288 | .9907 | .9526 | .8383 | .9907 |
| Min | .6478 | .6097 | .6097 | .6097 | .5335 | .5335 | .5716 |
| Avg | .8930 | .8665 | .8478 | .8129 | .7256 | .6827 | .7875 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI WEST IISDN[720] BU 4720

Substation No/ Name :- 283211 / MSEB Colony Switching
StationFeeder No / Name : 307 / Dombivali West
Feeder KV- 22 / INCOMING

| DATE | 08-MAR-17 | 09-MAR-17 |
|------|-----------|-----------|
| HR | Load (MW) | Load (MW) |
| 1 | 2.7816 | 2.7435 |
| 2 | 2.6292 | 2.5911 |
| 3 | | 2.5149 |
| 4 | 2.4387 | 2.3624 |
| 5 | 2.5149 | 2.553 |
| 6 | 3.0483 | 3.2007 |
| 7 | 3.3532 | 3.4294 |
| 8 | 3.1245 | 3.1245 |
| 9 | 2.7435 | |
| 10 | 2.5149 | |
| 11 | 2.4387 | |
| 12 | 2.4387 | |
| 13 | 2.4387 | |
| 14 | 2.5149 | |
| 15 | 2.5911 | |
| 16 | 2.4006 | |
| 17 | 2.4006 | |
| 18 | 2.5149 | |
| 19 | 3.3532 | |
| 20 | 3.7342 | |
| 21 | 4.1152 | |
| 22 | 4.0771 | |
| 23 | 3.6199 | |
| 24 | 3.1626 | 3.2007 |
| Max | 4.1152 | 3.4294 |
| Min | 2.4006 | 2.3624 |
| Avg | 2.9108 | 2.8578 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI WEST IISDN[720] BU 4720

Substation No/ Name :- 283211 / MSEB Colony Switching

Station

Feeder No / Name : 308 / STAR COLONY

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 19.2806 | 19.2806 | 19.2425 | 19.2425 | 19.1663 | 19.2425 | 19.1282 |
| 2 | 19.2044 | 19.2425 | 19.2044 | 19.2044 | 19.0901 | 12.9935 | 13.0316 |
| 3 | 18.2899 | 19.2044 | 19.2044 | 12.9935 | 12.9935 | 12.9554 | 12.9173 |
| 4 | 12.9935 | 12.9554 | 12.9554 | 12.9554 | 12.9554 | 12.9173 | 12.9173 |
| 5 | 13.0316 | 13.0697 | 12.9554 | 12.9554 | 12.9554 | 12.8411 | 12.9554 |
| 6 | 19.2806 | 19.3568 | 19.3187 | 13.0697 | 12.9935 | 12.9173 | 13.0316 |
| 7 | 19.3949 | *** | 19.3568 | 19.2425 | 13.0316 | 13.0316 | 19.2806 |
| 8 | 19.3568 | 19.433 | 19.3568 | 19.2806 | 19.1663 | 13.0316 | 19.2806 |
| 9 | 19.433 | 19.3568 | 19.3568 | 19.3187 | 19.2425 | 13.1078 | 19.1663 |
| 10 | 19.433 | 18.2899 | 19.3187 | 19.3949 | 19.3187 | 19.1663 | 19.2425 |
| 11 | 19.3568 | 19.3949 | 19.3949 | 19.3568 | 19.2806 | 19.2044 | 19.3187 |
| 12 | 19.3568 | 19.3187 | 19.2806 | 19.433 | 19.2044 | 19.1282 | 19.3568 |
| 13 | 19.3568 | 19.3187 | 19.2425 | 19.3568 | 19.2044 | 19.1663 | 19.3187 |
| 14 | 19.3568 | 19.2425 | 19.2425 | 19.2425 | 19.1282 | 19.0901 | 19.2044 |
| 15 | 19.3568 | 19.2425 | 19.2425 | 19.2044 | 12.9554 | 12.9935 | 19.2044 |
| 16 | 19.2806 | 19.2806 | 19.1663 | 19.1663 | 12.9935 | 12.9173 | 19.2044 |
| 17 | 19.3568 | 19.3187 | 19.2044 | 19.1663 | 13.0697 | 12.9554 | 19.2044 |
| 18 | 19.2425 | 19.2806 | 19.3187 | 19.2806 | 19.2425 | 12.9554 | 19.2425 |
| 19 | *** | 19.5473 | 19.5092 | 19.4711 | 19.3568 | 19.2425 | 18.2899 |
| 20 | *** | *** | *** | *** | *** | 19.3568 | *** |
| 21 | *** | *** | *** | *** | *** | 19.3949 | *** |
| 22 | *** | *** | *** | *** | 19.3949 | 19.3949 | *** |
| 23 | *** | *** | *** | *** | 19.3949 | 19.3568 | *** |
| 24 | *** | *** | 19.3949 | 19.3568 | 19.2806 | 19.3187 | 19.2425 |
| Max | 25.7583 | 25.7202 | 25.644 | 25.7202 | 25.6059 | 19.3949 | 25.6821 |
| Min | 12.9935 | 12.9554 | 12.9554 | 12.9554 | 12.9554 | 12.8411 | 12.9173 |
| Avg | 20.3475 | 20.3316 | 19.8220 | 19.3013 | 17.6898 | 16.1117 | 18.9599 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI WEST IISDN[720] BU 4720

Substation No/ Name :- 283211 / MSEB Colony Switching

Station

Feeder No / Name : 309 / MAHAVIR COLONY/NAGAR

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .8002 | .8383 | .8002 | .7621 | .724 | .6859 | .6859 |
| 2 | .7621 | .7621 | .724 | .724 | .6859 | .6097 | .6859 |
| 3 | | .724 | .724 | .6859 | .6478 | .6097 | .6859 |
| 4 | .724 | .6097 | .6097 | .6859 | .5716 | .5716 | .6478 |
| 5 | .6859 | .724 | .724 | .6478 | .5716 | | .6097 |
| 6 | .8002 | .8002 | .8002 | .724 | .6478 | .5335 | .724 |
| 7 | .9907 | .9526 | .9145 | .9145 | .724 | .7621 | .8764 |
| 8 | .9145 | .9145 | .9145 | .9145 | .7621 | .724 | .8002 |
| 9 | .8002 | .8383 | .8764 | .9145 | .9145 | .7621 | .8764 |
| 10 | .7621 | | .7621 | .8383 | .7621 | | .7621 |
| 11 | .7621 | .8383 | .8002 | .7621 | .8383 | .724 | .724 |
| 12 | .8002 | .724 | .7621 | .8383 | .8002 | .8764 | .724 |
| 13 | .9145 | .8764 | .8764 | .9145 | .7621 | .8383 | .724 |
| 14 | .8383 | .7621 | .8002 | .7621 | .724 | .8002 | .6478 |
| 15 | .7621 | .724 | .6859 | .6097 | .6478 | .6478 | .6097 |
| 16 | .6859 | .6859 | .6478 | .6097 | .6097 | .5335 | .6478 |
| 17 | .7621 | .724 | .6859 | .724 | .6859 | .6097 | .6097 |
| 18 | .7621 | .7621 | .7621 | .724 | .6859 | .6478 | .724 |
| 19 | .9526 | .9145 | .9145 | .9145 | .8383 | .8002 | .9145 |
| 20 | 1.0288 | .9907 | .9526 | .9145 | .9145 | .8764 | .9526 |
| 21 | 1.0669 | 1.0669 | .9145 | .9145 | .9145 | .9145 | .9526 |
| 22 | .9907 | 1.0669 | .9526 | .9145 | .8383 | .8764 | .9526 |
| 23 | .9907 | .9907 | .9145 | .8764 | .7621 | .8002 | .9145 |
| 24 | .9145 | .9145 | .9145 | .8383 | .7621 | .7621 | .724 |
| Max | 1.0669 | 1.0669 | .9526 | .9145 | .9145 | .9145 | .9526 |
| Min | .6859 | .6097 | .6097 | .6097 | .5716 | .5335 | .6097 |
| Avg | .8466 | .8350 | .8097 | .7970 | .7415 | .7257 | .7573 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI WEST IISDN[720] BU 4720

Substation No/ Name :- 283211 / MSEB Colony Switching

Station

Feeder No / Name : 310 / GAONDEVI MANDIR

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.2955 | 1.2574 | 1.2574 | 1.1431 | .9907 | 1.0288 | .9907 |
| 2 | 1.1812 | 1.2193 | 1.1431 | 1.0669 | .9145 | .9145 | .9907 |
| 3 | | 1.0669 | 1.0669 | .9526 | .8383 | .8383 | .8002 |
| 4 | 1.0288 | .9526 | .9526 | .9526 | .8383 | .8383 | .8002 |
| 5 | 1.0669 | 1.1431 | 1.1431 | 1.0288 | .8764 | .7621 | .8383 |
| 6 | 1.1812 | 1.2193 | 1.2193 | 1.0288 | .9145 | .8002 | .9526 |
| 7 | 1.3336 | 1.3336 | 1.2955 | 1.2574 | .9526 | .8383 | 1.2193 |
| 8 | 1.448 | 1.4098 | 1.3336 | 1.4098 | 1.2574 | .9526 | 1.2193 |
| 9 | 1.3717 | 1.3336 | 1.2955 | 1.3717 | 1.2193 | | 1.1812 |
| 10 | 1.3717 | | 1.448 | | 1.2574 | 1.0288 | 1.1812 |
| 11 | 1.4098 | 1.448 | 1.3717 | 1.7147 | 1.2574 | .9907 | 1.2574 |
| 12 | 1.3336 | 1.2574 | 1.2955 | 1.448 | 1.2193 | 1.105 | 1.1431 |
| 13 | 1.2955 | | 1.2574 | 1.2574 | 1.0669 | 1.0288 | 1.0288 |
| 14 | 1.2193 | 1.1431 | 1.1812 | 1.0669 | .9526 | .9907 | 1.0288 |
| 15 | 1.1431 | 1.1431 | 1.105 | 10.631 | .9526 | .8002 | .9907 |
| 16 | 1.2193 | 1.0669 | 1.105 | 1.0288 | .9907 | .8764 | .9907 |
| 17 | 1.2955 | 1.1812 | 1.1431 | 1.1812 | 1.0288 | .9145 | 1.0288 |
| 18 | 1.3717 | 1.3336 | 1.2955 | 1.2193 | 1.0669 | .9145 | 1.105 |
| 19 | 1.6004 | 1.6385 | 1.5242 | 1.4098 | 1.2955 | 1.1431 | 1.3717 |
| 20 | 1.6766 | 1.6385 | 1.6004 | 1.448 | 1.3717 | 1.2193 | 1.4098 |
| 21 | 1.6766 | 1.6385 | 1.6004 | 1.448 | 1.2955 | 1.3336 | 1.448 |
| 22 | 1.6004 | 1.5242 | 1.448 | 1.2574 | 1.1431 | 1.1812 | 1.3336 |
| 23 | 1.448 | 1.448 | 1.4098 | 1.2193 | 1.1431 | 1.1812 | 1.2574 |
| 24 | 1.4861 | 1.448 | 1.448 | 1.3717 | 1.1812 | 1.1431 | 1.0669 |
| Max | 1.6766 | 1.6385 | 1.6004 | 10.631 | 1.3717 | 1.3336 | 1.448 |
| Min | 1.0288 | .9526 | .9526 | .9526 | .8383 | .7621 | .8002 |
| Avg | 1.3502 | 1.3111 | 1.2892 | 1.6484 | 1.0844 | .9924 | 1.1098 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI WEST IISDN[720] BU 4720

Substation No/ Name :- 283211 / MSEB Colony Switching

Station

Feeder No / Name : 311 / PANDURANG WADI

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.0288 | 1.0669 | .9907 | 1.0288 | .8764 | .8383 | .8764 |
| 2 | .9145 | .9526 | .9145 | .9526 | .8002 | .7621 | .7621 |
| 3 | | .9145 | .9145 | .8764 | .7621 | .7621 | .7621 |
| 4 | .8383 | .8383 | .8383 | .8383 | .724 | .724 | .7621 |
| 5 | .8383 | .8764 | .8383 | .8764 | .724 | .6478 | .8383 |
| 6 | 1.0669 | 1.1431 | 1.0669 | 1.0288 | .7621 | .7621 | 1.0669 |
| 7 | 1.2574 | 1.2193 | 1.2193 | 1.0669 | .9145 | .9145 | 1.105 |
| 8 | 1.2574 | 1.2955 | 1.2193 | 1.3336 | 1.105 | .9907 | 1.1812 |
| 9 | 1.2193 | 1.2955 | 1.1812 | 1.2193 | 1.105 | .9907 | 1.105 |
| 10 | .9907 | | 1.0669 | 1.1431 | 1.105 | .9907 | .8764 |
| 11 | 1.0288 | .9907 | .9526 | 1.0669 | 1.0669 | .9526 | .9526 |
| 12 | .9145 | .9526 | .8764 | .9145 | .9907 | .9526 | .8764 |
| 13 | .8764 | .8383 | .8002 | .8764 | .8764 | .9907 | .8764 |
| 14 | .8383 | .8383 | .7621 | .8002 | .8764 | .9145 | .7621 |
| 15 | .7621 | .8383 | .7621 | .7621 | .7621 | .724 | .724 |
| 16 | .8383 | .7621 | .7621 | .6859 | .724 | .6859 | .724 |
| 17 | .8383 | .8002 | .8383 | .7621 | .7621 | .724 | .7621 |
| 18 | .9145 | .8764 | .9526 | .9145 | .8383 | .8002 | .8764 |
| 19 | 1.1431 | 1.1431 | 1.105 | 1.105 | 1.0669 | .9907 | 1.0669 |
| 20 | 1.3717 | 1.3336 | 1.3336 | 1.2574 | 1.2193 | 1.1812 | 1.2193 |
| 21 | 1.5242 | 1.448 | 1.3336 | 1.2193 | 1.2193 | 1.1431 | 1.2574 |
| 22 | 1.3717 | 1.3336 | 1.2574 | 1.1812 | 1.0669 | 1.105 | 1.2193 |
| 23 | 1.2955 | 1.2955 | 1.2193 | 1.1431 | .9907 | 1.0669 | 1.2193 |
| 24 | 1.2574 | 1.2193 | 1.1431 | 1.1431 | 1.0669 | .9526 | .9526 |
| Max | 1.5242 | 1.448 | 1.3336 | 1.3336 | 1.2193 | 1.1812 | 1.2574 |
| Min | .7621 | .7621 | .7621 | .6859 | .724 | .6478 | .724 |
| Avg | 1.0603 | 1.0553 | 1.0145 | 1.0082 | .9336 | .8986 | .9510 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI WEST IISDN[720] BU 4720

Substation No/ Name :- 283211 / MSEB Colony Switching

Station

Feeder No / Name : 312 / NANDIVALI ROAD

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 19.2425 | 19.2425 | 19.2425 | 19.2425 | 19.0901 | 19.1282 | 19.0901 |
| 2 | 19.1663 | 19.2044 | 19.1663 | 19.1282 | 12.9935 | 12.9554 | 12.9935 |
| 3 | 18.2899 | 19.1282 | 13.0697 | 12.9935 | 12.9173 | 12.9554 | 12.9935 |
| 4 | 12.9935 | 12.9935 | 12.9935 | 12.9935 | .6859 | 12.9554 | 12.9173 |
| 5 | 12.9935 | 13.0316 | 12.9935 | .8002 | 12.8792 | 12.8792 | .724 |
| 6 | 19.2425 | 19.3187 | 19.2425 | 13.2221 | 12.9173 | 12.9173 | 13.0697 |
| 7 | *** | 19.4711 | *** | 1.0669 | 19.1663 | 12.9935 | 19.3568 |
| 8 | 19.3187 | *** | *** | 19.2806 | 19.2044 | 12.9554 | 19.2425 |
| 9 | 19.1663 | 19.2425 | 19.1282 | 19.2806 | 19.2806 | 13.0316 | 19.1282 |
| 10 | 12.9554 | 18.2899 | 13.0316 | 19.2044 | 19.2425 | 12.9554 | 12.9554 |
| 11 | 12.9554 | 12.9935 | 12.9554 | 19.052 | 19.1282 | 13.0697 | 12.8792 |
| 12 | 12.9554 | 12.9554 | 12.8411 | 13.0697 | 13.0697 | 19.2044 | 12.803 |
| 13 | 12.9935 | 12.9173 | 12.9554 | 12.9554 | 19.1663 | 19.3568 | 12.803 |
| 14 | 12.9554 | 12.9173 | 12.8411 | 12.9173 | 12.8411 | 19.0901 | 12.803 |
| 15 | 12.8792 | 12.8411 | 12.8411 | 12.8411 | 12.8411 | 12.8411 | 12.803 |
| 16 | 12.8411 | 12.803 | 12.8411 | 12.803 | 12.803 | 12.8411 | 12.9173 |
| 17 | 12.8411 | 12.803 | 12.8792 | 12.803 | 12.803 | 12.803 | 12.9554 |
| 18 | 12.8792 | 12.8411 | 13.1459 | 12.8411 | 12.8792 | 12.8792 | 12.8411 |
| 19 | 19.2425 | 13.1459 | 13.1459 | 13.0697 | 13.1078 | 13.0697 | 13.0697 |
| 20 | 19.433 | 19.3568 | 19.3187 | 19.2806 | 19.2425 | 19.2044 | 19.2425 |
| 21 | 19.433 | 19.3568 | 19.3568 | 19.2806 | 19.2806 | 19.2806 | 19.3187 |
| 22 | 19.433 | 19.3949 | 19.3949 | 19.2806 | 19.2044 | 19.2806 | 19.3568 |
| 23 | *** | *** | 19.3568 | 19.2806 | 19.2425 | 19.2425 | 19.3568 |
| 24 | *** | *** | 19.3568 | 19.3568 | 19.2425 | 19.2425 | 19.1663 |
| Max | 25.5297 | 25.5678 | 25.6059 | 19.3568 | 19.2806 | 19.3568 | 19.3568 |
| Min | 12.8411 | 12.803 | 12.8411 | .8002 | .6859 | 12.803 | .724 |
| Avg | 17.1119 | 17.1198 | 16.3816 | 14.8352 | 15.5512 | 15.2972 | 14.7828 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI WEST IISDN[720] BU 4720

Substation No/ Name :- 283211 / MSEB Colony Switching

Station

Feeder No / Name : 313 / P AND T COLONY

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | *** | *** | 19.3568 | 19.2806 | 19.1663 | 19.2044 | 19.1663 |
| 2 | 19.2044 | .9526 | .9526 | 19.2425 | .8002 | .8383 | .8383 |
| 3 | 18.2899 | 19.2044 | 19.2044 | 12.9554 | 12.9554 | 12.9935 | 12.9554 |
| 4 | 19.0901 | 19.1282 | 12.9935 | 12.9554 | 12.8792 | 12.9173 | 12.9173 |
| 5 | 13.0316 | 13.0316 | 13.0316 | 12.9935 | 14.0604 | 12.9554 | 12.9935 |
| 6 | 19.2425 | 19.3568 | 19.2425 | 13.1078 | 12.9554 | 12.9554 | 19.2806 |
| 7 | 19.3568 | 19.5092 | 19.3568 | 19.2425 | 12.9935 | 12.9935 | 12.1933 |
| 8 | 19.2044 | 19.2806 | 19.2425 | 19.2425 | 19.2044 | 13.0316 | 18.8996 |
| 9 | 19.2425 | 19.2044 | 19.2044 | 19.2806 | 19.1663 | 12.9554 | 12.9935 |
| 10 | 19.2044 | 18.2899 | 19.0901 | 19.2044 | 19.2044 | 12.9935 | 19.1663 |
| 11 | 19.1282 | 19.1663 | 12.9935 | 19.1663 | 19.2044 | 13.0697 | 19.2044 |
| 12 | 12.9935 | 13.0316 | 12.9173 | 13.0316 | 19.2044 | 13.0316 | 12.9935 |
| 13 | 12.9554 | 12.9935 | 12.9554 | 12.9935 | 18.2899 | 19.1282 | 13.0316 |
| 14 | 13.0316 | 12.9554 | 12.8792 | 12.9554 | 12.8792 | 12.9554 | 12.9554 |
| 15 | 13.0316 | 12.9554 | 12.8792 | 12.9173 | 12.9173 | 12.9173 | 12.9173 |
| 16 | 12.9554 | 12.9173 | 12.8792 | 12.8792 | 12.8792 | 12.8411 | 12.9173 |
| 17 | 12.9935 | 12.9554 | 12.9554 | 12.8792 | 12.9554 | 12.8411 | 12.9554 |
| 18 | 13.0316 | 13.0697 | 13.0316 | 12.9935 | 12.9935 | 12.9173 | 12.9935 |
| 19 | 19.3187 | 19.3187 | 19.2806 | 19.3187 | 19.2425 | 13.1078 | 19.2806 |
| 20 | 19.3568 | 19.3949 | 19.3187 | 19.3187 | 19.2806 | 19.2425 | 19.3568 |
| 21 | 19.5092 | 19.433 | 19.3187 | 19.3187 | 19.2806 | 19.2425 | 19.3949 |
| 22 | 19.433 | 19.4711 | 19.433 | 19.3187 | 19.3568 | 19.2806 | 19.433 |
| 23 | *** | *** | 19.433 | 19.3949 | 19.3568 | 19.2806 | 19.433 |
| 24 | *** | *** | *** | 19.2806 | 19.2425 | 19.2806 | 19.2425 |
| Max | 25.6059 | 25.644 | 25.6059 | 19.3949 | 19.3568 | 19.2806 | 19.433 |
| Min | 12.9554 | .9526 | .9526 | 12.8792 | .8002 | .8383 | .8383 |
| Avg | 17.9248 | 17.1690 | 16.1482 | 16.3863 | 15.8529 | 14.2906 | 15.3131 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI WEST IISDN[720] BU 4720

Substation No/ Name :- 283211 / MSEB Colony Switching

Station

Feeder No / Name : 314 / Gandhi Nagar

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 12.8411 | 12.8792 | 12.8411 | 12.8411 | 12.7649 | 12.803 | 12.7649 |
| 2 | 12.803 | 12.8411 | .6097 | 12.803 | .5335 | .5335 | .5716 |
| 3 | 12.1933 | 12.803 | 12.803 | 12.7649 | 6.6301 | 6.6301 | 6.5538 |
| 4 | 6.6682 | 12.7649 | 6.6682 | 6.6301 | 6.6301 | 6.6301 | 6.5538 |
| 5 | 6.6301 | 6.6682 | 6.6301 | 6.6682 | 6.6301 | 6.6301 | 6.6301 |
| 6 | 12.7649 | 12.803 | 12.7649 | 6.6682 | 6.6301 | 6.6301 | 6.6682 |
| 7 | 12.803 | 12.8792 | 12.8411 | 12.803 | 6.6301 | 6.6301 | 12.803 |
| 8 | 12.8411 | 12.9554 | 12.9935 | 12.8792 | 12.8411 | 6.6682 | 12.803 |
| 9 | 12.9935 | 13.0316 | 12.9935 | 12.9935 | 12.9173 | 12.8411 | 12.8411 |
| 10 | 12.9554 | 12.1933 | 12.9554 | 12.9554 | 12.9554 | 12.803 | 12.7649 |
| 11 | 12.8792 | 12.8411 | 12.8411 | 12.803 | 12.8792 | 12.803 | 12.7649 |
| 12 | 12.803 | 12.7649 | 12.7268 | 12.7649 | 12.7649 | 12.7268 | 6.592 |
| 13 | 12.6505 | 12.7268 | 6.6301 | 6.6682 | 6.6301 | 12.7649 | 6.5538 |
| 14 | 6.5538 | 6.5538 | 6.592 | 11.7741 | 6.6301 | 6.5538 | 6.4776 |
| 15 | 6.5538 | 6.5538 | 6.5538 | 6.6301 | 6.6301 | 6.5538 | 6.4776 |
| 16 | 6.5538 | 6.5538 | 6.5538 | 6.6301 | 6.6301 | 6.5538 | 6.4776 |
| 17 | 6.6301 | 6.5538 | 6.592 | 6.6301 | 6.6301 | 6.5538 | 6.4776 |
| 18 | 6.6682 | 6.5538 | 6.6682 | 6.6301 | 6.7444 | 6.5538 | 6.7825 |
| 19 | 12.9173 | 12.9173 | 12.9173 | 12.8411 | 12.8792 | 6.7063 | 12.9173 |
| 20 | 13.0316 | 12.9935 | 12.9554 | 12.8792 | 12.8792 | 12.8411 | 12.9173 |
| 21 | 13.0316 | 12.9554 | 12.9554 | 12.9554 | 12.8792 | 12.8411 | 12.9554 |
| 22 | 13.0316 | 12.9935 | 12.9935 | 12.9554 | 12.8411 | 12.8792 | 12.9554 |
| 23 | 13.0316 | 12.9935 | 12.9935 | 12.8792 | 12.8792 | 12.8411 | 12.9935 |
| 24 | 12.9554 | 13.0316 | 12.9935 | 12.9554 | 12.8411 | 12.8411 | 12.803 |
| Max | 13.0316 | 13.0316 | 12.9935 | 12.9935 | 12.9554 | 12.8792 | 12.9935 |
| Min | 6.5538 | 6.5538 | .6097 | 6.6301 | .5335 | .5335 | .5716 |
| Avg | 11.0327 | 11.2836 | 10.2945 | 10.7501 | 9.4959 | 9.2005 | 9.4625 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 283212 / SONAR PADA

Feeder No / Name : 301 / 22 KV SONARPADA IND

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .6859 | .724 | .724 | .6478 | .6859 | .6478 | .5335 |
| 2 | .6859 | .724 | .6478 | .5716 | .6478 | .6478 | .5335 |
| 3 | .6478 | .6859 | .6478 | .5716 | .6859 | .6097 | .5335 |
| 4 | .6478 | .6097 | .6478 | .5716 | .5716 | .5716 | .5335 |
| 5 | .6097 | .6478 | .6859 | .6097 | .5335 | .5335 | .5335 |
| 6 | .6097 | .6478 | .6478 | .6478 | .5335 | .5716 | .5716 |
| 7 | .6859 | .6478 | .6859 | .724 | .6097 | .5716 | .6097 |
| 8 | .7621 | .6478 | .6478 | .724 | .6478 | .5335 | .6478 |
| 9 | .7621 | .8002 | .6478 | .8002 | .8383 | .5335 | .5716 |
| 10 | 1.0669 | 1.0669 | .8002 | 1.0288 | .9526 | .4572 | .8764 |
| 11 | 1.0669 | 1.2193 | .6478 | 1.0669 | .9907 | .5335 | .9907 |
| 12 | 1.1812 | 1.1431 | .6097 | 1.1431 | 1.105 | .4572 | 1.105 |
| 13 | 1.0288 | 1.0669 | .6859 | 1.0669 | .8383 | .4954 | .9907 |
| 14 | 1.105 | .9145 | .8383 | 1.1431 | .8764 | .4572 | 1.0669 |
| 15 | 1.2955 | 1.1812 | .8383 | 1.2955 | .9907 | .5335 | 1.0669 |
| 16 | 1.2574 | 1.0288 | .8383 | 1.2574 | .9145 | .4954 | 1.1431 |
| 17 | 1.2955 | 1.105 | | 1.1431 | .8383 | .5335 | 1.105 |
| 18 | 1.2574 | 1.105 | .724 | 1.1431 | .8383 | .5716 | 1.0288 |
| 19 | 1.2955 | 1.1431 | .8383 | 1.1812 | .9145 | .6478 | 1.1812 |
| 20 | 1.1431 | 1.1431 | .8383 | 1.105 | .8764 | .6859 | 1.0669 |
| 21 | .9907 | .9526 | .8002 | 1.0288 | .8383 | .724 | .9526 |
| 22 | .8764 | .8764 | .724 | .7621 | .7621 | .6859 | 1.105 |
| 23 | .8002 | .8383 | .724 | .7621 | .8002 | .6478 | .7621 |
| 24 | 2.1719 | 1.1431 | .8002 | .6478 | .6859 | .6859 | .6097 |
| Max | 2.1719 | 1.2193 | .8383 | 1.2955 | 1.105 | .724 | 1.1812 |
| Min | .6097 | .6097 | .6097 | .5716 | .5335 | .4572 | .5335 |
| Avg | .9971 | .9193 | .7257 | .9018 | .7907 | .5764 | .8383 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 283212 / SONAR PADA

Feeder No / Name : 302 / 22 KV SONARPADA VILLAGE

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .9145 | .9526 | .9145 | .8764 | .8764 | .8383 | .8383 |
| 2 | .8764 | .9526 | .8383 | .8764 | .8383 | .8002 | .8002 |
| 3 | .8764 | .9145 | .8383 | .8383 | .7621 | .8002 | .8002 |
| 4 | .8764 | .9145 | .8383 | .8764 | .7621 | .7621 | .8002 |
| 5 | .9907 | .9145 | .8764 | .8764 | .8002 | .8002 | .8002 |
| 6 | .9907 | 1.0669 | .9907 | .9907 | .8764 | .8764 | .9526 |
| 7 | 1.1431 | 1.105 | .9907 | 1.0288 | .9907 | .9526 | 1.0669 |
| 8 | 1.105 | 1.0288 | 1.0288 | 1.105 | 1.0288 | .9907 | .9526 |
| 9 | .9526 | .9907 | .8764 | .8383 | .9526 | .8002 | .9526 |
| 10 | .8383 | .8383 | .8002 | .8383 | .8383 | .724 | .8002 |
| 11 | .8383 | .8383 | .6097 | .8383 | .8002 | .8002 | .8002 |
| 12 | .8002 | .8002 | .724 | .8002 | .8002 | .724 | .7621 |
| 13 | .7621 | .7621 | .6478 | .6859 | .6859 | .6859 | .724 |
| 14 | .8002 | .724 | .7621 | .6859 | .6859 | .724 | .724 |
| 15 | .8383 | .8002 | .724 | .7621 | .724 | .724 | .8002 |
| 16 | .8002 | .8002 | .6859 | | .7621 | .6859 | .7621 |
| 17 | .8002 | 1.1812 | | .7621 | .7621 | .724 | .8383 |
| 18 | .8002 | .8383 | .724 | .8383 | .7621 | .724 | .8002 |
| 19 | 1.105 | 1.0288 | .9145 | .8383 | 1.1431 | .9526 | 1.0288 |
| 20 | 1.0288 | 1.1812 | .9907 | 1.0669 | 1.105 | 1.0669 | 1.1812 |
| 21 | 1.1812 | 1.1812 | 1.0288 | 1.0288 | 1.0288 | 1.0288 | 1.1431 |
| 22 | 1.1812 | 1.105 | .9907 | 1.0288 | 1.0288 | 1.0288 | 1.0669 |
| 23 | 1.105 | 1.0669 | .9907 | .9907 | .9907 | .9907 | 1.0288 |
| 24 | .9907 | .9907 | .9907 | .9145 | .9526 | .8764 | .9145 |
| Max | 1.1812 | 1.1812 | 1.0288 | 1.105 | 1.1431 | 1.0669 | 1.1812 |
| Min | .7621 | .724 | .6097 | .6859 | .6859 | .6859 | .724 |
| Avg | .9415 | .9574 | .8598 | .8863 | .8732 | .8367 | .8891 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 283212 / SONAR PADA

Feeder No / Name : 303 / 22 KV JADE RUBBER
Feeder KV- 22 / OUTGOINGSHEDDABLE FEEDER HAVING WEEKLY
STAGGERING (MIDC, EQUIVALENT)

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.2481 | 2.1719 | 2.0195 | 1.5623 | 2.2481 | 1.6385 | 1.2193 |
| 2 | 2.1719 | 2.1338 | 2.0195 | 1.5242 | 2.1719 | 1.6766 | 1.1812 |
| 3 | 2.1338 | 2.0957 | 1.9814 | 1.6004 | 2.1338 | 1.7147 | 1.2193 |
| 4 | 2.1338 | 2.1338 | 1.9433 | 1.5242 | 2.0957 | 1.7147 | 1.2193 |
| 5 | 2.1338 | 2.1338 | 1.9052 | 1.4861 | 2.0576 | 1.6385 | 1.2193 |
| 6 | 2.21 | 2.0576 | 1.9052 | 1.5623 | 2.1338 | 1.6004 | 1.2574 |
| 7 | 2.0957 | 2.1719 | 1.8671 | 1.6385 | 1.9433 | 1.448 | 1.2574 |
| 8 | 2.3624 | 2.5149 | 1.7147 | 1.7147 | 2.4006 | 1.2955 | 1.7528 |
| 9 | 1.8671 | 2.8959 | 1.7909 | 2.9721 | 2.7054 | 1.2955 | 2.21 |
| 10 | 3.5056 | 3.2007 | 1.9052 | 3.315 | 3.2769 | 1.2193 | 2.6292 |
| 11 | 3.6961 | 3.5437 | 1.9814 | 3.658 | 3.0483 | 1.2193 | 2.7435 |
| 12 | 3.4294 | 3.4294 | 1.7528 | 3.658 | 3.2769 | 1.2193 | 2.6292 |
| 13 | 3.0102 | 3.2007 | 1.829 | 3.2388 | 2.4768 | 1.2574 | 2.4387 |
| 14 | 3.4294 | 3.7342 | 1.829 | 3.315 | 3.0483 | 1.1812 | 2.6292 |
| 15 | 3.3532 | 3.315 | 1.8671 | 3.5056 | 2.934 | 1.1812 | 2.5911 |
| 16 | 3.6961 | 3.6199 | 1.7909 | 3.5056 | 2.8578 | 1.1431 | 2.8197 |
| 17 | 3.5818 | 3.5056 | | 3.5056 | 2.6673 | 1.1812 | 2.2481 |
| 18 | 3.3532 | 2.934 | 1.7528 | 3.4294 | 2.4768 | 1.1812 | 2.1338 |
| 19 | 2.7054 | 2.8578 | 1.7528 | 2.9721 | 2.1338 | 1.2193 | 2.1338 |
| 20 | 2.553 | 2.4006 | 1.6004 | 2.6673 | 1.8671 | 1.2193 | 2.0195 |
| 21 | | 2.3243 | 1.6004 | 2.4768 | 1.8671 | 1.2193 | 2.0195 |
| 22 | 2.2862 | 2.1338 | 1.5623 | 2.3243 | 1.7909 | 1.2193 | 1.829 |
| 23 | 2.0957 | 2.1719 | 1.6004 | 2.3624 | 1.7147 | 1.2574 | 1.9052 |
| 24 | 2.21 | 2.2481 | 2.0576 | 1.5242 | 2.3243 | 1.7909 | 1.2574 |
| Max | 3.6961 | 3.7342 | 2.0576 | 3.658 | 3.2769 | 1.7909 | 2.8197 |
| Min | 1.8671 | 2.0576 | 1.5623 | 1.4861 | 1.7147 | 1.1431 | 1.1812 |
| Avg | 2.7070 | 2.7054 | 1.8273 | 2.5435 | 2.4021 | 1.3638 | 1.9401 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 283212 / SONAR PADA

Feeder No / Name : 304 / 22 KV REGENCY FEEDER

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.8671 | 1.9433 | 1.7909 | 1.7909 | 1.6385 | 1.6004 | 1.6004 |
| 2 | 1.7528 | 1.829 | 1.6766 | 1.7909 | 1.6004 | 1.5242 | 1.4861 |
| 3 | 1.6766 | 1.7147 | 1.6004 | 1.6766 | 1.6385 | 1.448 | 1.4861 |
| 4 | 1.6766 | 1.6766 | 1.6004 | 1.7528 | 1.6004 | 1.4861 | 1.448 |
| 5 | 1.7147 | 1.6766 | 1.6004 | 1.6385 | 1.6004 | 1.4861 | 1.448 |
| 6 | 1.7147 | 1.7528 | 1.6385 | 1.6004 | 1.4861 | 1.4098 | 1.6004 |
| 7 | 1.8671 | 1.7909 | 1.7147 | 1.7909 | 1.5623 | 1.4098 | 1.6766 |
| 8 | 1.7147 | 1.7147 | 1.5242 | 1.9052 | 1.6004 | 1.448 | 1.4861 |
| 9 | 1.5623 | 1.6766 | 1.5623 | 1.6004 | 1.6385 | 1.3717 | 1.4098 |
| 10 | 1.6766 | 1.7528 | 1.6004 | 1.5623 | 1.7528 | | 1.5623 |
| 11 | 1.6766 | 1.6385 | 1.4861 | 1.7528 | 1.6385 | 1.3336 | 1.6004 |
| 12 | 1.6385 | 1.448 | 1.448 | 1.7528 | 1.4861 | 1.4098 | 1.5623 |
| 13 | 1.7147 | 1.6385 | 1.6004 | 1.5242 | 1.4861 | 1.6385 | |
| 14 | 1.6385 | 1.6385 | 1.5242 | 1.5242 | 1.3336 | 1.448 | 1.9052 |
| 15 | 1.7528 | 1.6385 | 1.5242 | 1.6004 | 1.3717 | 1.3336 | 1.7528 |
| 16 | 1.6766 | 1.5623 | 1.448 | 1.4861 | 1.4861 | 1.2955 | 1.6385 |
| 17 | 1.6766 | 1.4861 | | 1.4861 | 1.5242 | 1.2193 | 1.6385 |
| 18 | 1.6385 | 1.6766 | 1.4098 | 1.6766 | 1.5623 | 1.3336 | 1.5242 |
| 19 | 2.0195 | 2.0195 | 1.829 | 1.9814 | 2.0957 | 1.6004 | 1.9814 |
| 20 | 2.1719 | 2.1338 | 1.8671 | 1.9433 | 1.9814 | 1.7528 | 1.9814 |
| 21 | 2.0195 | 2.0957 | 1.9052 | 1.9433 | 1.8671 | 1.9433 | 2.0576 |
| 22 | 2.1338 | 2.1338 | 1.9052 | 2.0195 | 1.9052 | 1.9052 | 2.0957 |
| 23 | 2.21 | 2.0576 | 1.9433 | 1.829 | 1.9052 | 1.9052 | 1.9814 |
| 24 | 2.0576 | 2.0576 | 1.9433 | 1.8671 | 1.829 | 1.6766 | 1.7147 |
| Max | 2.21 | 2.1338 | 1.9433 | 2.0195 | 2.0957 | 1.9433 | 2.0957 |
| Min | 1.5623 | 1.448 | 1.4098 | 1.4861 | 1.3336 | 1.2193 | 1.4098 |
| Avg | 1.8020 | 1.7814 | 1.6584 | 1.7290 | 1.6496 | 1.5208 | 1.6799 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 283212 / SONAR PADA

Feeder No / Name : 305 / 22 KV SAGAON-NANDIVLI

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.9433 | 2.1338 | 1.9052 | 1.8671 | 1.9052 | 1.7528 | 1.7147 |
| 2 | 1.829 | 1.8671 | 1.7528 | 1.7147 | 1.6766 | 1.6004 | 1.6385 |
| 3 | 1.7909 | 1.7909 | 1.7147 | 1.7147 | 1.6385 | 1.5623 | 1.5623 |
| 4 | 1.7909 | 1.829 | 1.6766 | 1.7909 | 1.6004 | 1.5623 | 1.5623 |
| 5 | 1.829 | 1.829 | 1.7147 | 1.7528 | 1.5623 | 1.6004 | 1.6004 |
| 6 | 1.9433 | 1.9433 | 1.9052 | 1.9433 | 1.6004 | 1.6766 | 1.7909 |
| 7 | 2.3624 | 2.2862 | 2.21 | 2.0195 | 1.829 | 1.7147 | 2.0576 |
| 8 | 2.3243 | 2.2862 | 2.21 | 2.0957 | 1.9433 | 1.7528 | 2.1338 |
| 9 | 1.9433 | 1.9814 | 1.9052 | 2.0957 | 2.0195 | 1.7147 | 1.9814 |
| 10 | 1.829 | 1.829 | 1.7909 | 1.8671 | 1.7909 | 1.6766 | 2.4768 |
| 11 | 1.829 | 1.9052 | 1.6766 | 1.7909 | 1.8671 | 1.6385 | 1.7528 |
| 12 | 1.829 | 1.7909 | 1.6004 | 1.7528 | 1.5242 | 1.8671 | |
| 13 | 1.8671 | 1.7528 | 1.6766 | 1.6766 | 1.6004 | 1.7909 | 1.7528 |
| 14 | 1.6385 | 1.6766 | 1.448 | 1.6004 | 1.4861 | 1.6385 | 1.6004 |
| 15 | 1.5623 | 1.6004 | 1.4861 | 1.4861 | 1.4861 | 1.5242 | 1.5242 |
| 16 | 1.6004 | 1.6004 | 1.448 | 1.448 | 1.4098 | 1.4098 | 1.3336 |
| 17 | 1.6004 | 1.5623 | | 1.5623 | 1.4861 | 1.448 | 1.5242 |
| 18 | 1.7147 | 1.7147 | 1.4861 | 1.7147 | 1.6004 | 1.4098 | 1.6385 |
| 19 | 2.1719 | 2.1338 | 1.9814 | 1.9433 | 2.0576 | 1.7528 | 2.0957 |
| 20 | 2.2862 | 2.2481 | 2.0957 | 2.1719 | 2.1338 | 2.0576 | 2.2481 |
| 21 | 2.4768 | 2.4006 | 2.1719 | 2.2481 | 2.21 | 2.1719 | 2.3243 |
| 22 | 2.4768 | 2.3624 | 2.2481 | 2.21 | 2.1719 | 2.1719 | 2.4006 |
| 23 | 2.3624 | 2.3243 | 2.1719 | 2.0576 | 2.1338 | 2.0576 | 2.2481 |
| 24 | | 2.2481 | 2.1338 | 2.0576 | 1.9814 | 1.8671 | 1.8671 |
| Max | 2.4768 | 2.4006 | 2.2481 | 2.2481 | 2.21 | 2.1719 | 2.4768 |
| Min | 1.5623 | 1.5623 | 1.448 | 1.448 | 1.4098 | 1.4098 | 1.3336 |
| Avg | 1.9566 | 1.9624 | 1.8439 | 1.8576 | 1.7798 | 1.7258 | 1.8621 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 283212 / SONAR PADA

Feeder No / Name : 306 / 22 KV MIDC RESI. ZONE

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.4006 | | 2.21 | 2.2481 | 1.9814 | 1.9814 | 2.0195 |
| 2 | 2.1338 | 2.0957 | 1.9814 | 2.0957 | 1.8671 | 1.829 | 1.829 |
| 3 | 2.0576 | 2.0576 | 1.9052 | 2.0576 | 1.7909 | 1.7147 | 1.7909 |
| 4 | 2.0576 | 2.0195 | 1.829 | 2.0195 | 1.7147 | 1.6766 | 1.7528 |
| 5 | 2.0957 | 1.8671 | 1.8671 | 1.9814 | 1.6766 | 1.6385 | 1.7909 |
| 6 | 2.0957 | 2.0957 | 2.0576 | 2.0957 | | 1.6766 | 1.9433 |
| 7 | 2.3624 | 2.3624 | 2.3243 | 2.0957 | 1.829 | 1.6004 | 2.21 |
| 8 | 2.4768 | 2.4768 | 2.21 | 2.2481 | 1.9052 | 1.829 | 2.3243 |
| 9 | | 2.4387 | 2.4387 | 2.3243 | 2.1338 | 1.829 | 2.4768 |
| 10 | 2.2862 | 2.5149 | 2.4768 | 2.4006 | 2.0957 | 1.8671 | 2.3243 |
| 11 | 2.4768 | 2.5911 | 2.4768 | 2.2862 | 2.0957 | 1.8671 | 2.4768 |
| 12 | 2.3243 | 2.4768 | 2.4387 | 2.2481 | 1.9814 | 1.9814 | 2.3243 |
| 13 | 2.3243 | 2.2862 | 2.2862 | 2.0957 | 1.8671 | 2.0576 | 2.3243 |
| 14 | 2.2481 | 2.2862 | 2.2481 | 1.9052 | 1.7147 | 1.8671 | 2.21 |
| 15 | 2.21 | 2.21 | 2.1719 | 1.9433 | 1.6385 | 1.7147 | 2.2862 |
| 16 | .6097 | 2.2481 | .5716 | 1.9052 | 1.6004 | 1.6385 | 2.0957 |
| 17 | 2.3624 | 2.1338 | | 1.9052 | 1.6385 | 1.5242 | 2.0576 |
| 18 | 2.4768 | 2.0576 | 2.1338 | 2.0957 | 1.829 | 1.829 | 1.9814 |
| 19 | 2.7054 | 2.5149 | 2.553 | 2.2862 | 2.2481 | 2.0576 | 2.4006 |
| 20 | 2.6292 | 2.553 | 2.5149 | 2.4006 | 2.2862 | 2.1719 | 2.4387 |
| 21 | 2.6292 | 2.553 | 2.4387 | 2.2862 | 2.21 | 2.2481 | 2.3624 |
| 22 | 2.6292 | 2.6292 | 2.4768 | 2.3243 | 2.21 | 2.2862 | 2.5149 |
| 23 | 2.7435 | 2.7435 | 2.6292 | 2.4387 | 2.1719 | 2.3243 | 2.4768 |
| 24 | 2.7435 | 2.7054 | 2.4387 | 2.4768 | 2.2862 | 2.1719 | 2.21 |
| Max | 2.7435 | 2.7435 | 2.6292 | 2.4768 | 2.2862 | 2.3243 | 2.5149 |
| Min | .6097 | 1.8671 | .5716 | 1.9052 | 1.6004 | 1.5242 | 1.7528 |
| Avg | 2.3078 | 2.3442 | 2.2034 | 2.1735 | 1.9466 | 1.8909 | 2.1926 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 283212 / SONAR PADA

Feeder No / Name : 307 / 22 KV MIDC FEEDER NO - 11 SHEDDABLE FEEDER HAVING WEEKLY
Feeder KV- 22 / OUTGOING STAGGERING (MIDC, EQUIVALENT)

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.4294 | 3.2388 | 3.315 | 2.21 | 3.2388 | 3.0483 | 1.9052 |
| 2 | 3.2007 | 3.2388 | 3.2388 | 2.21 | 3.1245 | 3.0483 | 1.7909 |
| 3 | 3.1626 | 3.2388 | 3.1245 | 2.1719 | 3.0483 | 2.9721 | 1.7909 |
| 4 | 3.1626 | 3.1245 | 2.9721 | 2.21 | 2.934 | 2.8959 | 1.7909 |
| 5 | 3.1245 | 3.1245 | 3.0102 | 2.1719 | 2.8959 | 2.8578 | 1.7909 |
| 6 | 3.1626 | 3.1245 | | 2.2862 | 3.0483 | 2.4768 | 1.9433 |
| 7 | 3.2007 | 3.2769 | 2.6673 | 2.3624 | 2.8959 | 2.0576 | 2.2481 |
| 8 | 3.6199 | 3.4675 | 2.4768 | 2.4768 | 3.3532 | 1.9814 | 2.5149 |
| 9 | 3.7723 | 3.8866 | 2.7054 | 3.8104 | 4.1152 | 2.0195 | 3.0483 |
| 10 | 4.6868 | 4.9535 | 2.8197 | 4.3439 | 4.4201 | 2.0957 | 4.1152 |
| 11 | 5.0678 | 5.144 | 2.7816 | 4.5344 | 4.3439 | 1.9433 | 4.6106 |
| 12 | .3048 | 4.9916 | 2.7435 | 4.4963 | 4.2676 | 1.9052 | 4.6106 |
| 13 | 4.1533 | 4.6106 | 2.6292 | 4.1914 | 4.1152 | 1.9433 | 4.382 |
| 14 | 4.9154 | 4.8773 | | 4.6106 | 4.2676 | 1.9052 | 4.7249 |
| 15 | | 5.1059 | | 4.4963 | 4.3439 | 1.8671 | 4.6487 |
| 16 | 4.8392 | 4.9916 | 2.6292 | 4.6868 | 4.3439 | 1.9052 | 4.7249 |
| 17 | 4.763 | 4.763 | | 4.4963 | 4.0009 | 1.829 | 4.6487 |
| 18 | 4.3439 | 4.2676 | 2.4387 | 4.382 | 3.5818 | 1.8671 | 4.2676 |
| 19 | 4.2676 | 4.2676 | 2.4387 | 4.3058 | 3.5437 | 1.9814 | 4.1914 |
| 20 | 3.9247 | 3.8485 | 2.4387 | 3.7342 | 3.4294 | 2.0195 | 4.0771 |
| 21 | 3.658 | 3.7723 | 2.3624 | 3.658 | 3.2769 | 2.0957 | 3.6961 |
| 22 | 3.5818 | 3.6961 | 2.3624 | 3.5437 | 3.3913 | 1.9814 | 3.4675 |
| 23 | 3.7342 | 3.4294 | 2.2481 | 3.2007 | 3.4294 | 1.9052 | 3.3532 |
| 24 | 3.4675 | 3.2769 | 3.3532 | 2.21 | 3.3532 | 3.2388 | 1.9052 |
| Max | 5.0678 | 5.144 | 3.3532 | 4.6868 | 4.4201 | 3.2388 | 4.7249 |
| Min | .3048 | 3.1245 | 2.2481 | 2.1719 | 2.8959 | 1.829 | 1.7909 |
| Avg | 3.7193 | 3.9882 | 2.7378 | 3.45 | 3.6151 | 2.2434 | 3.3436 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 283212 / SONAR PADA

Feeder No / Name : 308 / 22 KV TEMPO NAKA

Feeder KV- 22 / OUTGOING

SHEDDABLE FEEDER HAVING WEEKLY

STAGGERING (MIDC, EQUIVALENT)

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.658 | 3.5818 | 3.6961 | 2.8197 | 3.5437 | 3.2769 | 2.3624 |
| 2 | 3.7342 | 3.5056 | 3.5818 | 2.8197 | 3.4675 | 3.2007 | 2.3243 |
| 3 | 3.5437 | 3.4294 | 3.4675 | 2.7816 | 3.4294 | 3.2007 | 2.3624 |
| 4 | 3.5437 | 3.4294 | 3.4294 | 2.8197 | 3.315 | 3.0102 | 2.3624 |
| 5 | 3.5056 | 3.5437 | 3.5437 | 2.8197 | 3.2388 | 2.8578 | 2.3624 |
| 6 | 3.5437 | 3.4675 | 3.5056 | 2.934 | 3.3913 | 2.9721 | 2.4387 |
| 7 | 3.6199 | 3.5437 | 3.3532 | 2.934 | 3.3532 | 2.7435 | 2.6292 |
| 8 | 3.5437 | 3.658 | 3.0483 | 2.9721 | 3.5437 | 2.5911 | 2.7816 |
| 9 | 4.0009 | 4.0771 | 3.0864 | 4.039 | 4.1914 | 2.7054 | 3.3532 |
| 10 | 5.1059 | 5.6775 | 3.2007 | 5.6013 | 5.144 | 2.6292 | 4.6868 |
| 11 | 5.6394 | 5.868 | 3.5056 | 5.6394 | 5.1821 | 2.7816 | 5.1821 |
| 12 | 5.7918 | 5.6775 | 3.3913 | 5.3727 | | 2.7435 | 4.8392 |
| 13 | 5.2584 | 5.1821 | 3.315 | 4.9916 | 4.4963 | 2.7816 | 4.8773 |
| 14 | 5.3727 | 6.0585 | 3.315 | 5.487 | 4.8392 | 2.7816 | 5.2965 |
| 15 | 5.487 | 6.1347 | 3.2769 | 5.487 | 5.2965 | 2.7816 | 5.3727 |
| 16 | 6.1347 | 6.0204 | 3.1626 | 4.9916 | 5.2584 | 2.8578 | 5.3727 |
| 17 | 5.7918 | 5.7156 | | 5.2965 | 4.8011 | 2.8959 | 5.5632 |
| 18 | 5.2965 | 4.9535 | 2.9721 | 4.9535 | 4.5725 | 2.8959 | 4.8773 |
| 19 | 4.8773 | 4.8773 | 3.1245 | 4.6868 | 4.0009 | 2.8197 | 4.6106 |
| 20 | 4.1152 | 4.1914 | 2.9721 | 4.1533 | 3.6199 | 2.7816 | 4.1533 |
| 21 | 4.039 | 4.0771 | 3.0483 | 3.8866 | 3.4675 | 2.7435 | 3.8104 |
| 22 | 3.7723 | 3.7723 | 3.0102 | 3.7342 | 3.5056 | 2.7816 | 3.658 |
| 23 | 3.8104 | 3.8104 | 2.8959 | 3.6199 | 3.5437 | 2.7054 | 3.5818 |
| 24 | 3.7342 | 3.6961 | 3.5818 | 2.8197 | 3.658 | 3.2769 | 2.3624 |
| Max | 6.1347 | 6.1347 | 3.6961 | 5.6394 | 5.2965 | 3.2769 | 5.5632 |
| Min | 3.5056 | 3.4294 | 2.8959 | 2.7816 | 3.2388 | 2.5911 | 2.3243 |
| Avg | 4.455 | 4.4979 | 3.2819 | 4.0692 | 4.0374 | 2.8673 | 3.8009 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 283212 / SONAR PADA

Feeder No / Name : 310 / 22 KV Sonarpada sw stn
transfo Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .0381 | .0762 | .0381 | .0381 | .0381 | .0381 | .0762 |
| 2 | .0381 | .0762 | .0381 | .0381 | .0381 | .0381 | .0762 |
| 3 | .0381 | .0762 | .0381 | .0381 | .0381 | .0381 | .0762 |
| 4 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 5 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 6 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 7 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 8 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 9 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 10 | .0381 | .0381 | .0381 | | .0381 | .0381 | .0381 |
| 11 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 12 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 13 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 14 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 15 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 16 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 17 | .0381 | .0381 | | .0381 | .0381 | .0381 | .0381 |
| 18 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 19 | .0762 | .0381 | .0381 | .0381 | .0381 | .0762 | .0381 |
| 20 | .0762 | .0381 | .0381 | .0381 | .0381 | .0762 | .0381 |
| 21 | .0762 | .0381 | .0381 | .0381 | | .0762 | .0381 |
| 22 | .0762 | .0381 | .0381 | .0381 | .0381 | .0762 | .0381 |
| 23 | .0762 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 24 | .0381 | .0762 | .0381 | .0381 | .0381 | .0381 | .0762 |
| Max | .0762 | .0762 | .0381 | .0381 | .0381 | .0762 | .0762 |
| Min | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| Avg | .0460 | .0445 | .0381 | .0381 | .0381 | .0445 | .0445 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 286012 / Dombivali MIDC-I

Feeder No / Name : 301 / Feeder No 1 (Incommer-I) NON SHEDDABLE EXPRESS HV FEEDERS
 Feeder KV- 22 / INCOMING (NON-CONTINUOUS PROCESS)(NO
 STAGGERING)

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 4.4136 | 4.6022 | 4.3759 | 4.3381 | 3.8477 | 3.81 | 3.9986 |
| 2 | 4.0741 | 4.6022 | 3.9986 | 3.8855 | 3.5837 | 3.5082 | 3.4705 |
| 3 | 3.8477 | 4.0364 | 3.7723 | 3.7346 | 3.3951 | 3.3196 | 3.3196 |
| 4 | 3.6969 | 3.7346 | 3.6969 | 3.6214 | 3.3196 | 3.2065 | 3.2819 |
| 5 | 3.6969 | 3.7723 | 3.81 | 3.7346 | 3.2442 | 3.131 | 3.3196 |
| 6 | 4.1872 | 4.4136 | 4.2627 | 3.9986 | 3.546 | 3.3573 | 3.9609 |
| 7 | 4.904 | 4.904 | 4.7531 | 4.4513 | 3.8855 | 3.6214 | 4.2627 |
| 8 | 4.7154 | 4.8663 | 4.8285 | 4.6399 | 4.0741 | 3.6591 | 4.1118 |
| 9 | 4.8285 | 4.904 | 4.7154 | 4.6022 | 4.4136 | 3.5082 | 4.3004 |
| 10 | 5.8848 | 5.2435 | 5.2435 | 5.0549 | 4.5268 | 3.6214 | 4.7908 |
| 11 | 5.9602 | 5.8471 | 5.8093 | 5.3567 | 5.2435 | 3.8855 | 5.4698 |
| 12 | 5.8093 | 5.6962 | 5.7339 | 5.5076 | 5.168 | 4.0741 | 5.3944 |
| 13 | *** | 5.583 | 5.6207 | 5.4698 | 5.0926 | 4.1495 | 5.3567 |
| 14 | 5.4321 | 5.2435 | 5.583 | 4.9794 | 4.3381 | 3.8855 | 4.8663 |
| 15 | 5.2435 | 5.0549 | 5.0172 | 4.5268 | 4.1118 | 3.5082 | 4.6022 |
| 16 | 5.168 | 4.9794 | 4.6399 | 4.489 | 3.9986 | 3.3196 | 4.6776 |
| 17 | 5.8471 | 5.5076 | 5.2435 | 4.9794 | 4.5268 | 3.7346 | 5.0549 |
| 18 | *** | 5.8471 | 5.6584 | 5.3189 | 4.9417 | 3.9609 | 5.4698 |
| 19 | 7.3937 | 7.2805 | 6.5261 | 6.6392 | .0377 | 4.8663 | 6.677 |
| 20 | 7.4691 | 7.2805 | 7.2805 | 6.7147 | 6.3375 | 5.2058 | 6.8656 |
| 21 | 7.0542 | 7.0165 | 6.9787 | 5.1303 | 6.0357 | 5.1303 | 6.6392 |
| 22 | 6.3752 | 5.8471 | 6.0357 | 5.5453 | 5.0549 | 5.1303 | 5.3944 |
| 23 | 5.7339 | 5.6207 | 5.3567 | 4.8285 | 5.1303 | 4.6022 | 4.8663 |
| 24 | 5.0549 | 5.1303 | 4.6399 | 4.8663 | 4.3004 | 4.1118 | 4.0741 |
| Max | 28.7826 | 7.2805 | 7.2805 | 6.7147 | 6.3375 | 5.2058 | 6.8656 |
| Min | 3.6969 | 3.7346 | 3.6969 | 3.6214 | .0377 | 3.131 | 3.2819 |
| Avg | 7.2554 | 5.2922 | 5.1492 | 4.8505 | 4.2564 | 3.9295 | 4.7594 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 286012 / Dombivali MIDC-I

Feeder No / Name : 302 / Feeder No 2 (Incomer to NON SHEDDABLE EXPRESS HV FEEDERS
BAji P Feeder KV- 22 / INCOMING (NON-CONTINUOUS PROCESS)(NO
STAGGERING)

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 5.655 | 9.7577 | 5.5811 | 5.5441 | 5.1376 | 5.2115 | 5.1006 |
| 2 | 5.2854 | 5.2854 | 5.1745 | 5.1376 | 4.8419 | 4.8049 | 4.4723 |
| 3 | 5.1745 | 5.1745 | 4.9897 | 4.9528 | 4.6201 | 4.5831 | 4.3244 |
| 4 | 4.9528 | 5.1006 | 4.768 | 4.8788 | 4.5092 | 4.5092 | 4.3244 |
| 5 | 5.3593 | 5.3963 | 5.3224 | 5.4332 | 4.8419 | 4.731 | 4.4723 |
| 6 | | 6.7638 | 6.6899 | 6.2464 | 5.655 | 5.3963 | 5.5441 |
| 7 | 7.6509 | 7.4661 | 7.3922 | 6.7269 | 5.8768 | 5.655 | 5.6181 |
| 8 | 6.8008 | 6.8378 | 6.579 | 6.4682 | 5.7659 | 5.2854 | 5.3593 |
| 9 | 5.3224 | 5.8398 | 3.9918 | 5.9137 | 5.5441 | 4.731 | 5.1006 |
| 10 | 5.4332 | 5.3593 | 6.0985 | 5.5072 | 5.4332 | 4.694 | 4.9528 |
| 11 | 5.4332 | 5.4332 | 5.655 | 5.5441 | 5.5072 | 4.731 | 4.9897 |
| 12 | 4.694 | 5.2484 | 5.2484 | 5.3224 | 5.3224 | 4.9897 | 5.0267 |
| 13 | 5.4332 | 5.4702 | 5.3189 | 5.1376 | 5.1745 | 5.2115 | 4.8788 |
| 14 | 5.5072 | 5.0267 | 5.0636 | 5.2484 | 4.9528 | 4.6571 | 4.731 |
| 15 | 5.2115 | 4.9528 | 4.8419 | 4.8788 | 4.8419 | 4.5462 | 4.5462 |
| 16 | 5.4332 | 4.8049 | 4.8049 | 4.8049 | 4.6571 | 4.3244 | 4.5831 |
| 17 | 5.1745 | 4.8419 | 5.0267 | 4.8788 | 5.0267 | 4.5092 | 4.9158 |
| 18 | 5.3593 | 5.3224 | 5.1376 | 4.9528 | 5.1745 | 4.6201 | 4.9897 |
| 19 | 6.8747 | 6.8747 | 6.579 | 6.8747 | 6.9117 | 5.8398 | 6.5051 |
| 20 | 7.4661 | 7.5031 | 7.3922 | 7.1704 | 7.3922 | 6.579 | 7.2074 |
| 21 | 8.1684 | 9.9425 | 7.8357 | 7.8357 | 7.6139 | 7.1334 | 7.3183 |
| 22 | 7.8357 | 7.7987 | 7.6879 | 7.4661 | 7.0965 | 7.1704 | 6.9486 |
| 23 | 7.4661 | 7.3552 | 6.9486 | 6.579 | 6.4682 | 6.1725 | 6.2833 |
| 24 | 6.1725 | 6.579 | 6.3942 | 6.1725 | 5.655 | 5.5072 | 5.2854 |
| Max | 8.1684 | 9.9425 | 7.8357 | 7.8357 | 7.6139 | 7.1704 | 7.3183 |
| Min | 4.694 | 4.8049 | 3.9918 | 4.8049 | 4.5092 | 4.3244 | 4.3244 |
| Avg | 5.9941 | 6.2556 | 5.8551 | 5.8198 | 5.5842 | 5.2330 | 5.3116 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 286012 / Dombivali MIDC-I

Feeder No / Name : 303 / 22 kv Netivali III
(Incomer) Feeder KV- 22 /
INCOMINGNON SHEDDABLE EXPRESS HV FEEDERS
(NON-CONTINUOUS PROCESS)(NO
STAGGERING)

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 9.9055 | 9.7577 | 9.7946 | 8.2613 | 10.3738 | 7.9973 | 7.5069 |
| 2 | 9.5359 | 9.6468 | 9.2772 | 7.8464 | 9.3553 | 7.6578 | 5.6584 |
| 3 | 9.3141 | 9.5359 | 9.3511 | 7.7709 | 9.0535 | 7.3937 | 5.5076 |
| 4 | 9.2772 | 5.1376 | 9.2033 | 7.62 | 8.7894 | 7.356 | 5.5453 |
| 5 | 9.1663 | 9.2772 | 9.1663 | 7.8841 | 8.9403 | 7.1674 | 5.4698 |
| 6 | 9.3881 | 9.6098 | 9.2402 | 8.3368 | 9.0912 | 6.6392 | 6.1111 |
| 7 | 9.3881 | 9.2033 | 8.9076 | 8.4499 | 8.8649 | 5.998 | 6.1111 |
| 8 | 9.0554 | 9.462 | 7.6879 | 8.6008 | 8.9403 | 5.5076 | 6.2997 |
| 9 | 9.462 | 9.9425 | 7.4661 | 9.5062 | 9.5062 | 5.3567 | 7.1674 |
| 10 | 12.271 | 11.7536 | 8.538 | 11.7696 | 11.0906 | 5.3567 | 8.0727 |
| 11 | 12.1971 | 12.4558 | 8.7597 | 12.2222 | 11.5809 | 5.4321 | 9.6948 |
| 12 | 12.4189 | 12.8624 | 9.0185 | 12.6749 | 11.5809 | 5.4321 | 10.1475 |
| 13 | 12.3449 | 12.0123 | 8.501 | 11.9205 | 11.8827 | 5.4321 | 9.6098 |
| 14 | 12.0862 | 11.7166 | 8.4271 | 11.384 | 11.3169 | 5.5453 | 9.8457 |
| 15 | 11.7166 | 12.1601 | 8.3532 | 11.7318 | 11.0528 | 5.3567 | 10.2984 |
| 16 | 12.6406 | 12.0492 | 7.9836 | 12.0713 | 11.3169 | 5.2058 | 10.2984 |
| 17 | 12.5667 | 12.1601 | 8.0205 | 11.7318 | 11.4678 | 5.6962 | 10.072 |
| 18 | 12.0123 | 11.8275 | 7.7248 | 11.3546 | 11.2414 | 6.0357 | 9.8457 |
| 19 | 13.3059 | 12.8624 | 8.538 | 12.3354 | 11.0906 | 6.2997 | 10.6002 |
| 20 | 12.7885 | 12.3449 | 9.2402 | 12.1845 | 11.5432 | 4.2627 | 10.9774 |
| 21 | 12.3449 | 12.2341 | 9.9425 | 11.9205 | 10.4115 | 8.0727 | 10.9019 |
| 22 | 12.0492 | 11.7905 | 9.7946 | 11.8827 | 9.8834 | 8.1482 | 10.7133 |
| 23 | 11.5688 | 11.8275 | 9.0185 | 10.2984 | 9.4685 | 7.8464 | 9.9589 |
| 24 | 10.349 | 10.4599 | 10.6379 | 8.5254 | 10.1475 | 8.4877 | 6.3752 |
| Max | 13.3059 | 12.8624 | 10.6379 | 12.6749 | 11.8827 | 8.4877 | 10.9774 |
| Min | 9.0554 | 5.1376 | 7.4661 | 7.62 | 8.7894 | 4.2627 | 5.4698 |
| Avg | 11.1314 | 10.9204 | 8.8580 | 10.3452 | 10.3329 | 6.4035 | 8.4496 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 286012 / Dombivali MIDC-I

Feeder No / Name : 305 / Feeder No 5 (Incomer-I to NON SHEDDABLE EXPRESS HV FEEDERS
MSEB Feeder KV- 22 / INCOMING (CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.0994 | 3.1786 | 3.0308 | 2.9569 | 2.6242 | 2.6513 | 2.838 |
| 2 | 2.838 | 2.846 | 2.7351 | 2.6612 | 2.4394 | 2.4646 | 2.4272 |
| 3 | 2.6886 | 2.6981 | 2.4764 | 2.5133 | 2.3285 | 2.2405 | 2.3152 |
| 4 | 2.5393 | 2.5873 | 2.4394 | 2.4025 | 2.1807 | 2.1658 | 2.2779 |
| 5 | 2.5393 | 2.5133 | 2.5503 | 2.4764 | 2.1807 | 2.1285 | 2.3525 |
| 6 | 2.95 | 2.8829 | 2.8829 | 2.6242 | 2.4394 | 2.1658 | 2.9127 |
| 7 | 3.5475 | 3.4743 | 3.4374 | 3.1047 | 2.6981 | 2.4272 | 3.4355 |
| 8 | 3.3981 | 3.4743 | 3.3634 | 3.3634 | 2.9569 | 2.5766 | 2.8006 |
| 9 | 3.1367 | 3.1417 | 2.9199 | 3.1417 | 3.0678 | 2.6886 | 2.6886 |
| 10 | 2.726 | 2.7351 | 2.7351 | 2.8829 | 3.0308 | 2.6139 | 2.5503 |
| 11 | 2.7633 | 2.6242 | 2.5133 | 2.6981 | 2.6981 | 2.6139 | 2.5766 |
| 12 | 2.3899 | 2.5503 | 2.3655 | 2.5873 | 2.6981 | 2.726 | 2.3152 |
| 13 | 2.4646 | 2.4394 | 2.3655 | 2.4764 | 1.6632 | 3.062 | 2.2405 |
| 14 | 2.3525 | 2.2916 | 2.2177 | 2.2916 | 2.2177 | 2.4646 | 2.1437 |
| 15 | 2.3525 | 2.1807 | 2.1068 | 2.1068 | 2.0698 | 2.1658 | 2.0165 |
| 16 | 2.2405 | 1.4415 | 2.1437 | 2.0698 | 1.9959 | 2.1285 | 2.0165 |
| 17 | 2.3152 | 2.2177 | 2.0698 | 2.0328 | 2.0698 | 2.0911 | 2.0911 |
| 18 | 2.4646 | 2.809 | 2.1807 | 2.3285 | 2.3285 | 2.2779 | 2.5019 |
| 19 | 3.1367 | 3.1786 | 2.9199 | 2.9569 | 2.9569 | 2.8006 | 2.9874 |
| 20 | 3.4728 | 3.5113 | 3.1417 | 3.2526 | 3.2156 | 3.1367 | 3.2861 |
| 21 | 3.7342 | 3.5852 | 3.2895 | 3.1786 | 3.1417 | 3.0994 | 3.3981 |
| 22 | 3.6595 | 3.5852 | 3.3265 | 3.1417 | 2.9569 | 3.1367 | 3.3608 |
| 23 | 3.8089 | 3.6591 | 3.4374 | 3.0678 | 2.9569 | 3.0994 | 3.4355 |
| 24 | 3.6222 | 3.6222 | 3.5113 | 3.2895 | 2.9569 | 3.0247 | 2.9127 |
| Max | 3.8089 | 3.6591 | 3.5113 | 3.3634 | 3.2156 | 3.1367 | 3.4355 |
| Min | 2.2405 | 1.4415 | 2.0698 | 2.0328 | 1.6632 | 2.0911 | 2.0165 |
| Avg | 2.9267 | 2.8845 | 2.7567 | 2.7336 | 2.5780 | 2.5813 | 2.6617 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 286012 / Dombivali MIDC-I

Feeder No / Name : 306 / Feeder No 6(I/C TO 283067) NON SHEDDABLE EXPRESS HV FEEDERS
 Feeder KV- 22 / INCOMING (NON-CONTINUOUS PROCESS)(NO
 STAGGERING)

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 4.0741 | 4.1872 | 3.9609 | 3.9609 | 3.6214 | 3.5082 | 3.6969 |
| 2 | 3.7346 | 3.7346 | 3.546 | 3.5837 | 3.3573 | 3.2442 | 3.0933 |
| 3 | 3.5082 | 3.5082 | 3.4328 | 3.4328 | 3.1687 | 3.131 | 3.0178 |
| 4 | 3.4328 | 2.6406 | 3.7346 | 3.3573 | 3.0933 | 2.9801 | 3.0178 |
| 5 | 3.546 | 3.4705 | 3.6214 | 3.4705 | 3.0933 | 2.9801 | 3.0933 |
| 6 | 4.1118 | 4.0364 | 4.1118 | 3.81 | 3.3573 | 3.1687 | 3.7723 |
| 7 | 4.5645 | 4.7154 | 4.5645 | 4.1495 | 3.6214 | 3.2819 | 3.9609 |
| 8 | 4.2627 | 4.5645 | 4.6022 | 4.4513 | 3.8855 | 3.5837 | 4.0741 |
| 9 | 4.1495 | 4.3381 | 4.3004 | 4.3244 | 4.0364 | 3.5837 | 3.8855 |
| 10 | 4.1495 | 4.1872 | 4.1872 | 4.1495 | 4.3004 | 3.4705 | 3.81 |
| 11 | 4.1872 | 4.3759 | 4.3381 | 4.3381 | 4.489 | 3.6591 | 3.8855 |
| 12 | 4.6022 | 4.7154 | 4.5268 | 4.7154 | 4.489 | 4.1872 | 3.6969 |
| 13 | 4.3759 | 4.3759 | 4.225 | 4.3381 | 4.1118 | 4.2627 | 3.5837 |
| 14 | 4.0741 | 4.0741 | 4.1495 | 3.9232 | 3.6591 | 3.6969 | 3.5837 |
| 15 | 4.0364 | 3.8855 | 3.6591 | 3.7346 | 3.4705 | 3.131 | 3.1687 |
| 16 | 4.0364 | 3.6969 | 3.3951 | 3.4705 | 3.2065 | 3.0556 | 3.2065 |
| 17 | 3.7346 | 3.7346 | 3.6214 | 3.7346 | 3.2819 | 3.131 | 3.3951 |
| 18 | 3.8855 | 3.9986 | 3.6969 | 3.81 | 3.6969 | 3.3951 | 3.4328 |
| 19 | 5.168 | 5.2058 | 4.8663 | 4.9417 | 4.8663 | 4.2627 | 4.8285 |
| 20 | 5.4321 | 5.5076 | 5.2812 | 5.168 | 5.0549 | 4.6022 | 5.168 |
| 21 | 5.583 | 3.7346 | 5.2812 | 5.2435 | 4.9794 | 4.7908 | 5.1303 |
| 22 | 5.2435 | 5.2058 | 5.168 | 4.8285 | 4.5645 | 4.6399 | 4.7154 |
| 23 | 5.2812 | 5.0926 | 4.9794 | 4.4513 | 4.225 | 4.2627 | 4.4513 |
| 24 | 4.6776 | 4.8663 | 4.5645 | 4.5268 | 3.9986 | 3.8855 | 3.7346 |
| Max | 5.583 | 5.5076 | 5.2812 | 5.2435 | 5.0549 | 4.7908 | 5.168 |
| Min | 3.4328 | 2.6406 | 3.3951 | 3.3573 | 3.0933 | 2.9801 | 3.0178 |
| Avg | 4.3271 | 4.2438 | 4.2423 | 4.1631 | 3.9012 | 3.6623 | 3.8085 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 286012 / Dombivali MIDC-I

Feeder No / Name : 307 / Feeder No. 7 (Incomer to NON SHEDDABLE EXPRESS HV FEEDERS
MSEB Feeder KV- 22 / INCOMING (CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.807 | 3.6961 | 3.5482 | 3.4743 | 3.1047 | 3.0308 | 3.2526 |
| 2 | 3.4004 | 3.4004 | 3.1786 | 3.2526 | 2.9199 | 2.7721 | 2.7721 |
| 3 | 3.3265 | 3.2895 | 3.1417 | 3.0308 | 2.809 | 2.7351 | 2.6242 |
| 4 | 3.1786 | 3.1047 | 3.1047 | 3.0308 | 2.7351 | 2.6612 | 2.5873 |
| 5 | 3.1417 | 3.1417 | 3.0308 | 2.3285 | 2.809 | 2.5133 | 2.6612 |
| 6 | 3.5852 | 3.5482 | 3.5852 | 3.2895 | 2.846 | 2.6612 | 3.4374 |
| 7 | 4.3614 | 4.2875 | 4.2135 | 3.6222 | 3.1047 | 2.9199 | 3.733 |
| 8 | 4.0287 | 4.1766 | 4.1766 | 3.8439 | 3.5852 | 3.1047 | 3.6222 |
| 9 | 3.9548 | 3.9548 | 3.9179 | 4.0287 | 3.9986 | 3.3265 | 3.4374 |
| 10 | 3.5113 | 3.5852 | 3.6222 | 3.8439 | 3.807 | 3.4743 | 2.9938 |
| 11 | 3.5482 | 3.4743 | 3.4743 | 3.5852 | 3.6961 | 3.5852 | 2.9569 |
| 12 | 3.2895 | 3.3265 | 3.3634 | 3.5113 | 3.4004 | 3.4374 | 2.7351 |
| 13 | 3.1786 | 3.1047 | 3.1047 | 3.2156 | 3.1417 | 3.4004 | |
| 14 | 2.9199 | | 2.9569 | 2.9199 | 2.809 | 3.0308 | |
| 15 | 2.6981 | 2.846 | 2.9569 | 2.6981 | 3.3634 | 2.7351 | |
| 16 | 2.7721 | 2.7351 | 2.5503 | 2.6242 | 2.5873 | 2.5873 | |
| 17 | 2.9199 | 2.7721 | 2.6981 | 2.6981 | 2.6242 | 2.6612 | |
| 18 | 3.0678 | 3.4374 | 2.6981 | 2.846 | 3.0308 | 2.846 | |
| 19 | 4.1027 | 4.0287 | 2.7351 | 3.77 | 3.8809 | 3.6222 | |
| 20 | 4.2505 | 4.2875 | 3.807 | 3.9918 | 3.9179 | 3.8809 | |
| 21 | 4.4353 | 4.5462 | 4.0287 | 4.1027 | 3.9918 | 3.9918 | |
| 22 | 4.3614 | 4.5092 | 4.2135 | 3.9918 | 3.733 | 3.9179 | |
| 23 | .4435 | 4.4353 | 4.2135 | 3.6222 | 3.6591 | 3.6591 | |
| 24 | 4.1027 | 4.1396 | 4.0287 | 3.8439 | 3.4374 | 3.3634 | 3.3265 |
| Max | 4.4353 | 4.5462 | 4.2135 | 4.1027 | 3.9986 | 3.9918 | 3.733 |
| Min | .4435 | 2.7351 | 2.5503 | 2.3285 | 2.5873 | 2.5133 | 2.5873 |
| Avg | 3.4327 | 3.6447 | 3.4312 | 3.3819 | 3.2913 | 3.1632 | 3.0877 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 286012 / Dombivali MIDC-I

Feeder No / Name : 308 / 22 KV Feeder No. 8

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.6703 | 2.7351 | 2.6612 | 2.5873 | 2.4764 | 2.5133 |
| 2 | 2.524 | 2.5503 | 1.7002 | 2.4025 | 2.2916 | 2.3285 |
| 3 | 2.4508 | 2.5503 | 2.4025 | 2.3285 | 2.2177 | 2.2546 |
| 4 | 2.4143 | 2.4764 | 2.3655 | 2.3285 | 2.1807 | 2.2177 |
| 5 | 2.4143 | 2.3655 | 2.4394 | 2.3655 | 2.2177 | 2.1437 |
| 6 | 2.6703 | 2.6981 | 2.5873 | 2.5133 | 2.2546 | 2.2177 |
| 7 | 2.8532 | 2.8829 | 2.6981 | 2.6981 | 2.2916 | 2.1437 |
| 8 | 2.8166 | 2.7721 | 2.6242 | 2.6981 | 2.5133 | 2.1807 |
| 9 | 2.5972 | 2.6612 | 2.5133 | 2.5503 | 2.4764 | 2.2546 |
| 10 | 2.3411 | 2.3655 | 2.2916 | 2.4764 | 2.5133 | 2.2916 |
| 11 | 2.4143 | 2.4764 | 2.2177 | 2.4394 | 2.4025 | 2.3285 |
| 12 | 2.4025 | 2.4394 | 2.2177 | 2.4025 | 2.4025 | 2.3655 |
| 13 | 2.4394 | 2.3655 | 2.1437 | 2.1068 | 2.2916 | 2.4025 |
| 14 | 2.3655 | 2.3655 | 2.0698 | 2.1807 | 2.2177 | 2.2916 |
| 15 | 2.3285 | 2.2177 | 1.9959 | 2.1807 | 2.2177 | 2.1437 |
| 16 | 2.3285 | 2.2916 | 2.0698 | 2.1437 | 2.1807 | 2.1068 |
| 17 | 2.4025 | 2.4025 | 2.1068 | 2.1437 | 2.2177 | 2.1437 |
| 18 | 2.5133 | 2.5133 | 2.2177 | 2.3285 | 2.3655 | 2.1807 |
| 19 | 3.2156 | 3.1047 | 2.809 | 2.9199 | 2.9569 | 2.6612 |
| 20 | 3.4374 | 3.4374 | 3.1047 | 3.2895 | 3.1417 | 3.0308 |
| 21 | 3.4743 | 3.5113 | 3.1417 | 3.2526 | 3.1417 | 3.1417 |
| 22 | 3.4004 | 3.4004 | 3.0678 | 3.1417 | 3.0678 | 3.0308 |
| 23 | 3.3265 | 3.2895 | 2.9569 | 2.9938 | 2.9569 | 2.9199 |
| 24 | 2.9264 | 2.9569 | 2.8829 | 2.7721 | 2.7351 | 2.6981 |
| Max | 3.4743 | 3.5113 | 3.1417 | 3.2895 | 3.1417 | 3.1417 |
| Min | 2.3285 | 2.2177 | 1.7002 | 2.1068 | 2.1807 | 2.1068 |
| Avg | 2.6970 | 2.7012 | 2.4702 | 2.5518 | 2.4887 | 2.4163 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 286012 / Dombivali MIDC-I

Feeder No / Name : 309 / Feeder No. 9 (Incomer to NON SHEDDABLE EXPRESS HV FEEDERS
MSEB Feeder KV- 22 / INCOMING (CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 5.3224 | 5.3963 | 2.4764 | 2.4394 | 2.2177 | 2.1807 | |
| 2 | 4.9158 | | 2.2546 | 2.2177 | 2.0328 | 2.0328 | |
| 3 | 4.6571 | 4.9158 | 2.1437 | 2.1068 | 1.848 | 1.885 | |
| 4 | 4.4723 | 4.6571 | 2.0698 | 1.6632 | 1.848 | 1.7741 | |
| 5 | 4.5462 | 4.5831 | 2.1437 | 3.1786 | 2.1807 | 1.8111 | |
| 6 | 5.3224 | 5.3224 | 2.4025 | 2.2916 | 1.9959 | 1.848 | |
| 7 | 5.9877 | 6.0985 | 2.809 | 2.5133 | 2.1437 | 1.9589 | |
| 8 | 5.655 | 5.9507 | 2.6242 | 2.7351 | 2.3655 | 2.2546 | |
| 9 | 5.1745 | 2.5873 | 2.7721 | 2.809 | 2.6612 | 2.2916 | |
| 10 | 5.0267 | 2.5133 | 2.5503 | 2.6612 | 2.6612 | 2.2546 | |
| 11 | 4.731 | 2.4025 | 2.4764 | 2.5503 | 2.5873 | 2.3285 | |
| 12 | 4.9528 | 2.4394 | 2.2916 | 2.4394 | 2.5503 | 2.3655 | 2.4006 |
| 13 | 5.0636 | 2.4764 | 2.4394 | 2.5133 | 2.4025 | 2.5873 | 2.1807 |
| 14 | 4.9528 | 2.2916 | 2.2916 | 2.2546 | 2.1068 | 2.1437 | 2.0328 |
| 15 | 4.8788 | 2.1068 | 2.0328 | 1.9959 | 2.1068 | 1.922 | 1.922 |
| 16 | 4.4723 | 2.0328 | 1.922 | 1.922 | 1.848 | 1.7741 | 1.922 |
| 17 | 4.694 | 2.2177 | 2.0328 | 3.1786 | 1.9589 | 1.7741 | 1.9589 |
| 18 | 4.9158 | 2.3285 | 2.1068 | 2.2177 | 2.2177 | 1.9589 | 2.1807 |
| 19 | 6.3573 | 2.9569 | 2.7351 | 2.8829 | 2.846 | 2.4764 | 2.9199 |
| 20 | 6.8747 | 3.0678 | 2.9199 | 2.9199 | 2.846 | 2.6242 | 3.0308 |
| 21 | 7.0226 | 3.1047 | 2.9199 | 2.8829 | 2.846 | 2.6612 | 3.0308 |
| 22 | 7.1704 | 3.0308 | 2.9569 | 2.7721 | 2.5873 | 2.7721 | 3.0308 |
| 23 | 6.6899 | 3.0308 | 2.9199 | 2.6242 | 2.5133 | 2.5133 | 2.846 |
| 24 | 5.9137 | 5.9507 | 2.7721 | 2.6612 | 2.4764 | 2.4025 | |
| Max | 7.1704 | 6.0985 | 2.9569 | 3.1786 | 2.846 | 2.7721 | 3.0308 |
| Min | 4.4723 | 2.0328 | 1.922 | 1.6632 | 1.848 | 1.7741 | 1.922 |
| Avg | 5.4071 | 3.5418 | 2.4610 | 2.5180 | 2.327 | 2.1915 | 2.4547 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 286012 / Dombivali MIDC-I

Feeder No / Name : 310 / Feeder No. 10(I/C TO
283067) Feeder KV- 22 /
INCOMINGNON SHEDDABLE EXPRESS HV FEEDERS
(NON-CONTINUOUS PROCESS)(NO
STAGGERING)

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 5.7659 | 6.0616 | 5.8398 | 5.8398 | 5.2115 | 5.2279 | 5.3963 |
| 2 | 5.4702 | 5.5441 | 5.3224 | 5.2484 | 4.8419 | 4.8544 | 4.731 |
| 3 | 5.2854 | 5.3224 | 5.0636 | 5.0636 | 4.6201 | 4.5931 | 4.4723 |
| 4 | 5.1006 | 5.1745 | 5.0267 | 4.9158 | 4.5462 | 4.5184 | 4.4723 |
| 5 | 5.2854 | 5.2854 | 5.3963 | 5.2484 | 4.6201 | 4.9291 | 4.731 |
| 6 | 6.616 | 6.3942 | 6.2833 | 5.9137 | 5.1006 | 4.9291 | 5.3593 |
| 7 | 6.8008 | 6.8747 | 6.7269 | 6.2464 | 5.3593 | 5.1158 | 5.655 |
| 8 | 6.0246 | 6.1355 | 6.1355 | 6.2833 | 5.5811 | 5.0038 | 5.4702 |
| 9 | 5.4332 | 5.692 | 5.5072 | 5.692 | 5.3224 | 4.8544 | 4.8419 |
| 10 | 4.9897 | 5.2854 | 5.1006 | 5.4702 | 5.5072 | 4.8171 | 4.731 |
| 11 | 4.9528 | 4.9897 | 4.8419 | 5.1376 | 5.0267 | 4.7798 | 4.5092 |
| 12 | 4.768 | 4.9158 | 4.8049 | 4.8049 | 4.9528 | 5.0785 | |
| 13 | 5.2854 | 5.2484 | 4.8419 | 4.9528 | 5.1376 | 5.3026 | 4.3614 |
| 14 | 5.1745 | 4.9158 | 4.694 | 4.9528 | 4.8049 | 5.0038 | 4.2505 |
| 15 | 4.9528 | 4.731 | 4.3614 | 4.5831 | 3.5852 | 4.369 | 4.1766 |
| 16 | 4.9528 | 4.8788 | 4.731 | 4.5462 | 4.4353 | 4.7798 | 4.2135 |
| 17 | 4.6201 | 4.5831 | 4.3614 | 6.5051 | 4.2505 | 4.145 | 4.2875 |
| 18 | 4.9158 | 4.8788 | 4.4723 | 4.6201 | 4.6571 | 4.369 | 4.5831 |
| 19 | 6.6899 | 6.6899 | 6.4312 | 6.2094 | 6.8747 | 5.7133 | 6.2464 |
| 20 | 7.3922 | 7.3183 | 6.6899 | 6.7638 | 6.9856 | 6.6842 | 6.9486 |
| 21 | 7.4661 | 7.5031 | 6.9117 | 6.8378 | 6.6899 | 6.6095 | 7.0226 |
| 22 | 7.8357 | 3.0308 | 7.3552 | 6.9486 | 6.653 | 6.9456 | 6.8378 |
| 23 | 5.9137 | 7.5031 | 7.3552 | 6.8008 | 6.6899 | 6.6095 | 6.5051 |
| 24 | 6.4682 | 5.2484 | 6.7269 | 6.3203 | 5.7289 | 5.4146 | 5.5811 |
| Max | 7.8357 | 7.5031 | 7.3552 | 6.9486 | 6.9856 | 6.9456 | 7.0226 |
| Min | 4.6201 | 3.0308 | 4.3614 | 4.5462 | 3.5852 | 4.145 | 4.1766 |
| Avg | 5.7567 | 5.5919 | 5.6242 | 5.6627 | 5.2993 | 5.1936 | 5.1906 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 286012 / Dombivali MIDC-I

Feeder No / Name : 311 / 22KV Feeder no11 (I/C TO NON SHEDDABLE EXPRESS HV FEEDERS
 2832 Feeder KV- 22 / INCOMING (NON-CONTINUOUS PROCESS)(NO
 STAGGERING)

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 5.9823 | 5.7918 | 5.5632 | 3.7342 | | 4.9535 | 3.1245 |
| 2 | 5.7918 | 5.7918 | 5.5632 | 3.7342 | 5.5632 | 4.8011 | 2.9721 |
| 3 | 5.487 | 5.5251 | 5.2584 | 3.7723 | 5.4489 | 4.8392 | 2.9721 |
| 4 | 5.5251 | 5.5251 | 5.1821 | 3.7342 | 5.0678 | 4.6487 | 3.0102 |
| 5 | 5.2965 | 5.487 | 5.0678 | 3.6961 | 5.1821 | 4.5725 | 3.0102 |
| 6 | 5.487 | 5.3346 | 5.0678 | 3.7342 | 5.2584 | 4.2295 | 3.1245 |
| 7 | 5.487 | 5.5632 | 4.6487 | 4.0771 | 4.9154 | 3.6961 | 3.8104 |
| 8 | 5.7918 | 6.0966 | 4.3439 | 4.8773 | 5.6775 | 3.315 | 6.7444 |
| 9 | 5.487 | 7.3922 | 4.6868 | 6.6301 | 6.4777 | 3.2388 | 5.2584 |
| 10 | 8.3448 | 8.5353 | 4.8392 | 8.0399 | 7.6208 | 3.1626 | 7.0873 |
| 11 | | 8.802 | 4.9154 | 8.5734 | 7.7351 | 3.2007 | 7.5827 |
| 12 | 3.3913 | 8.6877 | 4.8392 | 8.3829 | 8.0399 | 3.1245 | 7.5446 |
| 13 | 7.6589 | 8.1924 | 4.9154 | 7.6589 | 6.9349 | 3.0864 | 6.7444 |
| 14 | 8.4591 | 8.6496 | 4.8392 | 8.3448 | 7.5446 | 3.0102 | 12.7267 |
| 15 | 8.5734 | 8.8401 | 4.4582 | 8.421 | 7.3541 | 2.934 | 12.8792 |
| 16 | 8.5353 | 8.9544 | 3.0483 | 8.1543 | 7.5446 | 3.0483 | 12.6886 |
| 17 | 8.421 | 8.3448 | 2.9721 | 8.4972 | 6.7825 | 2.9721 | 12.5362 |
| 18 | 7.9637 | 7.5065 | 4.5344 | 7.8494 | 6.3634 | 3.1245 | 14.2128 |
| 19 | 7.3541 | 7.2779 | 4.2676 | 7.3541 | 5.868 | 3.1626 | 6.4777 |
| 20 | 6.7825 | 6.4777 | 4.3058 | 6.973 | 5.2965 | 3.2388 | 5.868 |
| 21 | 6.1728 | 6.3253 | 4.2295 | 6.2872 | 5.3727 | 3.2388 | 5.9823 |
| 22 | 5.7918 | 5.9823 | 4.0771 | 5.9823 | 5.3346 | 3.2388 | 5.5251 |
| 23 | 6.0966 | 5.7156 | 4.2295 | 5.6394 | 5.3346 | 3.2007 | 5.3346 |
| 24 | 5.9823 | 5.6394 | 5.7537 | 3.9628 | 5.5251 | 5.1821 | 3.1626 |
| Max | 8.5734 | 8.9544 | 5.7537 | 8.5734 | 8.0399 | 5.1821 | 14.2128 |
| Min | 3.3913 | 5.3346 | 2.9721 | 3.6961 | 4.9154 | 2.934 | 2.9721 |
| Avg | 6.5158 | 6.9349 | 4.6503 | 6.1713 | 6.1845 | 3.6341 | 6.6825 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 286012 / Dombivali MIDC-I

Feeder No / Name : 313 / Dombivali sub station
transfor Feeder KV- 22 /
OUTGOING

| DATE | 08-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .1109 | .2218 | .1848 | .1848 | .1109 | .1478 |
| 2 | .1478 | .2218 | .1478 | .1478 | .1478 | .1848 |
| 3 | .1478 | .1848 | .1478 | .1478 | .1478 | .1848 |
| 4 | .0739 | .1848 | .1109 | .1109 | .1478 | .1478 |
| 5 | .1109 | .1478 | .1109 | .1478 | .1478 | .1109 |
| 6 | .1109 | .1109 | .1109 | .0739 | .1848 | .1109 |
| 7 | .1848 | .1109 | .0739 | .1478 | .1848 | .1109 |
| 8 | .1478 | .1109 | .1109 | .1109 | .1848 | .0739 |
| 9 | .1478 | .1478 | .1478 | .1848 | .1478 | .1109 |
| 10 | .1109 | .1478 | .1848 | .1478 | .1478 | .1109 |
| 11 | .1478 | .1848 | .2218 | .1478 | .1109 | .1109 |
| 12 | | .1109 | .1848 | .1478 | .1109 | .0739 |
| 13 | | .1109 | .1848 | .1478 | .1109 | .0739 |
| 14 | | .0739 | .1478 | .1109 | .0739 | .0739 |
| 15 | | .0739 | .1478 | .1109 | .0739 | .1109 |
| 16 | | .0739 | .1478 | .1109 | .0739 | .1109 |
| 17 | | .037 | .1109 | .0739 | .037 | .1478 |
| 18 | | .0739 | .1109 | .0739 | .0739 | .1109 |
| 19 | | .1109 | .1109 | .1109 | .1109 | .1109 |
| 20 | | .037 | .1478 | .1478 | .1109 | .1478 |
| 21 | | .0739 | .1478 | .1848 | .1109 | .1848 |
| 22 | | .1478 | .1848 | .1848 | .1478 | .1848 |
| 23 | | .1478 | .1848 | .1848 | .1478 | .1848 |
| 24 | .1109 | .2218 | .1848 | .1848 | .1109 | .1478 |
| Max | .1848 | .2218 | .2218 | .1848 | .1848 | .1848 |
| Min | .0739 | .037 | .0739 | .0739 | .037 | .0739 |
| Avg | .1294 | .1278 | .1478 | .1386 | .1232 | .1278 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 288047 / Dombivali PAL - II

Feeder No / Name : 301 / 22 KV Shil road feeder

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 4.904 | 4.9291 | 4.8663 | 4.6304 | 4.6776 | 4.7154 | 4.4437 |
| 2 | 4.6399 | 4.8171 | 4.6399 | 4.481 | 4.3759 | 4.489 | 4.2196 |
| 3 | 4.5645 | 4.6677 | 4.6022 | | 4.2627 | 4.3004 | 4.145 |
| 4 | 4.5268 | 4.5184 | 4.4513 | 4.5268 | 4.225 | 4.1872 | 4.0703 |
| 5 | 4.7154 | 4.7798 | 4.6399 | 4.6776 | 4.2627 | 4.3004 | 4.3004 |
| 6 | 5.4698 | 4.8544 | 5.3567 | 5.2812 | 4.7154 | 4.3759 | 5.0172 |
| 7 | 5.8848 | 5.6386 | 5.8093 | 5.9225 | 5.4698 | 4.8285 | 5.5076 |
| 8 | 5.4146 | 5.5266 | 5.4893 | 5.8848 | 5.4519 | 5.2706 | 5.4893 |
| 9 | 5.0785 | 5.1158 | 5.2435 | 5.1532 | 5.0785 | 4.5831 | 4.9665 |
| 10 | 5.0038 | 4.7051 | 5.1303 | 5.2652 | 4.9665 | 4.1766 | 4.6677 |
| 11 | 4.9528 | 4.6201 | 3.9609 | 6.3481 | 4.6571 | 3.9918 | 4.7424 |
| 12 | 4.5831 | 4.5931 | 3.7677 | 4.8544 | 4.3614 | 4.145 | 4.4353 |
| 13 | 4.8171 | 4.8171 | 3.5482 | 4.6201 | 3.9548 | 4.0287 | 4.0657 |
| 14 | 4.7798 | 4.7798 | 3.4374 | 4.5462 | 3.8439 | 3.6591 | 4.1823 |
| 15 | 4.8918 | 4.8918 | 4.4627 | 4.4723 | 4.0287 | 3.6961 | 4.3317 |
| 16 | 4.768 | 4.4723 | 4.2798 | 4.731 | 4.0287 | 3.6961 | 4.5462 |
| 17 | 4.8285 | 4.5725 | 4.2433 | 4.3614 | 4.1766 | 3.6961 | 4.3983 |
| 18 | 4.6456 | 4.4627 | 4.1701 | 4.3983 | 4.2875 | 3.807 | 4.3244 |
| 19 | 5.7065 | 5.7507 | 5.3963 | 5.788 | 5.4893 | 4.8918 | 5.6207 |
| 20 | 6.1725 | 6.1241 | 5.676 | 5.8627 | 5.788 | 5.4519 | 6.0494 |
| 21 | 6.0616 | 5.9747 | 5.7133 | 5.8253 | 5.4893 | 5.4519 | 5.4726 |
| 22 | 6.012 | 5.788 | 5.788 | 5.5639 | 5.5076 | 5.3399 | 5.7133 |
| 23 | 5.7133 | 5.6013 | 5.6013 | 5.4893 | 5.1303 | 5.1158 | 5.5639 |
| 24 | 4.8918 | 5.2652 | 3.7677 | 4.9665 | 4.9665 | 4.904 | 4.7051 |
| Max | 6.1725 | 6.1241 | 5.8093 | 6.3481 | 5.788 | 5.4519 | 6.0494 |
| Min | 4.5268 | 4.4627 | 3.4374 | 4.3614 | 3.8439 | 3.6591 | 4.0657 |
| Avg | 5.1261 | 5.0528 | 4.7517 | 5.1152 | 4.7165 | 4.4626 | 4.7908 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 288047 / Dombivali PAL - II

Feeder No / Name : 302 / 22 kv Lokdhara (incomer) NON SHEDDABLE EXPRESS HV FEEDERS
 Feeder KV- 22 / INCOMING (NON-CONTINUOUS PROCESS)(NO
 STAGGERING)

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 7.1334 | 7.2428 | 7.3552 | 7.6139 | 6.3942 | 6.3203 | |
| 2 | 6.8008 | 6.8404 | 6.6899 | 7.3552 | 6.0616 | 6.0616 | |
| 3 | 6.616 | 6.621 | 6.579 | 6.3203 | 5.9137 | 5.9137 | |
| 4 | 6.5421 | 6.616 | 6.4312 | 6.2833 | 5.8398 | 5.8768 | |
| 5 | 6.7638 | 6.7638 | 6.616 | 6.5051 | 5.8768 | 5.8398 | |
| 6 | 7.7987 | 7.8357 | 7.577 | 7.3552 | 6.2833 | 6.1725 | |
| 7 | 7.9836 | 8.0205 | 7.9096 | 7.577 | 6.5051 | 6.2094 | |
| 8 | 7.7248 | 7.8357 | 7.7987 | 7.6139 | 6.8378 | 5.1745 | |
| 9 | 7.5031 | 7.4291 | 7.3552 | 7.2794 | 7.2074 | 6.5112 | |
| 10 | 7.2817 | 7.0226 | 7.2443 | 7.2443 | 7.1334 | 6.2986 | |
| 11 | 7.0226 | 6.9856 | 6.9856 | 7.0965 | 6.8747 | 6.4072 | |
| 12 | 6.8039 | 6.877 | 6.579 | 6.7638 | 6.677 | 6.2833 | |
| 13 | 6.5844 | 6.5844 | 6.1725 | 6.4015 | 5.6181 | 6.1454 | |
| 14 | 6.2833 | 6.2186 | 5.9137 | 5.8528 | 5.2484 | 5.8162 | |
| 15 | 6.1725 | 6.1088 | 5.8029 | 5.743 | 5.2484 | 5.4138 | |
| 16 | 6.2094 | 5.9259 | 5.6699 | 5.5072 | 5.3224 | | |
| 17 | 6.1454 | 6.3481 | 5.743 | 5.5967 | 5.7065 | | |
| 18 | 6.9502 | 6.6941 | 6.2833 | 6.1538 | 6.1307 | | 5.5072 |
| 19 | 9.2307 | 9.0554 | 8.501 | 8.3257 | 8.4343 | | 8.5067 |
| 20 | 9.9547 | 8.9621 | 7.9218 | 7.6452 | 8.9445 | | 9.2913 |
| 21 | 9.8461 | 9.6289 | 9.0352 | 8.7239 | 8.2533 | | 9.2547 |
| 22 | 9.5473 | 9.5108 | 9.5108 | 8.4499 | 7.9012 | | 8.7792 |
| 23 | 8.9986 | 9.3279 | 9.3279 | 7.9912 | 7.5354 | | 8.2053 |
| 24 | 7.8281 | 7.9012 | 8.7792 | 7.6139 | 7.0595 | 7.0226 | |
| Max | 9.9547 | 9.6289 | 9.5108 | 8.7239 | 8.9445 | 7.0226 | 9.2913 |
| Min | 6.1454 | 5.9259 | 5.6699 | 5.5072 | 5.2484 | 5.1745 | 5.5072 |
| Avg | 7.4886 | 7.4315 | 7.2409 | 7.0422 | 6.6253 | 6.0917 | 8.2574 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 288047 / Dombivali PAL - II

Feeder No / Name : 303 / GANDHI NAGAR

Feeder KV- 22 / INCOMING

NON SHEDDABLE EXPRESS HV FEEDERS

(NON-CONTINUOUS PROCESS)(NO

STAGGERING)

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.5837 | 3.3608 | 6.579 | 6.621 | 5.6962 | 5.5639 | 5.3593 |
| 2 | 3.3573 | 3.3608 | 5.5811 | 6.7215 | 5.3567 | 5.1905 | 5.0636 |
| 3 | 3.1687 | 3.2487 | 5.5072 | 5.3407 | 5.3944 | 5.0038 | 4.9291 |
| 4 | 3.131 | 3.1741 | 5.3963 | 5.3944 | 5.0549 | 4.8171 | 4.8544 |
| 5 | 3.1687 | 3.0994 | 5.5072 | 5.4698 | 5.0172 | 4.8171 | 4.9665 |
| 6 | 3.4705 | 3.4728 | 6.579 | 6.1241 | 5.3944 | 5.1745 | 5.7133 |
| 7 | 3.7723 | 3.7715 | 6.9456 | 6.7589 | 5.7133 | 5.2854 | 6.1241 |
| 8 | 3.4637 | 3.8836 | 6.0494 | 6.7215 | 6.1241 | 5.4893 | 6.012 |
| 9 | 3.5475 | 7.0965 | 6.4228 | 6.7524 | 6.3108 | 5.2115 | 5.7133 |
| 10 | 3.5082 | 6.3855 | 5.9747 | 5.6804 | 6.1614 | 5.3963 | 5.6386 |
| 11 | 3.4328 | 6.0494 | 6.0494 | 6.1241 | 6.0494 | 5.0916 | 5.6013 |
| 12 | 3.3608 | 5.9137 | 5.676 | 6.1988 | 5.692 | 5.8029 | 5.5266 |
| 13 | 3.3608 | 5.692 | 5.5441 | 5.5765 | 5.3593 | 5.6181 | 5.2854 |
| 14 | 3.1741 | 5.0267 | 5.5441 | 5.5441 | 5.692 | 5.2675 | 5.2652 |
| 15 | 3.0994 | 4.8419 | 5.5441 | 5.5441 | 5.5601 | 5.0114 | 4.9291 |
| 16 | 3.1687 | 5.5811 | 5.3224 | 5.3026 | 4.9158 | 4.6091 | 4.9291 |
| 17 | 3.3634 | 5.5441 | 5.3593 | 5.3224 | 5.1745 | 4.8419 | 5.5072 |
| 18 | 3.7677 | 6.0452 | 5.8768 | 7.2062 | 5.743 | 5.2126 | 6.9867 |
| 19 | 4.5359 | 7.6379 | 7.316 | 7.3891 | 7.0965 | 6.9829 | 7.4989 |
| 20 | 4.6456 | 8.1085 | 7.8647 | 7.5655 | 7.4989 | 7.0588 | 7.6452 |
| 21 | 4.7188 | 8.6153 | 8.3768 | 7.8281 | 7.7183 | 7.5655 | 7.9218 |
| 22 | 4.7424 | 8.2152 | 8.0476 | 7.8357 | 7.3552 | 7.1937 | 7.5031 |
| 23 | 4.5462 | 7.095 | 6.9502 | 7.0576 | 6.7215 | 6.6941 | 7.0965 |
| 24 | 3.9179 | 3.9582 | 6.9117 | 6.9456 | 6.2997 | 6.2361 | 5.8029 |
| Max | 4.7424 | 8.6153 | 8.3768 | 7.8357 | 7.7183 | 7.5655 | 7.9218 |
| Min | 3.0994 | 3.0994 | 5.3224 | 5.3026 | 4.9158 | 4.6091 | 4.8544 |
| Avg | 3.6669 | 5.3824 | 6.2886 | 6.3760 | 5.9625 | 5.6307 | 5.9114 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 288047 / Dombivali PAL - II

Feeder No / Name : 305 / Feeder No. PAL-5

Feeder KV- 22 / INCOMING

NON SHEDDABLE EXPRESS HV FEEDERS

(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.1367 | 3.0247 | 2.8753 | 2.6886 | 2.5393 | 2.8006 | 2.4272 |
| 2 | 3.062 | 2.838 | 2.7633 | 2.6139 | 2.4272 | 2.2405 | 2.2405 |
| 3 | 2.8006 | 2.6886 | 2.8006 | 2.6513 | 2.2405 | 2.2405 | 2.0911 |
| 4 | 2.5766 | 2.6886 | 2.726 | 2.6886 | 2.1658 | 2.1658 | 2.1285 |
| 5 | 2.9127 | 2.838 | 2.7633 | 2.6886 | 2.0782 | 2.1658 | 2.6139 |
| 6 | 3.2487 | 2.8753 | 2.7633 | 3.0994 | 2.3152 | 2.1658 | 2.8006 |
| 7 | 3.2487 | 2.9874 | 3.3234 | 3.1367 | 2.5019 | 2.3152 | 3.062 |
| 8 | 3.2487 | 3.4355 | 3.2114 | 3.1367 | 2.838 | 2.5766 | 2.8753 |
| 9 | 3.2114 | 3.3981 | 3.2487 | 3.1367 | 3.0247 | 2.726 | 2.8006 |
| 10 | 3.2114 | 3.2114 | 3.3234 | 3.062 | 3.0247 | 2.6886 | 2.726 |
| 11 | 3.1367 | 3.2114 | 3.1741 | 3.2487 | 3.0247 | 2.6513 | 2.846 |
| 12 | 3.0994 | 3.1367 | 2.9874 | 3.2114 | 2.8006 | 2.838 | 2.7633 |
| 13 | 3.1367 | 3.1367 | 3.0247 | 3.2861 | 2.726 | 2.838 | 2.6139 |
| 14 | 2.9127 | 2.8006 | 3.062 | 3.062 | 2.4646 | | 2.4646 |
| 15 | 2.6513 | 2.6513 | 2.6886 | 2.6886 | 2.2779 | 2.3899 | 2.4272 |
| 16 | 2.9127 | 2.6513 | 2.5766 | 2.6513 | 2.1475 | 2.0911 | 2.5766 |
| 17 | 3.0247 | 2.8753 | 2.6886 | 2.8006 | 2.4646 | 2.2032 | 2.4646 |
| 18 | 3.0994 | 3.2114 | 3.5475 | 2.9127 | 2.6139 | 2.3525 | 2.6886 |
| 19 | 3.7715 | 3.6969 | 3.5848 | 3.3981 | 3.1741 | 2.5766 | 3.3234 |
| 20 | 3.8462 | 3.7342 | 3.6222 | 3.5101 | 3.2861 | 3.2861 | 3.4355 |
| 21 | 3.8836 | 3.8462 | 3.5848 | 3.3234 | 3.2114 | 3.0994 | 3.5475 |
| 22 | 3.7715 | 3.7715 | 7.1704 | 3.3234 | 2.9874 | 3.1367 | 3.4355 |
| 23 | 3.7342 | 3.7342 | 7.4684 | 3.062 | 2.9874 | 3.0247 | 3.2114 |
| 24 | 3.4355 | 3.5848 | 3.3234 | 3.1741 | 2.9127 | 2.8753 | 2.726 |
| Max | 3.8836 | 3.8462 | 7.4684 | 3.5101 | 3.2861 | 3.2861 | 3.5475 |
| Min | 2.5766 | 2.6513 | 2.5766 | 2.6139 | 2.0782 | 2.0911 | 2.0911 |
| Avg | 3.2114 | 3.1678 | 3.4293 | 3.0231 | 2.6764 | 2.5847 | 2.7621 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 288047 / Dombivali PAL - II

Feeder No / Name : 311 / Pal SS station
transformer f Feeder KV- 22 /
OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.3655 | 2.3655 | 2.3285 | 1.9387 | 2.0485 | 1.9547 | 1.8625 |
| 2 | 2.1948 | 2.1437 | 2.1068 | 1.9185 | 1.9909 | 1.8625 | 1.7909 |
| 3 | 2.0271 | 2.0328 | 2.0328 | 1.9185 | 1.8625 | 1.7909 | 1.701 |
| 4 | 1.8983 | 2.0328 | 1.922 | 1.8625 | 1.8267 | 1.7718 | 1.6126 |
| 5 | 1.9185 | 1.9589 | 1.9959 | 1.7718 | 1.7718 | 1.701 | 1.8656 |
| 6 | 2.0485 | 1.9589 | 2.0328 | 1.9022 | 1.7551 | 1.701 | 1.8656 |
| 7 | 2.2177 | 2.0698 | 2.1437 | 1.8099 | 1.6834 | 1.5238 | 1.9909 |
| 8 | 1.9387 | 2.268 | 2.0851 | 1.7375 | 1.6827 | 1.5565 | 1.9909 |
| 9 | 1.9022 | 2.0698 | 1.2449 | 1.829 | 1.9022 | 1.6651 | 1.9589 |
| 10 | 1.848 | 1.9589 | 1.885 | 1.9589 | 2.0165 | 1.5402 | 1.8823 |
| 11 | 1.7924 | 2.1437 | 1.9044 | 2.0165 | 1.9791 | 1.6289 | 1.6476 |
| 12 | 1.5729 | 1.7558 | 1.6632 | 1.7372 | 1.922 | 1.7375 | 1.5893 |
| 13 | 1.5364 | 1.5364 | 1.3611 | 1.7002 | 1.6289 | 1.9547 | 1.3969 |
| 14 | 1.5203 | 1.5203 | 1.382 | 1.4883 | 1.5203 | 1.5154 | 1.9909 |
| 15 | 1.3169 | 1.2757 | 1.2689 | 1.4784 | 1.5565 | 1.4632 | 1.4327 |
| 16 | 1.4529 | 1.4327 | 1.2971 | 1.4175 | 1.3672 | 1.4632 | 1.858 |
| 17 | 1.5364 | | 1.4998 | 1.5729 | 1.5043 | 1.419 | 1.2536 |
| 18 | 1.3756 | 1.4266 | 1.39 | 1.5729 | 1.5524 | 1.4327 | 1.4784 |
| 19 | 1.9589 | 1.8656 | 1.7924 | 1.922 | 2.0698 | 1.8267 | 1.4118 |
| 20 | 1.9589 | 1.9022 | 1.9022 | 1.9959 | 1.9959 | 1.829 | 1.829 |
| 21 | 2.0485 | 2.0485 | 1.9185 | 1.9753 | 1.8656 | 1.8823 | 1.8461 |
| 22 | 2.1216 | 2.1216 | 2.1216 | 1.8823 | 1.8461 | 1.8267 | 1.9547 |
| 23 | 2.4394 | 2.4143 | 2.4143 | 2.0633 | 1.9909 | 1.9909 | 2.0271 |
| 24 | 2.4764 | 2.5133 | 2.3655 | 2.2443 | 2.1582 | 2.0485 | 2.0271 |
| Max | 2.4764 | 2.5133 | 2.4143 | 2.2443 | 2.1582 | 2.0485 | 2.0271 |
| Min | 1.3169 | 1.2757 | 1.2449 | 1.4175 | 1.3672 | 1.419 | 1.2536 |
| Avg | 1.8945 | 1.9485 | 1.8358 | 1.8214 | 1.8124 | 1.7119 | 1.7610 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 288047 / Dombivali PAL - II

Feeder No / Name : 312 / Pal SS station transformer
fee Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .0343 | .0343 | .0343 | .0343 | .0343 | .0343 | .0343 |
| 2 | .0343 | .0343 | .0343 | .0343 | .0343 | .0343 | .0343 |
| 3 | .0343 | .0343 | .0343 | .0343 | .0343 | .0343 | .0343 |
| 4 | .0343 | .0343 | .0343 | .0343 | .0343 | .0343 | .0343 |
| 5 | .0343 | .0343 | .0343 | .0343 | .0343 | .0343 | .0343 |
| 6 | .0343 | .0343 | .0343 | .0343 | .0343 | .0343 | .0343 |
| 7 | | .0343 | .0343 | .0343 | .0343 | .0343 | .0343 |
| 8 | .0343 | .0343 | .0343 | .0343 | .0343 | .0343 | .0343 |
| 9 | .0343 | .0343 | .0343 | .0343 | .0343 | .0617 | .0343 |
| 10 | .0343 | .0343 | .0343 | .0343 | .0343 | .0343 | .0343 |
| 11 | .0343 | .0343 | .0343 | .0343 | .0343 | .0343 | .0343 |
| 12 | .0686 | .0686 | .0686 | .0686 | .0686 | .0343 | .0343 |
| 13 | .0686 | .0686 | .0686 | .0686 | .0687 | .0686 | .0343 |
| 14 | .0686 | .0686 | .0686 | .0343 | .0686 | .0686 | .0343 |
| 15 | .0686 | .0686 | .0686 | .0343 | .0686 | .096 | .0343 |
| 16 | .0686 | .0686 | .0686 | .0686 | .0686 | .0686 | .0343 |
| 17 | .0686 | .0343 | .0686 | .0686 | .0686 | .0686 | .0343 |
| 18 | .0686 | .0343 | .0686 | .0343 | .0686 | .0686 | .0686 |
| 19 | .0686 | .0686 | .0686 | .0343 | .0686 | .0686 | .0343 |
| 20 | .0686 | .0686 | .0686 | .0686 | .0686 | .0686 | .0686 |
| 21 | .0686 | .0686 | .0686 | .0686 | .0686 | .0686 | .0686 |
| 22 | .0686 | .0343 | .0686 | .0343 | .0686 | .0686 | .0686 |
| 23 | .0686 | .0686 | .0686 | .0343 | .0686 | .0686 | .0686 |
| 24 | .0343 | .0343 | .0343 | .0343 | .0343 | .0343 | .0343 |
| Max | .0686 | .0686 | .0686 | .0686 | .0687 | .096 | .0686 |
| Min | .0343 | .0343 | .0343 | .0343 | .0343 | .0343 | .0343 |
| Avg | .0522 | .0472 | .0515 | .0429 | .0515 | .0523 | .0414 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283046 / 22 Kv Netivali Sw stn

Feeder No / Name : 303 / 22 Kv Kalyan west feeder

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.1245 | 2.9721 | 3.1245 | 2.8578 | 2.6673 | 2.6673 | 2.553 |
| 2 | 3.0483 | 2.934 | 3.0102 | 2.6673 | 2.5911 | 2.4768 | 2.5149 |
| 3 | 2.8197 | 2.8578 | 2.8197 | 2.6673 | 2.5149 | 2.3624 | 2.4768 |
| 4 | 2.7435 | 2.7816 | 2.6673 | 2.6673 | 2.4768 | 2.2862 | 2.4006 |
| 5 | 2.7435 | 2.8197 | 2.6673 | 2.5911 | 2.4006 | 2.2862 | 2.4006 |
| 6 | 2.7816 | 2.9721 | 2.9721 | 2.5911 | 2.4006 | 2.2862 | 2.4387 |
| 7 | 2.8578 | 2.8578 | 2.934 | 2.6292 | 2.3243 | 2.2862 | 2.4768 |
| 8 | 2.6673 | 2.7054 | 2.6292 | 2.5911 | 2.3624 | 2.1338 | 2.21 |
| 9 | 2.3243 | 2.5149 | 2.4768 | 2.7054 | 2.5911 | 2.3243 | 2.1338 |
| 10 | 2.5911 | 2.4768 | 2.4006 | 2.6673 | 2.5149 | 2.3243 | 2.21 |
| 11 | 2.553 | 2.4387 | 2.4387 | 2.7435 | 2.553 | 2.3243 | 2.3243 |
| 12 | 2.553 | 2.553 | 2.2862 | 2.4768 | 2.3624 | 2.4006 | 2.1719 |
| 13 | 2.4387 | 2.4006 | 2.3243 | 2.4006 | 2.2481 | 2.5911 | 1.9052 |
| 14 | 2.3243 | 2.3624 | 2.1719 | 2.2481 | 2.2481 | 2.3624 | 1.9814 |
| 15 | 2.4768 | 2.3243 | 2.1719 | 2.2862 | 2.21 | 2.21 | 2.0957 |
| 16 | 2.5149 | 2.4768 | 2.21 | 2.3624 | 2.2862 | 2.1338 | 2.0957 |
| 17 | 2.5911 | 2.5149 | 2.1719 | 2.3624 | 2.4387 | 2.1719 | 2.1719 |
| 18 | 2.4768 | 2.5149 | 1.9814 | 2.4006 | 2.2862 | 2.1719 | 2.21 |
| 19 | 2.1719 | 2.7816 | 2.5911 | 2.9721 | 2.5911 | 3.0864 | 2.7816 |
| 20 | 3.2769 | 3.2388 | 3.0102 | 3.0864 | 3.0483 | 2.8959 | 3.0864 |
| 21 | 3.315 | 3.3913 | 3.1245 | 3.1626 | 2.9721 | 3.0102 | 3.0864 |
| 22 | 3.4294 | 3.4294 | 3.1626 | 3.1245 | 2.8959 | 3.0102 | 3.1245 |
| 23 | 3.3913 | 5.4108 | 3.2007 | 3.0864 | 2.9721 | 2.9721 | 3.1626 |
| 24 | 3.2007 | 3.2769 | 3.2769 | 3.1245 | 2.934 | 2.8197 | 2.7435 |
| Max | 3.4294 | 5.4108 | 3.2769 | 3.1626 | 3.0483 | 3.0864 | 3.1626 |
| Min | 2.1719 | 2.3243 | 1.9814 | 2.2481 | 2.21 | 2.1338 | 1.9052 |
| Avg | 2.7673 | 2.8753 | 2.6593 | 2.6863 | 2.5371 | 2.4831 | 2.4482 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283046 / 22 Kv Netivali Sw stn

Feeder No / Name : 304 / 22 Kv Kalyan east

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.7147 | 1.7528 | 1.829 | 1.3336 | 1.6766 | 1.6004 | 1.1812 |
| 2 | 1.6004 | 1.6766 | 1.6766 | 1.3336 | 1.6766 | 1.5242 | 1.1431 |
| 3 | 1.5242 | 1.6385 | 1.5623 | 1.2193 | 1.6004 | 1.3336 | 1.105 |
| 4 | 1.5242 | 1.6004 | 1.4861 | 1.2193 | 1.6385 | 1.0669 | 1.105 |
| 5 | 1.5623 | 1.6766 | 1.5242 | 1.2574 | 1.5242 | .9907 | 1.105 |
| 6 | 1.5623 | 1.7909 | 1.5242 | 1.2955 | 1.4861 | 1.0669 | 1.0669 |
| 7 | 1.6385 | 1.4861 | 1.5242 | 1.2955 | 1.4098 | 1.0669 | .9907 |
| 8 | 1.5242 | 1.5623 | 1.1812 | 1.2955 | 1.448 | .9907 | 1.0288 |
| 9 | 1.5623 | 1.7147 | 1.1431 | 1.6385 | 1.5242 | .9907 | 1.1431 |
| 10 | 1.7528 | 1.829 | 1.2193 | 1.8671 | 1.7147 | .9907 | 1.2955 |
| 11 | 1.9052 | 1.9433 | 1.3717 | 1.8671 | 1.7909 | 1.0288 | 1.4861 |
| 12 | 1.9814 | 1.9433 | 1.3336 | 1.9433 | 1.9814 | 1.105 | 1.5242 |
| 13 | 1.9433 | 1.9433 | 1.2955 | 1.7909 | 1.7147 | 1.105 | 1.4861 |
| 14 | 1.9433 | 1.9052 | 1.2955 | 1.9433 | 1.8671 | 1.105 | 1.5242 |
| 15 | 1.9433 | 2.0576 | 1.2574 | 1.9433 | 1.7147 | 1.0669 | 1.6004 |
| 16 | 1.9433 | 1.9052 | 1.2574 | 1.8671 | 1.7909 | 1.105 | 1.5242 |
| 17 | 1.9052 | 1.9052 | 1.2574 | 1.9433 | 1.9052 | 1.0669 | 1.6004 |
| 18 | 2.0195 | 1.9052 | 1.2955 | 1.9433 | 1.9433 | 1.105 | 1.5623 |
| 19 | 2.1719 | 2.0957 | 1.4098 | 2.0576 | 1.9433 | 1.3336 | 1.7147 |
| 20 | 2.1338 | 2.2481 | 1.4861 | 2.0195 | 1.9433 | 1.4098 | 1.829 |
| 21 | 2.1338 | 2.0957 | 1.5242 | 1.9433 | 1.9052 | 1.4098 | 1.7528 |
| 22 | 2.0957 | 2.0576 | 1.5242 | 1.9052 | 1.8671 | 1.3717 | 1.6766 |
| 23 | 1.9814 | 2.0957 | 1.5242 | 1.8671 | 1.829 | 1.3336 | 1.6766 |
| 24 | 1.8671 | 1.9052 | 1.9052 | 1.4098 | 1.829 | 1.7528 | 1.2574 |
| Max | 2.1719 | 2.2481 | 1.9052 | 2.0576 | 1.9814 | 1.7528 | 1.829 |
| Min | 1.5242 | 1.4861 | 1.1431 | 1.2193 | 1.4098 | .9907 | .9907 |
| Avg | 1.8306 | 1.8639 | 1.4337 | 1.6750 | 1.7385 | 1.2050 | 1.3908 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283046 / 22 Kv Netivali Sw stn

Feeder No / Name : 305 / 22kV Kolsewadi feeder

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 4.5725 | 4.8392 | 4.763 | 4.4963 | 4.3058 | 4.5725 | 3.9247 |
| 2 | 4.4963 | 4.8392 | 4.5725 | 4.382 | 4.2676 | 4.5725 | 3.7723 |
| 3 | 4.382 | 4.8011 | 4.382 | 4.2676 | 4.2295 | 3.8866 | 3.7723 |
| 4 | 4.382 | 4.8773 | 4.382 | 4.1914 | 4.2295 | 3.8485 | 3.8104 |
| 5 | 4.4201 | 5.0297 | 4.7249 | 4.1914 | 4.4963 | 3.8866 | 4.0009 |
| 6 | 5.3346 | 5.4108 | 6.0204 | 5.3346 | 4.9916 | 5.2584 | 4.6487 |
| 7 | 5.8299 | 6.3634 | 6.1728 | 6.211 | 5.8299 | 5.4108 | 5.2202 |
| 8 | 5.0297 | 5.7156 | 5.7156 | 5.3346 | 5.5632 | 5.2202 | 4.9154 |
| 9 | 4.2676 | 4.5344 | | 4.763 | 4.8392 | 4.2295 | 4.0771 |
| 10 | 4.3058 | 4.382 | 4.2295 | 4.6106 | 4.7249 | 3.7723 | 4.0009 |
| 11 | 3.8485 | 4.039 | 3.9628 | 4.4963 | 4.2295 | 3.7723 | 4.2676 |
| 12 | 3.6961 | 3.658 | 4.4582 | 4.3439 | 4.1914 | 3.658 | 4.2676 |
| 13 | 3.5437 | 2.5149 | 2.4768 | 3.5437 | 3.2007 | 3.3532 | 3.7723 |
| 14 | 3.3532 | 3.315 | 2.21 | 3.0864 | 3.2388 | 3.0864 | 3.7342 |
| 15 | 4.2295 | 3.658 | 3.1626 | 3.5056 | 3.2388 | 3.0864 | 3.3532 |
| 16 | 4.2676 | 3.8866 | 3.3913 | .2667 | 3.2388 | 3.1626 | 3.7342 |
| 17 | 4.4582 | 4.1914 | 4.2676 | 4.3058 | | 3.2388 | 3.9628 |
| 18 | 4.5344 | 4.4963 | 4.4582 | 3.8104 | 4.1914 | 3.4294 | 4.039 |
| 19 | 5.9061 | 4.4963 | 5.4108 | 5.4489 | 5.2584 | 5.1821 | 5.144 |
| 20 | 6.4396 | 5.868 | 6.0585 | 5.9442 | 5.9061 | 5.4489 | 5.6775 |
| 21 | 6.0966 | 5.9061 | 5.9823 | 5.6775 | 5.3346 | 5.0678 | 5.6394 |
| 22 | 5.487 | 5.8299 | 5.7156 | 5.5251 | 5.3346 | 4.8392 | 5.4108 |
| 23 | 5.5632 | 5.4108 | 5.0678 | 5.2584 | 5.0678 | 4.382 | 5.2584 |
| 24 | 4.6106 | 4.6868 | 4.9535 | 4.4963 | 4.5725 | 4.763 | 4.0009 |
| Max | 6.4396 | 6.3634 | 6.1728 | 6.211 | 5.9061 | 5.4489 | 5.6775 |
| Min | 3.3532 | 2.5149 | 2.21 | .2667 | 3.2007 | 3.0864 | 3.3532 |
| Avg | 4.7106 | 4.6979 | 4.6321 | 4.4788 | 4.5426 | 4.2137 | 4.3502 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283046 / 22 Kv Netivali Sw stn

Feeder No / Name : 306 / 22 Kv Nandivali new

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.4294 | 3.2007 | 3.4294 | 3.2007 | 3.0483 | 3.2388 | 3.0483 |
| 2 | 3.3532 | 3.1626 | 3.3532 | 3.1245 | 2.9721 | 3.0483 | 2.934 |
| 3 | 3.315 | 3.1245 | 3.1245 | 3.0483 | 2.8578 | 3.0483 | 2.8578 |
| 4 | 3.2769 | 3.0102 | 3.0483 | 3.0483 | 2.8197 | 2.6673 | 2.8197 |
| 5 | 3.3532 | 3.0864 | 3.0483 | 3.1245 | 2.8197 | 2.6673 | 2.8197 |
| 6 | 3.4294 | 3.4675 | 3.5056 | 3.1245 | 2.9721 | 2.6673 | 2.934 |
| 7 | 3.5056 | 3.5056 | 3.5818 | 3.3532 | 3.0483 | 2.7816 | 3.2769 |
| 8 | 3.4294 | 3.5056 | 3.3532 | 3.6199 | 3.1245 | 2.8197 | 3.1626 |
| 9 | 3.2007 | 3.2769 | 3.1245 | 3.2388 | 3.1626 | 2.8197 | 3.0483 |
| 10 | 3.2007 | 3.2007 | 3.2007 | 3.3532 | 3.1626 | 2.8959 | 3.0102 |
| 11 | 3.1626 | 3.2007 | 3.1245 | 3.2388 | 3.0483 | 2.934 | 2.9721 |
| 12 | 3.0483 | 1.1431 | 2.8959 | 3.0864 | 2.934 | 3.0102 | 2.934 |
| 13 | 3.0483 | 3.0102 | 2.8578 | 2.934 | 3.2769 | 3.0102 | 2.8578 |
| 14 | 2.9721 | 2.934 | 2.7816 | 2.7435 | 2.8197 | 3.0483 | 3.0483 |
| 15 | 2.9721 | 2.8578 | 2.7435 | 2.8197 | 2.7054 | 2.8578 | 2.7054 |
| 16 | 2.8578 | 2.8959 | 2.7435 | 2.7054 | 2.7435 | 2.8197 | 2.8197 |
| 17 | 3.0102 | 2.934 | 2.7054 | 2.7816 | 2.8197 | 2.8578 | 2.8959 |
| 18 | 2.9721 | 3.0102 | 2.7054 | 2.934 | 3.0483 | 2.934 | 2.9721 |
| 19 | 3.8485 | 3.5437 | 3.1626 | 3.5056 | 3.5437 | 3.3913 | 3.5056 |
| 20 | 4.1533 | 4.1152 | 3.7342 | 3.8866 | 3.7723 | 3.7723 | 3.9628 |
| 21 | 4.2676 | 4.1533 | 3.9247 | 3.9247 | 3.5818 | 3.7342 | 4.0771 |
| 22 | 4.2295 | 6.5158 | 3.8485 | 3.8104 | 3.6961 | 3.7342 | 4.0009 |
| 23 | 4.039 | 4.0771 | 3.8485 | 3.7342 | 3.5056 | 3.5437 | 3.8485 |
| 24 | 3.5437 | 3.5818 | 3.5437 | 3.4675 | 3.2769 | 3.2769 | 3.2388 |
| Max | 4.2676 | 6.5158 | 3.9247 | 3.9247 | 3.7723 | 3.7723 | 4.0771 |
| Min | 2.8578 | 1.1431 | 2.7054 | 2.7054 | 2.7054 | 2.6673 | 2.7054 |
| Avg | 3.4008 | 3.3547 | 3.2246 | 3.2420 | 3.1150 | 3.0658 | 3.1563 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283046 / 22 Kv Netivali Sw stn

Feeder No / Name : 307 / 22 KV Shil feeder

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.4768 | 2.4387 | 2.4387 | 2.3243 | 2.2481 | 2.3624 | 2.2862 |
| 2 | 2.3624 | 2.4006 | 2.3243 | 2.2862 | 2.1719 | 2.2862 | 2.1719 |
| 3 | 2.2862 | 2.3624 | 2.21 | 2.2862 | 2.1338 | 2.21 | 2.1338 |
| 4 | 2.21 | 2.2862 | 2.21 | 2.21 | 2.0957 | 2.0195 | 2.0576 |
| 5 | 2.21 | 2.3243 | 2.2862 | 2.21 | 2.0957 | 2.0195 | 2.0576 |
| 6 | 2.2481 | 2.4768 | 2.4006 | 2.3624 | 2.1719 | 2.0576 | 2.1719 |
| 7 | 2.2862 | 2.4768 | 2.3624 | 2.4006 | 2.21 | 2.0957 | 2.2481 |
| 8 | 2.3243 | 2.3243 | 2.21 | 2.3243 | 2.1719 | 2.1338 | 2.1719 |
| 9 | 2.1719 | 2.2481 | 2.1338 | 2.1338 | 2.1719 | 1.9814 | 2.0957 |
| 10 | 2.2481 | 2.21 | 1.9814 | 2.21 | 2.1338 | 1.8671 | 2.1719 |
| 11 | 2.2862 | 2.0576 | 1.9433 | 2.2481 | 2.1338 | 1.8671 | 2.1719 |
| 12 | 2.2481 | 2.1338 | 1.8671 | 2.21 | 2.21 | 1.9052 | 2.1719 |
| 13 | 2.2481 | 2.0957 | 1.9052 | 2.0576 | 1.9814 | 1.9433 | 2.0957 |
| 14 | 2.2481 | 2.1338 | 1.9052 | 2.0957 | 1.9814 | 2.0195 | 2.1338 |
| 15 | 2.4006 | 2.21 | 1.9052 | 2.0957 | 2.0957 | 1.9433 | 2.2481 |
| 16 | 2.2481 | 2.21 | 1.9052 | 2.0957 | 2.1338 | 1.9433 | 2.21 |
| 17 | 2.3624 | 2.3243 | 1.9814 | 2.0576 | 2.1719 | 1.9814 | 2.3243 |
| 18 | 2.4387 | 2.2862 | 1.9052 | 1.9814 | 2.21 | 1.9814 | 2.3624 |
| 19 | 2.934 | 2.6292 | 2.3243 | 2.6292 | 2.4768 | 2.2862 | 2.553 |
| 20 | 3.1245 | 3.0102 | 2.6673 | 2.7816 | 2.7054 | 2.5911 | 2.8578 |
| 21 | 3.0102 | 2.934 | 2.6292 | 2.7435 | 2.7435 | 2.6673 | 2.8197 |
| 22 | 2.934 | 2.934 | 2.5911 | 2.7435 | 2.7054 | 2.5911 | 2.7435 |
| 23 | 2.8959 | 2.7816 | 2.5911 | 2.6292 | 2.5911 | 2.553 | 2.6673 |
| 24 | 2.5911 | 2.6292 | 2.6673 | 2.4387 | 2.3624 | 2.4768 | 2.3624 |
| Max | 3.1245 | 3.0102 | 2.6673 | 2.7816 | 2.7435 | 2.6673 | 2.8578 |
| Min | 2.1719 | 2.0576 | 1.8671 | 1.9814 | 1.9814 | 1.8671 | 2.0576 |
| Avg | 2.4498 | 2.4132 | 2.2227 | 2.3148 | 2.2545 | 2.1576 | 2.3037 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283046 / 22 Kv Netivali Sw stn

Feeder No / Name : 310 / Netivali switching station
tran Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .6097 | .4954 | .5716 | .5716 | .5716 | .5716 | .4954 |
| 2 | .6097 | .4572 | .5716 | .5335 | .5335 | .5716 | .4572 |
| 3 | .5716 | .4572 | .5716 | .4954 | .5335 | .5716 | .4572 |
| 4 | .6097 | .4954 | .5716 | .5335 | .5335 | .5716 | .4572 |
| 5 | .6097 | .4572 | .5716 | .5335 | .4954 | .5716 | .4572 |
| 6 | .5716 | .4191 | .5335 | .5716 | .4191 | .5716 | .4572 |
| 7 | .381 | .4191 | .381 | .3048 | .3429 | .1524 | .4191 |
| 8 | .2286 | .4572 | .1905 | .3048 | .1143 | .0762 | .1905 |
| 9 | .1905 | .2667 | .1524 | .1905 | .1143 | .1143 | .1143 |
| 10 | .1905 | .3048 | .1905 | .1905 | .0762 | .1143 | .3048 |
| 11 | .1905 | .3048 | .381 | .1905 | .1524 | .1143 | .381 |
| 12 | .3048 | .3048 | .3048 | .381 | .1524 | .1143 | .3048 |
| 13 | .1905 | .3048 | .2667 | .3048 | .1524 | .1143 | .2286 |
| 14 | .2667 | .3048 | .2667 | .3429 | .1524 | .1143 | .3048 |
| 15 | .1905 | | .3048 | .2667 | .1524 | .1524 | .381 |
| 16 | .3048 | .3048 | .3048 | .2286 | .1524 | .1143 | .3429 |
| 17 | .3048 | .2286 | .3048 | .2667 | .1524 | .1143 | .3429 |
| 18 | .2667 | .2286 | .3048 | .1905 | .1524 | .1143 | .381 |
| 19 | .381 | .2667 | .6859 | .1905 | .3048 | .1905 | .381 |
| 20 | .4954 | .381 | .6859 | .5716 | .5335 | .4572 | .5335 |
| 21 | .4954 | .5716 | .5335 | .5335 | .5335 | .4954 | .5335 |
| 22 | .4572 | .5716 | | .5335 | .5335 | .4954 | .5335 |
| 23 | .4572 | .5716 | .6097 | .4954 | .5716 | .5335 | .5335 |
| 24 | .6097 | .5335 | .5716 | .5716 | .5716 | .5716 | .5716 |
| Max | .6097 | .5716 | .6859 | .5716 | .5716 | .5716 | .5716 |
| Min | .1905 | .2286 | .1524 | .1905 | .0762 | .0762 | .1143 |
| Avg | .3953 | .3959 | .4274 | .3874 | .3334 | .3160 | .3985 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283046 / 22 Kv Netivali Sw stn

Feeder No / Name : 311 / 22 Kv MIDC netivali new SHEDDABLE FEEDER HAVING WEEKLY
 Feeder KV- 22 / OUTGOING STAGGERING (MIDC, EQUIVALENT)

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 4.2295 | 4.0009 | 4.0771 | *** | 4.2295 | 2.4768 | 1.1812 |
| 2 | .381 | 3.9247 | 3.9628 | 2.6673 | 4.1533 | 2.5911 | 1.1431 |
| 3 | 4.0009 | 3.9628 | 3.8485 | 2.5911 | 4.1152 | 2.2862 | 1.1431 |
| 4 | 3.8104 | 4.0009 | 3.8104 | 2.5911 | 3.9247 | 1.5242 | 1.105 |
| 5 | 3.8104 | 4.0009 | 3.8104 | 2.4768 | 4.0009 | 1.3336 | 1.1431 |
| 6 | 3.8104 | 4.039 | 3.9628 | 2.5911 | 3.7723 | 1.3336 | 1.1431 |
| 7 | 3.8104 | 3.9247 | 3.7723 | 2.8197 | 3.5818 | 1.3717 | 1.1812 |
| 8 | 3.7723 | 3.9247 | 2.0195 | 2.8197 | 3.5818 | 1.0669 | 1.2574 |
| 9 | 4.4963 | 4.5344 | 2.3624 | 4.1914 | 4.0009 | 1.105 | 2.2481 |
| 10 | 5.7537 | 5.3727 | 3.1245 | 5.6394 | 5.2202 | 1.1431 | 3.315 |
| 11 | 6.0966 | 6.0204 | 3.2388 | 5.7537 | | 1.1431 | 3.6961 |
| 12 | 6.4015 | 6.0585 | 3.2388 | 6.0966 | 5.4108 | 1.1812 | 3.8866 |
| 13 | 6.0585 | 5.7918 | 2.934 | 5.6013 | 5.1059 | 1.2193 | 3.8104 |
| 14 | 5.7918 | 5.6013 | 2.6292 | 5.4489 | 5.1059 | 1.2193 | 4.0009 |
| 15 | 5.3346 | 6.1728 | 2.7435 | 5.6775 | 5.487 | 1.2193 | 4.039 |
| 16 | 6.4396 | 5.7918 | 2.6673 | 5.9061 | 5.3346 | 1.1812 | 4.2676 |
| 17 | 6.0585 | 6.0204 | 2.553 | 5.7156 | 5.1059 | 1.1812 | 3.8104 |
| 18 | 5.5632 | 5.9442 | 2.21 | 5.2584 | 4.6487 | 1.2193 | 3.5437 |
| 19 | 5.4108 | 5.5251 | 2.0576 | 4.763 | 4.1914 | 1.1812 | 3.315 |
| 20 | 4.6868 | 4.5344 | 2.0576 | 4.1533 | 2.9721 | 1.1812 | 2.934 |
| 21 | 4.2295 | 4.3058 | 2.5911 | 3.7342 | 2.7054 | 1.1812 | 3.0102 |
| 22 | 4.4201 | 4.4963 | 2.6292 | 4.4582 | 2.5911 | 1.1812 | 2.9721 |
| 23 | 4.3439 | 4.3058 | | 4.3058 | | 1.1812 | 2.934 |
| 24 | 4.2295 | 4.3439 | 4.1533 | 2.1338 | 4.1914 | 2.5911 | 1.1812 |
| Max | 6.4396 | 6.1728 | 4.1533 | 27.0919 | 5.487 | 2.5911 | 4.2676 |
| Min | .381 | 3.9247 | 2.0195 | 2.1338 | 2.5911 | 1.0669 | 1.105 |
| Avg | 4.7058 | 4.8583 | 3.0632 | 5.1869 | 4.2469 | 1.4289 | 2.5942 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283214 / Lokdhara switching stn

Feeder No / Name : 301 / 22 KV Netiwali Incomer

SHEDDABLE URBAN

Feeder KV- 22 / INCOMING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 9.3736 | 9.5641 | 9.4498 | 9.2212 | 8.421 | 8.6496 | |
| 2 | 9.0307 | 9.4498 | 8.802 | 8.7258 | 7.9257 | 7.9638 | |
| 3 | 8.8402 | 8.9164 | 8.802 | 8.4591 | 7.7733 | 7.7352 | |
| 4 | 9.1069 | 9.2212 | 9.0307 | 8.6496 | 7.8114 | 7.6589 | |
| 5 | 9.526 | 9.526 | 9.4498 | 8.9926 | 7.9638 | 7.7352 | |
| 6 | 10.3262 | 10.1357 | 10.1738 | 9.6403 | 8.2686 | 8.04 | |
| 7 | 10.3262 | 10.3262 | 10.0594 | 9.6784 | 8.3067 | 8.0781 | |
| 8 | 10.2881 | 10.1738 | 10.0976 | 9.907 | 8.8401 | 8.1924 | |
| 9 | 9.7927 | 9.8689 | 9.6784 | 6.4777 | 9.2974 | 8.3448 | |
| 10 | 9.3355 | 9.4879 | 9.3736 | 9.2212 | 9.2974 | 8.4591 | |
| 11 | 9.145 | 9.0688 | 8.8782 | 9.145 | 8.8401 | 8.2686 | |
| 12 | 8.9164 | 8.8782 | 8.3829 | 8.7258 | 8.3448 | 8.1924 | |
| 13 | 8.8401 | 8.6877 | 8.2305 | 8.2686 | 8.1162 | 8.2305 | |
| 14 | 8.9925 | 5.4489 | 7.7352 | 7.6208 | 7.4303 | 7.9257 | |
| 15 | 8.3829 | 8.1162 | 7.6589 | 7.3922 | 6.973 | 7.7733 | |
| 16 | 8.1924 | 7.8495 | 7.4684 | 7.1254 | 7.0492 | 1.3717 | |
| 17 | 8.5734 | 8.3067 | 7.697 | 7.4684 | 7.4303 | | |
| 18 | 9.6022 | 8.8402 | 8.1543 | 8.5734 | 8.3067 | | 8.6877 |
| 19 | 12.1552 | 11.3931 | 10.8596 | 10.974 | 10.5167 | | 11.1645 |
| 20 | 13.2221 | 12.7268 | 12.0789 | 11.736 | 11.6598 | | 12.3076 |
| 21 | 12.4981 | 12.8792 | 12.0027 | 11.6979 | 11.2787 | | 12.2314 |
| 22 | 12.4219 | 12.4219 | 11.5455 | 11.012 | 10.631 | | 11.7741 |
| 23 | 11.5836 | 11.8503 | 10.974 | 10.3643 | 9.9832 | | 10.8977 |
| 24 | 10.5167 | 10.6691 | 10.3643 | 10.0214 | 9.3736 | 7.316 | 1.9814 |
| Max | 13.2221 | 12.8792 | 12.0789 | 11.736 | 11.6598 | 8.6496 | 12.3076 |
| Min | 8.1924 | 5.4489 | 7.4684 | 6.4777 | 6.973 | 1.3717 | 1.9814 |
| Avg | 9.9579 | 9.7419 | 9.4561 | 9.1291 | 8.7433 | 7.6433 | 9.8635 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283214 / Lokdhara switching stn

Feeder No / Name : 302 / 22 Kv Harmon mohata

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 10.974 | 10.5548 | 10.0976 | 10.3643 | 9.5641 | 9.6403 | 16.8039 |
| 2 | 10.3262 | 10.2119 | 9.6784 | 9.7165 | 8.9925 | 9.0306 | 15.8513 |
| 3 | 10.0976 | 9.9451 | 9.7927 | 9.4879 | 8.8401 | 9.0688 | 15.0892 |
| 4 | 10.1738 | 10.0976 | 10.25 | 9.6022 | 8.421 | 9.1069 | 14.8987 |
| 5 | 10.4405 | 10.4024 | 10.5548 | 9.8689 | 8.9925 | 8.7639 | 15.3178 |
| 6 | 10.974 | 10.7072 | 10.974 | 10.3643 | 8.9925 | 8.8782 | 16.9944 |
| 7 | 10.7834 | 10.7834 | 10.5929 | 10.2119 | 9.2212 | 8.7639 | 16.7277 |
| 8 | 10.5929 | 10.3643 | 8.3067 | 10.1738 | 9.526 | 9.4498 | 16.3085 |
| 9 | 9.7927 | 10.0595 | 8.9925 | 10.0595 | 9.8689 | 9.145 | 15.5083 |
| 10 | 9.3736 | 9.4498 | 7.9256 | 9.4498 | 9.6784 | 9.2593 | 15.8132 |
| 11 | 8.9925 | 9.2974 | 9.2974 | 9.2974 | 9.2212 | 9.1831 | 15.2035 |
| 12 | | 8.802 | 8.4972 | 8.9925 | 8.802 | 5.2202 | 14.9368 |
| 13 | 8.8401 | 8.9163 | 8.3448 | 8.6496 | 8.6877 | 9.3736 | 14.67 |
| 14 | 8.7639 | 8.4591 | 8.1924 | 8.0399 | 7.9637 | 8.9544 | 14.4414 |
| 15 | 8.5353 | 8.3067 | 8.2305 | 8.0399 | 7.7351 | 8.4972 | 14.0985 |
| 16 | 8.6496 | 8.1924 | 4.5725 | 8.1924 | 7.8494 | 8.3067 | 14.0223 |
| 17 | 9.0688 | 8.6496 | 6.1728 | 8.3067 | 8.3448 | 14.6319 | 14.3271 |
| 18 | 10.0595 | 9.3355 | 8.802 | 9.2974 | 9.0306 | 15.5845 | 8.7258 |
| 19 | 12.7648 | 12.079 | 11.6598 | 11.6598 | 11.2026 | 15.8513 | 11.3169 |
| 20 | 13.0697 | 13.1078 | 12.4981 | 12.079 | 11.9647 | 16.8039 | 12.2695 |
| 21 | 13.184 | 13.2602 | 12.6886 | 12.3838 | 11.9266 | 18.0994 | 12.7267 |
| 22 | 13.184 | 13.3745 | 12.6124 | 11.8503 | 11.5836 | 17.7184 | 12.5743 |
| 23 | 12.3457 | 12.7267 | 12.0028 | 11.3931 | 11.0121 | 15.1654 | 11.8503 |
| 24 | 11.2788 | 11.5836 | 11.2026 | 11.1264 | 10.3643 | 10.2119 | 17.2611 |
| Max | 13.184 | 13.3745 | 12.6886 | 12.3838 | 11.9647 | 18.0994 | 17.2611 |
| Min | 8.5353 | 8.1924 | 4.5725 | 8.0399 | 7.7351 | 5.2202 | 8.7258 |
| Avg | 10.5333 | 10.3611 | 9.6641 | 9.9420 | 9.4911 | 11.0295 | 14.4891 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283214 / Lokdhara switching stn

Feeder No / Name : 305 / 22 kv LOKDHARAFEEDER

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 4.2448 | 1.9052 | 6.0052 | 5.9899 | 5.5327 | 5.3956 | 5.9671 |
| 2 | 5.929 | 1.829 | 5.4489 | 5.426 | 4.9688 | 4.9764 | 5.1898 |
| 3 | 5.5175 | 1.7147 | 5.0907 | 5.0755 | 4.6564 | 4.603 | 4.664 |
| 4 | 5.2965 | 1.7528 | 5.045 | 1.6385 | 4.4658 | 4.4049 | 4.5344 |
| 5 | 5.3193 | 1.829 | 5.1593 | 1.6766 | 4.4354 | 1.4098 | 4.4735 |
| 6 | 5.7994 | 1.8671 | 5.8147 | 1.7909 | 4.3972 | 1.4861 | 5.1898 |
| 7 | 6.531 | 1.9433 | 6.2109 | 1.7909 | 4.9612 | 1.448 | 5.7918 |
| 8 | 6.4091 | 2.0957 | 2.2862 | 1.9052 | 5.4184 | 1.9052 | 5.9518 |
| 9 | 6.2109 | 1.9433 | 5.8375 | 2.0195 | 6.1957 | 1.829 | 5.6013 |
| 10 | 5.3651 | 1.7909 | 2.713 | 1.7147 | 6.0357 | 1.829 | 5.4032 |
| 11 | 5.0069 | 1.5623 | 6.5234 | 1.6004 | 5.6546 | 1.7147 | 4.9917 |
| 12 | 4.9536 | 1.5242 | 5.868 | 1.6004 | 5.2355 | 1.7147 | 4.6945 |
| 13 | 4.8545 | 1.6004 | 5.1288 | 1.4098 | 4.984 | 1.7147 | 4.5115 |
| 14 | 1.448 | 1.5242 | 4.7859 | 1.3336 | 4.6105 | 1.5623 | 4.4276 |
| 15 | 1.4098 | 1.448 | 4.6868 | 1.3336 | 4.2905 | 1.4861 | 4.3667 |
| 16 | 1.4098 | 1.448 | 4.5191 | 1.3717 | 4.0771 | 1.3717 | 4.199 |
| 17 | 1.4861 | 1.4861 | 4.4963 | 1.3717 | 4.2371 | 1.3717 | 4.3744 |
| 18 | 1.6385 | 1.5623 | 4.5954 | 1.4861 | 4.7173 | 1.5242 | 4.664 |
| 19 | 2.0195 | 1.8671 | 5.487 | 1.829 | 5.4565 | 1.829 | 5.3651 |
| 20 | 2.0195 | 2.0195 | 6.1957 | 1.829 | 5.7613 | 1.8671 | 6.0661 |
| 21 | 2.0576 | 2.0195 | 6.2871 | 1.8671 | 5.8223 | 1.829 | 6.1347 |
| 22 | 2.0576 | 2.1338 | 6.3176 | 1.9433 | 5.6089 | 1.8671 | 6.1652 |
| 23 | 2.1338 | 2.21 | 6.3786 | 1.9433 | 5.6699 | 1.9814 | 6.1957 |
| 24 | 2.0576 | 2.1338 | 6.2948 | 1.9814 | 5.647 | 1.7909 | 4.0543 |
| Max | 6.531 | 2.21 | 6.5234 | 5.9899 | 6.1957 | 5.3956 | 6.1957 |
| Min | 1.4098 | 1.448 | 2.2862 | 1.3336 | 4.0771 | 1.3717 | 4.0543 |
| Avg | 3.7990 | 1.8004 | 5.2990 | 2.1637 | 5.1183 | 2.2047 | 5.1241 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283214 / Lokdhara switching stn

Feeder No / Name : 306 / Station transformer

Feeder KV- 22 / INCOMING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 2 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 3 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 4 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | |
| 5 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | |
| 6 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | |
| 7 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 8 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 9 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 10 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 11 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 12 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 13 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 14 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 15 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 16 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 17 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 18 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 19 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 20 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 21 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 22 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 23 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 24 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| Max | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| Min | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| Avg | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283214 / Lokdhara switching stn

Feeder No / Name : 307 / SHRI MALANG

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 10.2195 | 3.2388 | 3.1626 | 3.0864 | 8.9926 | 9.1907 | 9.3202 |
| 2 | 9.5641 | 3.1626 | 2.8578 | 2.8959 | 8.2915 | 8.3372 | 8.6115 |
| 3 | 9.2135 | 3.0483 | 2.8197 | 2.7816 | 8.04 | 8.0552 | 8.3524 |
| 4 | 9.2059 | 3.1626 | 2.8959 | 2.8578 | 8.0628 | 7.9485 | 8.1619 |
| 5 | 9.4803 | 3.2769 | 3.0864 | 2.934 | 8.1009 | 2.5149 | 8.2686 |
| 6 | 10.5396 | 3.3913 | 3.3532 | 3.1245 | 8.2838 | 2.6673 | 9.0611 |
| 7 | 10.7606 | 3.3532 | 3.315 | 3.2007 | 8.482 | 2.6292 | 9.4193 |
| 8 | 10.3491 | 3.2769 | 3.2769 | 3.2007 | 8.9392 | 2.7816 | 9.3507 |
| 9 | 9.8003 | 3.0864 | 3.0102 | | 9.1678 | 2.8197 | 8.9087 |
| 10 | 9.4269 | 2.8578 | 3.0102 | 2.9721 | 9.4041 | 2.7435 | 8.4896 |
| 11 | 9.1983 | 2.8578 | 2.8197 | 3.0483 | 9.1678 | 2.7054 | 8.3677 |
| 12 | 9.0992 | 2.8197 | 2.7435 | 2.8578 | 8.581 | 2.7054 | 8.3067 |
| 13 | 9.0078 | 2.8197 | 2.553 | 2.7054 | 8.3372 | 2.8197 | 8.139 |
| 14 | 8.1542 | | 2.4768 | 2.5911 | 7.7352 | 2.7435 | 8.1086 |
| 15 | 2.7816 | 2.7054 | 2.4387 | 2.4768 | 7.415 | 2.6673 | 7.8114 |
| 16 | 2.6673 | 2.5911 | 2.3624 | 2.3624 | 7.2016 | | 7.6513 |
| 17 | 2.7054 | 2.6292 | 2.4006 | 2.3624 | 7.4913 | 2.4768 | 7.697 |
| 18 | 3.0864 | 2.8197 | 2.5911 | 2.8197 | 8.1771 | 2.6292 | 8.5124 |
| 19 | 4.039 | 3.7723 | 3.4675 | 3.6199 | 10.3872 | 3.3532 | 10.9282 |
| 20 | 4.4201 | 4.2295 | 3.9628 | 3.8104 | 11.9037 | 3.8485 | 12.559 |
| 21 | 4.1914 | 4.3058 | 3.9628 | 3.9247 | 11.6522 | 3.8104 | 12.6734 |
| 22 | 4.1914 | 4.2295 | 3.9628 | 3.6961 | 11.2178 | | 12.4371 |
| 23 | 3.9247 | 4.039 | 4.382 | 3.4675 | 10.8292 | | 11.736 |
| 24 | 3.6199 | 3.6199 | 3.5437 | 3.4294 | 9.968 | 3.1245 | 10.6234 |
| Max | 10.7606 | 4.3058 | 4.382 | 3.9247 | 11.9037 | 9.1907 | 12.6734 |
| Min | 2.6673 | 2.5911 | 2.3624 | 2.3624 | 7.2016 | 2.4768 | 7.6513 |
| Avg | 7.0686 | 3.2736 | 3.1023 | 3.0533 | 8.9929 | 3.9320 | 9.3123 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283214 / Lokdhara switching stn

Feeder No / Name : 309 / 22 KV Jari Mari Feeder

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.4098 | 1.4098 | 1.4098 | 1.3336 | 1.2574 | 1.2955 | 1.2574 |
| 2 | 1.2574 | 1.3336 | 1.2955 | 1.2574 | 1.1812 | 1.1812 | 1.2193 |
| 3 | 1.1812 | 1.2574 | 1.2955 | 1.2193 | 1.1812 | 1.1812 | 1.1812 |
| 4 | 1.2193 | 1.2955 | 1.3336 | 1.2955 | 1.2193 | 1.105 | 1.1812 |
| 5 | 1.2955 | 1.3336 | 1.3336 | 1.3717 | 1.1812 | 1.1812 | 1.1812 |
| 6 | 1.486 | 1.5241 | 1.5241 | 1.5241 | 1.2574 | 1.2574 | 1.2955 |
| 7 | 1.5622 | 1.6385 | 1.5622 | 1.486 | 1.3336 | 1.2955 | 1.2955 |
| 8 | 1.6385 | 1.5241 | 1.5241 | 1.5241 | 1.6003 | 1.4479 | 1.4098 |
| 9 | 1.4098 | 1.486 | 1.4098 | 1.3717 | 1.4479 | 1.2955 | 1.4098 |
| 10 | 1.2574 | 1.4098 | 1.2955 | 1.2955 | 1.3717 | 1.3336 | 1.2193 |
| 11 | 1.1812 | 1.2193 | 1.1812 | 1.2193 | 1.2574 | 1.2574 | 1.0288 |
| 12 | 1.105 | 1.105 | 1.0669 | 1.1431 | 1.1812 | 1.2193 | 1.0288 |
| 13 | 1.0669 | 1.0288 | 1.0288 | .9907 | 1.0288 | 1.1431 | .9907 |
| 14 | 1.0288 | 1.0288 | .9907 | .9526 | .9526 | 1.0669 | .9907 |
| 15 | 7.0111 | 1.0288 | .9907 | .9526 | .8764 | 1.0669 | .9907 |
| 16 | 1.0288 | .9907 | .9907 | .8764 | .9145 | .3048 | .9145 |
| 17 | 1.0288 | 1.0288 | .8764 | .9145 | .9907 | .9145 | .9526 |
| 18 | 1.105 | 1.0669 | .9526 | .9526 | 1.0669 | 1.0669 | 1.0288 |
| 19 | 1.4098 | 1.3717 | 1.2955 | 1.2574 | 1.2955 | 1.3336 | 1.3336 |
| 20 | 1.6003 | 1.5241 | 1.486 | 1.4479 | 1.4479 | 1.486 | 1.5241 |
| 21 | 1.6766 | 1.6385 | 1.5241 | 1.4479 | 1.4098 | 1.486 | 1.5622 |
| 22 | 1.6766 | 1.6766 | 1.5241 | 1.4479 | 1.4098 | 1.4479 | 1.5241 |
| 23 | 1.6766 | 1.6385 | 1.486 | 1.4479 | 1.4098 | 1.4098 | 1.5241 |
| 24 | 1.5623 | 1.5622 | 1.5241 | 1.486 | 1.3717 | 1.2955 | 1.3717 |
| Max | 7.0111 | 1.6766 | 1.5622 | 1.5241 | 1.6003 | 1.486 | 1.5622 |
| Min | 1.0288 | .9907 | .8764 | .8764 | .8764 | .3048 | .9145 |
| Avg | 1.5781 | 1.3384 | 1.2876 | 1.2590 | 1.2352 | 1.2114 | 1.2257 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 286050 / TATA NETIVALI

Feeder No / Name : 301 / KB1 I/C

Feeder KV- 22 / INCOMING

NON SHEDDABLE EXPRESS HV FEEDERS

(NON-CONTINUOUS PROCESS)(NO

STAGGERING)

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 8.339 | 8.4507 | 8.2645 | 8.0784 | 7.2222 | 7.1105 | 7.5495 |
| 2 | 7.5572 | 7.5944 | 7.7433 | 7.4083 | 6.8499 | 6.7754 | 7.066 |
| 3 | 7.1105 | 7.1849 | 7.1849 | 6.9243 | 6.6637 | 6.4776 | 6.8057 |
| 4 | 7.3338 | 7.1105 | 6.9616 | 6.7382 | 6.3659 | 6.4031 | 8.4792 |
| 5 | 7.3711 | 7.3711 | 7.3338 | 7.1477 | 6.217 | 6.4404 | 6.7313 |
| 6 | 8.0039 | 7.8178 | 8.4134 | 7.6689 | 6.6265 | 6.9616 | 7.5867 |
| 7 | 8.9346 | 8.4879 | 9.0463 | 8.1528 | 7.1849 | 7.1477 | 7.1477 |
| 8 | 9.1952 | 8.7857 | .7188 | 8.9719 | 7.7433 | 7.5572 | 7.7726 |
| 9 | 9.3441 | 8.3762 | 9.3814 | 8.9346 | 8.0039 | 7.1105 | 8.1817 |
| 10 | 10.2004 | 9.977 | 10.2748 | 9.7909 | 8.7113 | 7.1105 | 9.3718 |
| 11 | 11.615 | 11.5406 | 11.7267 | 11.0194 | 9.7909 | 7.3711 | 10.7106 |
| 12 | 11.8012 | 11.5778 | 11.8012 | 10.8332 | 9.6047 | 7.1849 | 10.9709 |
| 13 | 11.5033 | 11.6522 | 11.8756 | 10.8332 | 9.7164 | 7.4455 | 10.8965 |
| 14 | 11.1683 | 11.0938 | 11.0938 | 10.3493 | 9.0835 | 7.4455 | 10.8965 |
| 15 | | 11.0566 | 10.7216 | 11.1683 | 8.7857 | 7.1849 | 10.7478 |
| 16 | 11.3916 | 11.1683 | 10.9449 | 10.461 | 8.7857 | 7.4083 | 10.8221 |
| 17 | 11.2427 | 14.2582 | 10.6099 | 10.3493 | 9.0463 | 7.7806 | 10.7106 |
| 18 | 11.8012 | 13.7742 | 10.6471 | 11.1683 | 9.3069 | 7.8178 | 10.8593 |
| 19 | 13.1041 | 12.9552 | 10.7216 | 13.3647 | 9.3069 | 9.8281 | 12.2479 |
| 20 | 12.918 | 12.7318 | 12.5085 | 13.0669 | 11.2055 | 9.7164 | |
| 21 | 11.7639 | 11.9501 | 11.8012 | 11.1683 | 10.2004 | 9.6321 | 11.0566 |
| 22 | 10.1631 | 10.5354 | 9.493 | 9.3441 | 8.9346 | 9.0835 | 9.642 |
| 23 | 9.9398 | 10.0142 | 9.1208 | 8.674 | 8.3762 | 8.6652 | 9.3814 |
| 24 | 8.7857 | 9.1208 | 9.0091 | 8.7485 | 7.8923 | 7.7433 | 8.0701 |
| Max | 13.1041 | 14.2582 | 12.5085 | 13.3647 | 11.2055 | 9.8281 | 12.2479 |
| Min | 7.1105 | 7.1105 | .7188 | 6.7382 | 6.217 | 6.4031 | 6.7313 |
| Avg | 10.0256 | 10.1911 | 9.4749 | 9.5985 | 8.4010 | 7.6417 | 9.2915 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.I[151] BU 4151

Substation No/ Name :- 283214 / Lokdhara switching stn

Feeder No / Name : 303 / 22 kV Jai bai feeder

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.9052 | 1.9814 | 1.9052 | 1.829 | 1.7528 | 1.829 | 1.7528 |
| 2 | 1.829 | 1.829 | 1.829 | 1.7528 | 1.6766 | 1.6766 | 1.6766 |
| 3 | 1.7528 | 1.7528 | 1.7528 | 1.6766 | 1.6004 | 1.6766 | 1.6766 |
| 4 | 1.7528 | 1.7528 | 1.7528 | 1.6766 | 1.6004 | 1.6766 | 1.6004 |
| 5 | 1.7528 | 1.7528 | 1.7528 | 1.6766 | 1.6004 | 1.6004 | 1.6004 |
| 6 | 1.9052 | 1.9052 | 1.9052 | 1.7528 | 1.6004 | 1.6766 | 1.6766 |
| 7 | 1.9052 | 1.9052 | 1.9052 | 1.829 | 1.6004 | 1.6004 | 1.6766 |
| 8 | 1.829 | 1.829 | 1.7528 | 1.7528 | 1.6004 | 1.5242 | 1.5242 |
| 9 | 1.7528 | 1.6766 | 1.6766 | 1.6766 | 1.6004 | 1.5242 | 1.448 |
| 10 | 1.6004 | 1.6766 | 1.6766 | 1.6766 | 1.6766 | 1.5242 | 1.448 |
| 11 | 1.6004 | 1.6766 | 1.6004 | 1.7528 | 1.6004 | 1.6004 | 1.5242 |
| 12 | 1.6004 | 1.5242 | 1.5242 | 1.6766 | 1.6004 | 1.6004 | 1.448 |
| 13 | 1.5242 | 1.6004 | 1.448 | 1.6004 | 1.6004 | 1.6766 | 1.448 |
| 14 | 1.5242 | 1.5242 | 1.3717 | 1.5242 | 1.5242 | 1.6766 | 1.3717 |
| 15 | 1.5242 | 1.448 | 1.3717 | 1.448 | 1.3717 | 1.6004 | 1.3717 |
| 16 | 1.5242 | 1.448 | 1.3717 | 1.448 | 1.448 | 1.6004 | 1.448 |
| 17 | 1.6766 | 1.5242 | 1.5242 | 1.448 | 1.5242 | 1.6766 | 1.3717 |
| 18 | 1.6766 | 1.6004 | 1.5242 | 1.5242 | 1.6004 | 1.6004 | 1.448 |
| 19 | 1.9814 | 1.9052 | 1.7528 | 1.7528 | 1.829 | 1.9052 | 1.7528 |
| 20 | 2.3624 | 2.3624 | 2.1338 | 2.1338 | 2.21 | 2.21 | 2.1338 |
| 21 | 2.3624 | 2.4387 | 2.21 | 2.21 | 2.1338 | 2.21 | 2.2862 |
| 22 | 2.4387 | 2.4387 | 2.21 | 2.21 | 2.1338 | 1.7528 | 2.2862 |
| 23 | 2.3624 | 2.3624 | 2.21 | 2.1338 | 2.0576 | 2.21 | 2.2862 |
| 24 | 2.1338 | 2.1338 | 2.0576 | 1.9052 | 1.9052 | 1.9814 | 2.0576 |
| Max | 2.4387 | 2.4387 | 2.21 | 2.21 | 2.21 | 2.21 | 2.2862 |
| Min | 1.5242 | 1.448 | 1.3717 | 1.448 | 1.3717 | 1.5242 | 1.3717 |
| Avg | 1.8449 | 1.8354 | 1.7591 | 1.7528 | 1.7020 | 1.7338 | 1.6798 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.I[151] BU 4151

Substation No/ Name :- 283214 / Lokdhara switching stn

Feeder No / Name : 304 / 22 kv Chinch pada feeder

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.3624 | 2.4387 | 2.3624 | 2.2862 | 2.21 | 2.1338 | 2.3624 |
| 2 | 2.21 | 2.2862 | 2.21 | 2.1338 | 2.0576 | 2.0576 | 2.1338 |
| 3 | 2.1338 | 2.21 | 2.1338 | 2.1338 | 1.9814 | 1.9814 | 2.0576 |
| 4 | 2.1338 | 2.1338 | 2.1338 | 2.1338 | 1.9814 | 1.9814 | 1.9814 |
| 5 | 2.1338 | 2.1338 | 2.1338 | 2.1338 | 1.9052 | 1.9814 | 1.9814 |
| 6 | 2.3624 | 2.2862 | 2.2862 | 2.21 | 1.9814 | 1.9814 | 2.1338 |
| 7 | 2.4387 | 2.4387 | 2.3624 | 2.3624 | 1.9814 | 1.9814 | 2.21 |
| 8 | 2.3624 | 2.4387 | 2.2862 | 2.3624 | 2.1338 | 1.9814 | 2.21 |
| 9 | 2.2862 | 2.2862 | 2.21 | 2.2862 | 2.21 | 1.9814 | 2.0576 |
| 10 | 2.0576 | 2.1338 | 2.0576 | 2.21 | 2.1338 | 1.9814 | 1.9814 |
| 11 | 2.0576 | 2.1338 | 1.9814 | 2.0576 | 2.0576 | 1.9814 | 1.9814 |
| 12 | 2.0576 | 2.0576 | 1.9814 | 1.9814 | 1.9814 | 2.0576 | 1.9052 |
| 13 | 1.9814 | 1.9814 | 1.9052 | 1.9814 | 1.9814 | 2.0576 | 1.9052 |
| 14 | 1.9052 | 1.9814 | 1.829 | 1.829 | 1.829 | 1.9814 | 1.9052 |
| 15 | 1.9052 | 1.9052 | 1.829 | 1.829 | 1.7528 | 1.9814 | 1.829 |
| 16 | 1.9052 | 1.829 | 1.6004 | 1.7528 | 1.6766 | 1.829 | 1.829 |
| 17 | 1.9814 | 1.9052 | .8383 | 1.829 | 1.7528 | 1.829 | 1.829 |
| 18 | 2.0576 | 2.0576 | 1.9052 | 1.9052 | 1.9814 | 1.9052 | 1.9052 |
| 19 | 2.5149 | 2.4387 | 2.4387 | 2.3624 | 2.3624 | 2.2862 | 2.4387 |
| 20 | 2.9721 | 2.9721 | 2.8959 | 2.8197 | 2.7435 | 2.6673 | 2.8197 |
| 21 | 3.1245 | 3.0483 | 2.7435 | 2.8197 | 2.8197 | 3.1245 | 2.8959 |
| 22 | 3.1245 | 3.0483 | 2.8959 | 2.8197 | 2.7435 | 3.0483 | 2.9721 |
| 23 | 2.9721 | 2.9721 | 2.8197 | 2.7435 | 2.5911 | .4572 | 2.8197 |
| 24 | 2.6673 | 2.6673 | 2.5911 | 2.3624 | 2.3624 | 2.5911 | 2.5149 |
| Max | 3.1245 | 3.0483 | 2.8959 | 2.8197 | 2.8197 | 3.1245 | 2.9721 |
| Min | 1.9052 | 1.829 | .8383 | 1.7528 | 1.6766 | .4572 | 1.829 |
| Avg | 2.3212 | 2.3243 | 2.1846 | 2.2227 | 2.1338 | 2.0767 | 2.1942 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-III[751] BU 4751

Substation No/ Name :- 283515 / 22/22 KV VALLIPER SWITCHING

ST

Feeder No / Name : 309 / SHIVAJI CHOWK

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.0584 | 1.0962 | 1.0216 | 1.0584 | .945 | .945 | .9828 |
| 2 | .945 | .9828 | .9174 | .945 | .8694 | .8694 | .9072 |
| 3 | .8694 | .9072 | .8703 | .9072 | .8316 | .819 | .8694 |
| 4 | .8694 | .8694 | .8703 | .8694 | .8316 | .819 | .8316 |
| 5 | .8694 | .8694 | .8703 | .8694 | .7938 | .8316 | .8316 |
| 6 | .945 | .9072 | .9838 | .9828 | .8694 | .8694 | .9072 |
| 7 | 1.0584 | 1.0584 | 1.173 | 1.0584 | .945 | .945 | .9072 |
| 8 | 1.1718 | 1.0584 | 1.2108 | 1.0962 | .9828 | .9072 | .9887 |
| 9 | 1.2096 | | 1.2852 | 1.2096 | .9828 | .8694 | 1.1718 |
| 10 | 1.6254 | 1.6254 | 1.701 | 1.5876 | 1.323 | .8694 | 1.512 |
| 11 | 2.0034 | 2.079 | 2.1168 | 1.9278 | 1.6632 | .9072 | 3.7043 |
| 12 | 2.1168 | 2.1567 | 1.9278 | 1.9656 | 1.701 | .9072 | 2.0412 |
| 13 | 1.9656 | 2.0054 | 2.1546 | 2.0034 | 1.7388 | .945 | 1.9656 |
| 14 | 1.9278 | 1.9297 | 1.9278 | 1.8522 | 1.6254 | 1.0985 | 2.0034 |
| 15 | 1.9656 | 2.0054 | 1.9656 | 1.6254 | 1.512 | 1.0584 | 2.0034 |
| 16 | 2.079 | 2.081 | 2.0034 | 1.7766 | 1.5876 | 1.2474 | 1.9278 |
| 17 | 1.9656 | 1.9297 | 1.89 | 1.7766 | 1.6254 | 1.3608 | 2.1168 |
| 18 | 2.1924 | 1.8919 | 1.8522 | 1.701 | 1.5876 | 1.323 | 2.1546 |
| 19 | 2.4569 | 2.1946 | 2.0412 | 2.0412 | | 1.701 | 1.9278 |
| 20 | 2.3435 | 1.9675 | 2.0412 | 2.0034 | 2.0034 | 1.512 | 2.0412 |
| 21 | 1.9278 | 1.7027 | 1.7388 | 1.8522 | 1.5876 | 1.512 | 1.701 |
| 22 | 1.512 | 1.4 | 1.323 | 1.3608 | 1.2852 | 1.323 | 1.3986 |
| 23 | 1.4742 | 1.2865 | 1.2474 | 1.2852 | 1.2096 | 1.1718 | 1.3608 |
| 24 | 1.1718 | 1.2474 | 1.1351 | 1.2096 | 1.0584 | 1.0051 | 1.0796 |
| Max | 2.4569 | 2.1946 | 2.1546 | 2.0412 | 2.0034 | 1.701 | 3.7043 |
| Min | .8694 | .8694 | .8703 | .8694 | .7938 | .819 | .8316 |
| Avg | 1.5718 | 1.5327 | 1.5112 | 1.4569 | 1.2852 | 1.0757 | 1.5557 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-III[751] BU 4751

Substation No/ Name :- 283515 / 22/22 KV VALLIPER SWITCHING

ST

Feeder No / Name : 310 / STATION ROAD

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 9.234 | 9.3018 | 2.9813 | 2.9038 | 3.1417 | 2.457 | 8.0876 |
| 2 | 8.4112 | 8.4856 | 2.7548 | 2.6432 | 3.1417 | 2.3453 | 7.5994 |
| 3 | 7.9337 | 7.9709 | 2.5687 | 2.4942 | 3.1417 | 2.3081 | 7.2269 |
| 4 | 7.6763 | 7.7746 | 2.4942 | 2.4198 | 3.1417 | 2.2709 | 7.0397 |
| 5 | 7.7508 | 7.7508 | 2.4942 | 2.5687 | | 2.2709 | 7.0025 |
| 6 | 8.4925 | 8.4247 | 2.8293 | 2.7176 | 2.3453 | 2.4198 | 7.7508 |
| 7 | 9.1865 | 2.941 | 3.0527 | 2.7921 | | 2.3826 | 7.8525 |
| 8 | 10.0806 | 3.0899 | 3.2016 | 3.2388 | 2.8665 | 2.6804 | 8.015 |
| 9 | 10.3616 | 3.4249 | 3.276 | 3.3877 | 2.941 | 2.7548 | 8.8175 |
| 10 | 11.0795 | 3.5366 | 3.6111 | 3.5366 | 3.0154 | 2.5687 | 9.8367 |
| 11 | 12.1358 | 4.0206 | 4.0206 | 3.76 | 3.3133 | 2.6432 | 11.1472 |
| 12 | 12.9011 | 4.211 | 4.1695 | 3.8344 | 3.2388 | 2.5687 | 11.6686 |
| 13 | 12.7353 | 4.1738 | 4.1695 | 3.9461 | 3.3877 | 2.6432 | 11.9937 |
| 14 | 12.312 | 4.062 | 3.9834 | 3.7228 | 3.0899 | 2.5687 | 11.8955 |
| 15 | 12.2883 | 4.1365 | 3.9461 | 3.4994 | 3.0527 | 2.457 | 11.926 |
| 16 | 12.8446 | 4.1738 | 3.9461 | 3.5366 | 3.0154 | 2.5687 | 12.1529 |
| 17 | 12.9428 | 4.4719 | 3.8717 | 3.4249 | 3.0899 | 2.6804 | 11.821 |
| 18 | 13.1257 | 4.0992 | 3.7972 | 3.6111 | 3.2016 | 2.7548 | 11.8076 |
| 19 | 13.8438 | 4.5464 | 4.4301 | 4.1695 | 3.7972 | 3.276 | 13.2465 |
| 20 | 14.1926 | 4.5464 | 4.5045 | 4.1323 | 3.8344 | 3.4249 | 13.3414 |
| 21 | 13.5152 | 4.2483 | 4.2812 | 4.0206 | 3.6111 | 3.4622 | 12.793 |
| 22 | 12.2246 | 3.8756 | 3.4622 | 3.4249 | 3.2388 | 3.3877 | 11.2219 |
| 23 | 10.9476 | 3.4657 | 3.3133 | 3.0527 | 2.9782 | 3.0527 | 9.9925 |
| 24 | 9.9858 | 3.3133 | 3.2421 | 3.0527 | 3.1417 | 2.6804 | 9.1191 |
| Max | 14.1926 | 9.3018 | 4.5045 | 4.1695 | 3.8344 | 3.4622 | 13.3414 |
| Min | 7.6763 | 2.941 | 2.4942 | 2.4198 | 2.3453 | 2.2709 | 7.0025 |
| Avg | 11.0917 | 5.0019 | 3.5167 | 3.3288 | 3.1694 | 2.6928 | 10.1398 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-III[751] BU 4751

Substation No/ Name :- 283515 / 22/22 KV VALLIPER SWITCHING

ST

Feeder No / Name : 311 / PATRI POOL

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.1283 | 2.1283 | 2.2016 | 2.1627 | 1.9061 | 1.7961 | 1.9041 |
| 2 | 1.9081 | 1.9081 | 2.0916 | 2.0161 | 1.7961 | 1.7228 | 1.7577 |
| 3 | 1.8347 | 1.8347 | 1.9081 | 1.8328 | 1.7228 | 1.6495 | 1.6844 |
| 4 | 1.798 | 1.8347 | 1.8347 | 1.7595 | 1.6495 | 1.5762 | 1.6478 |
| 5 | 1.9815 | 1.9815 | 1.9448 | 1.9061 | 1.7228 | 1.6495 | 1.8309 |
| 6 | 2.2016 | 2.1283 | 2.2383 | 2.0894 | 1.7961 | 1.8695 | 2.0872 |
| 7 | 2.3484 | 2.3117 | 2.3484 | 2.1627 | 1.7595 | 1.7961 | 2.0506 |
| 8 | 2.3484 | 2.2383 | 2.2016 | 2.2727 | 1.9061 | 1.8675 | 2.0506 |
| 9 | 2.4218 | 2.5686 | 2.4926 | 2.1994 | 2.0161 | 1.6844 | 2.1971 |
| 10 | 2.4218 | 2.3851 | 2.4193 | 2.236 | 2.0527 | 1.9408 | 2.2703 |
| 11 | 2.4585 | 2.5319 | 2.6026 | 2.456 | 2.236 | 2.0872 | 2.3435 |
| 12 | 2.4585 | 2.2383 | 2.6392 | 2.3093 | 2.0161 | 1.8675 | 2.2337 |
| 13 | 2.3851 | 2.4952 | 2.6392 | 2.346 | 2.0894 | 2.0872 | 2.2703 |
| 14 | 2.3117 | 2.3851 | 2.5293 | 2.3093 | 2.0527 | 2.0872 | 2.3435 |
| 15 | 2.3117 | 2.0549 | 2.5293 | 2.1261 | 1.9428 | 2.0872 | 2.3069 |
| 16 | 2.275 | 2.1283 | 2.236 | 1.9794 | 1.9061 | 1.9774 | 2.2703 |
| 17 | 2.2383 | 2.2016 | 2.0894 | 1.9428 | 1.9061 | 1.9408 | 2.1605 |
| 18 | 2.3484 | 2.275 | 2.0894 | 2.0161 | 2.0161 | 1.9774 | 2.0872 |
| 19 | 2.5686 | 2.5686 | 2.1261 | 2.4193 | 2.346 | 2.3802 | 2.4534 |
| 20 | 2.6053 | 2.4585 | 2.456 | 2.2727 | 2.2727 | 2.3069 | 2.2337 |
| 21 | 2.3484 | 2.4585 | 2.4926 | 2.3093 | 2.1627 | 2.2337 | 2.3069 |
| 22 | 2.4218 | 1.3577 | 2.3826 | 2.236 | 2.0894 | 2.1238 | 2.3069 |
| 23 | 2.3851 | 2.4952 | 2.3093 | 2.1627 | 2.1261 | 2.1605 | 2.3069 |
| 24 | 2.275 | 2.3117 | 2.3484 | 2.2727 | 2.0161 | 1.9794 | 2.1605 |
| Max | 2.6053 | 2.5686 | 2.6392 | 2.456 | 2.346 | 2.3802 | 2.4534 |
| Min | 1.798 | 1.3577 | 1.8347 | 1.7595 | 1.6495 | 1.5762 | 1.6478 |
| Avg | 2.2827 | 2.2200 | 2.2979 | 2.1581 | 1.9794 | 1.9520 | 2.1360 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-III[751] BU 4751

Substation No/ Name :- 283515 / 22/22 KV VALLIPER SWITCHING

ST

Feeder No / Name : 312 / SANTOSHI MATA ROAD

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.122 | 2.1614 | 2.0847 | 1.9378 | 1.7869 | 1.7869 | 1.8986 |
| 2 | 2.0103 | 1.9378 | 1.9358 | 1.7888 | 1.6752 | 1.6752 | 1.7869 |
| 3 | 1.826 | 1.826 | 1.8242 | 1.677 | 1.6752 | 1.6008 | 1.7125 |
| 4 | 2.1614 | 1.8633 | 1.7497 | 1.677 | 1.6008 | 1.5636 | 1.638 |
| 5 | 1.9378 | 1.9378 | 1.7497 | 1.7888 | 1.5263 | 1.5636 | 1.6008 |
| 6 | 2.0475 | 2.0123 | 2.0475 | 1.8633 | 1.6008 | 1.638 | 1.8242 |
| 7 | 2.4223 | 2.1614 | 2.3453 | 2.1241 | 1.8986 | 1.8986 | 1.8614 |
| 8 | 2.3477 | 2.385 | 2.3081 | 2.3477 | 1.9731 | 1.9731 | 1.9358 |
| 9 | 2.1987 | 2.3477 | 2.2337 | 2.1241 | 2.0475 | 1.7869 | 1.8986 |
| 10 | 2.385 | 2.4223 | 2.4198 | 2.4223 | 2.3081 | 1.7125 | 2.2709 |
| 11 | 3.0185 | 2.9067 | 2.8665 | 2.8695 | 2.5687 | 1.7125 | 2.8665 |
| 12 | 2.944 | 2.9813 | 2.941 | 2.7204 | 2.6432 | 1.8242 | 2.7921 |
| 13 | 2.8322 | 2.8322 | 2.7548 | 2.5341 | 2.4942 | 1.7497 | 2.7176 |
| 14 | 2.7204 | 2.6086 | 2.5687 | 2.4595 | 2.3081 | 1.638 | 2.6432 |
| 15 | 2.7949 | 2.7204 | 2.5713 | 3.9129 | 2.2709 | 1.5636 | 2.5315 |
| 16 | 2.7577 | 2.6831 | 2.7176 | 3.1676 | 2.2709 | 1.6008 | 2.6432 |
| 17 | 2.7577 | 5.7762 | 2.6086 | 3.2049 | 2.4198 | 1.7869 | 2.6059 |
| 18 | 2.9813 | 5.2172 | 2.8322 | 3.8384 | 2.4942 | 1.7497 | 2.8665 |
| 19 | 3.5402 | 3.503 | 3.4657 | 4.7327 | 3.1271 | 2.457 | 3.3877 |
| 20 | 3.3539 | 3.4657 | 3.3539 | 4.6582 | 3.0899 | 2.457 | 3.3133 |
| 21 | 3.2421 | 3.0931 | 3.1676 | 2.9782 | 2.8293 | 2.4198 | 3.0527 |
| 22 | 2.5341 | 2.6086 | 2.3105 | 2.3081 | 2.2337 | 2.1592 | 2.3826 |
| 23 | 2.5341 | 2.5341 | 2.2359 | 2.1592 | 2.0847 | 2.1964 | 2.3826 |
| 24 | 2.1964 | 2.2359 | 2.2359 | 2.1964 | 2.0103 | 1.9358 | 2.0103 |
| Max | 3.5402 | 5.7762 | 3.4657 | 4.7327 | 3.1271 | 2.457 | 3.3877 |
| Min | 1.826 | 1.826 | 1.7497 | 1.677 | 1.5263 | 1.5636 | 1.6008 |
| Avg | 2.5694 | 2.7592 | 2.4720 | 2.6455 | 2.2057 | 1.8521 | 2.3593 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-II[696] BU 4696

Substation No/ Name :- 283049 / 22/22 KV DURGADI SWITCHING

STN

Feeder No / Name : 302 / 22 KV BUNDER ROAD

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.7909 | 1.829 | 1.829 | 1.829 | 1.5623 | 1.5623 | 1.6004 |
| 2 | 1.7147 | 1.7528 | 1.7528 | 1.7528 | 1.5242 | 1.5242 | 1.5242 |
| 3 | 1.6766 | 1.6004 | 1.6766 | 1.6766 | 1.4861 | 1.448 | 1.448 |
| 4 | 1.6004 | 1.5242 | 1.6004 | 1.5242 | 1.4098 | 1.4098 | 1.4098 |
| 5 | 1.6385 | 1.5242 | 1.6004 | 1.5623 | 1.448 | 1.4098 | 1.4861 |
| 6 | 1.7528 | 1.6004 | 1.6385 | 1.6385 | 1.5242 | 1.448 | 1.6004 |
| 7 | 1.7147 | 1.6766 | 1.6004 | 1.6385 | 1.448 | 1.4098 | 1.4861 |
| 8 | 1.5242 | 1.5242 | 1.5242 | 1.448 | 1.2955 | 1.2955 | 1.2955 |
| 9 | 1.6766 | 1.3717 | 1.5623 | 1.4861 | 1.448 | 1.2955 | 1.5242 |
| 10 | | 1.4861 | 1.6766 | 1.6385 | 1.6766 | 1.4098 | 1.4861 |
| 11 | 1.7528 | 1.7147 | 1.7909 | 1.6385 | 1.7147 | 1.4861 | 1.3336 |
| 12 | 1.7147 | 1.6766 | 1.9052 | 1.5623 | 1.6766 | 1.5242 | 1.4861 |
| 13 | 1.6766 | 1.5623 | 1.829 | 1.4861 | 1.5242 | 1.448 | 1.3336 |
| 14 | 1.6004 | 1.448 | 1.4098 | 1.4098 | 1.4098 | 1.4098 | 1.4861 |
| 15 | 1.6385 | 1.6004 | 1.4861 | 1.4098 | 1.4861 | 1.4098 | 1.5242 |
| 16 | 1.5242 | 1.5242 | 1.4098 | 1.4861 | 1.5242 | 1.3336 | 1.4861 |
| 17 | 1.6004 | | 1.2955 | 1.3336 | 1.5623 | 1.2955 | 1.4861 |
| 18 | 1.6004 | | 1.3336 | 1.448 | 1.3717 | 1.3717 | 1.4861 |
| 19 | 1.7147 | 1.9433 | 1.6385 | 1.6385 | 1.5242 | 1.6004 | 1.5242 |
| 20 | 1.9052 | 1.9814 | 1.7528 | 1.6766 | 1.6766 | 1.6004 | 1.6385 |
| 21 | 1.7528 | 1.8671 | 1.6385 | 1.5623 | 1.6004 | 1.6004 | 1.6766 |
| 22 | 1.9052 | 1.9052 | 1.7909 | 1.7528 | 1.6385 | 1.7528 | 1.7909 |
| 23 | 1.9814 | 2.0576 | 1.8671 | 1.7909 | 1.7528 | 1.829 | 1.9433 |
| 24 | 1.8671 | 2.0576 | 1.9052 | 1.9814 | 1.6766 | 1.6766 | 1.7147 |
| Max | 1.9814 | 2.0576 | 1.9052 | 1.9814 | 1.7528 | 1.829 | 1.9433 |
| Min | 1.5242 | 1.3717 | 1.2955 | 1.3336 | 1.2955 | 1.2955 | 1.2955 |
| Avg | 1.7097 | 1.6922 | 1.6464 | 1.5988 | 1.5401 | 1.4813 | 1.5321 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-II[696] BU 4696

Substation No/ Name :- 283049 / 22/22 KV DURGADI SWITCHING

STN

Feeder No / Name : 303 / 22 KV AGRA ROAD

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 7.2854 | 2.3624 | 2.3624 | 2.3624 | 2.0195 | 1.9433 | 2.0576 |
| 2 | 2.21 | 2.1719 | 2.21 | 2.1719 | 1.9052 | 1.9052 | 1.9052 |
| 3 | 2.0576 | 2.1338 | 2.1338 | 2.0957 | 1.8671 | 1.7528 | 1.7909 |
| 4 | 1.9814 | 2.1338 | 2.0576 | 2.0195 | 1.7909 | 1.7909 | 1.7528 |
| 5 | 2.21 | 2.0957 | 2.0195 | 2.0957 | 1.7147 | 1.7909 | 1.7909 |
| 6 | 2.3243 | 2.21 | 2.3243 | 2.2481 | 1.829 | 1.8671 | 2.0957 |
| 7 | 2.4768 | 2.4768 | 2.553 | 2.4006 | 2.0195 | 1.9814 | 2.0957 |
| 8 | 2.6292 | 2.6292 | 2.7435 | 2.5911 | 2.3243 | 2.0576 | 2.1338 |
| 9 | 2.4006 | 2.4768 | 2.4387 | 2.4387 | 2.3243 | 2.1338 | 2.2481 |
| 10 | 2.4768 | 2.553 | 2.553 | 2.3624 | 2.2481 | 2.0957 | 2.1719 |
| 11 | 2.553 | 2.4768 | 2.5911 | 2.4387 | 2.5149 | 1.9814 | 2.1719 |
| 12 | 2.4768 | 2.3243 | 2.553 | 2.3624 | 2.1719 | 2.0957 | 2.1719 |
| 13 | 2.2862 | 2.3243 | 2.4387 | 2.553 | 2.1338 | 2.0957 | 2.1338 |
| 14 | 2.21 | 2.21 | 2.2481 | 2.1338 | 1.9433 | 1.9433 | 2.0957 |
| 15 | 2.2481 | 2.1719 | 2.0576 | 2.0957 | 1.829 | 1.7909 | 1.9814 |
| 16 | 2.1338 | 1.9433 | 2.0576 | 1.7909 | 1.829 | 1.7909 | 2.0195 |
| 17 | 2.1338 | | 2.0576 | 1.9814 | 1.9052 | 1.7147 | 2.0957 |
| 18 | 2.3243 | 2.4006 | 2.0195 | 2.0576 | 1.9433 | 1.9433 | 2.1719 |
| 19 | 2.8197 | 2.8197 | 2.5911 | 2.5911 | 2.6292 | 2.4006 | 2.5149 |
| 20 | 2.8197 | 2.8197 | 2.6292 | 2.6292 | 2.5149 | 2.3243 | 2.7054 |
| 21 | 2.7435 | 2.6673 | 2.6292 | 2.4387 | 1.4098 | 2.3243 | 2.6292 |
| 22 | 2.7054 | 2.6292 | 2.5149 | 2.3243 | 2.21 | 2.2862 | 2.5911 |
| 23 | 2.6673 | 2.6292 | 2.4768 | 2.21 | 2.1719 | 2.2481 | 2.553 |
| 24 | 2.5149 | 2.6292 | 2.5149 | 2.4768 | 2.1719 | 2.0576 | 2.21 |
| Max | 7.2854 | 2.8197 | 2.7435 | 2.6292 | 2.6292 | 2.4006 | 2.7054 |
| Min | 1.9814 | 1.9433 | 2.0195 | 1.7909 | 1.4098 | 1.7147 | 1.7528 |
| Avg | 2.6120 | 2.4039 | 2.3656 | 2.2862 | 2.0592 | 2.0132 | 2.1703 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-II[696] BU 4696

Substation No/ Name :- 283049 / 22/22 KV DURGADI SWITCHING

STN

Feeder No / Name : 304 / 22 KV ADHARWADI

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 10.128 | 3.2007 | 3.2388 | 3.2769 | 2.8959 | 2.7816 | 8.9163 |
| 2 | 3.0483 | 3.0483 | 3.0483 | 3.0483 | 2.7435 | 2.7435 | 8.4058 |
| 3 | 2.8959 | 2.8578 | 2.8578 | 2.8578 | 2.6673 | 2.5911 | 8.0933 |
| 4 | 2.8197 | 2.8578 | 2.8197 | 2.8959 | 2.553 | 2.6292 | 7.8571 |
| 5 | 2.9721 | 2.8197 | 2.934 | 2.9721 | 2.5911 | 2.5911 | 7.8723 |
| 6 | 3.1245 | 2.8959 | 3.4675 | 3.1245 | 2.6292 | 2.5911 | 8.8858 |
| 7 | 3.1245 | 3.0102 | 3.1245 | 3.0102 | 2.7054 | 2.4006 | 9.1526 |
| 8 | 3.2007 | 3.1245 | 3.2769 | 3.315 | 3.0102 | 2.7435 | 8.9925 |
| 9 | 3.0864 | 3.1626 | 3.315 | 3.4294 | 3.3913 | 2.8197 | 9.2135 |
| 10 | 2.934 | 3.0102 | 3.2007 | 3.4294 | 3.2769 | 2.8197 | 8.8325 |
| 11 | 2.8578 | 2.9721 | 3.0483 | 3.1626 | | 2.934 | 8.0247 |
| 12 | 2.7816 | 2.7435 | 2.7435 | 2.9721 | 2.8578 | 3.0483 | 7.3084 |
| 13 | 2.6673 | 2.8578 | 2.6673 | 2.934 | 2.6673 | 2.9721 | 7.5446 |
| 14 | 2.5149 | 2.5911 | 2.4387 | 4.763 | 2.2481 | 2.6673 | 7.4379 |
| 15 | 2.553 | 2.6292 | 2.4768 | 4.763 | 2.4387 | 2.4387 | 7.4151 |
| 16 | 2.4387 | 2.6673 | 2.2862 | 4.763 | 2.3624 | 2.2862 | 7.3007 |
| 17 | 2.4768 | | 2.5149 | 2.5149 | 2.4387 | 2.3624 | 7.4151 |
| 18 | 2.5911 | | 2.4387 | 2.4768 | 2.553 | 2.4006 | 7.5903 |
| 19 | 3.2388 | 3.315 | 3.315 | 3.2007 | 3.4675 | 3.3913 | 9.5031 |
| 20 | 3.5437 | 3.8485 | 3.6199 | 3.5056 | 3.4294 | 3.5056 | 10.9206 |
| 21 | 3.658 | 3.8866 | 2.6292 | 3.5437 | 3.2007 | 3.4675 | 11.1492 |
| 22 | 3.6199 | 3.8104 | 3.5818 | 3.5056 | 3.4294 | 3.5818 | 10.9968 |
| 23 | 3.7723 | 3.8485 | 3.6961 | 3.4294 | 3.2769 | 3.2388 | 10.6692 |
| 24 | 2.6673 | 3.5056 | 3.5056 | 3.4675 | 3.2007 | 3.1245 | 9.968 |
| Max | 10.128 | 3.8866 | 3.6961 | 4.763 | 3.4675 | 3.5818 | 11.1492 |
| Min | 2.4387 | 2.5911 | 2.2862 | 2.4768 | 2.2481 | 2.2862 | 7.3007 |
| Avg | 3.2798 | 3.1211 | 3.0102 | 3.3484 | 2.8711 | 2.8388 | 8.7277 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-II[696] BU 4696

Substation No/ Name :- 283049 / 22/22 KV DURGADI SWITCHING

STN

Feeder No / Name : 306 / 22 KV WADEGHAR

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.8578 | 2.8197 | 2.8197 | 2.5911 | 2.4768 | 2.4768 | 2.5149 |
| 2 | 2.6673 | 2.5911 | 2.6673 | 2.4768 | 2.3243 | 2.3243 | 2.3624 |
| 3 | 2.5911 | 2.4768 | 2.5911 | 2.3624 | 2.21 | 2.2862 | 2.2862 |
| 4 | 2.6292 | 2.4387 | 2.4768 | 2.3624 | 2.1719 | 2.2862 | 2.3243 |
| 5 | 2.8197 | 2.4006 | 2.553 | 2.4768 | 2.2481 | 2.4387 | 2.4006 |
| 6 | 3.0102 | 2.5911 | 3.0483 | 2.7435 | 2.4768 | 2.4768 | 2.7054 |
| 7 | 3.5818 | 3.315 | 3.315 | 3.1245 | 2.7435 | 2.6673 | 3.1245 |
| 8 | 2.9721 | 3.1245 | 3.0864 | 3.658 | 2.8578 | 2.7816 | 2.8578 |
| 9 | 2.5911 | 2.8959 | 3.1245 | 3.4675 | 2.6292 | 2.5911 | 2.8959 |
| 10 | 2.5149 | 2.553 | 2.5911 | 2.5911 | 2.6292 | 2.4387 | 2.7054 |
| 11 | 2.4768 | 2.5911 | 2.4006 | 2.6292 | 2.3624 | 2.4006 | 1.9433 |
| 12 | 2.4768 | 2.4768 | 2.21 | 2.553 | 2.3243 | 2.553 | 2.1338 |
| 13 | 2.553 | 2.4387 | 2.1719 | | 2.21 | 2.4768 | 2.1719 |
| 14 | 2.3624 | 2.1338 | 2.0576 | | 2.1338 | 2.4768 | 2.0957 |
| 15 | 2.3624 | 2.2862 | 2.3243 | | 2.21 | 2.2862 | 2.0195 |
| 16 | 2.4387 | 2.1719 | 2.0957 | | 2.0957 | 2.0957 | 2.0195 |
| 17 | 2.3624 | 2.2481 | 2.3243 | 2.0576 | 1.9433 | 1.9814 | 2.0195 |
| 18 | 2.553 | 2.4006 | 2.21 | 2.1338 | 2.3243 | 2.1719 | 2.2481 |
| 19 | 3.1245 | 3.0864 | 2.8959 | 2.934 | 3.2007 | 2.8959 | 2.8959 |
| 20 | 3.4294 | 3.3532 | 3.1626 | 3.1626 | 3.2007 | 3.0864 | 3.1626 |
| 21 | 3.3532 | 3.4294 | 3.1626 | 3.0864 | 2.8197 | 2.9721 | 3.2388 |
| 22 | 3.315 | 3.315 | 3.0864 | 2.9721 | 2.8197 | 2.8578 | 3.1626 |
| 23 | 3.1626 | 3.2007 | 3.0864 | | 2.7054 | 2.7816 | 2.9721 |
| 24 | 2.553 | 3.0483 | 3.0483 | 2.7435 | 2.4387 | 2.553 | 2.6292 |
| Max | 3.5818 | 3.4294 | 3.315 | 3.658 | 3.2007 | 3.0864 | 3.2388 |
| Min | 2.3624 | 2.1338 | 2.0576 | 2.0576 | 1.9433 | 1.9814 | 1.9433 |
| Avg | 2.7816 | 2.7244 | 2.6879 | 2.7435 | 2.4815 | 2.5149 | 2.5371 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for **All Feeders**

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-II[696] BU 4696

Substation No/ Name :- 283514 / 22/22 KV BARAVE SWITCHING

STAT

Feeder No / Name : 307 / 22 KV KHADAKPADA

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 |
|------|-----------|
| HR | Load (MW) |
| 1 | 11.7665 |
| Max | 11.7665 |
| Min | 11.7665 |
| Avg | 11.7665 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 283513 / TEJSHREE SWITCHING STATION

Feeder No / Name : 303 / Poornima Chowk

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .8764 | .9145 | .8383 | .8383 | | .7621 | .7621 |
| 2 | .8383 | .8383 | .7621 | .7621 | .724 | .724 | .6859 |
| 3 | .8002 | .7621 | .724 | .7621 | .6859 | .6859 | .6097 |
| 4 | .8002 | .8002 | .724 | .724 | .6478 | .6478 | .6097 |
| 5 | .8002 | .8383 | .7621 | .7621 | .6859 | .6478 | .6478 |
| 6 | .8764 | .8383 | .7621 | .8383 | .724 | .724 | .724 |
| 7 | .9145 | .8383 | .8383 | .8764 | .8383 | .724 | .7621 |
| 8 | .9145 | .9145 | .9145 | .8764 | .8002 | .724 | .8002 |
| 9 | .9526 | .9145 | .9526 | .9526 | .8383 | .8002 | .8383 |
| 10 | .9907 | 1.105 | .9907 | .9526 | .9526 | .8002 | .9145 |
| 11 | 1.105 | 1.0288 | 1.105 | .9907 | .9145 | .7621 | .9145 |
| 12 | 1.0288 | 1.105 | 1.0288 | .9907 | .9145 | .7621 | .9907 |
| 13 | 1.0669 | 1.105 | 1.0669 | .9526 | .8383 | .7621 | .9526 |
| 14 | 1.0288 | 1.0288 | 1.0288 | .8764 | .7621 | .724 | .9907 |
| 15 | 1.0288 | .9526 | .9907 | .8383 | .724 | .6859 | .9907 |
| 16 | .9907 | .9526 | .9907 | .8383 | .724 | .6859 | .9526 |
| 17 | 1.105 | .9526 | .9526 | .8383 | .8002 | .724 | .9907 |
| 18 | 1.0288 | 1.0669 | .9145 | .8383 | .8383 | .8002 | 1.0288 |
| 19 | 1.105 | 1.105 | 1.105 | 1.0669 | 1.0288 | .9145 | 1.1812 |
| 20 | 1.1431 | 1.1431 | 1.2193 | 1.0288 | 1.0288 | .9526 | 1.2193 |
| 21 | 1.105 | 1.1431 | 1.0669 | .9526 | .9907 | .9145 | 1.0669 |
| 22 | 1.0669 | 1.0669 | 1.0288 | .9526 | .9526 | .9526 | .9526 |
| 23 | 1.0288 | .9526 | 1.0288 | .8764 | .9145 | .9145 | .9145 |
| 24 | .9526 | .9145 | .9145 | .9145 | .9145 | .8383 | .9526 |
| Max | 1.1431 | 1.1431 | 1.2193 | 1.0669 | 1.0288 | .9526 | 1.2193 |
| Min | .8002 | .7621 | .724 | .724 | .6478 | .6478 | .6097 |
| Avg | .9812 | .9701 | .9463 | .8875 | .8366 | .7764 | .8939 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for **All Feeders**

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 283513 / TEJSHREE SWITCHING STATION

Feeder No / Name : 304 / Spare Bay No 4

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 |
|------|-----------|
| HR | Load (MW) |
| 15 | 1.9433 |
| Max | 1.9433 |
| Min | 1.9433 |
| Avg | 1.9433 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 283513 / TEJSHREE SWITCHING STATION

Feeder No / Name : 305 / Karnik Road SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.1338 | 2.1719 | 2.0957 | 2.0195 | 2.1719 | 1.7147 | 1.7147 |
| 2 | 1.9814 | 1.9814 | 1.9052 | 1.9052 | 2.0576 | 1.6004 | 1.5623 |
| 3 | 1.9814 | 1.9814 | 1.7528 | 1.7909 | 1.8671 | 1.4861 | 1.448 |
| 4 | 1.9052 | 1.8671 | 1.7528 | 1.7528 | 1.6385 | 1.448 | 1.4861 |
| 5 | 1.7909 | 1.9433 | 1.7528 | 1.9052 | 1.448 | 1.448 | 1.6004 |
| 6 | 2.0576 | 1.9814 | 1.829 | 2.0576 | 1.6004 | 1.6766 | 1.6766 |
| 7 | 2.21 | 2.1719 | 2.0957 | 2.0576 | 1.829 | 1.8671 | 1.9433 |
| 8 | 2.2862 | 2.3243 | 2.2862 | 2.2481 | 1.9814 | 1.829 | 1.8671 |
| 9 | 2.1338 | 2.1338 | 2.0957 | 2.21 | 1.9814 | 1.6766 | 1.8671 |
| 10 | 2.0576 | 2.21 | 2.0576 | 2.21 | 1.9052 | 1.6766 | |
| 11 | 2.1338 | 2.1338 | 2.1338 | 2.2862 | 2.0195 | 1.6385 | 1.9814 |
| 12 | 2.1338 | | 2.0957 | 2.0576 | 1.9814 | 1.6385 | 1.9433 |
| 13 | 2.0576 | 2.0576 | 2.0576 | 2.0576 | 1.9052 | 1.6004 | 1.9433 |
| 14 | 1.9052 | 1.9052 | 1.8671 | 1.9052 | 1.829 | 1.6004 | 1.9052 |
| 15 | 1.9433 | | 1.8671 | | 1.5623 | 1.4861 | 1.829 |
| 16 | 1.9814 | 1.9052 | | | 1.5623 | 1.4098 | 1.7528 |
| 17 | 2.0195 | 3.4675 | 2.1338 | | 1.6766 | 1.4861 | 1.7909 |
| 18 | 2.0957 | 3.5056 | 2.0576 | 1.829 | 1.7909 | 1.6385 | 1.9052 |
| 19 | 2.553 | 2.4768 | 2.3624 | 1.1812 | 2.2481 | 2.0576 | 2.3624 |
| 20 | 2.7054 | 2.5911 | 2.6673 | 1.105 | 2.3624 | 2.21 | 2.3243 |
| 21 | 2.6673 | 2.6292 | 2.5911 | .9907 | 2.21 | 2.1338 | 2.2862 |
| 22 | 2.4387 | 2.4768 | 2.3624 | 2.4006 | 2.0576 | 2.0957 | 2.1719 |
| 23 | 2.4006 | 2.3243 | 2.2862 | 2.0576 | 1.9052 | 2.0576 | 2.0576 |
| 24 | 2.21 | 2.2481 | 2.1719 | 2.0957 | 2.3243 | 1.7909 | 1.8671 |
| Max | 2.7054 | 3.5056 | 2.6673 | 2.4006 | 2.3624 | 2.21 | 2.3624 |
| Min | 1.7909 | 1.8671 | 1.7528 | .9907 | 1.448 | 1.4098 | 1.448 |
| Avg | 2.1576 | 2.2949 | 2.0990 | 1.9106 | 1.9131 | 1.7195 | 1.8820 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 283513 / TEJSHREE SWITCHING STATION

Feeder No / Name : 306 / Ramdaswadi Feeder

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.21 | 2.1338 | 2.0957 | 2.0195 | 2.0195 | 1.9052 | 1.8671 |
| 2 | 2.1719 | 2.0195 | 1.9433 | 1.9052 | 1.9052 | 1.7909 | 1.7909 |
| 3 | 2.0195 | 1.9433 | 1.829 | 1.829 | 1.829 | 1.7147 | 1.6385 |
| 4 | 1.9814 | 1.9052 | 1.829 | 1.829 | 1.7528 | 1.7147 | 1.6766 |
| 5 | 1.8671 | 2.0195 | 1.829 | 1.9433 | 1.6766 | 1.6766 | 1.7909 |
| 6 | 1.9814 | 2.0957 | 1.9052 | 2.0576 | 1.7528 | 1.7528 | 1.8671 |
| 7 | 2.0576 | 2.0957 | 1.9433 | 2.0195 | 1.829 | 1.7528 | 1.9814 |
| 8 | 2.0957 | 2.1719 | 2.0195 | 2.0576 | 1.829 | 1.7528 | 1.8671 |
| 9 | 1.9433 | 1.9814 | 1.9433 | 1.9814 | 1.829 | 1.7528 | 1.7528 |
| 10 | 1.8671 | 1.8671 | 1.8671 | 1.8671 | 1.9052 | 1.7528 | 1.7528 |
| 11 | 1.8671 | 1.9052 | 1.829 | 1.8671 | 1.829 | 1.829 | 1.7147 |
| 12 | 1.9052 | 1.9814 | 1.9052 | 1.9052 | 1.8671 | 1.8671 | 1.829 |
| 13 | 1.9814 | 1.9052 | 1.829 | 1.9052 | 1.829 | 1.829 | 1.7909 |
| 14 | 1.9433 | 1.7909 | 1.7909 | 1.7909 | 1.7147 | 1.7528 | 1.7528 |
| 15 | 1.829 | 1.829 | 1.829 | 1.7147 | 1.6766 | 1.6766 | 1.7147 |
| 16 | 1.8671 | 1.829 | 1.7909 | 1.6766 | 1.6385 | 1.6004 | 1.7528 |
| 17 | 1.7528 | 1.7528 | 1.7147 | 1.6385 | 1.7147 | 1.6385 | 1.6766 |
| 18 | 1.9052 | 1.829 | 1.7528 | 1.829 | 1.7909 | 1.6385 | 1.7909 |
| 19 | 2.3243 | 1.9433 | 2.1719 | | 2.2862 | 2.0957 | 2.4006 |
| 20 | 2.6673 | 2.2481 | 2.5149 | 2.4006 | 2.5149 | 2.3624 | 2.5149 |
| 21 | 2.6292 | 2.5911 | 2.4768 | | 2.3243 | 2.3624 | 2.553 |
| 22 | 2.5149 | 2.4768 | 2.4768 | 2.3624 | 2.2862 | 2.3624 | 2.4768 |
| 23 | 2.4387 | 2.2862 | 2.4006 | 2.1719 | 2.21 | 2.1719 | 2.3243 |
| 24 | 2.21 | 2.21 | 2.2481 | 2.1719 | 2.1338 | 1.9814 | 1.9814 |
| Max | 2.6673 | 2.5911 | 2.5149 | 2.4006 | 2.5149 | 2.3624 | 2.553 |
| Min | 1.7528 | 1.7528 | 1.7147 | 1.6385 | 1.6385 | 1.6004 | 1.6385 |
| Avg | 2.0846 | 2.0338 | 1.9973 | 1.9520 | 1.9227 | 1.8639 | 1.9274 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 283514 / 22/22 KV BARAVE SWITCHING

STAT

Feeder No / Name : 301 / GODREJ HILL

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 9.1163 | 2.7092 | 2.7814 | 2.6342 | 2.343 | 2.2349 | 7.5702 |
| 2 | 2.6008 | 2.5286 | 2.6008 | 2.4898 | 2.1988 | 2.1267 | 7.0355 |
| 3 | 2.5286 | 2.5286 | 2.4202 | 2.3094 | 2.0546 | 2.0186 | 6.6533 |
| 4 | 2.5286 | 2.2396 | 2.2757 | 2.129 | 1.9105 | 1.9105 | 6.4344 |
| 5 | 2.5286 | 2.2757 | 2.2757 | 2.2372 | 1.9105 | 1.9465 | 6.4149 |
| 6 | 2.5647 | 2.348 | 2.3118 | 2.3455 | 1.9465 | 1.9826 | 6.7307 |
| 7 | 2.4925 | 2.4563 | 2.4202 | 2.4537 | 2.0186 | 1.8384 | 7.3678 |
| 8 | 2.6731 | 2.4202 | 2.6369 | 2.2733 | 2.0186 | 1.9465 | 7.2958 |
| 9 | 2.4925 | 2.5286 | 2.6369 | 2.3816 | 2.0186 | 1.9465 | 7.1739 |
| 10 | 2.6731 | 2.8176 | 2.6008 | 2.5259 | 2.9198 | 2.2709 | 7.6586 |
| 11 | 2.8176 | 2.6369 | 2.6008 | 2.8507 | 2.9918 | 2.2709 | 7.9077 |
| 12 | 2.5286 | 2.6369 | 2.6008 | 2.8507 | 2.7756 | 2.4512 | 7.1011 |
| 13 | 2.4925 | 2.4202 | 2.8176 | 2.7424 | 2.5593 | 2.4512 | 6.9745 |
| 14 | 2.3841 | 2.3841 | 2.8176 | 2.7424 | 2.343 | 2.1988 | 6.9745 |
| 15 | 2.4563 | 2.2396 | 2.2035 | 2.1651 | 2.1267 | 2.1988 | 6.5173 |
| 16 | 2.4202 | 2.3841 | 2.2035 | 2.1651 | 2.1628 | 2.3791 | 6.7307 |
| 17 | 2.6008 | 5.4906 | 2.348 | 2.4537 | 2.4512 | 2.2349 | 6.7972 |
| 18 | 2.3118 | 4.9488 | 2.6369 | 2.2733 | 2.4151 | 2.1628 | 6.8166 |
| 19 | 2.9982 | 2.9621 | 6.3576 | 2.8146 | 2.8477 | 2.7395 | 7.6446 |
| 20 | 2.8537 | 2.9259 | 2.8176 | 2.8507 | 2.7557 | 2.8116 | 8.7889 |
| 21 | 2.8898 | 2.9982 | 3.0343 | 2.7063 | 2.7395 | 2.8116 | 8.7084 |
| 22 | 2.9259 | 3.0704 | 2.8537 | 2.5259 | 2.5953 | 2.7035 | 8.6115 |
| 23 | 3.2149 | 3.1788 | 2.9982 | 2.7424 | 2.5953 | 2.5953 | 8.3207 |
| 24 | 2.9982 | 3.2149 | 3.1788 | 2.8146 | 2.7063 | 2.4151 | 8.254 |
| Max | 9.1163 | 5.4906 | 6.3576 | 2.8507 | 2.9918 | 2.8116 | 8.7889 |
| Min | 2.3118 | 2.2396 | 2.2035 | 2.129 | 1.9105 | 1.8384 | 6.4149 |
| Avg | 2.9205 | 2.8477 | 2.7679 | 2.5199 | 2.3919 | 2.2769 | 7.3535 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 283514 / 22/22 KV BARAVE SWITCHING

STAT

Feeder No / Name : 302 / MURBAD ROAD

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 7.6768 | 7.8101 | 7.8101 | 7.5445 | 6.8275 | 6.8744 | 7.0637 |
| 2 | 7.2276 | 7.3303 | 7.3359 | 7.198 | 6.5246 | 6.625 | 7.0551 |
| 3 | 7.0752 | 7.1779 | 7.1113 | 6.9126 | 6.3666 | 6.4975 | 6.7175 |
| 4 | 6.8753 | 6.9533 | 6.978 | 6.749 | 6.2446 | 6.3396 | 6.4627 |
| 5 | 6.9228 | 6.934 | 7.153 | 6.8932 | 6.1477 | 6.4421 | 6.601 |
| 6 | 7.8022 | 7.4025 | 7.6938 | 7.4642 | 6.3417 | 6.5695 | 7.1966 |
| 7 | 7.932 | 7.9377 | 8.054 | 7.8356 | 6.6937 | 6.6195 | 7.288 |
| 8 | 7.7796 | 7.993 | 7.9377 | 7.7137 | 7.0401 | 6.9824 | 7.2575 |
| 9 | 7.3913 | 7.5606 | 7.7243 | 8.0656 | 4.7859 | 4.9078 | 4.9078 |
| 10 | 7.2445 | 7.7187 | 7.3856 | 8.0296 | 5.365 | 4.8468 | 4.7554 |
| 11 | 7.3415 | 7.7073 | 7.1723 | 7.6832 | 5.426 | 4.8163 | 4.7859 |
| 12 | 7.1779 | 7.1609 | 4.8163 | 7.3479 | 5.2431 | 4.8163 | 4.542 |
| 13 | 6.8923 | 6.7478 | 4.5725 | 6.8349 | 4.5115 | 4.8163 | 4.1762 |
| 14 | 6.5039 | 6.1099 | 4.1457 | 4.3896 | 4.2676 | 4.7249 | 4.0543 |
| 15 | 6.7646 | 6.8313 | 4.3591 | 4.5115 | 4.3591 | 4.5725 | 4.1762 |
| 16 | 6.8866 | 6.5039 | 4.0543 | 4.603 | 4.3896 | 4.2067 | 4.1457 |
| 17 | 6.978 | 6.5649 | 6.1156 | 6.4636 | 6.2141 | 6.0376 | 3.8018 |
| 18 | 7.3529 | 7.1169 | 6.8008 | 6.9182 | 6.6992 | 6.3035 | 3.8378 |
| 19 | 8.7731 | 8.4875 | 8.0629 | 8.1849 | 8.1544 | 8.0296 | 7.8858 |
| 20 | 9.0248 | 8.8307 | 8.2481 | 8.304 | 8.6005 | 8.4703 | 8.2765 |
| 21 | 8.7088 | 8.3926 | 7.9986 | 7.9021 | 8.0711 | 7.9356 | 8.3125 |
| 22 | 8.4231 | 8.6229 | 8.168 | 7.8411 | 7.7497 | 7.8996 | 8.246 |
| 23 | 8.4841 | 8.545 | 8.1319 | 7.6776 | 7.6222 | 7.8691 | 8.0468 |
| 24 | 8.1262 | 8.2538 | 8.0156 | 7.4443 | 7.2951 | 7.3145 | 7.5975 |
| Max | 9.0248 | 8.8307 | 8.2481 | 8.304 | 8.6005 | 8.4703 | 8.3125 |
| Min | 6.5039 | 6.1099 | 4.0543 | 4.3896 | 4.2676 | 4.2067 | 3.8018 |
| Avg | 7.5569 | 7.5289 | 6.9102 | 7.1047 | 6.2892 | 6.2716 | 6.1329 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 283514 / 22/22 KV BARAVE SWITCHING

STAT

Feeder No / Name : 303 / COLLEGE ROAD

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 10.2559 | 3.1587 | 3.051 | 2.9402 | 2.6505 | 2.5761 | 2.6778 |
| 2 | 2.8715 | 2.9433 | 2.9074 | 2.7968 | 2.5431 | 2.5046 | 2.5706 |
| 3 | 2.692 | 2.9433 | 2.7638 | 2.6533 | 2.4356 | 2.433 | 2.4635 |
| 4 | 2.5126 | 2.6203 | 2.6562 | 2.5458 | 2.3282 | 2.3615 | 2.3921 |
| 5 | 2.692 | 2.692 | 2.8356 | 2.6892 | 2.4356 | 2.433 | 2.5706 |
| 6 | 3.3381 | 3.0151 | 3.0151 | 2.8685 | 2.5072 | 2.5046 | 2.7849 |
| 7 | 3.5176 | 3.3022 | 3.4099 | 3.2629 | 2.8654 | 2.6477 | 2.9634 |
| 8 | 3.3594 | 3.4099 | 3.2664 | 3.2987 | 2.9371 | 3.0413 | 2.9277 |
| 9 | 3.1228 | 3.1587 | 3.2664 | 3.0836 | | | |
| 10 | 2.8356 | 3.0869 | 2.8715 | 2.9402 | | | |
| 11 | 2.7997 | 2.8356 | 2.8715 | 2.9043 | | | |
| 12 | 2.9074 | 2.7997 | 2.8715 | 2.9043 | | | |
| 13 | 2.7997 | 2.7638 | 2.692 | 2.7609 | | | |
| 14 | 2.6562 | 2.5844 | 2.692 | | | | |
| 15 | 2.5485 | 2.5126 | 2.5485 | | | | |
| 16 | 2.7279 | 2.5126 | 2.5126 | | | | |
| 17 | 2.8356 | 2.4408 | 2.4408 | 2.4023 | 2.3282 | 2.2899 | 2.4278 |
| 18 | 2.7279 | 2.6203 | 2.6203 | 2.5099 | 2.5072 | 2.5046 | 2.4992 |
| 19 | 3.4817 | 3.374 | 3.2305 | 3.0836 | 3.1878 | 3.1844 | 3.2133 |
| 20 | 3.6253 | 3.5535 | 3.4458 | 3.3705 | 3.2952 | 3.2202 | 3.249 |
| 21 | 3.5894 | 3.6253 | 3.374 | 3.2629 | 3.1161 | 3.2559 | 3.2847 |
| 22 | 3.5894 | 3.5535 | 3.4099 | 3.1553 | 3.0087 | 3.1844 | 3.3204 |
| 23 | 3.5894 | 3.5894 | 3.3022 | 3.0477 | 2.9729 | 3.1128 | 3.2133 |
| 24 | 3.3381 | 3.374 | 3.374 | 3.1587 | 2.8326 | 2.7938 | 2.8982 |
| Max | 10.2559 | 3.6253 | 3.4458 | 3.3705 | 3.2952 | 3.2559 | 3.3204 |
| Min | 2.5126 | 2.4408 | 2.4408 | 2.4023 | 2.3282 | 2.2899 | 2.3921 |
| Avg | 3.3506 | 3.0196 | 2.9762 | 2.9352 | 2.7470 | 2.7530 | 2.8410 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 283514 / 22/22 KV BARAVE SWITCHING

STAT

Feeder No / Name : 304 / BARAVE FEEDER

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .8483 | .8483 | .8483 | .8483 | .7377 | .7377 | .7377 |
| 2 | .8115 | .8115 | .8115 | .8115 | .7008 | .7008 | .7377 |
| 3 | .8115 | .8115 | .7746 | .7746 | .6639 | .6639 | .7377 |
| 4 | .8115 | .7377 | .7746 | .7746 | .6639 | .6639 | .7008 |
| 5 | .8483 | .7377 | .8483 | .8115 | .7008 | .7008 | .7746 |
| 6 | .8852 | .8483 | .8852 | .8483 | .7008 | .7008 | .8483 |
| 7 | .9221 | .8313 | .8852 | .8483 | .7377 | .7746 | .8483 |
| 8 | .8852 | .8852 | .8483 | .8852 | .8483 | .8483 | .8483 |
| 9 | .7008 | .7377 | .8483 | .7872 | .8483 | .8483 | .8483 |
| 10 | .627 | .7008 | .627 | .627 | .7008 | .7008 | .5902 |
| 11 | .627 | .6639 | .627 | .627 | .7008 | .7008 | .5902 |
| 12 | .6639 | .5902 | .627 | .627 | .627 | .7008 | .5533 |
| 13 | .7008 | .5902 | .627 | .627 | .627 | .7008 | .5533 |
| 14 | .6639 | .627 | .627 | .627 | .5902 | .6639 | .5533 |
| 15 | .7377 | .6639 | .5533 | .5164 | .6639 | .6639 | .5533 |
| 16 | .7008 | .6639 | .5902 | .5164 | .5164 | .7008 | 1.1066 |
| 17 | .627 | .627 | .627 | .5902 | .5533 | .6639 | .5178 |
| 18 | .627 | .5902 | .627 | .5902 | .5902 | .5902 | .5533 |
| 19 | .8115 | .7746 | .8115 | .7377 | .7746 | .8115 | .8115 |
| 20 | .8852 | .8483 | .8483 | .8115 | .8115 | .8483 | .7746 |
| 21 | .8852 | .8852 | .8483 | .8115 | .8115 | .8483 | .8852 |
| 22 | .9221 | .959 | .9221 | .8483 | .8483 | .8852 | .9221 |
| 23 | .959 | .959 | .8852 | .8852 | .8115 | .8483 | .8852 |
| 24 | .8483 | .8852 | .9221 | .8852 | .8115 | .8115 | .8115 |
| Max | .959 | .959 | .9221 | .8852 | .8483 | .8852 | 1.1066 |
| Min | .627 | .5902 | .5533 | .5164 | .5164 | .5902 | .5178 |
| Avg | .7838 | .7616 | .7623 | .7382 | .7100 | .7408 | .7393 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 283514 / 22/22 KV BARAVE SWITCHING

STAT

Feeder No / Name : 305 / WATER SUPPLY

NON SHEDDABLE WATER SUPPLY AND

Feeder KV- 22 / OUTGOING

UTILITY

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.0424 | 1.0424 | 1.0424 | 1.0424 | 1.0424 | 1.0424 | .0745 |
| 2 | 1.303 | 1.0424 | 1.0424 | 1.0424 | 1.0424 | 1.0424 | .0745 |
| 3 | 1.303 | 1.0424 | 1.0424 | 1.0424 | 1.0424 | 1.0424 | .0745 |
| 4 | 1.303 | 1.2657 | 1.0424 | 1.0424 | 1.0424 | 1.0424 | .0745 |
| 5 | 1.303 | 1.2657 | 1.1541 | 1.1913 | 1.1913 | 1.1541 | .0633 |
| 6 | 1.303 | 1.303 | 1.303 | 1.3402 | 1.3402 | 1.303 | .0447 |
| 7 | 1.3402 | 1.303 | 1.3774 | 1.3402 | 1.3402 | 1.0796 | .0484 |
| 8 | 1.3774 | 1.3774 | 1.3774 | 1.4146 | 1.4146 | 1.0796 | .0335 |
| 9 | 1.4519 | 1.4146 | 1.3774 | .5584 | 1.4146 | 1.0796 | .0335 |
| 10 | 1.1541 | 1.1541 | 1.0796 | 1.1168 | 1.4146 | 1.3402 | .0149 |
| 11 | 1.1913 | 1.1168 | 1.0796 | 1.4146 | 1.4146 | 1.3402 | .0149 |
| 12 | 1.1913 | 1.4146 | 1.0796 | 1.1168 | 1.4146 | 1.0796 | .0149 |
| 13 | 1.4146 | 1.4146 | 1.3402 | 1.3774 | 1.4146 | 1.0796 | .0149 |
| 14 | 1.1541 | 1.4146 | 1.3402 | 1.3774 | 1.1168 | 1.0796 | .0149 |
| 15 | 1.1541 | 1.1168 | 1.0796 | 1.1168 | .9679 | 1.0796 | .0149 |
| 16 | 1.1168 | 1.1541 | 1.0796 | 1.1168 | 1.1168 | 1.0796 | .0149 |
| 17 | 1.1168 | 1.1541 | 1.0796 | 1.1168 | 1.1168 | 1.0796 | .0037 |
| 18 | 1.4146 | 1.0796 | 1.0796 | 1.3402 | 1.3402 | 1.303 | .0037 |
| 19 | 1.3774 | 1.3774 | 1.4146 | 1.3774 | 1.3774 | 1.3402 | .0037 |
| 20 | 1.3402 | 1.4146 | 1.3402 | 1.4146 | 1.3402 | 1.3402 | 1.376 |
| 21 | 1.3402 | 1.3774 | 1.3402 | 1.3774 | 1.0051 | 1.0424 | .0112 |
| 22 | 1.1168 | 1.1168 | 1.0796 | 1.1168 | 1.0796 | 1.0424 | .0112 |
| 23 | 1.1168 | 1.0424 | 1.1168 | 1.1168 | 1.0796 | 1.0796 | .1489 |
| 24 | 1.1168 | 1.1168 | 1.0796 | 1.0796 | 1.1168 | 1.0424 | .1042 |
| Max | 1.4519 | 1.4146 | 1.4146 | 1.4146 | 1.4146 | 1.3402 | 1.376 |
| Min | 1.0424 | 1.0424 | 1.0424 | .5584 | .9679 | 1.0424 | .0037 |
| Avg | 1.2518 | 1.2301 | 1.1820 | 1.1913 | 1.2161 | 1.1339 | .0953 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 283514 / 22/22 KV BARAVE SWITCHING

STAT

Feeder No / Name : 306 / MILESTONE ESTATE

Feeder KV- 22 / OUTGOING

NON SHEDDABLE EXPRESS HV FEEDERS

(NON-CONTINUOUS PROCESS)(NO
STAGGERING)

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 | 12-MAR-17 | 13-MAR-17 | 14-MAR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .0549 | .0293 | .0512 | .0549 | .0512 | .0549 | .0585 |
| 2 | .0476 | .0256 | .0329 | .0329 | .0293 | .0329 | .0293 |
| 3 | .0366 | .0256 | .0329 | .0329 | .0293 | .0329 | .0293 |
| 4 | .0366 | .0293 | .0329 | .0329 | .0293 | .0329 | .0293 |
| 5 | .0366 | .0366 | .0329 | .0329 | .0293 | .0329 | .0293 |
| 6 | .0512 | .0366 | .0476 | .0476 | .0439 | .0476 | .0476 |
| 7 | .0439 | .0476 | .0585 | .0549 | .0549 | .0549 | .0549 |
| 8 | .0512 | .0622 | .0658 | .0658 | .0658 | .0622 | .0658 |
| 9 | .0914 | .1024 | .0768 | .0658 | | | |
| 10 | .0988 | .1061 | .1097 | .0732 | | | |
| 11 | .1134 | .1207 | .1171 | .0732 | | | |
| 12 | .1902 | .1683 | | .1244 | | | |
| 13 | .1866 | .1573 | .1353 | .1829 | | | |
| 14 | .2048 | .1719 | .161 | | | | |
| 15 | .1975 | .1756 | .1975 | | | | |
| 16 | .1902 | .1975 | .1975 | | | | |
| 17 | .1756 | .2268 | .2524 | .2085 | .1939 | .128 | .2195 |
| 18 | .1756 | .2012 | 1.9022 | .2158 | .1902 | .1866 | .2195 |
| 19 | .2012 | .128 | .2305 | .2158 | .2085 | .1902 | .2122 |
| 20 | .1939 | .139 | .2378 | .2305 | .1792 | .2158 | .1829 |
| 21 | .1829 | .1683 | .2487 | .2122 | .1829 | .1902 | .128 |
| 22 | .1792 | .1536 | .2122 | .1939 | .1902 | .1902 | .1646 |
| 23 | .0841 | .1134 | .1792 | .1683 | .1756 | .2085 | .1427 |
| 24 | .1097 | .0658 | .0914 | .1207 | .1024 | .1353 | .139 |
| Max | .2048 | .2268 | 1.9022 | .2305 | .2085 | .2158 | .2195 |
| Min | .0366 | .0256 | .0329 | .0329 | .0293 | .0329 | .0293 |
| Avg | .1222 | .1120 | .2045 | .1162 | .1097 | .1123 | .1095 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 286018 / 100/22 KV Mohane

Feeder No / Name : 300 / STATION TRANSFORMER II

Feeder KV- 22 / INCOMING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 |
|------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 24 | 4.382 | 4.4201 | 4.4201 | 4.3439 |
| Max | 4.382 | 4.4201 | 4.4201 | 4.3439 |
| Min | 4.382 | 4.4201 | 4.4201 | 4.3439 |
| Avg | 4.382 | 4.4201 | 4.4201 | 4.3439 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 286018 / 100/22 KV Mohane

Feeder No / Name : 301 / GOVELI S/W I/C

Feeder KV- 22 / INCOMING

NON SHEDDABLE EXPRESS HV FEEDERS

(NON-CONTINUOUS PROCESS)(NO
STAGGERING)

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 |
|------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 24 | 12.1552 | 11.8884 | 12.079 | 12.3457 |
| Max | 12.1552 | 11.8884 | 12.079 | 12.3457 |
| Min | 12.1552 | 11.8884 | 12.079 | 12.3457 |
| Avg | 12.1552 | 11.8884 | 12.079 | 12.3457 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 286018 / 100/22 KV Mohane

Feeder No / Name : 303 / MOHANE 03 WATER SUPPLY NON SHEDDABLE WATER SUPPLY AND
Feeder KV- 22 / OUTGOING UTILITY

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 |
|------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 24 | 2.0957 | 3.3532 | 2.8959 | 3.3532 |
| Max | 2.0957 | 3.3532 | 2.8959 | 3.3532 |
| Min | 2.0957 | 3.3532 | 2.8959 | 3.3532 |
| Avg | 2.0957 | 3.3532 | 2.8959 | 3.3532 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 286018 / 100/22 KV Mohane

Feeder No / Name : 304 / Barave I/C-4

Feeder KV- 22 / INCOMING

NON SHEDDABLE EXPRESS HV FEEDERS

(NON-CONTINUOUS PROCESS)(NO

STAGGERING)

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 |
|------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 24 | 10.6691 | 10.631 | 10.7834 | 10.6691 |
| Max | 10.6691 | 10.631 | 10.7834 | 10.6691 |
| Min | 10.6691 | 10.631 | 10.7834 | 10.6691 |
| Avg | 10.6691 | 10.631 | 10.7834 | 10.6691 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 286018 / 100/22 KV Mohane

Feeder No / Name : 306 / Barave I/C-6

Feeder KV- 22 / INCOMING

NON SHEDDABLE EXPRESS HV FEEDERS
(NON-CONTINUOUS PROCESS)(NO
STAGGERING)

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 |
|------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 24 | 5.9061 | 6.0204 | 5.9442 | 6.2491 |
| Max | 5.9061 | 6.0204 | 5.9442 | 6.2491 |
| Min | 5.9061 | 6.0204 | 5.9442 | 6.2491 |
| Avg | 5.9061 | 6.0204 | 5.9442 | 6.2491 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 286018 / 100/22 KV Mohane

Feeder No / Name : 307 / MOHANE 07

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 |
|------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 24 | 2.0195 | 2.0195 | 1.9814 | 2.0576 |
| Max | 2.0195 | 2.0195 | 1.9814 | 2.0576 |
| Min | 2.0195 | 2.0195 | 1.9814 | 2.0576 |
| Avg | 2.0195 | 2.0195 | 1.9814 | 2.0576 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for **All Feeders**

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 286018 / 100/22 KV Mohane

Feeder No / Name : 308 / MOHANE 08 (IND)

Feeder KV- 22 / OUTGOING

NON SHEDDABLE EXPRESS HV FEEDERS
(NON-CONTINUOUS PROCESS)(NO
STAGGERING)

| DATE | 08-MAR-17 | 09-MAR-17 |
|------|-----------|-----------|
| HR | Load (MW) | Load (MW) |
| 24 | .4572 | .4572 |
| Max | .4572 | .4572 |
| Min | .4572 | .4572 |
| Avg | .4572 | .4572 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 286018 / 100/22 KV Mohane

Feeder No / Name : 309 / 22 KV M-9

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 |
|------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 24 | 4.8773 | 5.0297 | 4.8011 | 5.0297 |
| Max | 4.8773 | 5.0297 | 4.8011 | 5.0297 |
| Min | 4.8773 | 5.0297 | 4.8011 | 5.0297 |
| Avg | 4.8773 | 5.0297 | 4.8011 | 5.0297 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 286018 / 100/22 KV Mohane

Feeder No / Name : 310 / MOHANE 10 (NPL)

Feeder KV- 22 / OUTGOING

NON SHEDDABLE EXPRESS HV FEEDERS
(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 |
|------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 24 | 3.9628 | 4.0771 | 3.8866 | 3.9247 |
| Max | 3.9628 | 4.0771 | 3.8866 | 3.9247 |
| Min | 3.9628 | 4.0771 | 3.8866 | 3.9247 |
| Avg | 3.9628 | 4.0771 | 3.8866 | 3.9247 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAR-17 and 14-MAR-17

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 286018 / 100/22 KV Mohane

Feeder No / Name : 311 / Tejshree switching
Station In Feeder KV- 22 /
OUTGOINGNON SHEDDABLE EXPRESS HV FEEDERS
(NON-CONTINUOUS PROCESS)(NO
STAGGERING)

| DATE | 08-MAR-17 | 09-MAR-17 | 10-MAR-17 | 11-MAR-17 |
|------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 24 | 4.8392 | 4.8773 | 4.9535 | 4.9916 |
| Max | 4.8392 | 4.8773 | 4.9535 | 4.9916 |
| Min | 4.8392 | 4.8773 | 4.9535 | 4.9916 |
| Avg | 4.8392 | 4.8773 | 4.9535 | 4.9916 |