

(A Govt. of Maharashtra Undertaking)

CIN: U40109MH2005GCG153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

No. CGM/T&S/EKL/90th Prof. Exam/599

OFFICE ORDER

DATE : 26 April 2017

As per approval accorded by the Competent Authority viz., Chief General Manager (T&S) Eklahare, the result of 90 th Professional Examination which was held on 04-FEB-17 to 05-FEB-17 is declared as under. Out of 606 employees 453 have appeared for the examination, 56 employees are declared successful in the examination.

All the fresh entrants Asstt.Engineers should pass the examination within 3 years of joining. They will be eligible to appear for the examination after completion of 1 year.

All the Dy.Exe. Engineer(E&M) who have already passed paper I should pass this examination with Paper II,III,IV For Dy.Exe. Engineer(Civil) subjects are prescribed as per Lr.No. CE/ TRD/ NSK/ PROF/ 2021 dt 07-09-2004. No examination is prescribed for Jr Engr (E&M) and Asstt.Engineer(Civil). Paper I & II are of 50 marks and III & IV are of 100 marks for Civil Engineers. Those Dy E.E & Above E&M /Civil who have not passed the above examination have to pass the examination in the Paper II,III,IV (i.e. Paper I)

As per the provisions of the G.S.O. 55 dtd. 13th Feb 1956 readwith C.S.No. 2 dtd. 06-07-1984 the candidates who have secured marks in fraction are rounded to the next number i.e. 27.5 is rounded to 28 etc.

NOTE:

1. Jr Engr (E&M) and Asstt.Engineer(Civil) No examination hence, result shown as exempted only.
2. Asstt.Engineer (T&D) only Paper I- Result shown as Pass/Fail and other papers exempted.
3. Dy.EE & above (T&D)/(Civil) four Papers are compulsory. Result is shown as passed, if they pass in all subjects.

The detailed result is as under

P- Paper, E- Exemption, Ab- Absent, D-Disqualified

Handwritten signature/initials



(A Govt. of Maharashtra Undertaking)

CIN: U40109MH20058GC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: ambrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Paper I	Paper II	Paper III	Paper IV
1	1	2329735	Mr. Prashant Kumar Thakare	Assistant Engineer(Distr ibution)	Mahagaon (Mahagaon)	E - 3		E	E	45	12
2	2	2199424	Mr. Pramodkumar Dharmraj Gaikwad	Deputy Executive Engineer(Distr ibution)	Satara Circle	Fail, E - 3		E	E	53	23
3	3	2226871	Mr. Manish Namdeo Kadu	Deputy Executive Engineer(Distr ibution)	Pune Rural Circle	Fail, E - 3		E	E	70	37
4	4	2242516	Mr. Chandan Ramabhau Tallarwar	Additional Executive Engineer(Distr ibution)	Sindhudurg Circle	Fail, E - 3		E	E	76	Ab
5	5	2224402	Mr. Bhausaheb Laxman Bade	Deputy Executive Engineer(Distr ibution)	Patoda Sub Division	Pass		E	E	45	66
6	6	2232715	Mr. Mahesh Shivram Nagul	Deputy Executive Engineer(Distr ibution)	Shirur Kasar Sub Division (Beed)	Fail		E	E	40	32
7	7	2224577	Mr. Chandrashekhar Pralhad Sanap	Deputy Executive Engineer(Distr ibution)	Beed Rural Sub Division	Fail, E - 3		E	E	49	31

2



(A Govt. of Maharashtra Undertaking)

CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: ambrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
8	8	2382865	Mr. Vaibhav Yadavrao Surwade	Assistant Engineer(Distr ibution)	Alibag	Fail		E	E	Ab	29
9	9	2390582	Mr. Pramod Appa Athawale	Assistant Engineer(Distr ibution)	Alibag	Fail		E	E	Ab	24
10	10	2325403	Mr. RAVINDRA PITAMBAR PADME	Assistant Engineer(Distr ibution)	Savada	E - 4		E	E	21	61
11	11	2242940	Mr. Sudarshankumar Rajaram Kamble	Assistant Engineer(Distr ibution)	Ambernath (East) Anandnagar Section	Pass		E	E	70	40
12	12	2248204	Mr. Sujit Vijay Nasikkar	Assistant Engineer(Distr ibution)	Bhagur Urban Section	E - 3		E	E	61	16
13	13	2240572	Mr. Nitin Suresh Pagare	Deputy Executive Engineer (Distr ibution)	Malegaon S/Dn.	Fail		E	E	12	14
14	14	2254671	Mr. Nitin Babarao Kumbhare	Assistant Engineer(Distr ibution)	Kalyan East	Absent		E	E	Ab	Ab

[Signature]



(A Govt. of Maharashtra Undertaking)

CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: ambrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Paper I	Paper II	Paper III	Paper IV
15	15	2395690	Mr. Santosh Baburao Malawade	Assistant Engineer (Distribution)	Kalyan East Division	Absent		E	E	Ab	Ab
16	16	2333392	Mr. REVANAND PRALHAD KHEDKAR	Assistant Engineer (Distribution)	Professor Colony Section (Bhusawal)	Fail		E	E	12	37
17	17	2204070	Mr. Sandip Sadashiv Kokare	Deputy Executive Engineer (Distribution)	Satara Circle	Fail		E	E	36	35
18	18	2740893	Swapnil Gajanan Jori	Assistant Engineer (Distribution)	Akluj Division	Absent		E	E	Ab	Ab
19	19	2237547	Mr. Harshal Krishnarao Kumbhar	Deputy Executive Engineer (Distribution)	Sindhudurg Circle	Fail, 2 - 3		E	E	73	37
20	20	2240246	Mr. Shyamkant Pralhad Borse	Additional Executive Engineer (Distribution)	Malegaon Circle	Pass		E	E	65	47
21	21	2244560	Mr. Mhasu Shahaji Misal	Executive Engineer (Distribution)	Latur Zone	Absent		E	E	Ab	Ab

[Handwritten signature]




(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager(T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 421105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
22	22	2203065	Mr. Kiran Suresh Sarode	Deputy Executive Engineer(Distribution)	Pune Rural Circle	Pass		E	E	59	60
23	23	2217911	Mr. Rajendra Govind Kamthe	Deputy Executive Engineer(Distribution)	Vaduj Division	Fail		E	E	Ab	41
24	24	2155664	Mr. Shankar Mallikarjun Kshiresagar	Deputy Executive Engineer(Distribution)	Pune Pimpri Division	Pass		E	E	48	45
25	25	2206650	Mr. Vasant Dada Petkar	Deputy Executive Engineer(Distribution)	Distribution Section	Fail		E	E	43	16
26	26	2238276	Mrs. Nileema Bipinkumar Zope	Deputy Executive Engineer(Distribution)	Ratnagiri Circle	Pass		E	E	E	43
27	27	2529785	Mr. Vipul Prakash Bhamare	Assistant Engineer(Distribution)	Patane Sec.	E - 2		E	68	Ab	Ab
28	28	2738015	Mr. Nitesh Chandu Bhasarkar	Assistant Engineer(Distribution)	Gangakhed Rural Section No.II	Pass		E	E	43	E

Handwritten signature



CIN: U40109MH20058GC153645

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
29	29	2251981	Mr. Swapnil Arun Shinde	Deputy Executive Engineer(Distribution)	Infra Planning	Pass		E	E	43	E
30	30	2234262	Mr. Kirankumar Parshuram Shinde	Additional Executive Engineer(Distribution)	Material Management	Pass		E	E	62	E
31	31	2255511	Mr. Jagdish Sopandeo Bodkhe	Additional Executive Engineer(Distribution)	Panvel City Sub Division	Fail		E	E	36	E
32	32	2178222	Mr. Mangesh Rohidas Salunke	Additional Executive Engineer(Distribution)	Pune Pimpri Division	Pass		E	E	65	E
33	33	2146363	Mr. Tukaram Goroba Wadwale	Deputy Executive Engineer(Distribution)	Latur Division	Pass		E	E	45	E
34	34	2524650	Mr. SUDARSHAN VISHNARAO SURYAWANSHI	Assistant Engineer(Distribution)	Nashik Dindori Road Section	Fail		E	E	05	E
35	35	2254395	Mr. Gopal Shriram Patil	Deputy Executive Engineer(Distribution)	Rastapeth Urban Circle	Pass		E	E	67	E

[Signature]



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
36	36	2244471	Mr. Yogeshwar Rajaram Patil	Deputy Executive Engineer (Distribution)	Shrirampur Rural Division	Absent		E	E	Ab	E
37	37	2242257	Mr. Avinash Jaywant Pagare	Assistant Engineer (Distribution)	Nashik Road S/Dn.	Pass		E	E	E	E
38	38	2274728	Mr. Chetan Pundlik Wade	Additional Executive Engineer (Distribution)	Nashik Road S/Dn.	Fail		E	E	00	E
39	39	2208717	Mr. Ajay Ankat Wani	Deputy Executive Engineer (Distribution)	Shrirampur Rural Sub Division	Pass		E	E	53	E
40	40	2243377	Mr. Rajendra Kashinath Marke	Additional Executive Engineer (Distribution)	Dombivli (West) Urban No-III	Fail		E	E	33	E
41	41	2587149	Mr. Jitendra Withoba Mahajan	Additional Executive Engineer (Distribution)	Jalna Urban Sub Division	Fail		E	E	36	E
42	42	2401665	Mr. Jitendra Subhash Vadnere	Junior Engineer (Distribution)	Yasgaon	E - 1		81	E	29	E

Amh



(A Govt. of Maharashtra Undertaking)

CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: ambrexams@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
43	43	2409411	Mr. Sachin Vishnu Halde	Junior Engineer (Distribution)	Bopala Section	E - 2		68	76	-	-
44	44	2743728	Dhanashree Dilip Kedge	Assistant Engineer (Distribution)	Demand Side Management Cell	Pass P-1, E - 2		68	71	-	28
45	45	2732025	Kavita Kailas Phad	Assistant Engineer (Distribution)	Jalgaon Neur	Pass P-1, E - 2		92	87	-	Ab
46	46	2732998	Reshma Savata Tilekar	Assistant Engineer (Distribution)	Ahmednagar Rural Division	Pass P-1, E - 2		90	76	-	Ab
47	47	2459434	Mr. Manik Kamaji Telang	Junior Engineer (Distribution)	Biloli Sub Division	E - 1,2		69	73	-	15
48	48	2729474	Archana Kashinath Kokani	Assistant Engineer (Distribution)	Mandurbar	Pass P-1, E - 2		85	82	-	31
49	49	2490889	Mr. Balwant Venkatrao Bodhankar	Assistant Engineer (Distribution)	Biloli Urban Section	Pass P-1, E - 2		64	71	-	25

Handwritten signature/initials



(A Govt. of Maharashtra Undertaking)

CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chumary No.1, NTPS Colony,
Ekhlhare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: anhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
50	50	2743710	Miss Poonam Govind Pitrubhakte	Assistant Engineer (Distr Reformation Cell)	Internal	Pass P-1, E - 2, 4		69	62	-	49
51	51	2738261	Uma Atmaram Gawande	Assistant Engineer (Distr Reformation Cell)	Jalna Testing	Pass P-1, E - 2, 4		95	64	-	55
52	52	2244497	Mr. Sushil Hari Vedi	Assistant Engineer (Distr Reformation Cell)	Dhakephal	Absent		Ab	Ab	-	-
53	53	2740028	Anita Rajesh Pawar	Assistant Engineer (Distr Rural Sub Division)	Ratnagiri	Pass P-1, E - 2		92	72	-	-
54	54	2734859	Sameer Champati Sewle	Assistant Engineer (Distr Reformation Cell)	Nanded Urban	Pass P-1, E - 2		74	68	-	-
55	55	2299691	Mr. Janardhan Jayant Choudhari	Assistant Engineer (Distr Reformation Cell)	Nanded Urban	Absent		Ab	Ab	-	-
56	56	2460696	Mr. Basavraj Shivsharanappa Kalshetti	Junior Engineer (Distr Reformation Cell)	Akkalkot Rural	Absent		Ab	Ab	-	-

Signature



(A Govt. of Maharashtra Undertaking)

CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
57	57	2444615	Mr. Vitthal Bhagawanrao Mane	Junior Engineer (Distr ibution)	Renapur Sub Division	E - 1,2		74	57	-	-
58	58	2747740	Rasika Rajendra Kulkarni	Assistant Engineer (Distr ibution)	Aurangabad Rural Division-II	Pass P-1, E - 2		82	55	Ab	Ab
59	59	2747731	Himani Durgadas Joshi	Assistant Engineer (Distr ibution)	Aurangabad Rural Division-II	Pass P-1		53	42	Ab	Ab
60	60	2731410	Nikisha Jagannath Patil	Assistant Engineer (Distr ibution)	Thane Division II	Pass P-1, E - 2,4		62	54	37	48
61	61	2736306	Shital Pandit Patil	Assistant Engineer (Distr ibution)	Dahiwadi Sub Division	Pass P-1, E - 2		81	62	Ab	41
62	62	2739534	Hemangi Ranjitsingh Sisodiya	Assistant Engineer (Distr ibution)	Aurangabad Testing Division	Pass P-1, E - 2,4		82	57	Ab	65
63	63	2737931	Sudhakar Uttamrao Giri	Assistant Engineer (Distr ibution)	Gangakhed No. I	Absent		Ab	Ab	Ab	Ab

[Handwritten signature]



(A Govt. of Maharashtra Undertaking)

CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: ambrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
64	64	2737949	Parag Govinda Dhone	Assistant Engineer (Distr Division)	Gangakhed Sub Division	Absent		Ab	Ab	Ab	Ab
65	65	2493691	Mr. Nitin Balu Joshi	Assistant Engineer (Distr Division)	Kolhapur Circle	Pass P-1, E - 2		61	68	Ab	Ab
66	66	2746913	Namrata Nimba Rajput	Assistant Engineer (Distr Division)	Malegaon S/Dn.	Pass P-1, E - 2		75	63	Ab	31
67	67	2489350	Mr. TUSHAR VYANKAT PATIL	Junior Engineer (Distr Division)	U-I S/Dn. Jalgaon.	E - 1,2		58	47	Ab	Ab
68	68	2733820	Pallavi Balasaheb Shinde	Assistant Engineer (Distr Division)	Lasalgaon (R) Sec.	Pass P-1, E - 2		78	57	Ab	Ab
69	69	2529955	Shri RAHUL CHHAGAN KAMBLE	Assistant Engineer (Distr Division)	Thane Wagle Estate Section No.II	Pass P-1, E - 2		60	45	Ab	Ab
70	70	2720701	Murgeshwari Kandaswami Chettiar	Assistant Engineer (Distr Division)	Chiplun	Pass		80	58	42	45

Handwritten signature



(A Govt. of Maharashtra Undertaking)

CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: ambrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
71	71	2734788	Madhurima Bhagavan Patil	Assistant Engineer (Distr ibution)	Sawarde Sub Division	Absent		Ab	Ab	Ab	Ab
72	72	2734761	Priyanka Balasaheb Mulik	Assistant Engineer (Distr ibution)	Chiplun	Absent		Ab	Ab	Ab	Ab
73	73	2665158	Shri Sumit Vajinath Jadhav	Assistant Engineer (Distr ibution)	Akluj Division	Pass P-1, E - 2		67	67	Ab	Ab
74	74	2740915	Ajinkya Laxman Kulkarni	Assistant Engineer (Distr ibution)	Yashwantnagar	Pass P-1, E - 2		67	64	Ab	Ab
75	75	2740958	Shweta Megharaj Patil	Assistant Engineer (Distr ibution)	Akluj Sub Division	Pass P-1, E - 2		83	70	Ab	Ab
76	76	2489619	Mr. Rajesh Pilaaji Ghode	Assistant Engineer (Distr ibution)	Solapur Circle	Pass P-1, E - 2		66	69	Ab	Ab
77	77	2404397	Mr. Rakesh Sahebrao Chavan	Junior Engineer (Distr ibution)	Akluj Sub Division	E - 1,2		75	59	Ab	Ab

Copy 2



CIN: U40109MH2005SGCI53645

ISO 9001:2008

Email: amhrexam@gmail.com

✓



(A Govt. of Maharashtra Undertaking)

CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: ambhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
85	85	2510693	Mr. Amol Arunrao Mukhedkar	Junior Engineer (Distr Section ibution)	Karadkhed	E - 1,2		78	62	Ab	Ab
86	86	2731282	Gajanan Dattatraya Boyawar	Assistant Engineer (Distr Division ibution)	Degloor	Pass P-1, E - 2		60	59	Ab	Ab
87	87	2740354	Bharat Pandurang Tandle	Assistant Engineer (Distr Division ibution)	Degloor	Pass P-1, E - 2		60	57	Ab	Ab
88	88	2743621	Sanjiv Subhash Ghodam	Assistant Engineer (Distr Division ibution)	Degloor	Pass P-1, E - 2		71	64	Ab	Ab
89	89	2743655	Pravinkumar Lalit Patle	Assistant Engineer (Distr Division ibution)	Degloor Sub	Pass P-1, E - 2		78	58	Ab	Ab
90	90	2743663	Akash Kishor Dhamne	Assistant Engineer (Distr Division ibution)	Degloor	Absent		Ab	Ab	Ab	Ab
91	91	2500124	Mr. NARENDRA GIRIDHARRAO TEKALE	Junior Engineer (Distr Section ibution)	Narangal	E - 1,2		65	62	Ab	Ab

gnd



(A Govt. of Maharashtra Undertaking)

CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
92	92	2619792	Shri Atul Bharmu Patil	Assistant Engineer (Distr ibution)	Sawantwadi	Pass P-1, E - 2		76	55	Ab	Ab
93	93	2739704	Swapnil Baban Mapari	Assistant Engineer (Distr ibution)	Salabatpur	Pass P-1, E - 2		73	66	Ab	Ab
94	94	2739623	Subina Gulab Khan	Assistant Engineer (Distr ibution)	Alibag	Pass P-1, E - 2,4		74	87	Ab	54
95	95	2519160	Mr. MUKESH SOPAN MORE	Assistant Engineer (Distr ibution)	Achole-I-B	Pass P-1, E - 2		60	85	Ab	Ab
96	96	2747839	Kajal Baban Nayak	Assistant Engineer (Distr ibution)	Alibag	Pass P-1, E - 2,4		71	89	Ab	60
97	97	2740800	Shekhar Balaso Nikam	Assistant Engineer (Distr ibution)	Somanthali	Pass P-1, E - 2		84	86	Ab	Ab
98	98	2623226	Mr. Kailas Anandrao Jagtap	Assistant Engineer (Distr ibution)	Kada Section-	Absent		Ab	Ab	Ab	Ab

Signature



(A Govt. of Maharashtra Undertaking)

CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSRDCI, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
99	99	2514851	Mrs. Yojana Amit Mane	Junior Engineer(DistrSub ibution)	Virar (West) Division	Absent		Ab	Ab	Ab	Ab
100	100	2667347	Rahul Walmik Marathe	Assistant Engineer(DistrSub ibution)	Bhusawal ShivaJinagar Section	Pass		74	87	41	47
101	101	2527103	Mr. Santosh Pandurang Rajput	Assistant Engineer(DistrSub ibution)	Mhaswad Rural Section	Pass P-1, E - 2		68	86	Ab	26
102	102	2701413	Shri Shashank Suryakant Pantaone	Deputy Executive Engineer(Distr ibution)	Goregaon Sub Division	Fail, E - 1, 2, 4		68	71	35	50
103	103	2632187	Shri Prashant Rajendra Rathod	Assistant Engineer(DistrSub ibution)	Taloja MIDC Section No-II	Pass P-1, E - 2, 4		71	83	Ab	66
104	104	2523981	Mr. Sharad Pandharinath Yele	Assistant Engineer(DistrSub ibution)	Phaltan Urban Section No II	Pass P-1, E - 2		60	74	Ab	Ab
105	105	2733838	Sonali Sambhajji Mane	Assistant Engineer(DistrSub ibution)	Acharya Sub Division	Absent		Ab	Ab	Ab	Ab

Amir



(A Govt. of Maharashtra Undertaking)

CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahe, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
106	106	2743574	Dagambar Tulshiram Bagule	Junior Engineer (Distr ibution)	Bhogaon Section	E - 1,2		71	76	Ab	Ab
107	107	2742632	Gouri Vishnu Kalange	Assistant Engineer (Distr ibution)	Kankavali Division	Pass P-1, E - 2		59	68	Ab	Ab
108	108	2523001	Mr. AMOL BHAGWAN GAIKWAD	Assistant Engineer (Distr ibution)	Gograswadi Urban Section	Pass P-1, E - 2		59	80	Ab	19
109	109	2733901	Raziya Bashir Mulla	Assistant Engineer (Distr ibution)	Dombivli (East) Urban Sub Division No-II	Pass P-1, E - 2,4		81	84	Ab	49
110	110	2403102	Mr. SACHIN PANDURANG DALVI	Junior Engineer (Distr ibution)	R. L. Zone Rural Section	Absent		Ab	Ab	Ab	Ab
111	111	2617021	Mr. Jayesh Meghashyam Kurkure	Assistant Engineer (Distr ibution)	Roha Rural Section	Pass P-1, E - 2		80	75	Ab	Ab
112	112	2522144	Mr. Rahul Anil Navgune	Assistant Engineer (Distr ibution)	Dhataav Section	Pass P-1, E - 2		77	77	Ab	34

Handwritten signature

CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
113	113	2733668	Jitendra Dilip Patil	Assistant Engineer(DistrDivision)	Pen Testing	Pass P-1, E - 2		88	87	-	Ab
114	114	2733676	Supriya Prakash Ballal	Assistant Engineer(DistrDivision)	Pen Testing	Pass P-1, E - 2		91	83	-	Ab
115	115	2739445	Pratibha Laxman Zunjare	Assistant Engineer(DistrDivision)	Ambedkar Sub Division	Pass P-1, E - 2		79	65	-	35
116	116	2732955	Sonali Paraji Katore	Assistant Engineer(DistrDivision)	Ahmednagar Urban Cum Rural Division	Pass P-1, E - 2		91	85	-	Ab
117	117	2735687	Arun Ramchandra Pujari	Assistant Engineer(DistrDivision)	Diwanman Section	Pass P-1, E - 2		74	85	-	30
118	118	2753677	Sugandha Rajesh Chauhan	Assistant Engineer(DistrDivision)	Material Management Cell	Absent		Ab	Ab	-	Ab
119	119	2339362	Mr. Rahul Ramesh Rao Khobare	Assistant Engineer(DistrDivision)	Patalipada Section	Pass P-1, E - 2		82	86	-	-

✓



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
120	120	2527847	Mr. Suraj Namdeo Mendhe	Assistant Engineer (Distribution)	Pandare	Pass P-1, E - 2		66	84	-	-
121	121	2523124	Mr. Digvijay Popatrao Thombare	Assistant Engineer (Distribution)	Baramati Rural Section No. I	Pass P-1, E - 2		76	84	-	-
122	122	2618729	Mr. Pravin Dhondur Bhangre	Assistant Engineer (Distribution)	Kolad Section	Pass P-1, E - 2		75	75	-	-
123	123	2729938	Shreenidhi Dhannalal Dhurvey	Assistant Engineer (Distribution)	Hinganghat	Fail		E	E	-	21
124	124	2664526	Shri Vinayak Laxman Patil	Assistant Engineer (Distribution)	Ratnappa Kumbhar Nagar Section	Pass P-1, E - 2		61	86	Ab	Ab
125	125	2754509	Pallavi Taty Jagtap	Assistant Engineer (Distribution)	Wai Division	Absent		Ab	Ab	Ab	Ab
126	126	2734036	Nikita Parshuram Pawar	Assistant Engineer (Distribution)	Wai Division	Pass P-1, E - 2,4		82	78	Ab	52

Spide



(A Govt. of Maharashtra Undertaking)

CIN: U40109MH2005GCL53645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
127	127	2616424	Shri Prashant Sambhaji Gawali	Assistant Engineer (Distr Section (Dhule))	Moglai	E - 4		E	E	Ab	50
128	128	2239965	Mr. Dhananjay Vishwanath Gawade	Deputy Executive Engineer (Distr Section (Dhule))	Baramati (R) Sub Division	Absent		E	E	Ab	Ab
129	129	2621070	Shri Hemant Vikram Ahire	Assistant Engineer (Distr Section (Dhule))	Songir	Pass		E	E	42	E
130	130	2308479	Mr. Mahesh Ramdas Kantode	Assistant Engineer (Distr Section (Dhule))	Baramati (R) Sub Division	Absent		E	E	E	Ab
131	131	2502488	Mr. Rajesh Rambhau Randhir	Junior Engineer (Distr Section (Dhule))	Agrawal Nagar	E - 4		E	E	Ab	51
132	132	2734915	Akash Rajan Gaymukhe	Assistant Engineer (Distr Section (Dhule))	Goregaon Urban	Absent		E	E	Ab	Ab
133	133	2621061	Mr. Chaitanya Gokul Wagh	Junior Engineer (Distr Section (Dhule))	Agrawal Nagar	E - 4		E	E	Ab	57

Signature



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager(T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: ambrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
134	134	2668726	Mr. Saurabh Someshwar Naitam	Junior Engineer(Distr ibution)	Sadoba-sawali Distr ibution Centre	E - 1,2		76	82	Ab	36
135	135	2524228	Mr. Amol Bharat Thombare	Assistant Engineer(Distr ibution)	Akola-Fuse Distr ibution Centre No. XI	Pass P-1, E - 2		69	72	09	Ab
136	136	2404893	Shri Prashant Ramchandra Thorat	Assistant Engineer(Distr ibution)	Manded MIDC Unit	Absent		E	E	Ab	E
137	137	2243571	Mr. Sushilkumar Mahadev Waghmare	Assistant Engineer(Distr ibution)	Ambernath (East) Sub Division	Absent		E	E	Ab	Ab
138	138	2734044	Swaranjali Milind Mane	Assistant Engineer(Distr ibution)	Wai Division	Pass P-1, E - 2,4		86	85	Ab	50
139	139	2737914	Vivek Umaji Landge	Assistant Engineer(Distr ibution)	Parbhani Distr ibution Circle	Pass P-1, E - 2		63	90	Ab	Ab
140	140	2737884	Saroj Dryaneshwar Chandankhede	Assistant Engineer(Distr ibution)	Parbhani Distr ibution Circle	Absent		Ab	Ab	Ab	Ab

Signature



(A Govt. of Maharashtra Undertaking)

CIN: U40109MH2005SGC153645

Office of Chief General Manager(T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: ambrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
141	141	2733951	Ashwini Pandurang Parakte	Assistant Engineer (Distr Section ibution)	Pune Nana Peth	Absent		Ab	Ab	Ab	Ab
142	142	2278448	Mr. Babasaheb Bapuso Solage	Assistant Engineer (Distr Section ibution)	Shahuwadi	Pass P-1, E - 2,4		45	87	20	51
143	143	2736241	Shilpa Bhauso Mishandar	Assistant Engineer (Distr Division ibution)	Oras Sub-Division	Pass P-1, E - 2		88	82	-	-
144	144	2619270	Mr. Megharaj Sumatilal Bagul	Assistant Engineer (Distr Section ibution)	Kalwan (U)	Fail		E	E	Ab	22
145	145	2619768	Shri Sumit Shardakumar Padhye	Assistant Engineer (Distr Office ibution)	Oras Section	Pass P-1, E - 2		66	83	-	-
146	146	2210517	Mr. Atul Eknath Patil	Deputy Executive Engineer (Distr ibution)	Dhule Circle	Pass		E	E	57	E
147	147	2220946	Mr. Ashwin Chandrakant Waghmare	Deputy Executive Engineer (Distr ibution)	Pune Rural Circle	Pass		E	E	59	49

Page



(A Govt. of Maharashtra Undertaking)

CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
148	148	2216094	Mr. Narayan Vishwanath Marlegaonkar	Deputy Executive Engineer (Distribution)	Nanded Circle	Pass		E	E	41	42
149	149	2222795	Mrs. Ashwini Pramod Pandav	Deputy Executive Engineer (Distribution)	Aurangabad Rural Circle	Pass		E	E	50	E
150	150	2404907	Shri Rajiv Ganeshrao Mand	Junior Engineer (Distribution)	Girgaon	Absent		Ab	Ab	Ab	Ab
151	151	2737019	Shashank Vinayakrao Chaware	Assistant Engineer (Distribution)	Parbhani Zone	Absent		Ab	Ab	Ab	Ab
152	152	2664551	Kiran Ashok Mane	Assistant Engineer (Distribution)	Tulinj	Pass P-1, E - 2		74	80	-	Ab
153	153	2230089	Shri Vishal Arjun Bondarde	Deputy Executive Engineer (Distribution)	Beed Circle	Pass		E	E	49	41
154	154	2739178	Sarita Vaijanath Swami	Assistant Engineer (Distribution)	Pishor Sub Division	Pass P-1, E - 2		81	80	-	-

Amre



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005GCL53645

Office of Chief General Manager(T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
155	155	2739143	Kaduba Uttam Kale	Assistant Engineer(DistrSection ibution)	Chincholi	Pass P-1, E - 2		61	70	-	-
156	156	2410184	Mr. Sachin Basवेश्वर Kharabe	Junior Engineer(DistrSection-I ibution)	Lamjana	E - 1,2		47	57	-	Ab
157	157	2741920	Pooja Baburao Made	Assistant Engineer(DistrDivision ibution)	Killari Sub	Pass P-1, E - 2		75	83	-	Ab
158	158	2252732	Mr. Subodh Dattopanttrao Dongre	Assistant Engineer(DistrSection-II ibution)	Lamjana	Absent		E	E	Ab	E
159	159	2519534	Mr. Dhansaji Bhimrao Pukale	Assistant Engineer(DistrKharegaon ibution)	Kalwa	Pass		E	E	51	E
160	160	2223171	Mr. Shailesh Satyanarayan Kalantri	Additional Executive Engineer(DistrDivision ibution)	Ambernath (East) Sub	Fail, E - 3		E	E	60	35
161	161	2425939	Mr. Amol Ashok Rakhe	Junior Engineer(DistrDivision ibution)	Basmath Sub	E - 2		36	58	11	36

Signature

(A Govt. of Maharashtra Undertaking)
 CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
 Institute of Training & Safety,
 MSEDCL, Chummary No.1, NTPS Colony,
 Eklahe, Nashik (M.S.) 422105
 Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
 Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
162	162	2737311	Priya Shyam Pande	Assistant Engineer (Distr Division No-I ibution)	Ulhasnagar	Pass P-1, E - 2, 4		72	79	00	45
163	163	2737329	Snehal Laxman Kulkarni	Assistant Engineer (Distr Division No-II ibution)	Ulhasnagar Sub	Pass P-1, E - 2		85	78	00	41
164	164	2738449	Pooja Bhaskar Patil	Assistant Engineer (Distr ibution)	Virar Division	Pass P-1, E - 2		92	79	Ab	Ab
165	165	2713896	Bhagyashri Satish Dandge	Assistant Engineer (Distr ibution)	Sangamner	Pass P-1, E - 2		73	73	Ab	Ab
166	166	2336395	Mr. Amol Ambadas More	Additional Executive Engineer (Distr Tariff ibution)	Regulatory Affairs & (T.R.C.)	Pass		E	E	49	40
167	167	2734184	Kashefa Tabassum Mirza Nawaz Baig	Assistant Engineer (Distr Krantichowk ibution)	Aurangabad Urban Sub Division	Pass P-1, E - 2		65	74	-	-
168	168	2735482	Sachin Ramesh Jadhav	Assistant Engineer (Distr ibution)	Ellora Section	Absent		Ab	Ab	Ab	Ab

Spide

Office of Chief General Manager (T&S)
 Institute of Training & Safety,
 MSEDCL, Chummary No.1, NTPS Colony,
 Eklahare, Nashik (M.S.) 422105
 Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
 Email: ambrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
169	169	2505762	Mr. Shankar Bansi Rathod	Assistant Engineer (Distribution)	Malegaon	Fail		E	E	14	25
170	170	2721406	Mikhail Tanaji Patil	Junior Engineer (Distribution)	Malegaon Bk	E - 1,2		64	52	-	-
171	171	2731665	Bhaulal Gopinath Nagare	Assistant Engineer (Distribution)	Lakhamapur (Satana) Section	Pass P-1, E - 2		82	63	Ab	Ab
172	172	2728834	Kalyani Ramesh Bhoye	Assistant Engineer (Distribution)	Satana (R-II)	Absent		E	E	-	Ab
173	173	2731681	Sunita Vasant Jadhav	Assistant Engineer (Distribution)	Satana	Fail		E	E	-	38
174	174	2731673	Marshall Jagdish Mungad	Assistant Engineer (Distribution)	Bramhangaon	Pass P-1, E - 2,4		86	76	-	49
175	175	2252082	Mrs. Shubhangi Chirendra Kshirsagar	Assistant Engineer (Distribution)	Pune Kastapeth	Pass		E	E	E	57

Ambe



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager(T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
176	176	2410176	Mr. Datta Pralhadrao Potdar	Junior Engineer(Distr ibution)	Udgir Rural Section	E - 1,2		57	61	Ab	Ab
177	177	2506513	Mr. Rahul Shrirang Lakade	Junior Engineer(Distr ibution)	Baramati Rural Section No. II	E - 1,2		50	54	Ab	Ab
178	178	2532999	Mr. Sagar Shankar Saraje	Assistant Engineer(Distr ibution)	Mesari Section	Pass P-1, E - 2		74	71	-	-
179	179	2535394	Mr. Nitish Subhash Shetake	Assistant Engineer(Distr ibution)	Gadhinglaj Division	Fail, E - 2		25	50	-	-
180	180	2619784	Miss Aishwarya Arun Jadhav	Assistant Engineer(Distr ibution)	Chandgad Sub-Division	Absent		E	E	Ab	Ab
181	181	2731266	Neha Sursing Pawara	Assistant Engineer(Distr ibution)	Malegaon UCR Division	Pass P-1, E - 2		77	49	Ab	Ab
182	182	2745402	Sagarika Sanjukta kumar Behera	Assistant Engineer(Distr ibution)	Virar (East) Sub Division	Pass P-1, E - 2		93	64	-	Ab

[Signature]

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chumary No.1, NTPS Colony,
Ekleshare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of Paper I Paper II Paper III Paper IV			
183	183	2734192	Komal Sanjay Jadhav	Assistant Engineer(Distr ibution)	Aurangabad Sub Division	Pass P-1, E - 2, 4		90	65	Ab	53
184	184	2240190	Mr. Vinayak Shanudas Budhwant	Additional Executive Engineer(Distr ibution)	Kharghar Sub Division	Absent		E	E	Ab	Ab
185	185	2238420	Mr. Revansiddhappa Gurupadappa Inde	Deputy Executive Engineer(Distr ibution)	Latur Circle	Absent		E	E	Ab	Ab
186	186	2666251	Shri Harshad Shirish Sohoni	Assistant Engineer(Distr ibution)	Deorukh Sub Division	Pass P-1, E - 2		55	56	-	-
187	187	2740427	Pallavi Babruwan Sonkamble	Assistant Engineer(Distr ibution)	Ahemadpur Sub Division	Absent		Ab	Ab	Ab	Ab
188	188	2042983	Mr. Rohidas Motiram Barandwal	Assistant Engineer(Distr ibution)	Gangapur Urban Section	Absent		E	E	Ab	E
189	189	2328461	Mr. Vikaskumar Shankar Rastogi	Assistant Engineer(Distr ibution)	Ranjangaon Section(Pune)	Pass P-1		60	E	-	-

Spine



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
190	190	2224558	Mr. Jitendra Suresh Mahajan	Deputy Executive Engineer (Distribution)	Varangaon S/Dn.	Absent		E	E	Ab	E
191	191	2624231	Miss Nileema Bansilal More	Junior Engineer (Distribution)	Mandurbar R-II S/Dn.	Absent		E	E	Ab	Ab
192	192	2621347	Shri Prakash Keshav Akhade	Junior Engineer (Distribution)	Kurdhunda Section	E - 1,2		74	57	Ab	Ab
193	193	2258269	Mrs. Vasudha Ganesh Yelpula	Assistant Engineer (Distribution)	Aurangabad CIDCO Sub Division	Pass		E	E	40	46
194	194	2534886	Mr. Pramod Sahebrao Darkonde	Assistant Engineer (Distribution)	Gangapur Rural Section No.1	Pass P-1, E - 2		57	58	02	Ab
195	195	2609002	Mr. Nilesbkumar Kaliram Meshram	Assistant Engineer (Distribution)	Bhokar Division	Pass P-1, E - 2		46	70	Ab	38
196	196	2734460	Ajay Daderao Sawale	Assistant Engineer (Distribution)	Mavi Sec.	Pass P-1, E - 2		56	57	-	Ab

[Handwritten Signature]

(A Govt. of Maharashtra Undertaking)
CTIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
197	197	2659841	Shri Sujay Ramchandra Upadhye	Assistant Engineer (Distribution)	Shrirampur Rural Division	Absent		Ab	Ab	-	Ab
198	198	2663686	Shri Abhijeet Balchand Kankariya	Assistant Engineer (Distribution)	Shrirampur Rural Division	E - 4		E	E	-	59
199	199	2739721	Aditya Baliram Pimpalgaoonkar	Assistant Engineer (Distribution)	Deogaon Section (Ahmednagar)	Pass P-1, E - 2		79	64	Ab	Ab
200	200	2494868	Miss Lalita Dhanraj Shirud	Junior Engineer (Distribution)	Sinnar - II Distr S/Dn.	E - 1,2,4		74	85	Ab	70
201	201	2255693	Mr. Bhausaheb Prakash Patil	Additional Executive Engineer (Distribution)	Nashik	Pass		E	E	48	E
202	202	2738945	Dhanashri Manohar Chaudhari	Assistant Engineer (Distribution)	Rahata Sub Division	Pass P-1, E - 2		54	87	-	Ab
203	203	2255006	Mr. Sunil Prakash Kalamkar	Additional Executive Engineer (Distribution)	Vashi Circle	Pass		E	E	45	E

Spide

(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
204	204	2231689	Mr. Ananda Kanhoba Katkar	Additional Executive Engineer (Distribution)	Udgir Urban Sub-Division	Fail, E - 4		E	E	30	45
205	205	2321068	Mr. Sachin Sawata Raskar	Assistant Engineer (Distribution)	Lonand Sub Division	Fail		E	E	17	Ab
206	206	2256215	Mr. Amit Baburao Mane	Assistant Engineer (Distribution)	Phaltan	Pass		E	E	40	41
207	207	2336715	Mr. Hemant Prabhakar Chore	Assistant Engineer (Distribution)	Thane Pach Section	Fail		E	E	34	Ab
208	208	2740061	Priyanka Raghunath Desai	Assistant Engineer (Distribution)	Sakharpa	Pass P-1, E - 2		65	83	-	-
209	209	2740052	Surekha Zilaji Kokare	Assistant Engineer (Distribution)	Jakadevi	Pass P-1, E - 2		67	87	-	-
210	210	2540959	Miss Dhanlaxmi Rajgopal Peddapalli	Assistant Engineer (Distribution)	Aurangabad No.II	Fail, E - 2		32	79	29	27

Handwritten signature



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: anhrefam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
211	211	2646803	Shri Abhijit Ravi Upasani	Assistant Engineer (Distribution)	Dhule Rural Division	Pass P-1, E - 2		54	96	Ab	Ab
212	212	2743698	Shri Prashant Bhaides Salunkhe	Assistant Engineer (Distribution)	Material Management Cell	Pass P-1, E - 2		57	84	-	Ab
213	213	2734966	Koshan Shantaram Desale	Assistant Engineer (Distribution)	Ambernath Colony Section	Pass P-1, E - 2		62	63	Ab	Ab
214	214	2741202	Vaibhav Mahadev Gaikwad	Assistant Engineer (Distribution)	Tuljapur E-I Section	Pass P-1, E - 2		54	85	Ab	Ab
215	215	2524007	Mr. Ajay Tukaram Gavade	Assistant Engineer (Distribution)	Tuljapur Sub Division	Absent		Ab	Ab	Ab	Ab
216	216	2698935	Manisha Ganpat Murhe	Assistant Engineer (Distribution)	Ambernath Colony Section	Absent		E	E	Ab	Ab
217	217	2728753	Mr. Prashant Suryakant Shinde	Assistant Engineer (Distribution)	Mangrul Section	Pass P-1, E - 2		46	81	Ab	Ab

Page 2

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
218	218	2741172	Kamlakar Deelip Maragude	Assistant Engineer (Distribution)	Tuljapur R-II Section	Pass P-1, E - 2		40	78	-	-
219	219	2258587	Shri Jayant Dattu Jadhav	Assistant Engineer (Distribution)	Latur Zone	Absent		E	E	Ab	Ab
220	220	2252741	Mr. Shivadarshan Baburao Dharne	Assistant Engineer (Distribution)	Yerandi	Pass P-1		50	E	Ab	
221	221	2329999	Mr. Yogesh Jeevanrao Utikar	Assistant Engineer (Distribution)	Belkund	E - 2		E	68	-	Ab
222	222	2524554	Mr. Onkar Rajesh Yadav	Assistant Engineer (Distribution)	Thane Wagle Estate Vasant Vihar Section	Pass P-1, E - 2		69	84	-	-
223	223	2737531	Vasudha Vilasrao Solunke	Assistant Engineer (Distribution)	Kaij Sub Division	Absent		Ab	Ab	-	Ab
224	224	2332566	Mr. Manmohan Rambhaji Pokharkar	Assistant Engineer (Distribution)	Vashi Testing	Fail		E	E	23	E

gure

(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
225	225	2737248	Jaishri Bhagwan Makade	Assistant Engineer (Distribution)	Ambajogai	Absent		Ab	Ab	-	Ab
226	226	2233428	Mrs. Smita Milindsing Vasave	Additional Executive Engineer (Distribution)	Internal Reform Cell	Absent		E	E	Ab	E
227	227	2392780	Mr. Kishor Sopanrao Ghumare	Junior Engineer (Distribution)	Ghodegaon Sub Division (Ahmednagar)	E - 2		30	84	Ab	Ab
228	228	2739003	Akshay Sanjay Bedarkar	Assistant Engineer (Distribution)	Chandanapuri	Pass P-1, E - 2		51	77	-	Ab
229	229	2730839	Saurabh Ravindra Sonunle	Assistant Engineer (Distribution)	Kuran Section	Pass P-1, E - 2		57	80	-	41
230	230	2739682	Anand Girish Kirpekar	Assistant Engineer (Distribution)	Vadala	Pass P-1, E - 2		49	74	Ab	Ab
231	231	2739232	Maresh Arun Laddat	Assistant Engineer (Distribution)	Jorwa Section	Pass P-1, E - 2		45	81	Ab	Ab

Handwritten signature

(A Govt. of Maharashtra Undertaking)

CIN: U40109MH2005SGC153645

Office of Chief General Manager(T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
232	232	2738996	Rajbhushan Bhatnagar Rajput	Assistant Engineer(Distribution)	Jawale Kadlag	Pass P-1, E - 2		45	76	Ab	Ab
233	233	2738847	Poonam Prakash Mathpati	Assistant Engineer(Distribution)	Sangamner Sub Division II	Pass P-1, E - 2		64	88	Ab	Ab
234	234	2738046	Vishwajit Vilasrao Modak	Assistant Engineer(Distribution)	Sangamner Urban Section I	Pass P-1, E - 2		64	93	Ab	Ab
235	235	2739224	Samadhan Sudam Ghuge	Assistant Engineer(Distribution)	Sakur Section	Pass P-1, E - 2		62	85	Ab	Ab
236	236	2624524	Mr. Sandeep Namdev Gadakh	Assistant Engineer(Distribution)	Dhandarphal	Pass P-1, E - 2		51	87	Ab	43
237	237	2732301	Prerna Hiralal Suryawanshi	Assistant Engineer(Distribution)	Bhandup Urban Zone	Pass P-1, E - 2,4		57	87	Ab	53
238	238	2232430	Mr. Dattatriya Dhondiram Sangale	Deputy Executive Engineer(Distribution)	Bhandup Division	Pass		8	8	43	8

gure



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SQC153645

Office of Chief General Manager(T&S)
Institute of Training & Safety,
MSDCL, Chummary No.1, NTPS Colony,
Ekilhare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
239	239	2235579	Mr. Ganesh Gokul Gavhane	Deputy Executive Engineer(Distribution)	Vashi Testing Division	Pass		E	E	47	E
240	240	2228653	Smt Vaishali Tushar Varule	Deputy Executive Engineer(Distribution)	Kalyan Testing Division	Absent		E	E	Ab	E
241	241	2731428	Mithun Ramchandra Patil	Assistant Engineer(Distribution)	Thane Naupada Section	Pass P-1, E - 2		66	78	-	-
242	242	2737264	Abhijeet Pradeep Arya	Assistant Engineer(Distribution)	Ter Section	Pass P-1, E - 2		56	83	Ab	Ab
243	243	2756889	Ragini Devendra Bele	Assistant Engineer(Distribution)	Dharangaon Division	Pass P-1, E - 2		54	84	-	-
244	244	2735105	Prajakta Ramchandra Rode	Assistant Engineer(Distribution)	Rajgurunagar Division	Pass P-1, E - 2		61	83	26	28
245	245	2728681	Miss Sujal Dhondu Shingade	Assistant Engineer(Distribution)	Rajgurunagar Division	Pass P-1, E - 2		60	85	20	37

Amr



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSDCI, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: ambrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
246	246	2392801	Mr. Rajesh Madhukar Mohite	Junior Engineer (Dist. Sub. Division)	Wathar Colony	E - 1,2		50	72	23	Ab
247	247	2619288	Mrs. Vaishali Rajesh Chapke	Junior Engineer (Dist. Sub. Division)	Parbhani Rural	Absent		Ab	Ab	Ab	Ab
248	248	2485729	Miss Ashwini Diliprao Deshmukh	Junior Engineer (Dist. Sub. Division)	Aurangabad	E - 1,2		52	77	-	-
249	249	2735270	Akshay Ambadasji Narule	Assistant Engineer (Dist. Sub. Division)	Unapur Section	Pass P-1, E - 2		45	69	Ab	30
250	250	2732921	Ganesh Bharatrao Lagad	Assistant Engineer (Dist. Sub. Division)	Dhondrai	Pass P-1, E - 2		64	78	13	35
251	251	2732912	Sharad Bhaskarrao Bhakne	Assistant Engineer (Dist. Sub. Division)	Padalsingi	Pass P-1, E - 2,4		65	85	Ab	46
252	252	2740435	Jayprakash Maroti Longadge	Assistant Engineer (Dist. Sub. Division)	Bhokar	Fail, E - 2		36	73	Ab	34

Spac



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager(T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: ambhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
253	253	2333121	Mr. Rakesh Pundlik Mahajan	Assistant Engineer(Distr ibution)	Taharabad	Fail, E - 2		37	80	-	-
254	254	2731531	Snehal Mahendrasing Sisode	Assistant Engineer(Distr ibution)	Mulher Sec.	Absent		E	E	-	Ab
255	255	2401401	Mr. Vijaykumar Panditrao Gurjur	Junior Engineer(DistrSection(Dhule) ibution)	Nagaon	Absent		Ab	Ab	Ab	Ab
256	256	2234441	Mrs. Vaishali Janardhan Pawar	Deputy Executive Engineer(Distr ibution)	Aurangabad Urban Circle	Fail		E	E	29	27
257	257	2395339	Mr. Pramod Pandharinath Bukkawar	Assistant Engineer(DistrDivision ibution)	Kalamnuri Sub	Pass P-1, E - 2		46	79	Ab	41
258	258	2627710	Shri Suresh Balaji Gattuwar	Junior Engineer(DistrDivision ibution)	Naigaon Sub	E - 1.2		69	77	Ab	37
259	259	2738775	Chinmay Sandipak Dandage	Assistant Engineer(DistrSection ibution)	Mandangad	Pass P-1, E - 2		56	83	-	Ab

Spice

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Ekilhare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
260	260	2731134	Kiran Ashok Mane	Assistant Engineer (Dist. Section No. I ibution)	Halkarni	Pass P-1, E - 2		62	88	-	Ab
261	261	2740192	Pravin Shankarrao Ghatage	Assistant Engineer (Dist. Section No II ibution)	Chandgad	Pass P-1, E - 2		53	76	-	Ab
262	262	2735237	Priyanka Uday Deshpande	Assistant Engineer (Dist. Section ibution)	Savla-I	Pass P-1, E - 2		63	80	-	Ab
263	263	2694719	Mandar Madhukar Gawari	Assistant Engineer (Dist. ibution)	Khed Division	Pass P-1, E - 2		50	84	Ab	Ab
264	264	2724651	Hareshkumar Manohar Tekam	Assistant Engineer (Dist. Section ibution)	Makawali	Fail, E - 2		37	83	Ab	32
265	265	2738465	Arjankumar Mahadev Mohite	Assistant Engineer (Dist. Section ibution)	Dapoli Rural	Pass P-1, E - 2		60	87	-	-
266	266	2738481	Abhijeet Jotiram Savadekar	Assistant Engineer (Dist. ibution)	Dabhol Section	Pass P-1, E - 2		58	86	-	-

Amr




(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSRDL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
267	267	2738538	Aparna Anil Mohite	Assistant Engineer (Distri- bution)	Khed Sub Division	Pass P-1, E - 2		47	80	Ab	Ab
268	268	2738431	Ashish Uttam Gaikwad	Assistant Engineer (Distri- bution)	Khed Rural Section No.III	Absent		Ab	Ab	Ab	Ab
269	269	2664615	Shri Avinash Vasant Gaikwad	Deputy Executive Engineer (Distri- bution)	Mandangad Sub Division	Fail, E - 1		51	E	28	E
270	270	2738520	Tejashree Anil Ugare	Assistant Engineer (Distri- bution)	Dapoli Sub Division No.II	Absent		Ab	Ab	Ab	Ab
271	271	2738571	Supriya Satyanarayan Yemul	Assistant Engineer (Distri- bution)	Khed Division	Pass P-1, E - 2		62	87	Ab	Ab
272	272	2738554	Parvati Yashwant Gadhave	Assistant Engineer (Distri- bution)	Khed Division	Pass P-1, E - 2		55	88	Ab	Ab
273	273	2744228	Savitra Ganpat Bhange	Assistant Engineer (Distri- bution)	Bhandup Urban Zone	Absent		Ab	Ab	Ab	Ab

Spine



Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSRDC, Chummary No.1, NTPS Colony,
Bilalshah, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: ashreza@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Paper I	Marks of Marks of Paper II	Marks of Marks of Paper III	Marks of Marks of Paper IV
274	274	2731401	Prasad Sanjay Mestri	Assistant Engineer (Distribution)	Bhandup Urban Zone	Absent		Ab	Ab	Ab	Ab
275	275	2738503	Vaibhav Suresh More	Assistant Engineer (Distribution)	Achale-II-B Section	Pass P-1, E - 2		63	69	Ab	Ab
276	276	2728940	Priyanka Mauli Nikam	Assistant Engineer (Distribution)	Aurangabad Rural Testing Division	Pass P-1, E - 2		64	75	Ab	27
277	277	2738589	Sandip Anil Mandive	Assistant Engineer (Distribution)	Deund Urban Section	Pass P-1, E - 2, 4		73	76	Ab	46
278	278	2408885	Smt Tabassum Iqbal Sayed	Junior Engineer (Distribution)	Vasai Road West Sub Division	Absent		Ab	Ab	-	-
279	279	2765250	Manisha Pogat Jadhav	Assistant Engineer (Distribution)	Vasai Road West Sub Division	Absent		Ab	Ab	-	-
280	280	2732092	Sayali Rajendra Kshatriya	Assistant Engineer (Distribution)	Yeola Urban Zone	Pass P-1, E - 2		77	87	Ab	Ab





(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005GCG153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, MTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: ambrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
281	281	2489988	Miss Vaishali Bhausaheb Suryawanshi	Junior Engineer (Distr Section ibution)	Shivare	Fail		36	-	Ab	-
282	282	2629127	Shri Sunil Bhausaheb Gangurde	Assistant Engineer (Distr Section ibution)	Vadalibholi (R-sec.)	Absent		E	Ab	Ab	Ab
283	283	2683164	Mrunalini Subhash Gawali	Assistant Engineer (Distr Section ibution)	Mangalapur	Absent		Ab	Ab	-	-
284	284	2743647	Mukesh Raju Jaiswal	Assistant Engineer (Distr Section ibution)	Krushnoor	Pass P-1, E - 2, 4		60	91	-	51
285	285	2625075	Shri Nikhil Dattatraya Shelar	Assistant Engineer (Distr Section ibution)	Naigaon Urban	Pass P-1, E - 2		54	47	-	23
286	286	2627680	Shri Sachin Vishweshwar Ukey	Assistant Engineer (Distr Section ibution)	Narsi	Pass P-1, E - 2		54	61	-	40
287	287	2734451	Navnath Rajaram Shor	Assistant Engineer (Distr Section ibution)	Surgana	Pass P-1, E - 2		72	82	Ab	Ab

Signature



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager(T&S)
Institute of Training & Safety,
MSECL, Chummary No.1, NTPS Colony,
Eklabare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
288	288	2400031	Mr. Vivek vijay Kasbe	Junior Engineer (Distr ibution)	Borgaon Section (Surgan a)	E - 1, 2		50	68	Ab	42
289	289	2664267	Shri Mohammad Saif Abdul Rahim Ansari	Junior Engineer (Distr ibution)	Navapur S/Dn.	E - 1, 2, 4		75	73	-	67
290	290	2621118	Miss Shital Arjun Padvi	Assistant Engineer (Distr ibution)	Navapur S/Dn.	Pass P-1, E - 2		63	80	-	Ab
291	291	2734699	Priyanka Babaso Patil	Assistant Engineer (Distr ibution)	Chandur Section	Pass P-1, E - 2		55	87	Ab	Ab
292	292	2243717	Mr. Sachin Jaiaram Raut	Deputy Executive Engineer (Distr ibution)	Jalna Circle	Fail		E	E	20	E
293	293	2211424	Mr. Prasad Madhukar Pathak	Deputy Executive Engineer (Distr ibution)	Jalna Circle	Fail		E	E	25	E
294	294	2743884	Mradu Umesh Goyal	Assistant Engineer (Distr ibution)	R.G.G.V.Y.	Pass P-1, E - 2, 4		60	95	-	58

2



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager(T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num.	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
295	295	2270650	Mr. Amol Shankar Shinde	Assistant Engineer(Distribution)	Sangli Circle	Fail		E	Ab	20	34
296	296	2736942	Pramod Ankush Kumbhar	Assistant Engineer(Distribution)	Gawan Section	Pass P-1, E - 2		45	80	Ab	Ab
297	297	2729482	Rakesh Chhagan Gavit	Assistant Engineer(Distribution)	Navapur Urban Section	Pass P-1, E - 2,4		63	75	-	52
298	298	2618770	Shri Sandeep Totaram Waje	Junior Engineer(Distribution)	Navapur Rural Section I	E - 1,2,4		58	79	-	54
299	299	2490528	Mr. Amol Sudhakar Yeola	Junior Engineer(Distribution)	Nandgaon S/Dn.	Absent		E	E	Ab	E
300	300	2743841	Nisha Mohan Singh	Assistant Engineer(Distribution)	IT-DGM(RAPDRP)	Absent		Ab	Ab	-	Ab
301	301	2224372	Mr. Nilesh Sahdeo Nagare	Deputy Executive Engineer(Distribution)	Lasalgaon S/Dn.	Pass		E	E	40	47

Amol



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager(T&S)
Institute of Training & Safety,
MSMEDCL, Chummary No.1, NTFS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: ambrexan@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
302	302	2384582	Mrs. Deepali Amol Loharkar	Junior Engineer (Distr Sub Division)	Nashik CIDCO	E - 1,2		42	87	Ab	31
303	303	2733803	Anuja Ramdas Jadhav	Assistant Engineer (Distr S/.Dn. Division)	Lasaigaon	Absent		E	E	Ab	Ab
304	304	2740397	Priyanka Lingayya Tammadwar	Assistant Engineer (Distr Division)	Kinwat Sub Division	Absent		Ab	Ab	-	Ab
305	305	2621967	Mr. Dnyaneshwar Jeevan Gitte	Junior Engineer (Distr Rural-I Division)	Majalgaon	Absent		Ab	Ab	Ab	Ab
306	306	2731649	Swapnil Shriram Sawai	Assistant Engineer (Distr Sec. Division)	Nampur (U)	Pass P-1, E - 2		47	80	-	21
307	307	2496780	Mr. Devidas Manchakrao Pawar	Junior Engineer (Distr Circle Division)	Parbhani	Absent		Ab	Ab	Ab	Ab
308	308	2495325	Miss Priya Sudhakar Mhaske	Junior Engineer (Distr Division)	Phulambri Sub Division	E - 1,2		70	85	Ab	Ab



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: ambrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
309	309	2624290	Shri Pravin Rangnath Pawar	Assistant Engineer (Distribution)	Aland Section	Pass P-1, E - 2		68	64	Ab	Ab
310	310	2270641	Mr. Abhijit Chandrakant Moholkar	Deputy Executive Engineer (Distribution)	Power Purchase	Fail		E	E	26	E
311	311	2692708	Prafulla Vinayakrao Vaidya	Deputy Executive Engineer (Distribution)	MOUDA SUB DN	Pass		E	E	42	64
312	312	2743124	Prachi Raysing Rathod	Assistant Engineer (Distribution)	Manded Urban Section IV	Absent		Ab	Ab	Ab	Ab
313	313	2302357	Mr. Gokul Sudhakar Pawar	Assistant Engineer (Distribution)	Bhandup Ishwar Nagar Section	Pass		E	E	46	E
314	314	2434733	Mr. Anujay Jaykumar Dharmadhikari	Junior Engineer (Distribution)	Parola S/Dn	Absent		Ab	Ab	Ab	Ab
315	315	2708710	Harshad Sarvarsing Valavi	Assistant Engineer (Distribution)	Urban Unit Parolla	Pass P-1, E - 2		68	87	Ab	Ab

[Handwritten signature]



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Ekhlhare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Str.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of Paper Paper Paper Paper I II III IV			
316	316	2740966	Kalyani Janardan Shukla	Assistant Engineer (Distribution)	Parola S/Dn	Pass P-1, E - 2		63	92	Ab	Ab
317	317	2279924	Mr. Prafull Ravindra Salve	Assistant Engineer (Distribution No-II)	CBD Section	Fail		E	E	22	E
318	318	2219280	Mr. Sandeep Marayan Daramwar	Deputy Executive Engineer (Distribution)	Pune Zone	Absent		E	E	Ab	E
319	319	2231905	Mr. Sharad Sheshrao Chechar	Deputy Executive Engineer (Distribution)	Parola S/Dn	Absent		E	E	Ab	Ab
320	320	2244209	Mr. Satish Arun Sarode	Additional Executive Engineer (Distribution)	Pune Chinchwad Sub Division	Absent		E	E	Ab	Ab
321	321	2237318	Mr. Pravin Rajdhar Suryavanshi	Deputy Executive Engineer (Distribution)	Distribution Section	Pass		E	E	40	E
322	322	2241633	Mr. Vijay Murlidhar Gargote	Assistant Engineer (Distribution)	Manchar	E - 2		E	83	Ab	E

Signature



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810045 (Exam Cell)

ISO 9001:2008
Email: ambhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
323	323	2253607	Mr. Sachin Parsuram Raut	Assistant Engineer (Distr. Division)	Pune Bhor Sub	Fail		E	E	41	Ab
324	324	2733773	Rahul Raghunath Patil	Assistant Engineer (Distr. Division)	Ugaon Sec.	Absent		E	E	Ab	E
325	325	2732211	Krutika Ashokrao Bhosale	Assistant Engineer (Distr. Section (Bhosar Division))	Pune Chinchwad	Pass P-1, E - 2, 4		72	86	Ab	52
326	326	2765021	Varsha Mohan Bogar	Assistant Engineer (Distr. Urban Sub Division II)	Ahmednagar	Pass P-1, E - 2		72	93	-	-
327	327	2759691	Raviraj Vilas Kadam	Additional Executive Engineer (Distr. Tariff Division) (T.R.C.)	Regulatory Affairs & Tariff	Fail, E - 1, 2		62	70	Ab	31
328	328	2735245	Somnath Dnyanoba Ghule	Assistant Engineer (Distr. Unit-III)	Beed Urban	Pass P-1, E - 2		72	70	Ab	40
329	329	2747952	Raksha Chitrangad Bhade	Assistant Engineer (Distr. Division)	Warora	Pass P-1, E - 2		71	86	-	-

[Signature]



(A Govt. of Maharashtra Undertaking)

CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008

Email: ambrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
330	330	2734265	Rukmini Rajendra Adsul	Assistant Engineer (DistrSub Division)	Barsi Urban	Absent		Ab	Ab	Ab	Ab
331	331	2734257	Komal Nagnath Survase	Assistant Engineer (DistrSub Division)	Solapur Urban	Pass P-1, E - 2, 4		70	78	29	58
332	332	2734214	Ulhas Uttam Kangude	Assistant Engineer (DistrUrban Section)	Kurduwadi	Pass P-1, E - 2		70	94	-	-
333	333	2733811	Gaurav Anil Gaikwad	Assistant Engineer (DistrSec. ibution)	Kazi Sangavi	Absent		Ab	Ab	Ab	Ab
334	334	2757303	Tushar Bhagwanta Bhagit	Assistant Engineer (DistrCircle ibution)	Palghar Small	Pass P-1, E - 2		55	67	Ab	Ab
335	335	2745769	Anurag Trilokkumar Jha	Assistant Engineer (DistrSection ibution)	Otur Rural	Pass P-1, E - 2		59	90	Ab	Ab
336	336	2736179	Rajat Balwant Raut	Assistant Engineer (DistrSection ibution)	Power House (Ahmednagar)	Pass P-1, E - 2		68	94	-	Ab

[Handwritten signature]



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008

Email: amhrexam@gmail.com

Sr.No	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
337	337	2737043	Anol Waman Kamdi	Assistant Engineer (Distr Sub ibution)	Jintur Rural	Pass P-1, E - 2		60	67	Ab	Ab
338	338	2738961	Pramodkumar Chandrakant Rao Bhongale	Assistant Engineer (Distr Rural Section ibution)	Kurduwadi	Pass P-1, E - 2, 4		69	96	Ab	45
339	339	2624214	Shri Prashant Babasaheb Bondkhal	Junior Engineer (Distr Sub ibution)	Palam Sub	E - 1, 2, 4		47	83	07	50
340	340	2624222	Mr. Mahesh Vitthal Meshram	Assistant Engineer (Distr Section No.I ibution)	Jintur Rural	Pass P-1, E - 2		55	68	Ab	34
341	341	2647974	Shri Rahul Narayan Nikam	Junior Engineer (Distr ibution)	Bhadli Bk.	Fail, E - 1, 2		52	70	Ab	35
342	342	2629607	Shri Sudhir Balasaheb Dhadge	Junior Engineer (Distr Road Sub ibution)	Pune Nagar	Absent		Ab	Ab	-	-
343	343	2693313	Nilesh Vinayak Ukey	Assistant Engineer (Distr Circle ibution)	Baramati Rural	Pass P-1, E - 2		63	92	20	33

Spide



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH200590C153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSDCL, Chumary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
344	344	2689379	Uday Ramesh Patel	Assistant Engineer (Distribution)	Palghar Small Circle	Pass P-1, E - 2		65	85	Ab	Ab
345	345	2732581	Ganesh Vitthal Mhetre	Assistant Engineer (Distribution)	Karjat Division	Pass P-1, E - 2		63	92	24	40
346	346	2731622	Avinash Yashwant Abhale	Assistant Engineer (Distribution)	Bhandup Section	Pass		72	90	48	42
347	347	2730324	Rima Suresh Masram	Assistant Engineer (Distribution)	Karanja Section No II (Arvi)	Pass P-1, E - 2		57	83	Ab	36
348	348	2729504	Bajrang Shivaji Ghare	Assistant Engineer (Distribution)	Bhandup Sub Division No-I	Pass P-1, E - 2		71	94	Ab	Ab
349	349	2722518	Amit Ashok Tarapore	Assistant Engineer (Distribution)	Pat Section Office	Absent		Ab	Ab	Ab	Ab
350	350	2732602	Piyush Arunrao Barhate	Assistant Engineer (Distribution)	Belwandi S/Dn.	Absent		Ab	Ab	Ab	Ab

Handwritten signature

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
351	351	2733081	Shri Bhushan Dhanraj Mandval	Assistant Engineer(Distr ibution)	Regulatory Affairs & Tariff (T.R.C.)	Pass P-1, E - 2		63	94	Ab	Ab
352	352	2497476	Miss Varaha Dhanaji Sonawane	Junior Engineer(Distr ibution)	Barsi Urban Sub Division	Absent		Ab	Ab	Ab	Ab
353	353	2168570	Mr. Guruprasad Vinayak Kosagi	Deputy Executive Engineer(Distr ibution)	Bhandup Urban Zone	Fail		E	E	33	24
354	354	2335115	Mr. Vivek Sureshrao Shrirao	Assistant Engineer(Distr ibution)	Office of Principal Consultancy/ Dist. Franchise	Absent		E	E	Ab	E
355	355	2151871	Mr. Krishnarao Dinkarrao Shrungare	Deputy Executive Engineer(Distr ibution)	Chandwad S/Dn.	Absent		E	E	Ab	Ab
356	356	2731606	Shreyas Shivaji Chavan	Assistant Engineer (Distr ibution)	Bhandup Amforge Section	Pass		E	E	51	56
357	357	2736161	Prabhakar Suresh Mali	Assistant Engineer (Distr ibution)	Ganjbarar Section	Absent		E	E	Ab	Ab

✓



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
358	358	2742489	Rahul Kumar Ashokrao Dhemare	Assistant Engineer (Distribution)	Bhandup Division	Pass		E	E	40	66
359	359	2732971	Akash Vishwas Gaikwad	Assistant Engineer (Distribution)	Bhishbag Division	Absent		E	E	Ab	Ab
360	360	2390302	Mr. Mahendra Dagadu Kadam	Junior Engineer (Distribution)	Kudal Sub Division	E - 1,2		40	70	Ab	Ab
361	361	2736225	Meha Sanjay Patil	Assistant Engineer (Distribution)	Kudal Division	Pass P-1, E - 2		63	73	-	-
362	362	2708108	Prashant Bhanudas Gavit	Assistant Engineer (Distribution)	Chalisgaon Division	Absent		E	E	-	Ab
363	363	2731126	Kalpna Sudhakar Changulkar	Assistant Engineer (Distribution)	Beed Division	Pass P-1, E - 2,4		59	90	Ab	47
364	364	2732891	Ashwini Chandrakant Hatte	Assistant Engineer (Distribution)	Beed Rural Sub Division	Pass P-1, E - 2		56	89	Ab	Ab

Handwritten signature/initials

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
365	365	2732904	Abhijeet Gangadhar Shinde	Assistant Engineer (Distribution)	Beed Rural Section-II	Pass P-1, E - 2		62	79	Ab	42
366	366	2732874	Yogesh Janardhan Borkhede	Assistant Engineer (Distribution)	Shirur Section-I	Pass P-1, E - 2, 4		56	80	Ab	45
367	367	2485435	Miss Rupali Laxmikant Wangikar	Junior Engineer (Distribution)	Sillod Sub Division	E - 1, 2		66	85	Ab	Ab
368	368	2733790	Ganesh Manikrao Kushare	Assistant Engineer (Distribution)	Niphad (U) Distr. Sec.	Absent		Ab	Ab	Ab	Ab
369	369	2735504	Chaitali Uttamrao Jagdale	Assistant Engineer (Distribution)	Phulambri Rural Section	Pass P-1, E - 2		53	79	Ab	Ab
370	370	2743426	Chaitali Avinash Ingle	Assistant Engineer (Distribution)	Chalisgaon Division	Pass P-1, E - 2		79	85	-	-
371	371	2743361	Monika Sudhakar Shambharkar	Assistant Engineer (Distribution)	Chalisgaon Rural Sub Division-III	Pass P-1, E - 2		61	84	Ab	Ab

Handwritten signature



(A Govt. of Maharashtra Undertaking)

CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
372	372	2743434	Varshabai Rikhiram Funde	Assistant Engineer (Distribution)	Chalisgaon Urban Sub Division	Pass P-1, E - 2		76	93	-	-
373	373	2240271	Mr. Ram Raghunathrao Suryawanshi	Assistant Engineer (Distribution)	Dondaicha Division	Pass P-1, E - 2		64	89	Ab	Ab
374	374	2728737	Raghav Sahadev Siram	Assistant Engineer (Distribution)	Pkawda Rural Distribution Centre	Pass P-1, E - 2		57	85	Ab	32
375	375	2737540	Kalpana Ramesh Choudhari	Assistant Engineer (Distribution)	Dharur Sub Division	Absent		Ab	Ab	Ab	Ab
376	376	2741881	Kiran Mahesh Kshirsagar	Assistant Engineer (Distribution)	Ujani (Ausa)	Absent		Ab	Ab	Ab	Ab
377	377	2329921	Mr. Laxmikant Prabhakar Phanspalwar	Assistant Engineer (Distribution)	Nanded Pawadevadinaka Unit	Pass P-1		60	E	18	33
378	378	2282801	Mr. Yogesh Pitambar Warke	Additional Executive Engineer (Distribution)	Panvel Urban Division	Pass		E	E	54	E

6/10/20

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
379	379	2417910	Mr. Dattatrya Devidas Daspute	Junior Engineer (Distr Sub Division)	Shirala	Absent		Ab	Ab	Ab	Ab
380	380	2750031	Miraj Kumar Jha	Assistant Engineer (Distr Sub Division)	Vadjal Road	Pass P-1, E - 2		51	65	-	-
381	381	2749467	Yasmin Taher Tadwi	Assistant Engineer (Distr Sub Division)	Dharangaon Sub Division	Absent		Ab	Ab	-	Ab
382	382	2743167	Poonam Bhausaheb Thorve	Junior Engineer (Distr Sub Division)	Dharangaon Sub Division	Absent		Ab	Ab	-	Ab
383	383	2738511	Meha Shrikant Metha	Assistant Engineer (Distr Sub Division No.I)	Dapoli Sub Division	Absent		Ab	Ab	Ab	Ab
384	384	2735768	Supriya Abhay Pande	Assistant Engineer (Distr Sub Division)	Kalyan Sub Division	Absent		Ab	Ab	Ab	Ab
385	385	2717336	Rupali Shankar Kanhake	Assistant Engineer (Distr Sub Division No- II)	Solapur Rural Division	Absent		Ab	Ab	Ab	Ab

File



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager(T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahe, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Paper I Paper II Paper III Paper IV
386	386	2527839	Mr. Sunil Naru Sarwade	Assistant Engineer(DistrSection ibution)	Pimpalner	Pass P-1, E - 2		76 88 Ab 37
387	387	2494345	Mr. Siddiqui Mujahed Ahamad	Junior Engineer(Distr ibution)	Jawala	Absent		Ab Ab Ab Ab
388	388	2483891	Mr. Mohan Sakhaream Kavate	Assistant Engineer(Distr ibution)	Fanvel Urban	Pass P-1, E - 2		54 62 Ab Ab
389	389	2318113	Mr. Nilesh Ravindra Bukate	Assistant Engineer(Distr ibution)	Ratnagiri Zone	E - 4		E E Ab 55
390	390	2736195	Kamalesh Yuvraj Pawar	Assistant Engineer(DistrPatil Section ibution)	Chichondi	Absent		E E - Ab
391	391	2219891	Mr. Shivaji Baburao Deshmukh	Deputy Executive Engineer(Distr ibution)	Vasai Circle	Absent		E E Ab E
392	392	2300401	Mr. Gajendra Sudam Vhanmane	Assistant Engineer(DistrNagar Section ibution)	Bhandup Pratap	Absent		E E Ab Ab

[Handwritten signature]



(A Govt. of Maharashtra Undertaking)

CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSDCL, Chummary No.1, MTFS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008

Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
393	393	2731614	Pankaj Arun Suryawanshi	Assistant Engineer (Distribution)	Bhandup Shandup Dockyard Section	Pass P-1, E - 2		67	90	Ab	Ab
394	394	2740443	Darpan Devman Gajbhiye	Assistant Engineer (Distribution)	Chakur Section	Absent		Ab	Ab	Ab	Ab
395	395	2231981	Mr. Atul Bhimrao Galande	Deputy Executive Engineer (Distribution)	Beed Circle	Absent		E	E	Ab	Ab
396	396	2749033	Manoj Suresh Chavan	Assistant Engineer (Distribution)	Borli Mandla Section	Pass P-1, E - 2		61	90	16	34
397	397	2402025	Mr. SURAJ HARISHCHANDRA AMBURLE	Assistant Engineer (Distribution)	Murud Urban Section	Absent		Ab	Ab	Ab	Ab
398	398	2623285	Shri Manish Kiran Kondurkar	Deputy Executive Engineer (Distribution)	Beed Circle	Fail, E - 1, 2, 4		57	90	18	47
399	399	2238764	Shri Kisan Bhimrao Kopnar	Assistant Engineer (Distribution)	Shirdi Urban Section	Fail		E	E	19	E

Signature

(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexams@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
400	400	2734834	Rohit Jagannath Salunke	Assistant Engineer (Distribution)	Ranavi Section	Pass P-1, E - 2		80	92	-	Ab
401	401	2222001	Mr. Prashant Yogeshwarrao Konde	Deputy Executive Engineer (Distribution)	Vasai Circle	Fail, E - 4		E	E	28	50
402	402	2734338	Mayuri Sudhirrao Shinde	Assistant Engineer (Distribution)	Jalna Rural Sub Division	Absent		Ab	Ab	-	Ab
403	403	2454866	Mr. Avinash Harikant Ade	Junior Engineer (Distribution)	Pusad Sub Division	E - 1, 2		47	79	Ab	Ab
404	404	2531887	Mr. Amol Moreswarrao Pingale	Assistant Engineer (Distribution)	Yavatmal, F C	Absent		E	E	Ab	E
405	405	2729598	Rajkumar Anil Rahulgade	Assistant Engineer (Distribution)	Ballarshah Urban Section No. III	Pass P-1, E - 2		73	90	Ab	34
406	406	2399857	Mr. Vivek Dyaneshwar Thakare	Junior Engineer (Distribution)	Ballarshah Urban Section No. II	E - 1, 2		47	82	Ab	19

Handwritten signature



(A Govt. of Maharashtra Undertaking)

CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
407	407	2489082	Miss Snehal Hemraj Chinchkhede	Junior Engineer (Distribution)	Ballarshah Sub Division	Absent		E	E	Ab	Ab
408	408	2750937	Tenin Krushnaji Madavi	Assistant Engineer (Distribution)	Shirpur	Pass P-1, E - 2		73	86	Ab	Ab
409	409	2736454	Rakesh Ashok Kurhadkar	Assistant Engineer (Distribution)	Wani Rural	Pass P-1, E - 4		49	42	Ab	46
410	410	2739160	Nitesh Mohanrao Khandare		Nagpur R Flying Squad	Pass P-1, E - 2		58	73	Ab	11
411	411	2685094	Mangesh Anandrao Kannake	Assistant Engineer (Distribution)	Wardha Circle	Pass P-1, E - 2		77	94	Ab	Ab
412	412	2750376	Makarand Ram Padnavis	Assistant Engineer (Distribution)	PRATAP NGR SEC	Absent		Ab	Ab	Ab	Ab
413	413	2513943	Mr. Gajanan Dnyaneshwar Behare	Assistant Engineer (Distribution)	Achalpur City	Pass P-1, E - 2		69	94	Ab	43

Signature



(A Govt. of Maharashtra Undertaking)

CIN: U40109MH2005GQC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
414	414	2737591	Kirti Mahadev Bhende	Assistant Engineer (Distribution)	Achalpur Camp Distr Sub Division	Pass P-1, E - 2, 4		76	90	Ab	46
415	415	2492521	Mr. Sudam Gajanan Pakdhane	Junior Engineer (Distribution)	Gaulkheda Bar. Distr Distribution Centre.	Pass		77	84	40	40
416	416	2737132	Shraddha Mahendra Pihulkar	Junior Engineer (Distribution)	Achalpur Camp Distr Sub Division	E - 1, 2		72	81	Ab	35
417	417	2449960	Smt Sangeeta Wamanrao Asare	Junior Engineer (Distribution)	Hingna Sub Distr Division	E - 1, 2		52	80	Ab	Ab
418	418	2417634	Mr. Swapnil Vishwanath Sontakke	Junior Engineer (Distribution)	KANOLIBARA D C	E - 1, 2		84	92	Ab	Ab
419	419	2181266	Mr. Ashish Babanrao Chothe	Assistant Engineer (Distribution)	Akola Rural Distr Division	Pass P-1, E - 2		58	77	Ab	Ab
420	420	2754932	Akshay Tushar Pawar	Junior Engineer (Distribution)	Kapustalani Distr Distribution Centre	E - 1, 2		65	85	-	-

Handwritten signature/initials



(A Govt. of Maharashtra Undertaking)

CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008

Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
421	421	2487373	Mr. Nilesb Sakharam Shinde	Junior Engineer (Distr ibution)	Sategaon Distr Distribution Centre	E - 1,2		50	71	-	-
422	422	2697858	Vishakha Raju Madavi	Assistant Engineer (Distr ibution)	Ambajogai Sub Division	Pass P-1, E - 2		45	70	-	30
423	423	2750619	Priyanka Khushalrao Shembekar	Assistant Engineer (Distr ibution)	Nagpur Nodal Office	Pass P-1, E - 2,4		84	90	10	45
424	424	2227967	Mrs. Megha Ajay Amrute	Deputy Executive Engineer (Distr ibution)	Nagpur Nodal Office	Absent		E	E	Ab	Ab
425	425	2747995	Pranali Pandhari Pimpalshende	Assistant Engineer (Distr ibution)	Gadchiroli Division	Pass P-1, E - 2		45	80	-	-
426	426	2436698	Shri MANGESH PRABHAKAR RANE	Junior Engineer (Distr ibution)	Jalamb Distr Distribution Centre	E - 2		36	47	-	-
427	427	2327830	Mr. Ravi Sadanand Zade	Assistant Engineer (Distr ibution)	Wani Urban Distr Distribution Centre II	Pass P-1, E - 2		74	95	Ab	Ab

Handwritten signature



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
428	428	2426820	Miss Snehal Ashokrao Chandpurkar	Junior Engineer (Distribution)	MOUDA SUB DN	E - 1,2		71	79	Ab	Ab
429	429	2619156	Mr. Sachin Ramesh Feran	Assistant Engineer (Distribution)	Malkapur	Pass		74	84	42	57
430	430	2259818	Mr. Sandeep Upasrao Ghode	Assistant Engineer (Distribution)	Mahagaon Sub	Absent		8	8	Ab	Ab
431	431	2492431	Kum Chitra Deoraoji Barai	Junior Engineer (Distribution)	Wardha Rural Sub Division No.II	E - 1,2		84	94	-	Ab
432	432	2665689	Mr. Nitin Mamanrao Mahadik	Assistant Engineer (Distribution)	Fulsawangi	Pass P-1, E - 2,4		86	96	-	58
433	433	2665697	Mr. Alpesh Rajkumar Chawhan	Assistant Engineer (Distribution)	Gunj Centre	Pass P-1, E - 2,4		82	91	-	48
434	434	2750309	Smruti Narendra Kilnake	Assistant Engineer (Distribution)	Wardha Urban Sub Division.	Pass P-1, E - 2		73	89	-	40

File

(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: ambrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
435	435	2735725	Gayatri Rajendra Masaram	Junior Engineer (Distribution)	Warud Sub Division-II	E - 1, 2		81	79	-	-
436	436	2668025	Shri Chetan Jangalujji Lahane	Junior Engineer (Distribution)	Akola Urban Division	E - 1, 2		58	80	-	-
437	437	2413388	Mr. Devendra Dayaram Tambe	Junior Engineer (Distribution)	Nimkarda Section	Absent		Ab	Ab	-	-
438	438	2735717	Shubham Narendra Pimple	Junior Engineer (Distribution)	Loni Rural Section	E - 1, 2, 4		86	92	Ab	45
439	439	2717824	Ankush Ramesh Kakde	Assistant Engineer (Distribution)	Ashti Urban Section (Arvi)	Pass P-1, E - 2, 4		73	86	28	52
440	440	2725355	Priya Ashokrao Dalvi	Junior Engineer (Distribution)	Ashti Sub Division (Arvi)	E - 1, 2, 4		69	88	05	47
441	441	2511673	Shri Nikhil Janardhan Bhalme	Junior Engineer (Distribution)	Lonbehel Centre	E - 1, 2		53	70	Ab	Ab

Signature



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager(T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
442	442	2210622	Mr. Milind Bhaskar Deshmukh	Deputy Executive Engineer(Distr ibution)	Arvi Division	Pass		E	E	46	E
443	443	2244845	Mr. Thota Siddharth Vijay Naidu	Additional Executive Engineer(Distr ibution)	Nagpur Rural Circle	Pass		E	E	50	E
444	444	2312948	Mr. Atul Marayanrao DHOKE	Assistant Engineer(Distr ibution)	Arvi Division	E - 2,3		E	80	50	36
445	445	2224429	Mr. Deepak Hirasing Rathod	Assistant Engineer(Distr ibution)	Umarkhed Urban Distribution Centre	Pass		E	E	53	46
446	446	2623081	Mr. Manoj Vitthal Sardar	Junior Engineer (Distr ibution)	Bitargaon	Absent		E	E	Ab	Ab
447	447	2328305	Shri Prathamesh Vilas Banginwar	Assistant Engineer (Distr ibution)	Talegaon	Fail		E	E	27	09
448	448	2506211	Mr. Satyaraaj Gajendra Waware	Junior Engineer (Distr ibution)	Darati	Absent		E	E	Ab	Ab

[Signature]



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSDCI, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: ambrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
449	449	2209098	Mr. Sunil Uttamrao Sheje	Deputy Executive Engineer (Distribution)	Ghatanji Sub Division.	Fail		E	E	22	E
450	450	2246287	Mr. Rahul Prabhakar Bahekar	Assistant Engineer (Distribution)	Akola Testing Division	Absent		E	E	Ab	E
451	451	2243342	Mr. Damodhar Jivan Urkude	Deputy Executive Engineer (Distribution)	BHIWAPUR SUB DN	Pass		E	E	46	E
452	452	2483432	Mr. RAJESH BHIMRAO DABHADE	Assistant Engineer (Distribution)	Loni Urban Section	Fail		E	E	29	E
453	453	2470195	Mr. Milind Shesharao Dere	Junior Engineer (Distribution)	Sonala Center	Absent		Ab	Ab	-	-
454	454	2750287	Sachin Murlidhar Ingale	Assistant Engineer (Distribution)	Wardha Urban Section No VI	Pass P-1, E - 2,4		82	89	23	54
455	455	2738023	Pravin Chindhuji Gedam	Assistant Engineer (Distribution)	Parbhani Division-II	Absent		Ab	Ab	Ab	Ab

[Handwritten signature]



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: ambrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
456	456	2737418	Vaibhav Chandrakant Gosavi	Assistant Engineer (Distribution)	Motale R-II Center	Absent		Ab	Ab	Ab	Ab
457	457	2436884	Mr. Suresh Baban Borkar	Junior Engineer (Distribution)	Shelgaon Bazar	Pass P-1, E - 2		59	58	Ab	Ab
458	458	2621517	Kum Neha Manohar Bansod	Assistant Engineer (Distribution)	Basmath Sub Division	Pass P-1, E - 2		45	83	15	36
459	459	2222442	Mrs. Dipika Vijay Sireath	Deputy Executive Engineer (Distribution)	Warora Division	Absent		E	E	Ab	Ab
460	460	2494761	Mr. Alok Bhaskarrao Bhoyar	Junior Engineer (Distribution)	Armori Rural Section	E - 1, 2		50	78	Ab	Ab
461	461	2406764	Mr. Nilesh Maroti Showare	Junior Engineer (Distribution)	Vairagad Section	E - 1, 2		72	87	Ab	Ab
462	462	2622581	Shri Sumant Haridasrao Pathare	Assistant Engineer (Distribution)	Daryapur Urban-I Distribution Centre	Pass P-1, E - 2		59	79	Ab	Ab

Signature



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSRDL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: ambrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
463	463	2502101	Mr. Shriram Mahadev Bodade	Junior Engineer (Distribution)	Sangrampur Sub Division (Khamgaon)	Absent		Ab	Ab	-	-
464	464	2737426	Nilesh Bakshi Chavan	Assistant Engineer (Distribution)	Motala R-I Center	Absent		Ab	Ab	Ab	Ab
465	465	2496879	Mr. Harshwardhan Chindhuji Lede	Junior Engineer (Distribution)	Dhanki Sub Division	E - 1,2		77	80	Ab	36
466	466	2493756	Mr. Vinod Pandurang Wathore	Junior Engineer (Distribution)	Unmarked Sub Division	E - 1,2		59	73	Ab	Ab
467	467	2520966	Mr. Pradeep Damodhar Satdive	Junior Engineer (Distribution)	Vidul Centre	E - 1,2		59	68	Ab	Ab
468	468	2750388	Bharat Gulab Sidam	Assistant Engineer (Distribution)	Unmarked Rural Sub Division Centre	Pass P-1, E - 2		54	78	Ab	Ab
469	469	2500523	Mr. Nilesh Vinayak Sonune	Junior Engineer (Distribution)	Khandala Centre	E - 1,2		67	82	22	40

File



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSDCL, Chummary No.1, NTPS Colony,
Eklaahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: ambhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
470	470	2507323	Mr. Umesh Gajanan Gawande	Junior Engineer (Distr Distribution)	Ghatodi Centre	E - 1,2		63	84	27	42
471	471	2624605	Mr. Devanand Sheshrao Ingle	Assistant Engineer (Distr Distribution)	Pusad Rural Centre No. I	Pass P-1, E - 2		85	86	Ab	42
472	472	2728486	Sudarshah Shankarrao Iwnate	Assistant Engineer (Distr Distribution)	Pusad Rural Centre No. II	Absent		Ab	Ab	Ab	Ab
473	473	2729067	Minal Anandrao Parchake	Assistant Engineer (Distr Distribution)	Pusad Division	Pass P-1, E - 2,4		50	86	Ab	55
474	474	2395304	Mr. MADHUSUDAN MADHAORAO PETHE	Junior Engineer (Distr Distribution)	Sewagram	E - 1,2,4		59	68	31	47
475	475	2731550	Ashwini Sreekumar .	Assistant Engineer (Distr Distribution)	Pusad Division	Pass P-1, E - 2,4		78	86	Ab	53
476	476	2527855	Mr. Niklesh Bhagwan Gajbhaye	Assistant Engineer (Distr Distribution)	Badnera Rural Section	Pass P-1, E - 2,4		72	85	Ab	45

[Handwritten signature]

(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: ambrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
477	477	2328399	Mr. Yogesh Marotrao Thakare	Assistant Engineer (Distr ibution)	Hinganghat	Pass P-1, E - 2		72	81	Ab	Ab
478	478	2620880	Shri Pravin Prakashrao Ingle	Assistant Engineer (Distr ibution)	Dhad Centre-II	Pass P-1, E - 2		53	73	Ab	Ab
479	479	2527804	Mr. Sankar Vishnu Raut	Assistant Engineer (Distr ibution)	Amravati	Pass P-1, E - 2		58	89	Ab	40
480	480	2212218	Mr. Vivek Bhimrao Kothare	Deputy Executive Engineer (Distr ibution)	Hinganghat Urban Sub Division	Pass		E	E	53	E
481	481	2327571	Kum Chetna Murlidhar Landge	Assistant Engineer (Distr ibution)	Hinganghat	Absent		E	E	-	Ab
482	482	2492245	Miss Monika Vinayak Nikde	Junior Engineer (Distr ibution)	Hinganghat Rural Sub Division	E - 4		E	E	-	57
483	483	2230135	Mr. Sharad Gunwantrao Tekade	Deputy Executive Engineer (Distr ibution)	Ashti Sub Division	Fail		E	E	33	E

Signature

(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager(T&S)
Institute of Training & Safety,
MSDCL, Chumary No.1, NTPS Colony,
Ekiahare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: ambrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
484	484	2737809	Ashish Vijayrao Ubhad	Assistant Engineer(Distr Sub Division)	Parbhani Zone Section No.I	Pass P-1, E - 2		63	73	Ab	Ab
485	485	2497271	Mr. Vinayak Namdeo Chawhan	Junior Engineer(Distr Sub Division)	Chandrapur Sub Division No I	Pass		E	E	47	48
486	486	2437350	Mr. Ravindra Ramkrishna Jumale	Junior Engineer(Distr Sub Division)	Pimpalgaon Pimpalgaon II Section	E - 1,2		57	91	Ab	Ab
487	487	2494272	Mr. Vinod Ramdas Thate	Junior Engineer(Distr Sub Division)	Khamgaon Rural Sub Division.	E - 1,2		50	72	-	-
488	488	2737574	Sourabh Sanjay Barabde	Assistant Engineer(Distr Sub Division)	Shirajgaon Shirajgaon Kasba Distribution Centre	Absent		Ab	Ab	Ab	Ab
489	489	2737604	Chandrashekhkar Ganesh Saraf	Junior Engineer(Distr Sub Division)	Achalpur R-I Distribution Centre	E - 1,2		74	85	Ab	Ab
490	490	2629500	Shri Sushant Dhanraj Ramteke	Junior Engineer(Distr Sub Division)	Achalpur City Sub Division-II	E - 1,2,4		74	83	Ab	53

Signature



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGCL53645

Office of Chief General Manager(T&S)
Institute of Training & Safety,
MSDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
491	491	2737582	Rutuja Raghoba Sambare	Junior Engineer(Distr) ibution)	Faratwada (R Distribution Centre	E - 1,2,4		66	81	Ab	70
492	492	2622963	Shri Sandip Sukhram Pawar	Junior Engineer(Distr) ibution)	Chikhaldara Sub Division	E - 1,2,4		78	82	Ab	50
493	493	2502569	Mr. Rajesh Suresh Rao Taywade	Junior Engineer(Distr) ibution)	Warud Sub Division I	E - 1,2,4		65	55	Ab	55
494	494	2497646	Mr. mangesh Vijayrao Bonde	Junior Engineer(Distr) ibution)	Nagbhid Sub Division	Absent		Ab	Ab	-	-
495	495	2194031	Mrs. Atiya Khalid Hussain	Assistant Engineer(Distr) ibution)	Nagpur Urban Circle	Absent		E	E	Ab	E
496	496	2739020	Aishwarya Gajanan Salkute	Assistant Engineer(Distr) ibution)	Khamgaon Rural Sub Division.	Absent		Ab	Ab	-	-
497	497	2497280	Mr. Gajendra Istari Vidhate	Junior Engineer(Distr) ibution)	Keshori Section	Fail		34	-	Ab	-

Handwritten signature/initials



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chumary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
498	498	2481537	Mr. Ritesh Rushi Tangale	Junior Engineer (Distr Section ibution)	Mahagaon	E - 1,2,4		57	86	19	55
499	499	2525488	Mr. Shrikant Devidas Bahadure	Assistant Engineer (Distr Section ibution)	Mavegaonbandh	Fail		E	E	18	E
500	500	2742411	Sushil Muniraj Meshram	Assistant Engineer (Distr Sub Division ibution)	Arjuni Morgaon	Pass P-1, E - 2,4		73	88	16	62
501	501	2442353	Mr. Khushal Nandkishor Soni	Junior Engineer (Distr Sub Division ibution)	Arjuni Morgaon	Absent		Ab	-	Ab	-
502	502	2216426	Mrs. Nilima Bhagyesh Gawande	Deputy Executive Engineer (Distr ibution)	Amravati Circle	Fail		E	E	35	E
503	503	2258218	Mr. Manoj Nagorao Shrugare	Assistant Engineer (Distr Wathoda ibution) Section	Chandos	Fail		E	E	24	E
504	504	2253437	Mr. Gaurav Pramodrao Chaudhari	Assistant Engineer (Distr Division No. 1 ibution)	Nagpur Rural	Absent		E	Ab	Ab	Ab

Handwritten signature



(A Govt. of Maharashtra Undertaking)

CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
505	505	2278707	Miss Trupti Laxmikant Rewatkar	Assistant Engineer (Distribution)	NAGPUR TESTING DN	Pass P-1, E - 2		84	88	-	-
506	506	2737833	Anikesh Damodhar Mathane	Assistant Engineer (Distribution)	IT - Engineering (Distribution)	Absent		Ab	Ab	-	-
507	507	2728869	Sunil Demaji Rithe	Assistant Engineer (Distribution)	Ambada	Pass P-1, E - 2, 4		82	91	Ab	49
508	508	2525895	Mr. Pawankumar Hiralal Niwate	Assistant Engineer (Distribution)	Sarfapur	Absent		E	E	Ab	Ab
509	509	2683521	Milesh Ratan Talande	Assistant Engineer (Distribution)	Majalgaon	Absent		Ab	Ab	-	-
510	510	2275481	Mr. Harish Vasantrao Ambadkar	Assistant Engineer (Distribution)	Amravati	E - 4		E	E	Ab	50
511	511	2746361	Mayur Khemraj Amre	Assistant Engineer (Distribution)	Majalgaon Sub Division	Absent		Ab	Ab	-	-

Handwritten signature/initials

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexams@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
512	512	2683512	Chetan Madhukar Choudhari	Assistant Engineer (Distr ibution)	Majalgaon Urban-II	Absent		Ab	Ab	-	-
513	513	2307537	Mr. Purshotam Mahadeorao Shitre	Assistant Engineer (Distr ibution)	Khamgaon Urban Sub Division.	Fail		E	E	22	40
514	514	2627116	Shri Amol Uttam Jadhao	Junior Engineer (Distr ibution)	Shedurjan (A) Section	E - 1,2,4		71	91	Ab	59
515	515	2626659	Mr. Vivek Puranlal Bawanthade	Junior Engineer (Distr ibution)	Mulla Section	Absent		Ab	Ab	Ab	Ab
516	516	2740681	Suyash Ramkrishna Pande	Assistant Engineer (Distr ibution)	Akot Fuse Call Centre South	Pass P-1, E - 2		78	81	-	-
517	517	2740702	Kalyani Mangalrao Gawande	Assistant Engineer (Distr ibution)	Telhara Sub Division	Pass P-1, E - 2		63	72	-	-
518	518	2746921	Ajay Gunvantrao Gawande	Assistant Engineer (Distr ibution)	Cotton Market Fuse Call Centre	Pass P-1, E - 2,4		70	69	27	68

Handwritten signature



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
519	519	2747553	Shailesh Meghashyam Abhare	Assistant Engineer (Distr Urban Section) (bution)	Bhadrawati	Pass P-1, E - 2,4		76	88	Ab	71
520	520	2747987	Prafulla Shankarrao Pimpalkar	Assistant Engineer (Distr Division) (bution)	Dhanora Sub	Pass P-1, E - 2,4		78	79	Ab	70
521	521	2748126	Tilak Mukundrao Gawalkar	Assistant Engineer (Distr Division) (bution) a)	Deori	Pass P-1, E - 2,4		64	65	10	58
522	522	2749521	Shahrukh Mehmuddin Turak	Assistant Engineer (Distr Division) (bution)	Nagpur Rural	Fail		Ab	Ab	14	Ab
523	523	2749530	Gaurangi Ganesh Dalal	Assistant Engineer (Distr Division) (bution)	Nagpur Rural	Pass P-1, E - 2,4		63	70	15	60
524	524	2736446	Shri Sumit Kishor Nimkar	Assistant Engineer (Distr Electrification) (bution) n	Rural	Pass P-1, E - 2		77	92	-	-
525	525	2737035	Dinesh Gulab Hanwate	Assistant Engineer (Distr Section) (bution)	Daithana	Pass P-1, E - 2		64	79	Ab	-

Amr

(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
526	526	2737612	Amitkumar Ashokrao Thakre	Assistant Engineer (Distri- bution)	Bhandara Distribution Centre	Pass P-1, E - 2		82	89	Ab	Ab
527	527	2737621	Sumit Diliprao Minghot	Assistant Engineer (Distri- bution)	Surji Distribution Centre	Pass P-1, E - 2		70	84	Ab	Ab
528	528	2737736	Mavneet Ashok Mankar	Assistant Engineer (Distri- bution)	Jintur Rural Section No.II	Pass P-1, E - 2		59	77	Ab	Ab
529	529	2737817	Nitesh Ashok Raipure	Assistant Engineer (Distri- bution)	Jintur Urban Section	Absent		Ab	Ab	Ab	Ab
530	530	2737906	Pravin Ramdas Thorat	Assistant Engineer (Distri- bution)	Parbhani Circle	Pass P-1, E - 2		78	88	Ab	Ab
531	531	2740664	Rajesh Uttam Rathod	Assistant Engineer (Distri- bution)	Umara Section	Pass P-1, E - 2		77	86	-	-
532	532	2621819	Miss Manisha Anil Burande	Junior Engineer (Distri- bution)	Darwaha Sub Division	E - 1		55	Ab	Ab	Ab

[Signature]



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
533	533	2604337	Mr. Moreswar Gopichand Chavhan	Junior Engineer (Distr ibution)	Poharadevi Section	E - 2		38	71	07	35
534	534	2527766	Mr. Nandkishor Motilal Telang	Assistant Engineer (Distr ibution)	Khamgaon Urban Section	Pass P-1, E - 2		53	82	22	38
535	535	2512980	Shri AKSHAY TUKARAMJI KHOPE	Junior Engineer (Distr ibution)	Kannamwargram Section	E - 1,2		40	76	Ab	Ab
536	536	2466716	Mr. Avinash Dnyaneshwar Suryawanshi	Assistant Engineer (Distr ibution)	Amravati Circle	Absent		E	E	Ab	E
537	537	2467071	Mr. Ashish Budhraj Kumbhare	Junior Engineer (Distr ibution)	Dapura Section	E - 1,2		71	84	Ab	Ab
538	538	2512581	Mr. GaJanan Anandrao More	Junior Engineer (Distr ibution)	Hingoli Circle	E - 1,2,4		55	92	Ab	67
539	539	2514079	Mr. Aakash Ajaykumar Gupta	Assistant Engineer (Distr ibution)	Telhara Urban Section	Pass P-1, E - 2		56	79	-	-

2
12/11/20



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
540	540	2527758	Mr. Shrikant Arun Soyaskar	Assistant Engineer (Distribution)	Nandura Rural Center	Pass P-1, E - 2, 4		54	88	10	57
541	541	2196107	Mr. Pramod Laxman Helode	Additional Executive Engineer (Distribution)	Malkapur Division	Absent		E	E	Ab	Ab
542	542	2282682	Mrs. Smita Manoj Parkhi	Additional Executive Engineer (Distribution)	NAGPUR TESTING URBAN DN	Pass		E	E	45	E
543	543	2746930	Suchita Dadaji Dawre	Assistant Engineer (Distribution)	Mul Sub Division	Pass P-1, E - 2		63	89	-	-
544	544	2507650	Mr. Ashish Vijayrao Chetule	Junior Engineer (Distribution)	Khaperkheda Sub Division	Absent		E	E	-	Ab
545	545	2743582	Shri Ritesh Ukandao Chirde	Assistant Engineer (Distribution)	IT-DGM (Admin)	Pass P-1, E - 2		63	89	-	-
546	546	2683288	Rajesh Babarao Jarode	Assistant Engineer (Distribution)	Dharni Urban Distribution Centre	E - 4		E	E	Ab	57

Handwritten signature/initials



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005GCL53645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: ambrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of Paper Paper Paper Paper I II III IV			
547	547	2155672	Mr. Prashant Gunwantrao Tembhekar	Deputy Executive Engineer (Distribution)	Butibori Sub Division	Absent		E	E	Ab	E
548	548	2492504	Miss Puja Brijmohan Sharma	Junior Engineer (Distribution)	Khamgaon Urban Sub Division.	E - 4		Ab	Ab	14	45
549	549	2732149	Ms. Payal Arvind Shinde	Assistant Engineer (Distribution)	IT-Engineer (Distribution Metering)	Absent		Ab	Ab	-	-
550	550	2735253	Sanket Kewalsingh Gahlot	Assistant Engineer (Distribution)	Chousala Section	Pass P-1, E - 2		56	87	Ab	42
551	551	2740605	Umesh Dnyaneshwar Bhoyar	Assistant Engineer (Distribution)	Navgan Rajuri Section	Pass P-1, E - 2, 4		50	67	Ab	47
552	552	2623242	Mr. Vikas Laxman Nirmale	Assistant Engineer (Distribution)	Neknoor Section	Pass P-1, E - 2, 4		52	81	Ab	45
553	553	2623277	Mr. Dinesh Premdas Chavan	Junior Engineer (Distribution)	Nathapur Section	E - 1, 2, 4		55	78	Ab	51

Handwritten signature/initials



(A Govt. of Maharashtra Undertaking)

CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008

Email: ambrexam@gmail.com

Sr.No	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
554	554	2743388	Gokul Vishwas Rahate	Assistant Engineer (Distribution)	Jamda Rural	Absent		Ab	Ab	Ab	Ab
555	555	2415259	Mr. Ashish Narendra Navkar	Junior Engineer (Distribution)	Bhamberi	E - 1,2		51	59	-	-
556	556	2631610	Shri Akash Vithhal Pachbhai	Junior Engineer (Distribution)	Telhara Rural	E - 1,2		46	71	-	-
557	557	2417120	Mr. Kapil Hiranjan Wakode	Junior Engineer (Distribution)	Danapur	E - 1,2		55	75	-	-
558	558	2309238	Mr. Manish Manohar Jaiswal	Assistant Engineer (Distribution)	Shegaon Rural	Absent		E	E	-	Ab
559	559	2507064	Mr. Rakesh Dasharath Chaudhari	Junior Engineer (Distribution)	Shegaon Sub Division	Absent		Ab	Ab	-	-
560	560	2520478	Mr. Ashish Bhimrao Dhande	Assistant Engineer (Distribution)	Shegaon Urban Section	Absent		Ab	Ab	-	-

File



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005GCL53645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: ambrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
561	561	2621886	Mr. KRUPAL MAHADEO LANJE	Junior Engineer (Distribution)	Mul Sub	E - 1, 2, 4		61	82	Ab	60
562	562	2737663	Tejas Dnyaneshwar Dhanorkar	Assistant Engineer (Distribution)	Chinchwan	Absent		Ab	Ab	Ab	Ab
563	563	2219221	Mr. Pankaj Prakashrao Honade	Deputy Executive Engineer (Distribution)	Mul Sub	Absent		E	E	Ab	E
564	564	2725347	Akhil Arvindaksha Kumar	Assistant Engineer (Distribution)	Hiwarshed	Absent		Ab	Ab	Ab	Ab
565	565	2748975	Nareish Venkteswararao Pinnenti	Assistant Engineer (Distribution)	Hingoli Circle	Pass P-1, E - 2, 4		65	86	Ab	65
566	566	2750040	Gopal Shyamrao Bavaskar	Assistant Engineer (Distribution)	Panchvati	Pass P-1, E - 2		48	65	-	-
567	567	2246741	Shri Yogesh Shripadrao Pande	Assistant Engineer (Distribution)	Wardha	Absent		E	E	Ab	Ab

Amc



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahe, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Paper I	Paper II	Paper III	Paper IV
568	568	2749564	Vicky Motiram Bagde	Junior Engineer (Distribution)	Achalpur City-Sub Division	E - 1,2		53	74	Ab	Ab
569	569	2728672	Gaurav Namdeo Kanake	Assistant Engineer (Distribution)	Asadpur Centre	Pass P-1		45	38	Ab	Ab
570	570	2748142	Dharmendranath Bhavnath Chavhan	Assistant Engineer (Distribution)	Bhandara	Pass P-1, E - 2,4		62	71	35	58
571	571	2621801	Mr. Bhausaheb Laxman Salunke	Junior Engineer (Distribution)	Maregaon (R) Centre	E - 1,2		65	93	Ab	Ab
572	572	2612569	Miss Mayuri Narendra Kota	Assistant Engineer (Distribution)	Arvi Division	Absent		E	E	Ab	Ab
573	573	2622656	Shri Bharat Shamrao Chavhan	Junior Engineer (Distribution)	Tari Jamni Sub Division	E - 1		53	Ab	Ab	Ab
574	574	2576261	Miss Nisha Vinayak Shrikhande	Assistant Engineer (Civil Division)	Nasik Civil Division	E - 4		E	E	Ab	46

Handwritten signature



(A Govt. of Maharashtra Undertaking)

CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
575	575	2720540	Bapusaheb Asaram Mhaske	Assistant Engineer (Civil)	Rajagurunagar Civil Cons Cum Maintenance Sub Division	Absent		Ab	Ab	Ab	Ab
576	576	2620600	Mr. Amol Dhondiram Kadam	Assistant Engineer (Civil)	Aurangabad Civil Circle	Absent		Ab	Ab	Ab	Ab
577	577	2720477	Prasad Krishna Bhalchim	Assistant Engineer (Civil)	Nasik Civil Division	E - 1,2		30	44	Ab	40
578	578	2720205	Ashishkumar Suresh Mudiraj	Assistant Engineer (Civil)	Nanded Civil Sub Division	Absent		Ab	Ab	Ab	Ab
579	579	2619610	Shri Rohan Sunil Desarda	Assistant Engineer (Civil)	Hingoli civil sub division	Absent		Ab	Ab	Ab	Ab
580	580	2718031	Shital Balasaheb Shinde	Assistant Engineer (Civil)	Pune Civil Circle	E - 1,2,4		35	46	30	60
581	581	2724260	Pramod Rangrao Lohar	Assistant Engineer (Civil)	Pune Civil Circle	Absent		Ab	Ab	Ab	Ab

1/11/2



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Ekishare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.No	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of Paper I Paper II Paper III Paper IV
582	582	2584697	Shri Pankaj Kachru Khandare	Assistant Engineer (Civil) sub Division	Yeotmal cccm	E - 1,2		35 45 - -
583	583	2580772	Mr. Sandip Annasaheb Daware	Deputy Executive Engineer (Civil)	Nasik Civil Division	Fail, E - 1,2,4		40 41 Ab 60
584	584	2565382	Mr. Dinkar Janardhan Dumane	Deputy Executive Engineer (Civil)	Aurangabad Civil Circle	Fail		E E 07 E
585	585	2330661	Mr. Kaustubh Ravindra Acharya	Additional Executive Engineer (Civil)	Nashik	Fail		E E 25 E
586	586	2286751	Shri Vilas Nivrutti Khandale	Additional Executive Engineer (Civil)	Nanded Civil Division	Absent		Ab Ab Ab
587	587	2261723	Mr. Pravinkumar Manohar Thorat	Additional Executive Engineer (Civil)	Jalgaon Civil Division	Pass		28 39 41 47
588	588	2741741	Sunil Dinesh Jain	Assistant Engineer (Civil) Civil Division	Ratnagiri	Pass		33 45 60 59


[Handwritten signature]

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSDCL, Chumary No.1, NTPS Colony,
Eklahe, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
589	589	2569001	Mr. Sushant Bhagwan Kamble	Assistant Engineer (Civil)	Kalyan Civil Const cum Maintenance Division	Pass		24	37	47	49
590	590	2569019	Mr. Rahul Shivaaji Pavane	Assistant Engineer (Civil)	Kalyan Civil Sub-Division	Pass		34	44	43	49
591	591	2571145	Mr. SAGAR VINOD KAMBLE	Deputy Executive Engineer (Civil)	Kalyan Civil Const cum Maintenance Division	Pass		32	30	57	40
592	592	2720078	Kalpesh Anil Kamble	Assistant Engineer (Civil)	Kalyan Civil Const cum Maintenance Division	Pass		39	37	49	56
593	593	2325586	Mr. Navnath Dattatraya Atole	Deputy Executive Engineer (Civil)	Bhandup Civil Division	Pass		E	E	40	E
594	594	2302535	Mr. Rhishikesh Yashwant Lokhande	Additional Executive Engineer (Civil)	Ratnagiri Civil Division	Absent		E	E	Ab	E
595	595	2344815	Shri Jayant Dattatraya Choudhary	Deputy Executive Engineer (Civil)	Ratnagiri Civil Sub-Division	Pass		29	40	46	50

Handwritten signature/initials




CIN: U40109MH20058GC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 423105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: ambrexan@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
596	596	2755289	Prajat Prabhakar Hade	Assistant Engineer (Civil Sub Division)	AMARAVATI CCCM	E - 1,2,4		35	40	Ab	67
597	597	2722429	Umesh Laxman Shelke	Assistant Engineer (Civil Division)	Akola CCCM	E - 1,2,4		36	44	Ab	67
598	598	2467836	Mr. Ashish Atmaram Khandare	Assistant Engineer (Civil CCCM Division)	Ballarshah	E - 1,2		25	41	Ab	36
599	599	2462966	Mr. Amol Namdeo rao Surjuse	Assistant Engineer (Civil Division)	Akola CCCM	E - 1,2		39	43	Ab	42
600	600	2248531	Shri Rajesh Kisanrao Bihar	Assistant Engineer (Civil Division)	Akola CCCM	E - 1,2,4		32	46	Ab	45
601	601	2569671	Mr. Rohan Ashok Karhade	Assistant Engineer (Civil Sub Division)	Buldhana cccm	E - 1,2,4		28	46	Ab	64
602	602	2719029	Amit Surendrasing Gurunasingani	Junior Engineer (Civil Sub Division)	Buldhana cccm	Absent		Ab	Ab	Ab	Ab

[Handwritten signature]



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

ISO 9001:2008
Email: ambrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
603	603	2620910	Mr. Pratik Narendra Bhiwade	Assistant Engineer(Civil,CCCM Division)	Ballarshah	E - 1,2,4		28	38	Ab	55
604	604	2320738	Mr. Sameer Dhanraj Garmade	Deputy Executive Engineer(Civil)	Gondia cccm Sub Division	Fail, E - 1,2		38	46	Ab	Ab
605	605	2589222	Mr. Bharat Madhukar Anjankar	Assistant Engineer(Civil,Circle)	Nagpur CCCM	Fail		E	E	36	E
606	606	2403137	Shri Miraj Ashokrao Girdhar	Additional Executive Engineer(Civil)	Nagpur CCCM Circle	Fail, E - 1,2,4		34	36	24	56

The result is available on websites of the Company. Necessary entries may please be taken in service book and HRMS data of the concerned employees on the basis of result published on Internet.

Dy. GENERAL MANAGER (HR) T&S
ENCLAHARE