

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (E) S/DN-I[166] BU 4166

Substation No/ Name :- 283045 / BAJI PRABHU

Feeder No / Name : 302 / Ganesh Mandir

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .961 | 1.105 | | 1.1431 | 1.1088 | 1.0669 | 1.1458 |
| 2 | .8871 | 1.0288 | | .9907 | .961 | .9907 | .9979 |
| 3 | .8131 | .9145 | | .9145 | .8501 | .8764 | .8871 |
| 4 | .7392 | .8383 | | .8383 | .7762 | .7621 | .8131 |
| 5 | .7023 | .7621 | | .7621 | .7392 | .8002 | .7762 |
| 6 | .7023 | .7621 | | .7621 | .7762 | .6859 | .7392 |
| 7 | .7023 | .724 | | .8002 | .7392 | .724 | .7392 |
| 8 | .7392 | .6859 | | .7621 | .8131 | .724 | .7392 |
| 9 | .7888 | .823 | | .924 | .9145 | .7762 | .823 |
| 10 | 1.1317 | 1.166 | | 1.2567 | 1.1431 | .9979 | 1.0974 |
| 11 | | 1.5432 | | 1.6263 | 1.5623 | 1.3676 | 1.3375 |
| 12 | | 1.6461 | | 5.4702 | 1.7147 | 1.5524 | 1.3717 |
| 13 | | 1.5432 | | 5.0267 | 1.7528 | 1.5524 | 1.3717 |
| 14 | | 1.4746 | | 1.5524 | 1.5623 | 1.3676 | 1.3717 |
| 15 | | | | 1.6263 | 1.6385 | 1.4784 | 1.4403 |
| 16 | 1.8671 | | | 1.5893 | 1.5623 | 1.4045 | 1.3375 |
| 17 | 2.1338 | | | 1.6263 | 1.6004 | 1.3676 | 1.4098 |
| 18 | 2.0576 | | | 1.5893 | 1.6004 | 1.4784 | 1.4098 |
| 19 | 2.0195 | | 2.0195 | 1.7372 | 1.7909 | 1.5893 | 1.448 |
| 20 | 1.9433 | | 1.9052 | 1.7372 | 1.829 | 1.7372 | 1.448 |
| 21 | 1.7909 | | 1.829 | 1.6263 | 1.6385 | 1.5893 | 1.2936 |
| 22 | 1.2955 | | 1.3717 | 1.2197 | 1.3336 | 1.2936 | 1.1458 |
| 23 | 1.2193 | | 1.3717 | 1.2197 | 1.2574 | 1.2197 | 1.1827 |
| 24 | 1.1458 | 1.2955 | | 1.3717 | 1.2567 | 1.2193 | 1.2567 |
| Max | 2.1338 | 1.6461 | 2.0195 | 5.4702 | 1.829 | 1.7372 | 1.448 |
| Min | .7023 | .6859 | 1.3717 | .7621 | .7392 | .6859 | .7392 |
| Avg | 1.2442 | 1.0875 | 1.6994 | 1.5905 | 1.2884 | 1.1926 | 1.1493 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (E) S/DN-I[166] BU 4166

Substation No/ Name :- 283045 / BAJI PRABHU

Feeder No / Name : 305 / Tilak Nagar

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.922 | 2.1338 | 2.1807 | 2.2862 | 2.1068 | 2.0195 | 2.0328 |
| 2 | 1.7372 | 1.829 | 1.848 | 2.21 | 1.8111 | 1.9052 | 1.8111 |
| 3 | 1.5893 | 1.6766 | 1.5524 | 1.7528 | 1.6263 | 1.7909 | 1.6263 |
| 4 | 1.4415 | 1.5242 | 1.4045 | 1.6004 | 1.5154 | 1.6766 | 1.5154 |
| 5 | 1.2936 | 1.4861 | 1.3306 | 1.5242 | 1.4415 | 1.2193 | 1.4415 |
| 6 | 1.2197 | 1.448 | 1.3306 | 1.448 | 1.4415 | 1.3336 | 1.3676 |
| 7 | 1.2936 | 1.448 | 1.3676 | 1.448 | 1.4415 | 1.3717 | 1.3676 |
| 8 | 1.4045 | 1.406 | 1.5154 | 1.5242 | 1.5524 | 1.4861 | 1.5524 |
| 9 | 1.3717 | 1.4746 | 1.4403 | 1.5524 | 1.5242 | 1.3306 | 1.3375 |
| 10 | 1.8861 | 1.8519 | 1.8861 | 2.0698 | 1.9052 | 1.6263 | 1.7833 |
| 11 | 2.4691 | 1.989 | 2.4691 | 2.6612 | 2.553 | 2.2546 | 2.1262 |
| 12 | 2.6063 | 2.4691 | 2.5034 | 2.6612 | 2.7054 | 2.3285 | 2.2291 |
| 13 | 2.5034 | 2.5377 | 2.572 | 2.6612 | 2.6673 | 2.3285 | 2.2634 |
| 14 | 2.332 | 2.2634 | 2.5034 | 2.7351 | 2.5149 | 2.1807 | 2.2634 |
| 15 | 2.3663 | | 2.4691 | 2.6242 | 2.3624 | 2.2546 | 2.2291 |
| 16 | 2.4006 | 2.6612 | 2.6292 | 2.4394 | 2.2481 | 2.2546 | 2.0576 |
| 17 | 2.4768 | 2.5873 | 2.7816 | 2.4764 | 2.4006 | 2.2177 | 2.21 |
| 18 | 2.5149 | 2.6612 | 2.8197 | 2.5133 | 2.4768 | 2.3285 | 2.2481 |
| 19 | 2.7435 | 2.7721 | 2.9721 | 2.6612 | 2.6292 | 2.5133 | 2.2481 |
| 20 | 2.8578 | 2.809 | 3.4294 | 2.7351 | 2.7054 | 2.6242 | 2.4006 |
| 21 | 2.4768 | 2.5133 | 2.8197 | 2.5133 | 2.5149 | 2.4764 | 2.2862 |
| 22 | 2.0576 | 2.0698 | 2.3243 | 2.0328 | 2.1338 | 2.1807 | 2.0328 |
| 23 | 2.1338 | 2.4025 | 2.4768 | 2.1807 | 2.1338 | 2.2916 | 2.1807 |
| 24 | 2.2177 | 2.2481 | 2.3285 | 2.4006 | 2.2546 | 2.2481 | 2.3285 |
| Max | 2.8578 | 2.809 | 3.4294 | 2.7351 | 2.7054 | 2.6242 | 2.4006 |
| Min | 1.2197 | 1.406 | 1.3306 | 1.448 | 1.4415 | 1.2193 | 1.3375 |
| Avg | 2.0548 | 2.0983 | 2.2064 | 2.1963 | 2.1111 | 2.0101 | 1.9558 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (E) S/DN-I[166] BU 4166

Substation No/ Name :- 283045 / BAJI PRABHU

Feeder No / Name : 306 / Ram Nagar

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 4.7051 | 4.2676 | 4.6571 | 4.8773 | 4.6571 | 4.4963 | 4.8419 |
| 2 | 4.145 | 4.0009 | 4.2135 | 4.2676 | 4.2135 | 4.1914 | 4.4353 |
| 3 | 3.9582 | 4.0009 | 3.77 | 3.8104 | 4.0287 | 3.9247 | 4.0287 |
| 4 | 3.6595 | 3.6961 | 3.5113 | 3.658 | 3.807 | 3.658 | 3.8439 |
| 5 | 3.4355 | 3.5818 | 3.4004 | 3.5056 | 3.6961 | 3.4294 | 3.6222 |
| 6 | 3.2487 | 3.4675 | 3.3634 | 3.5818 | 3.5852 | 3.3532 | 3.4743 |
| 7 | 3.0247 | 3.315 | 3.1417 | 3.4294 | 3.1417 | 3.0483 | 3.2526 |
| 8 | 2.9127 | 2.7435 | 3.0308 | 3.2769 | 3.1047 | 2.934 | 3.0678 |
| 9 | 2.7092 | 2.6406 | 2.6063 | 3.0994 | 3.0483 | 2.9199 | 2.6406 |
| 10 | 2.7778 | 2.6063 | 2.7092 | 3.2114 | 3.0864 | 2.9569 | 2.7778 |
| 11 | 2.8807 | 2.7092 | 2.8121 | 3.2861 | 3.2769 | 3.2156 | 2.7435 |
| 12 | 2.915 | 2.915 | 3.0178 | 3.4728 | 3.5437 | 3.4374 | 2.9492 |
| 13 | 2.7778 | 3.0178 | 3.0864 | 3.4374 | 3.4294 | 3.4004 | 2.9835 |
| 14 | 2.9835 | 3.0864 | 3.2236 | 3.5113 | 3.3532 | 3.4374 | 3.0521 |
| 15 | 3.1207 | | 3.2579 | 3.8462 | 3.4675 | 3.807 | 3.155 |
| 16 | 3.2769 | 4.1823 | 3.4675 | 3.5113 | 3.3532 | 3.6961 | 3.0521 |
| 17 | 3.0864 | 3.5113 | 3.658 | 3.3634 | 3.2007 | 3.733 | 3.2769 |
| 18 | 3.0483 | 3.1417 | 3.4294 | 2.9938 | 3.2007 | 3.4743 | 3.1245 |
| 19 | 3.315 | 3.4743 | 3.8866 | 3.3265 | 3.315 | 3.6591 | 3.315 |
| 20 | 3.8866 | 3.8439 | 4.3058 | 3.8809 | 3.7723 | 4.1027 | 4.0771 |
| 21 | 4.0771 | 4.1396 | 4.5344 | 4.1766 | 4.2295 | 4.4353 | 4.2295 |
| 22 | 4.3439 | 4.4723 | 4.9535 | 4.6201 | 4.3058 | 4.6571 | 4.5831 |
| 23 | 5.1059 | 5.1376 | 5.5251 | 5.1006 | 4.6868 | 5.1745 | 5.1745 |
| 24 | 5.2652 | 5.3346 | 5.3593 | 5.5632 | 5.3224 | 4.8773 | 5.3963 |
| Max | 5.2652 | 5.3346 | 5.5251 | 5.5632 | 5.3224 | 5.1745 | 5.3963 |
| Min | 2.7092 | 2.6063 | 2.6063 | 2.9938 | 3.0483 | 2.9199 | 2.6406 |
| Avg | 3.5275 | 3.6211 | 3.7050 | 3.7837 | 3.7011 | 3.7508 | 3.6291 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (E) S/DN-I[166] BU 4166

Substation No/ Name :- 283045 / BAJI PRABHU

Feeder No / Name : 309 / Nalanda

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .4854 | .5335 | .4481 | .5335 | .5228 | .4191 | .4481 |
| 2 | .4108 | .4572 | .4108 | .4572 | .4481 | .381 | .3734 |
| 3 | .4108 | .4191 | .3734 | .4191 | .3734 | .381 | .3734 |
| 4 | .4108 | .4191 | .3734 | .381 | .3734 | .3429 | .3361 |
| 5 | .3734 | .381 | .3361 | .381 | .3361 | .3429 | .3361 |
| 6 | .3734 | .381 | .3361 | .3429 | .3361 | .3429 | .3361 |
| 7 | .3734 | .3429 | .3734 | .381 | .3361 | .3429 | .4108 |
| 8 | .4481 | | .4481 | .4191 | .4108 | .381 | .4481 |
| 9 | .6516 | .5144 | .5487 | .5601 | .5716 | .4108 | .5487 |
| 10 | .9602 | .7545 | .8573 | .8215 | .7621 | .7468 | .7202 |
| 11 | 1.4403 | .9602 | 1.0631 | 1.1576 | 1.1812 | .9709 | .8573 |
| 12 | 1.3375 | .9945 | 1.1317 | 1.1576 | 1.1431 | 1.0082 | .7202 |
| 13 | | 1.1317 | 1.3032 | 1.307 | 1.3717 | 1.2696 | 1.0631 |
| 14 | | 1.0288 | 1.0288 | 1.0456 | 1.0669 | .9335 | .6859 |
| 15 | 1.2689 | 1.1203 | 1.2346 | 1.0829 | 1.1431 | 1.0829 | 1.0631 |
| 16 | 1.2574 | 1.0829 | 1.1431 | 1.1576 | 1.0288 | 1.0829 | .9945 |
| 17 | 1.105 | 1.0456 | 1.1812 | 1.1949 | 1.2574 | 1.1203 | .9907 |
| 18 | 1.105 | 1.1949 | 1.2574 | 1.1576 | 1.2955 | 1.0082 | 1.0288 |
| 19 | 1.2574 | 1.3443 | 1.448 | 1.307 | 1.4098 | 1.3817 | 1.1431 |
| 20 | 1.2574 | 1.2696 | 1.3336 | 1.2323 | 1.3336 | 1.419 | 1.1812 |
| 21 | 1.2574 | 1.1949 | 1.3717 | 1.1203 | 1.1431 | 1.1576 | 1.105 |
| 22 | .8764 | .9335 | .8764 | .8589 | 1.0669 | .9709 | .8962 |
| 23 | .7621 | .7095 | .8002 | .7468 | .724 | .7842 | .7468 |
| 24 | .5975 | .6097 | .5228 | .5716 | .6348 | .6478 | .6348 |
| Max | 1.4403 | 1.3443 | 1.448 | 1.307 | 1.4098 | 1.419 | 1.1812 |
| Min | .3734 | .3429 | .3361 | .3429 | .3361 | .3429 | .3361 |
| Avg | .8373 | .8184 | .8417 | .8248 | .8446 | .7887 | .7267 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (E) S/DN-I[166] BU 4166

Substation No/ Name :- 283045 / BAJI PRABHU

Feeder No / Name : 312 / Datta Nagar

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.9548 | 3.8104 | 4.2353 | 4.4201 | 4.0905 | 4.3058 | 4.4627 |
| 2 | 3.5113 | 3.6961 | 4.1991 | 4.3439 | 3.7647 | 3.8104 | 3.9506 |
| 3 | 3.2526 | 3.3532 | 3.7285 | 3.8104 | 3.5113 | 3.7342 | 3.6214 |
| 4 | 3.1047 | 3.2007 | 3.5113 | 3.6199 | 3.3303 | 3.5056 | 3.4385 |
| 5 | 2.8829 | 3.0483 | 3.1786 | 3.4294 | 3.1131 | 3.315 | 3.2556 |
| 6 | 2.6981 | 3.4294 | 2.9321 | 3.0864 | 2.9683 | 3.2007 | 3.1459 |
| 7 | 2.4394 | 2.5034 | 2.7149 | 2.9721 | 2.8597 | 2.934 | 2.963 |
| 8 | 2.5289 | 2.4691 | 2.6787 | 3.0102 | 2.6787 | 2.8578 | 2.8898 |
| 9 | 2.1605 | 2.332 | 2.4348 | 2.7149 | 2.8959 | 2.6425 | 2.572 |
| 10 | 2.2291 | 2.2977 | 2.5034 | 2.5701 | 2.8578 | 2.6703 | 2.4348 |
| 11 | 2.2977 | 2.2291 | 2.2291 | 2.5339 | 2.7435 | 2.6337 | 2.4006 |
| 12 | 2.1605 | 2.2291 | 2.4691 | 2.5339 | 2.6673 | 2.7435 | 2.4691 |
| 13 | 2.332 | 2.4006 | 2.6749 | 2.6063 | 2.7054 | 2.8898 | 2.6749 |
| 14 | 2.4006 | 2.5034 | 2.915 | 2.8235 | 1.3336 | 3.1824 | 2.7778 |
| 15 | 2.6063 | 2.9683 | 3.155 | 3.0407 | 3.2769 | 3.4751 | 3.0178 |
| 16 | 2.6673 | 2.8235 | 3.2007 | 2.8235 | 3.2388 | 3.2556 | 2.8464 |
| 17 | 2.4768 | 2.5133 | 3.2388 | 2.5701 | 2.934 | 3.0361 | 2.934 |
| 18 | 2.3243 | 2.6425 | 2.934 | 2.6425 | 3.1245 | 3.0361 | 3.0102 |
| 19 | 2.7435 | 2.8959 | 3.2769 | 2.9683 | 3.2769 | 3.2922 | 3.2769 |
| 20 | 3.1245 | 3.2579 | 3.6961 | 3.3665 | 3.4675 | 3.4385 | 3.7723 |
| 21 | 3.315 | 3.5837 | 3.8485 | 3.6199 | 3.9628 | 3.9918 | 3.9247 |
| 22 | 3.6961 | 4.0181 | 4.382 | 3.9457 | 4.1152 | 4.1701 | 4.2433 |
| 23 | 4.2676 | 4.6201 | 4.9535 | 4.3077 | 4.5344 | 4.6822 | 4.5725 |
| 24 | 4.5092 | 4.5344 | 4.6696 | 4.8773 | 4.4163 | 4.6487 | 4.792 |
| Max | 4.5092 | 4.6201 | 4.9535 | 4.8773 | 4.5344 | 4.6822 | 4.792 |
| Min | 2.1605 | 2.2291 | 2.2291 | 2.5339 | 1.3336 | 2.6337 | 2.4006 |
| Avg | 2.9035 | 3.0567 | 3.3233 | 3.2766 | 3.2445 | 3.3938 | 3.3103 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (W) SN-III[167] BU 4167

Substation No/ Name :- 283067 / Anand Nagar

Feeder No / Name : 310 / Phule Road

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .7888 | .7888 | .823 | .8573 | .9335 | .823 | .8573 |
| 2 | .7202 | .7545 | .6859 | .6516 | .7842 | .823 | .7888 |
| 3 | .7202 | .6859 | .6859 | .6859 | .7095 | .7888 | .7202 |
| 4 | .6859 | .6173 | .6173 | .6173 | .6348 | .6516 | .7202 |
| 5 | .6516 | .6173 | .6173 | .583 | .6348 | .583 | .6859 |
| 6 | .6173 | .6173 | .583 | .6173 | .6722 | .5487 | .6516 |
| 7 | .5487 | .5487 | .583 | .6173 | .6348 | .5487 | .5487 |
| 8 | .5487 | .5144 | .5144 | .5144 | .5487 | .4801 | .5975 |
| 9 | .5487 | .4801 | .4801 | .5601 | .4801 | .4801 | .5601 |
| 10 | .5487 | .5144 | .5144 | .5601 | .4801 | .4801 | .5975 |
| 11 | .583 | .5144 | .5487 | .5975 | .4801 | .4801 | .5975 |
| 12 | .583 | .5144 | .5487 | .6348 | .5144 | .5144 | .6348 |
| 13 | .583 | .5487 | .583 | .6348 | .5487 | .583 | .5975 |
| 14 | .6173 | .583 | .6516 | .6722 | .583 | .6859 | .6722 |
| 15 | .6859 | .6516 | .7202 | .7468 | .6516 | .7202 | .7095 |
| 16 | .583 | .6859 | .7202 | .7842 | .6516 | .6859 | .7468 |
| 17 | .583 | .5487 | .583 | .5975 | .5144 | .6173 | .5975 |
| 18 | .5487 | .5487 | .583 | .5975 | .5144 | .5487 | .5601 |
| 19 | .5487 | .583 | .6859 | .6722 | .583 | .6173 | .6722 |
| 20 | .6516 | .6516 | .7202 | .7095 | .6859 | .6173 | .7468 |
| 21 | .6859 | .6859 | .823 | .7468 | .7202 | .7202 | .7842 |
| 22 | .7202 | .9945 | .8916 | .8962 | .823 | .8573 | .8962 |
| 23 | .823 | .9602 | .9945 | 1.0456 | .8916 | .8916 | 1.0082 |
| 24 | .8573 | .8916 | .8916 | .8916 | .9335 | .8916 | .8916 |
| Max | .8573 | .9945 | .9945 | 1.0456 | .9335 | .8916 | 1.0082 |
| Min | .5487 | .4801 | .4801 | .5144 | .4801 | .4801 | .5487 |
| Avg | .6430 | .6459 | .6687 | .6871 | .6503 | .6516 | .7018 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (W) SN-III[167] BU 4167

Substation No/ Name :- 283067 / Anand Nagar

Feeder No / Name : 311 / Gaondevi Feeder

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.9547 | 1.8861 | 1.7147 | 1.9204 | 2.1068 | 1.8861 | 2.0576 |
| 2 | 1.8519 | 1.8861 | 1.7147 | 1.7833 | 2.0328 | 1.8176 | 1.989 |
| 3 | 1.749 | 1.8176 | 1.6461 | 1.7833 | 1.885 | 1.6804 | 1.8861 |
| 4 | 1.749 | 1.8176 | 1.5775 | 1.7147 | 1.848 | 1.6804 | 1.8861 |
| 5 | 1.6461 | 1.7147 | 1.5089 | 1.6804 | 1.848 | 1.7147 | 1.7833 |
| 6 | 1.6118 | 1.6804 | 1.4403 | 1.6461 | 1.848 | 1.5775 | 1.749 |
| 7 | 1.3375 | 1.4746 | 1.4403 | 1.5775 | 1.6632 | 1.4746 | 1.6118 |
| 8 | 1.2346 | 1.3375 | 1.3717 | 1.3717 | 1.3717 | 1.3032 | 1.4784 |
| 9 | 1.1317 | 1.166 | 1.2003 | 1.2936 | 1.166 | 1.2346 | 1.3306 |
| 10 | 1.0974 | 1.0631 | 1.1317 | 1.1827 | 1.0974 | 1.166 | 1.2197 |
| 11 | 1.0631 | 1.0288 | 1.0631 | 1.1458 | 1.0974 | 1.1317 | 1.1088 |
| 12 | 1.0631 | 1.0288 | 1.166 | 1.1827 | 1.0631 | 1.2003 | 1.2197 |
| 13 | 1.1317 | 1.2346 | | 1.0719 | 1.1317 | 1.3032 | 1.2567 |
| 14 | 1.1317 | 1.2689 | 1.3032 | 1.4415 | 1.2346 | 1.4746 | 1.4045 |
| 15 | 1.2689 | 1.0631 | 1.3375 | 1.4415 | 1.2346 | 1.4403 | 1.4784 |
| 16 | 1.2003 | 1.2346 | 1.2689 | 1.3306 | 1.2346 | 1.4403 | 1.2936 |
| 17 | 1.0974 | 1.0974 | 1.166 | 1.1827 | 1.0974 | 1.3032 | 1.1827 |
| 18 | 1.1317 | 1.0288 | 1.0974 | 1.1088 | 1.0631 | | 1.1088 |
| 19 | 1.2346 | 1.2346 | 1.5432 | 1.3676 | 1.3375 | 1.406 | 1.4415 |
| 20 | 1.6118 | 1.5432 | 1.749 | 1.7741 | 1.6461 | 1.7147 | 1.848 |
| 21 | 1.7147 | 1.7147 | 1.7833 | 1.8111 | 1.6804 | 1.8176 | 1.848 |
| 22 | 1.749 | 1.989 | 1.8861 | 1.9959 | 1.7833 | 2.1948 | 2.1437 |
| 23 | 2.0233 | 2.1605 | 2.1605 | 2.2916 | 2.0576 | 2.2291 | 2.3655 |
| 24 | | 2.2291 | 1.9204 | 2.0919 | 2.2546 | 2.0233 | 2.1948 |
| Max | 2.0233 | 2.2291 | 2.1605 | 2.2916 | 2.2546 | 2.2291 | 2.3655 |
| Min | 1.0631 | 1.0288 | 1.0631 | 1.0719 | 1.0631 | 1.1317 | 1.1088 |
| Avg | 1.4254 | 1.4875 | 1.4866 | 1.5496 | 1.5326 | 1.5745 | 1.6203 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (W) SN-III[167] BU 4167

Substation No/ Name :- 283067 / Anand Nagar

Feeder No / Name : 312 / Garibacha Wada

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.2579 | 3.3608 | 3.2922 | 3.3265 | 3.3665 | 3.155 | 3.0864 |
| 2 | 3.0178 | 3.0864 | 3.0178 | 3.0521 | 3.1493 | 2.9492 | 2.7778 |
| 3 | 2.915 | 2.8464 | 2.8121 | 2.8121 | 2.9683 | 2.8464 | 2.7778 |
| 4 | 2.6063 | 2.6749 | 2.7092 | 2.7092 | 2.8597 | 2.6749 | 2.6749 |
| 5 | 2.332 | 2.5377 | 2.572 | 2.572 | 2.7511 | 2.3663 | 2.572 |
| 6 | 2.2291 | 2.572 | 2.332 | 2.4348 | 2.7149 | 2.3663 | 2.572 |
| 7 | 2.1262 | 2.332 | 2.3663 | 2.4006 | 2.4253 | 2.1262 | 2.332 |
| 8 | 1.8861 | 2.0576 | 2.1948 | 2.2291 | 2.0919 | 2.1262 | 2.3529 |
| 9 | 1.8176 | 1.8519 | 1.989 | 2.1357 | 1.9547 | 2.0576 | 2.0995 |
| 10 | 1.7833 | 1.7833 | 1.9204 | 2.0995 | 1.9204 | 1.9547 | 2.0271 |
| 11 | | 1.6804 | 1.8519 | 1.9547 | 1.8176 | 1.9547 | 1.9547 |
| 12 | | 1.7833 | 2.1262 | 1.9547 | 1.8519 | 2.0576 | 1.8461 |
| 13 | | 2.2634 | 2.1262 | 1.9909 | 2.0576 | 2.4006 | 2.2081 |
| 14 | | | 2.2291 | 2.3529 | 2.0919 | 2.5034 | 2.3529 |
| 15 | 2.4348 | 2.2291 | 2.2634 | 2.3529 | 1.989 | 2.572 | 2.2805 |
| 16 | 2.2977 | 2.0576 | 2.1948 | 1.9547 | 1.9204 | | 2.1357 |
| 17 | 2.0576 | 1.8861 | 1.989 | 1.9185 | 1.9204 | 2.1948 | 2.0271 |
| 18 | 1.9547 | 1.6804 | 1.8176 | 1.7737 | 1.8519 | 1.9547 | 1.8099 |
| 19 | 2.0233 | 1.9204 | 2.2977 | 2.0271 | 1.989 | 2.1948 | 2.0271 |
| 20 | 2.4348 | 2.1262 | 2.5377 | 2.5339 | 2.3663 | 2.572 | 2.5339 |
| 21 | 2.7435 | 2.6749 | 2.8464 | 2.8235 | 2.6063 | 2.7435 | 2.8959 |
| 22 | 2.8464 | 3.155 | 3.2236 | 3.1131 | 2.8121 | 3.2579 | 3.2579 |
| 23 | 3.2579 | 3.4637 | 1.5089 | 3.5475 | 3.2579 | 3.4979 | 3.7285 |
| 24 | 3.4979 | 3.5322 | 3.5665 | 3.4979 | 3.6199 | 3.4294 | 3.3608 |
| Max | 3.4979 | 3.5322 | 3.5665 | 3.5475 | 3.6199 | 3.4979 | 3.7285 |
| Min | 1.7833 | 1.6804 | 1.5089 | 1.7737 | 1.8176 | 1.9547 | 1.8099 |
| Avg | 2.4760 | 2.4155 | 2.4077 | 2.4820 | 2.4314 | 2.5198 | 2.4871 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (W) SN-III[167] BU 4167

Substation No/ Name :- 283067 / Anand Nagar

Feeder No / Name : 313 / Jai Hind Colony

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.0576 | 1.9204 | 2.1262 | 2.1948 | 2.3167 | 2.0576 | 2.0919 |
| 2 | 1.8861 | 1.7833 | 1.9204 | 1.989 | 1.9909 | 1.8519 | 1.9204 |
| 3 | 1.7147 | 1.7147 | 1.8519 | 1.9204 | 1.8461 | 1.7147 | 1.7833 |
| 4 | 1.6118 | 1.5089 | 1.7147 | 1.749 | 1.7375 | 1.7147 | |
| 5 | 1.5775 | 1.5089 | 1.6461 | 1.6118 | 1.6651 | 1.6118 | |
| 6 | 1.3717 | 1.4403 | 1.5775 | 1.4746 | 1.5565 | 1.4403 | 1.4746 |
| 7 | 1.2346 | 1.3375 | 1.406 | 1.3717 | 1.448 | 1.3032 | 1.448 |
| 8 | 1.2003 | 1.2689 | 1.3032 | 1.406 | 1.3375 | 1.3375 | 1.448 |
| 9 | 1.166 | 1.3375 | 1.2689 | 1.448 | 1.2689 | 1.3375 | 1.4842 |
| 10 | 1.2003 | 1.2346 | 1.3375 | 1.4842 | 1.3032 | 1.3717 | 1.448 |
| 11 | | 1.2346 | 1.6118 | 1.5927 | 1.3717 | 1.4403 | 1.5203 |
| 12 | | 1.4403 | 1.6461 | 1.8099 | 1.7147 | 1.7833 | 1.8099 |
| 13 | | 1.5775 | 1.7833 | 1.7375 | 1.6118 | 1.749 | 1.6289 |
| 14 | 1.5775 | 1.3717 | 1.7147 | 1.6289 | 1.4746 | 1.6804 | 1.5565 |
| 15 | 1.749 | 1.6804 | 1.6461 | 1.5565 | 1.3717 | 1.6804 | 1.5927 |
| 16 | 1.5775 | 1.4746 | 1.5432 | 1.5565 | 1.4403 | 1.7147 | 1.4842 |
| 17 | 1.4746 | 1.406 | 1.406 | 1.448 | 1.3717 | 1.5089 | 1.4118 |
| 18 | 1.4746 | 1.3717 | 1.406 | 1.3756 | 1.3032 | 1.3717 | 1.448 |
| 19 | 1.5089 | 1.5089 | 1.6461 | 1.5565 | 1.5089 | 1.7147 | 1.5927 |
| 20 | 1.6461 | 1.6804 | 1.7833 | 1.7737 | 1.6804 | 1.7833 | 1.8461 |
| 21 | 1.6804 | 1.749 | 1.8861 | 1.8461 | 1.7147 | 1.7833 | 1.9185 |
| 22 | 1.749 | 1.9547 | 2.0576 | 1.7013 | 1.7833 | 2.0576 | 2.0271 |
| 23 | 1.9547 | 2.2291 | 2.2291 | 2.3529 | 1.3717 | 2.2291 | 2.3167 |
| 24 | 2.0919 | 2.1262 | 2.3663 | 2.2634 | 2.4615 | 2.1262 | 2.1948 |
| Max | 2.0919 | 2.2291 | 2.3663 | 2.3529 | 2.4615 | 2.2291 | 2.3167 |
| Min | 1.166 | 1.2346 | 1.2689 | 1.3717 | 1.2689 | 1.3032 | 1.4118 |
| Avg | 1.5955 | 1.5775 | 1.7033 | 1.7020 | 1.6104 | 1.6818 | 1.7021 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (W) SN-III[167] BU 4167

Substation No/ Name :- 283067 / Anand Nagar

Feeder No / Name : 314 / Umeshnagar Feeder

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.0631 | 1.0288 | 1.0288 | 1.0631 | 1.134 | 1.0288 | 1.1317 |
| 2 | .9602 | .9602 | .9945 | 1.0288 | 1.0242 | .9602 | 1.0288 |
| 3 | .8573 | .8573 | .9602 | .9602 | .9145 | .8573 | .8916 |
| 4 | .823 | .823 | .8916 | .9259 | .8413 | .7888 | .823 |
| 5 | .7888 | .823 | | .823 | .8413 | .7888 | .823 |
| 6 | .7888 | .823 | .7888 | .823 | .8779 | .7545 | .823 |
| 7 | .7545 | .7888 | .7888 | .823 | .8413 | .6859 | .7888 |
| 8 | .6859 | .6859 | .6516 | .6859 | .6516 | .7202 | .7316 |
| 9 | .5487 | .6173 | .6173 | .695 | .6516 | .6859 | .695 |
| 10 | .583 | .583 | .6173 | .6584 | .6173 | .6516 | .6584 |
| 11 | .583 | .583 | .6173 | .6584 | .583 | .6516 | .6584 |
| 12 | .6516 | .6173 | .6173 | .6584 | .6173 | .6859 | .6584 |
| 13 | .583 | .6516 | .6859 | .695 | .6173 | .7888 | .695 |
| 14 | .6173 | .6859 | .7202 | .6584 | .6516 | .7888 | .695 |
| 15 | .6516 | .7202 | .7545 | .5853 | .6173 | .823 | .7682 |
| 16 | .6173 | .6859 | .6516 | .5487 | .6516 | | .695 |
| 17 | .583 | .7202 | .6173 | .6584 | .6173 | .6859 | .6219 |
| 18 | .6173 | .583 | .6173 | .6584 | .583 | .6516 | .6219 |
| 19 | .6516 | .6859 | .823 | .7682 | .7202 | .7888 | .7316 |
| 20 | .7888 | .7202 | .8573 | .8779 | .823 | .823 | .9145 |
| 21 | .7888 | .8573 | .9602 | .9511 | .8573 | .8916 | .9877 |
| 22 | .8573 | 1.0288 | 1.2003 | 1.0242 | .9602 | 1.0631 | 1.0608 |
| 23 | 1.0288 | 1.0974 | 1.2003 | 1.1706 | 1.0974 | 1.1317 | 1.2437 |
| 24 | 1.1317 | 1.1317 | 1.2003 | 1.166 | 1.2071 | 1.1317 | |
| Max | 1.1317 | 1.1317 | 1.2003 | 1.1706 | 1.2071 | 1.1317 | 1.2437 |
| Min | .5487 | .583 | .6173 | .5487 | .583 | .6516 | .6219 |
| Avg | .7502 | .7816 | .8201 | .8152 | .7916 | .8186 | .8151 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (W) SN-III[167] BU 4167

Substation No/ Name :- 283067 / Anand Nagar

Feeder No / Name : 315 / 22 KV Subhash Road

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.5034 | 2.6063 | 2.7092 | 2.915 | 2.9264 | 2.7092 | 2.7435 |
| 2 | 2.4006 | 2.4006 | 2.4348 | 3.2922 | 2.4508 | 2.2634 | 2.5377 |
| 3 | 2.1948 | 2.1605 | 2.2977 | 2.3663 | 2.3045 | 2.1605 | 2.4006 |
| 4 | 2.0233 | 1.9204 | 2.0576 | 2.2291 | 2.1948 | 2.0233 | 2.0576 |
| 5 | 1.7833 | 1.7833 | 1.8861 | 2.0576 | 2.1216 | 1.9204 | 1.9204 |
| 6 | 1.6461 | 1.749 | 1.8176 | 1.8861 | 1.9387 | 1.7147 | 1.8176 |
| 7 | 1.5432 | 1.5775 | 1.6804 | 1.7147 | 1.829 | 1.6461 | 1.6804 |
| 8 | | 1.5775 | 1.5775 | 1.6118 | 1.6804 | 1.5775 | 1.6827 |
| 9 | | 1.5089 | 1.6461 | 1.9387 | 1.6461 | 1.5775 | 1.7924 |
| 10 | 1.7147 | 1.3717 | 1.749 | 1.8656 | 1.7147 | 1.5775 | 1.829 |
| 11 | 1.749 | 1.6461 | 1.8519 | 1.9753 | 1.6804 | 1.6804 | 1.8656 |
| 12 | 1.6804 | 1.6804 | 1.8519 | 1.9387 | | 1.7147 | 1.9387 |
| 13 | 1.7833 | 1.749 | 1.8861 | 2.0119 | 1.7147 | 1.9204 | 1.829 |
| 14 | 1.8176 | 1.7833 | 1.989 | 2.0851 | 1.9204 | 2.1605 | 1.9753 |
| 15 | 1.9204 | 2.0233 | 2.0576 | 2.1582 | 2.0233 | 2.2291 | 2.2314 |
| 16 | 1.8176 | 2.1262 | 2.2291 | 2.2314 | 2.0576 | 2.2634 | 2.2314 |
| 17 | 1.8861 | 1.749 | 2.0233 | 1.9753 | 1.7147 | 1.7833 | 1.8656 |
| 18 | 1.8176 | 1.6118 | 1.8519 | 1.7924 | 1.5089 | 1.7147 | 1.7558 |
| 19 | 1.8176 | 1.8861 | 2.0919 | 2.0119 | 1.8519 | 2.0576 | 2.0119 |
| 20 | 1.9547 | 1.989 | 2.2291 | 2.1948 | 2.0233 | 2.0919 | 2.1948 |
| 21 | 2.0576 | 2.1262 | 2.332 | 2.268 | 2.0576 | | 2.3411 |
| 22 | 2.1948 | 2.7092 | 3.0178 | 2.7801 | 2.4006 | 2.6749 | 2.6703 |
| 23 | 2.6749 | 2.9835 | 3.0178 | 3.1459 | 2.7435 | 2.9492 | 3.0727 |
| 24 | 2.8807 | 2.915 | 2.9492 | 3.0178 | 3.1824 | 2.8121 | 2.8807 |
| Max | 2.8807 | 2.9835 | 3.0178 | 3.2922 | 3.1824 | 2.9492 | 3.0727 |
| Min | 1.5432 | 1.3717 | 1.5775 | 1.6118 | 1.5089 | 1.5775 | 1.6804 |
| Avg | 1.9937 | 1.9847 | 2.1348 | 2.2277 | 2.0733 | 2.0531 | 2.1386 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI WEST IISDN[720] BU 4720

Substation No/ Name :- 283211 / MSEB Colony Switching
StationFeeder No / Name : 305 / Gograswadi
Feeder KV- 22 / OUTGOING

SHEDDABLE URBAN

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.0102 | 3.0864 | 3.0483 | 3.1626 | 3.0864 | 3.0483 | 3.0864 |
| 2 | 2.5911 | 2.7054 | 2.7816 | 2.8578 | 2.7435 | 2.7054 | 2.8578 |
| 3 | 2.3243 | 2.3624 | 2.5149 | 2.553 | 2.7435 | 2.4006 | 2.6292 |
| 4 | 2.2862 | 2.2862 | 2.2862 | 2.3243 | 2.2862 | 2.21 | 2.4006 |
| 5 | 2.0957 | 2.0957 | 2.1338 | 2.1338 | 2.0957 | 2.0576 | 2.1338 |
| 6 | 1.9052 | 1.9814 | 2.0195 | 1.9814 | 1.9433 | 1.9052 | 2.0195 |
| 7 | 1.7909 | 1.9052 | 1.9433 | 1.9433 | 1.8671 | 1.7528 | 1.8671 |
| 8 | 1.7528 | 1.829 | 1.8671 | 1.9814 | 1.9433 | 1.7147 | 1.8671 |
| 9 | 1.5623 | 1.7528 | 1.829 | 1.9433 | 1.7909 | 1.7528 | 1.7528 |
| 10 | 1.7147 | 1.6385 | 1.7528 | 1.9052 | 1.7147 | 1.7147 | 1.6385 |
| 11 | 1.6385 | 1.5623 | 1.7147 | 1.7909 | 1.7147 | 1.7528 | 1.6766 |
| 12 | 1.6766 | 1.6766 | 1.7909 | | 1.7528 | 1.8671 | 1.7147 |
| 13 | 1.6385 | 1.7909 | 1.7909 | | 1.7909 | 1.8671 | 1.829 |
| 14 | 1.6766 | 1.8671 | 2.0195 | | 1.8671 | 2.1338 | 1.9814 |
| 15 | 1.7147 | 2.0957 | 2.0957 | 2.553 | 1.9433 | 2.3243 | 2.0576 |
| 16 | 1.7147 | 1.829 | 1.8671 | 2.1338 | 1.7528 | 2.1719 | 1.829 |
| 17 | 1.5623 | 1.6766 | 1.7909 | 1.829 | 1.6385 | 1.9814 | 1.6385 |
| 18 | 1.5242 | 1.6766 | 1.7147 | 1.7528 | 1.829 | 1.7909 | 1.4861 |
| 19 | 1.7909 | 1.7528 | 1.8671 | 2.0195 | 1.8671 | 2.0957 | 1.7909 |
| 20 | 2.0195 | 2.1338 | 2.3243 | 2.1719 | 2.0957 | 2.2481 | 2.1338 |
| 21 | 2.21 | 2.2481 | 2.4387 | 2.2862 | 2.2862 | 2.4387 | 2.4006 |
| 22 | 2.4387 | 2.5149 | 2.7435 | 2.553 | 2.4006 | 2.5911 | 2.5911 |
| 23 | 2.9721 | 3.1245 | 3.2007 | | 2.8959 | 3.1245 | 3.1626 |
| 24 | 3.315 | 3.2769 | 3.3913 | 3.5056 | 3.2388 | 3.2769 | 3.3532 |
| Max | 3.315 | 3.2769 | 3.3913 | 3.5056 | 3.2388 | 3.2769 | 3.3532 |
| Min | 1.5242 | 1.5623 | 1.7147 | 1.7528 | 1.6385 | 1.7147 | 1.4861 |
| Avg | 2.0386 | 2.1195 | 2.2053 | 2.2691 | 2.137 | 2.2053 | 2.1624 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI WEST IISDN[720] BU 4720

Substation No/ Name :- 283211 / MSEB Colony Switching
Station

Feeder No / Name : 306 / KARADE BRAHAMAN

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.7909 | 1.7528 | 1.829 | 1.8671 | 1.7909 | 1.7147 | 1.7147 |
| 2 | 1.5242 | 1.5623 | 1.6766 | 1.6766 | 1.5242 | 1.448 | 1.5242 |
| 3 | 1.4098 | 1.448 | 1.4861 | 1.4861 | 1.5242 | 1.2574 | 1.3717 |
| 4 | 1.1812 | 1.2574 | 1.3717 | 1.4098 | 1.4861 | 1.1812 | 1.2574 |
| 5 | 1.1812 | 1.1431 | 1.1812 | 1.2193 | 1.448 | 1.0669 | 1.0669 |
| 6 | 1.0288 | .9907 | 1.105 | 1.0669 | 1.1812 | 1.0288 | .9907 |
| 7 | .9907 | .9526 | 1.0288 | 1.0288 | 1.0288 | .8764 | .9526 |
| 8 | .9907 | .9526 | .9907 | 1.0288 | .9526 | .8764 | .9526 |
| 9 | 1.0288 | .9526 | .9907 | 1.1431 | .9526 | .9145 | .9907 |
| 10 | 1.105 | 1.0669 | 1.2193 | 1.2193 | 1.0669 | .9526 | .9907 |
| 11 | 1.1431 | 1.1431 | 1.2574 | 1.2574 | 1.1431 | 1.0288 | .9907 |
| 12 | 1.2193 | 1.1431 | 1.2955 | | 1.105 | 1.0669 | 1.1431 |
| 13 | 1.2193 | 1.2955 | 1.448 | | 1.1812 | 1.1812 | 1.1812 |
| 14 | 1.1812 | 1.4098 | 1.4861 | | 1.2574 | 1.2574 | 1.2955 |
| 15 | 1.3717 | 1.4861 | 1.5242 | 1.8671 | 1.2574 | 1.4098 | 1.2574 |
| 16 | 1.3336 | 1.3717 | 1.3336 | 1.5623 | 1.1812 | 1.3336 | 1.1431 |
| 17 | 1.105 | 1.2574 | 1.3336 | 1.4098 | 1.0669 | 1.1812 | 1.0669 |
| 18 | 1.0669 | 1.1812 | 1.2955 | 1.2193 | 1.1431 | 1.0288 | .9907 |
| 19 | 1.1431 | 1.1431 | 1.2193 | 1.2955 | 1.1431 | 1.1431 | 1.0669 |
| 20 | 1.2574 | 1.2955 | 1.4098 | 1.3717 | 1.2193 | 1.2574 | 1.2574 |
| 21 | 1.2955 | 1.3717 | 1.4861 | 1.3717 | 1.2574 | 1.2574 | 1.3336 |
| 22 | 1.4861 | 1.5623 | 1.7147 | 1.3717 | 1.448 | 1.4098 | 1.5242 |
| 23 | 1.829 | 1.9814 | 2.0195 | | 1.6004 | 1.8671 | 1.9052 |
| 24 | 1.9433 | 1.9814 | 2.0957 | 1.9052 | 1.8671 | 1.829 | 1.9433 |
| Max | 1.9433 | 1.9814 | 2.0957 | 1.9052 | 1.8671 | 1.8671 | 1.9433 |
| Min | .9907 | .9526 | .9907 | 1.0288 | .9526 | .8764 | .9526 |
| Avg | 1.2844 | 1.3209 | 1.4083 | 1.3889 | 1.2844 | 1.2320 | 1.2463 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI WEST IISDN[720] BU 4720

Substation No/ Name :- 283211 / MSEB Colony Switching
Station

Feeder No / Name : 308 / STAR COLONY

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.6766 | 1.7909 | 1.829 | 1.7528 | 1.7909 | 1.7528 | 1.7909 |
| 2 | 1.5242 | 1.6004 | 1.6004 | 1.6385 | 1.6004 | 1.5623 | 1.6385 |
| 3 | 1.4098 | 1.3336 | 1.4861 | 1.448 | 1.5242 | 1.448 | 1.5242 |
| 4 | 1.1812 | 1.2955 | 1.4098 | 1.3336 | 1.3336 | 1.2955 | 1.4098 |
| 5 | 1.1431 | 1.2955 | 1.2955 | 1.2193 | 1.1812 | 1.2193 | 1.2193 |
| 6 | 1.105 | 1.1812 | 1.1812 | 1.2193 | 1.1812 | 1.1812 | 1.1812 |
| 7 | 1.105 | 1.105 | 1.1812 | 1.1812 | 1.1431 | 1.1431 | 1.2193 |
| 8 | 1.105 | 1.105 | 1.1812 | 1.1431 | 1.105 | 1.1812 | 1.1812 |
| 9 | 1.1431 | 1.2193 | 1.2193 | 1.2955 | 1.0669 | 1.1812 | 1.2193 |
| 10 | 1.2193 | 1.2574 | 1.2955 | 1.3336 | 1.1812 | 1.2955 | 1.2193 |
| 11 | 1.2955 | 1.2574 | 1.2955 | 1.3717 | 1.2193 | 1.2955 | 1.2193 |
| 12 | 1.2955 | 1.2574 | 1.4098 | | 1.2955 | 1.3336 | 1.3336 |
| 13 | 1.3336 | 1.2955 | 1.3717 | | 1.3336 | 1.4098 | 1.3336 |
| 14 | 1.2955 | 1.3717 | 1.4098 | | 1.3717 | 1.5242 | 1.4098 |
| 15 | 1.3717 | 1.4861 | 1.5242 | 1.1812 | 1.4861 | 1.6385 | 1.6004 |
| 16 | 1.3717 | 1.4098 | 1.4861 | 1.7147 | 1.448 | 1.6004 | 1.4098 |
| 17 | 1.3336 | 1.448 | 1.4098 | 1.5623 | 1.2955 | 1.448 | 1.3336 |
| 18 | 1.2574 | 1.3336 | 1.3336 | 1.4098 | 1.3336 | 1.4098 | 1.2193 |
| 19 | 1.3336 | 1.3717 | 1.4098 | 1.3717 | 1.4098 | 1.5242 | 1.2574 |
| 20 | 1.4861 | 1.5242 | 1.5623 | 1.5623 | 1.4861 | 1.5623 | 1.4098 |
| 21 | 1.6004 | 1.5623 | 1.5623 | 1.6004 | 1.5623 | 1.5623 | 1.5242 |
| 22 | 1.6385 | 1.6385 | 1.7528 | 1.6004 | 1.6385 | 1.7147 | 1.6766 |
| 23 | 1.829 | 1.9052 | 1.9433 | 1.7909 | 1.829 | 1.9433 | 1.9814 |
| 24 | 1.9052 | 1.9433 | 2.0576 | 1.9814 | 1.7909 | 1.9052 | 2.0195 |
| Max | 1.9052 | 1.9433 | 2.0576 | 1.9814 | 1.829 | 1.9433 | 2.0195 |
| Min | 1.105 | 1.105 | 1.1812 | 1.1431 | 1.0669 | 1.1431 | 1.1812 |
| Avg | 1.3733 | 1.4162 | 1.4670 | 1.4625 | 1.4003 | 1.4638 | 1.4305 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI WEST IISDN[720] BU 4720

Substation No/ Name :- 283211 / MSEB Colony Switching
StationFeeder No / Name : 309 / MAHAVIR COLONY/NAGAR
Feeder KV- 22 / OUTGOING

SHEDDABLE URBAN

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.3717 | 1.3336 | 3.4675 | 1.448 | 1.5623 | 1.4861 | 1.5242 |
| 2 | 1.1812 | 1.2574 | 3.1245 | 1.2955 | 1.4098 | 1.3336 | 1.3717 |
| 3 | 1.1431 | 1.1431 | 2.7435 | 1.1431 | 1.1431 | 1.2574 | 1.2955 |
| 4 | 1.1431 | 1.0669 | 2.553 | 1.105 | 1.0669 | 1.2193 | 1.1812 |
| 5 | .9526 | .9526 | 2.4387 | 1.0288 | 1.0288 | 1.0288 | 1.105 |
| 6 | .9145 | .9145 | 2.21 | .9145 | .9907 | .9526 | .9526 |
| 7 | .9145 | .9526 | 2.1719 | .9145 | .9526 | .9145 | .9907 |
| 8 | .8764 | .9526 | 2.1338 | .9145 | .9145 | .8764 | .9526 |
| 9 | .8002 | .8764 | 2.1719 | .9145 | .9145 | .8764 | .9145 |
| 10 | .8764 | .8764 | 2.3624 | | .9145 | .9526 | .8764 |
| 11 | .8764 | .7621 | 2.4387 | .9145 | .9145 | .9907 | .8764 |
| 12 | .8383 | .724 | 2.7435 | | .9907 | .9907 | .9526 |
| 13 | .8383 | .9907 | 2.9721 | | 1.0288 | 1.105 | .9907 |
| 14 | .9526 | 1.105 | 3.0864 | | 1.0288 | 1.105 | 1.105 |
| 15 | .9526 | 1.105 | 3.2007 | 1.1812 | 1.0288 | 1.2955 | 1.105 |
| 16 | .9526 | 2.7435 | 2.8578 | 1.448 | 1.0288 | 1.1431 | 1.0288 |
| 17 | .8002 | 2.4006 | 2.7435 | 1.2193 | .9145 | 1.0288 | .9145 |
| 18 | .8002 | 2.4768 | 2.5149 | .9526 | .9526 | .9907 | .8764 |
| 19 | .9526 | 2.4387 | 2.8578 | .9907 | .9907 | 1.0669 | .9145 |
| 20 | 1.105 | 2.8959 | 3.0483 | 1.1431 | 1.0669 | 1.1431 | 1.1431 |
| 21 | 1.1431 | 3.0483 | 1.1812 | 1.2574 | 1.1431 | 1.2955 | 1.1812 |
| 22 | 1.2574 | 3.1626 | 1.3717 | 1.3336 | 1.2955 | 1.4098 | 1.3336 |
| 23 | 1.448 | 3.7342 | 1.5242 | 1.5623 | 1.4861 | 1.6004 | 1.6385 |
| 24 | 1.5242 | 1.5242 | 3.9247 | 1.5623 | 1.5623 | 1.6004 | 1.7147 |
| Max | 1.5242 | 3.7342 | 3.9247 | 1.5623 | 1.5623 | 1.6004 | 1.7147 |
| Min | .8002 | .724 | 1.1812 | .9145 | .9145 | .8764 | .8764 |
| Avg | 1.0256 | 1.6432 | 2.5768 | 1.1622 | 1.0971 | 1.1526 | 1.1225 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI WEST IISDN[720] BU 4720

Substation No/ Name :- 283211 / MSEB Colony Switching
Station

Feeder No / Name : 310 / GAONDEVI MANDIR

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.4006 | 2.4387 | 2.4006 | 2.5149 | 2.4768 | 2.4006 | 2.4768 |
| 2 | 2.0195 | 2.21 | 2.2481 | 2.2481 | 2.3243 | 2.21 | 2.2481 |
| 3 | 1.8671 | 1.9814 | 2.0957 | 1.9814 | 1.9052 | 1.9433 | 2.0576 |
| 4 | 1.6766 | 1.829 | 1.8671 | 1.8671 | 1.9052 | 1.7147 | 1.9433 |
| 5 | 1.5242 | 1.5623 | 1.6766 | 1.7528 | 1.6766 | 1.6385 | 1.6385 |
| 6 | 1.448 | 1.4861 | 1.5623 | 1.5623 | 1.5242 | 1.6004 | 1.5623 |
| 7 | 1.3336 | 1.4098 | 1.4861 | 1.448 | | 1.4098 | 1.448 |
| 8 | 1.4098 | 1.3336 | 1.448 | 1.4098 | 1.448 | 1.4098 | 1.5242 |
| 9 | 1.4098 | 1.4098 | 1.4861 | 1.6004 | 1.5242 | 1.448 | 1.4861 |
| 10 | 1.5623 | 1.5242 | 1.6385 | 1.6385 | 1.5623 | 1.6004 | 1.5242 |
| 11 | 1.6385 | 1.6385 | 1.7909 | 1.7147 | 1.7528 | 1.7147 | |
| 12 | 1.7147 | 1.7528 | 1.8671 | | 1.7528 | 1.7528 | 1.5242 |
| 13 | 1.6385 | 1.7147 | 1.8671 | | 1.7909 | 1.7528 | 1.7909 |
| 14 | 1.7909 | 1.829 | 1.9433 | | 1.829 | 1.9052 | 1.7909 |
| 15 | 1.7909 | 1.9433 | 2.0195 | | 1.829 | 2.1719 | 1.829 |
| 16 | 1.7528 | 1.9052 | 2.0195 | 2.3243 | 1.5623 | 2.0957 | 1.7909 |
| 17 | 1.6766 | 1.7147 | 1.8671 | 2.21 | 1.829 | 1.8671 | 1.6766 |
| 18 | 1.6004 | 1.7528 | 1.829 | 1.9433 | 1.9052 | 1.8671 | 1.6004 |
| 19 | 1.7909 | 1.7147 | 1.9052 | 2.0195 | 1.9433 | 1.9433 | 1.6766 |
| 20 | 2.0195 | 2.0195 | 2.1719 | 2.1719 | 1.9814 | 2.0576 | 1.9052 |
| 21 | 2.0195 | 2.0957 | 2.2862 | 2.1338 | 2.0576 | 2.1338 | 2.0195 |
| 22 | 1.9814 | 2.0576 | 2.2862 | 2.21 | 2.0195 | 2.2481 | 2.1338 |
| 23 | 2.4768 | 2.4768 | 2.5911 | 2.4768 | 2.2481 | 2.6292 | 2.6292 |
| 24 | 2.5911 | 2.6673 | 2.8578 | 2.7054 | 2.4768 | 2.5911 | 2.8197 |
| Max | 2.5911 | 2.6673 | 2.8578 | 2.7054 | 2.4768 | 2.6292 | 2.8197 |
| Min | 1.3336 | 1.3336 | 1.448 | 1.4098 | 1.448 | 1.4098 | 1.448 |
| Avg | 1.7973 | 1.8528 | 1.9671 | 1.9967 | 1.8837 | 1.9211 | 1.8737 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI WEST IISDN[720] BU 4720

Substation No/ Name :- 283211 / MSEB Colony Switching
Station

Feeder No / Name : 311 / PANDURANG WADI

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.3624 | 2.2862 | 2.4387 | 2.4387 | 2.3243 | 2.3243 | 2.4768 |
| 2 | 1.9814 | 2.0195 | 2.1338 | 2.1719 | 2.0957 | 2.1338 | 2.2481 |
| 3 | 1.7909 | 1.8671 | 1.9433 | 1.9052 | 2.0957 | 1.9433 | 2.0195 |
| 4 | 1.5623 | 1.6766 | 1.7147 | 1.7909 | 1.5242 | 1.7147 | 1.7909 |
| 5 | 1.5242 | 1.5242 | 1.7909 | 1.5242 | 1.448 | 1.5623 | 1.6385 |
| 6 | 1.3717 | 1.4098 | 1.4861 | 1.4861 | 1.448 | 1.5242 | 1.5623 |
| 7 | 1.2955 | 1.3336 | 1.3336 | 1.4098 | 1.3717 | 1.3336 | 1.4098 |
| 8 | 1.2193 | 1.3336 | 1.2955 | 1.448 | 1.3336 | 1.3717 | 1.3717 |
| 9 | 1.1812 | 1.2193 | 1.2574 | 1.3336 | 1.3336 | 1.3336 | 1.2955 |
| 10 | 1.1431 | 1.1812 | 1.2193 | 1.2574 | 1.1431 | 1.2193 | 1.1812 |
| 11 | 1.105 | 1.1431 | 1.105 | 1.2574 | 1.2955 | 1.2193 | 1.1812 |
| 12 | 1.1431 | 1.105 | 1.2574 | | 1.2574 | 1.2955 | 1.2574 |
| 13 | 1.1431 | 1.1812 | 1.3336 | | 1.2193 | 1.3717 | 1.2955 |
| 14 | 1.2193 | 1.2955 | 1.448 | | 1.3336 | 1.6385 | 1.3717 |
| 15 | 1.1812 | 1.4098 | 1.5623 | 2.0576 | 1.4861 | 1.7909 | 1.448 |
| 16 | 1.1812 | 1.3717 | 1.3336 | 1.6766 | 1.3336 | 1.6766 | 1.2955 |
| 17 | 1.105 | 1.2193 | 1.2574 | 1.4098 | 1.2574 | 1.448 | 1.2193 |
| 18 | 1.105 | 1.1812 | 1.2193 | 1.2193 | 1.2955 | 1.3717 | 1.2193 |
| 19 | 1.2574 | 1.2955 | 1.3717 | 1.4098 | 1.3336 | 1.4861 | 1.2955 |
| 20 | 1.4861 | 1.6766 | 1.7147 | 1.6766 | 1.6004 | 1.7909 | 1.6385 |
| 21 | 1.6004 | 1.829 | 1.9052 | 1.7909 | 1.6385 | 1.8671 | 1.7909 |
| 22 | 1.9433 | 1.9052 | 2.1338 | 2.0195 | 1.8671 | 2.0195 | 2.0195 |
| 23 | 2.3624 | 1.7528 | 2.5911 | | 2.2862 | 2.5149 | 2.5149 |
| 24 | 2.5149 | 2.5149 | 2.6673 | 2.5911 | 2.4006 | 2.5149 | 2.6673 |
| Max | 2.5149 | 2.5149 | 2.6673 | 2.5911 | 2.4006 | 2.5149 | 2.6673 |
| Min | 1.105 | 1.105 | 1.105 | 1.2193 | 1.1431 | 1.2193 | 1.1812 |
| Avg | 1.4908 | 1.5305 | 1.6464 | 1.6937 | 1.5718 | 1.6861 | 1.6337 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI WEST IISDN[720] BU 4720

Substation No/ Name :- 283211 / MSEB Colony Switching
Station

Feeder No / Name : 312 / NANDIVALI ROAD

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.829 | 1.9433 | 2.0195 | 2.0195 | 2.0957 | 1.9433 | 2.0195 |
| 2 | 1.6766 | 1.6766 | 1.7909 | 1.829 | 1.7909 | 1.7147 | 1.829 |
| 3 | 1.5623 | 1.5623 | 1.6004 | 1.6004 | 1.5242 | 1.5242 | 1.6766 |
| 4 | 1.5242 | 1.4861 | 1.448 | 1.448 | | 1.3717 | 1.5242 |
| 5 | 1.2574 | 1.3336 | 1.3336 | 1.4098 | | 1.2955 | 1.3336 |
| 6 | 1.1431 | 1.1812 | 1.2574 | 1.2574 | | 1.2193 | 1.2955 |
| 7 | 1.105 | 1.0669 | 1.2193 | 1.1431 | | 1.0288 | 1.1431 |
| 8 | 1.0288 | .9907 | 1.0669 | 1.0669 | | 1.0288 | 1.0669 |
| 9 | 1.0288 | .8764 | .8764 | .9526 | | .9907 | .9526 |
| 10 | .8002 | .8002 | .8383 | .8764 | .9145 | .9526 | .9145 |
| 11 | .8002 | .8764 | .9526 | .9907 | 1.0288 | 1.0288 | .9145 |
| 12 | .8383 | .9907 | .9526 | | .9145 | .9907 | .8764 |
| 13 | .8002 | .9145 | .9145 | | .8764 | 1.0288 | .9526 |
| 14 | .9145 | .9907 | 1.0669 | | .9907 | 1.1812 | .9907 |
| 15 | .9526 | 1.105 | 1.2193 | 1.5623 | 1.0669 | 1.3717 | 1.0669 |
| 16 | .9526 | .9907 | 1.0288 | 1.2193 | .9907 | 1.2955 | .9907 |
| 17 | .8383 | .8764 | .9145 | 1.0288 | .9145 | 1.0669 | .9907 |
| 18 | .8002 | .8002 | .8383 | .7621 | .9907 | .9907 | .8002 |
| 19 | .9526 | .9526 | 1.0288 | 1.1431 | 1.0669 | 1.0288 | .9145 |
| 20 | 1.105 | 1.1431 | 1.2955 | 1.2193 | 1.1431 | 1.1812 | 1.1812 |
| 21 | 1.2193 | 1.2193 | 1.3717 | 1.3717 | 1.2574 | 1.3336 | 1.3336 |
| 22 | 1.5623 | 1.4861 | 1.7147 | 1.6385 | 1.5242 | 1.7147 | 1.6385 |
| 23 | 1.9433 | 2.0576 | 2.0576 | | 1.829 | 2.1338 | 2.0957 |
| 24 | 1.9814 | 2.1719 | 2.2481 | 2.2481 | 2.0957 | 2.0576 | 2.21 |
| Max | 1.9814 | 2.1719 | 2.2481 | 2.2481 | 2.0957 | 2.1338 | 2.21 |
| Min | .8002 | .8002 | .8383 | .7621 | .8764 | .9526 | .8002 |
| Avg | 1.1923 | 1.2289 | 1.2939 | 1.3394 | 1.2786 | 1.3114 | 1.2797 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI WEST IISDN[720] BU 4720

Substation No/ Name :- 283211 / MSEB Colony Switching
Station

Feeder No / Name : 313 / P AND T COLONY

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.9052 | 1.9433 | 1.9433 | 1.9814 | 1.9814 | 2.0195 | 1.9433 |
| 2 | 1.7528 | 1.7528 | 1.7909 | 1.7909 | 1.7528 | 1.829 | 1.5242 |
| 3 | 1.7528 | 1.4861 | 1.6385 | 1.5623 | 1.3336 | 1.5623 | 1.7147 |
| 4 | 1.5623 | 1.4098 | 1.448 | 1.4861 | 1.2574 | 1.3717 | 1.6385 |
| 5 | | 1.2955 | 1.2955 | 1.2574 | 1.1431 | 1.2955 | 1.3717 |
| 6 | 1.5242 | 1.2193 | 1.2193 | 1.1812 | 1.105 | 1.2574 | 1.3336 |
| 7 | 1.105 | 1.1431 | 1.1431 | 1.0669 | 1.0669 | 1.1431 | 1.1431 |
| 8 | .9907 | 1.0288 | 1.0669 | .9907 | 1.0288 | 1.1431 | 1.105 |
| 9 | .9907 | .9526 | .9526 | .9907 | .9526 | 1.0669 | 1.0288 |
| 10 | 1.105 | .9907 | .9907 | .9907 | .9526 | 1.105 | .9526 |
| 11 | .9145 | .9526 | 1.0288 | 1.0288 | 1.0288 | 1.0669 | .9907 |
| 12 | 1.0288 | 1.0288 | 1.0288 | | .9526 | 1.1431 | 1.0288 |
| 13 | 1.0288 | 1.0288 | 1.105 | | 1.105 | 1.1812 | 1.0669 |
| 14 | 1.105 | 1.105 | 1.1812 | | 1.2193 | 1.3336 | 1.105 |
| 15 | 1.1431 | 1.2574 | 1.2574 | 1.6766 | 1.2955 | 1.5242 | 1.2574 |
| 16 | 1.105 | 1.1431 | 1.1812 | 1.3717 | 1.2574 | 1.4861 | 1.1431 |
| 17 | 1.0288 | 1.0669 | 1.105 | 1.2193 | 1.105 | 1.2955 | 1.0288 |
| 18 | .9145 | .9907 | .9907 | 1.0288 | 1.1431 | 1.1431 | .9907 |
| 19 | 1.105 | 1.105 | 1.2193 | 1.1812 | 1.1431 | 1.2574 | 1.2193 |
| 20 | 1.1812 | 1.2193 | 1.2955 | 1.2193 | 1.2574 | 1.3336 | 1.3336 |
| 21 | 1.3336 | 1.3717 | 1.3717 | 1.3336 | 1.3717 | 1.4098 | 1.4098 |
| 22 | 1.6004 | 1.5623 | 1.7909 | 1.6004 | 1.6004 | 1.6385 | 1.6385 |
| 23 | 2.0195 | 2.0576 | 2.0957 | | 1.8671 | 2.0576 | 2.0195 |
| 24 | 2.0576 | 2.0957 | 2.1338 | 2.21 | 1.9814 | 2.1338 | 2.2481 |
| Max | 2.0576 | 2.0957 | 2.1338 | 2.21 | 1.9814 | 2.1338 | 2.2481 |
| Min | .9145 | .9526 | .9526 | .9907 | .9526 | 1.0669 | .9526 |
| Avg | 1.3154 | 1.3003 | 1.3447 | 1.3584 | 1.2876 | 1.4082 | 1.3432 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI WEST IISDN[720] BU 4720

Substation No/ Name :- 283211 / MSEB Colony Switching
Station

Feeder No / Name : 314 / Gandhi Nagar

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.4861 | 1.4098 | 1.4861 | | 1.4098 | 1.3717 | 1.3717 |
| 2 | 1.0669 | 1.2193 | 1.3336 | | 1.2955 | 1.2193 | 1.1812 |
| 3 | 1.0288 | 1.0669 | 1.2193 | | 1.1812 | 1.1431 | 1.105 |
| 4 | .8002 | 1.0288 | 1.0669 | | 1.1431 | .9907 | 1.0288 |
| 5 | .7621 | .9145 | .9145 | | .8383 | .8764 | .8764 |
| 6 | .6859 | .8002 | .8002 | | .7621 | .8383 | .8383 |
| 7 | .6478 | .6478 | .8002 | | .724 | .6478 | .724 |
| 8 | .6478 | .724 | .8002 | | .724 | .6859 | .6859 |
| 9 | .6478 | .8002 | .8002 | .7621 | .8002 | .8383 | .8002 |
| 10 | .6478 | .8383 | .8002 | .8002 | .8383 | .8383 | .8002 |
| 11 | .6478 | .7621 | .7621 | .724 | .8383 | .7621 | .8002 |
| 12 | .6478 | .6859 | .8002 | | .6859 | .7621 | .8002 |
| 13 | .6859 | .6859 | .8002 | | .7621 | .8002 | .8002 |
| 14 | .724 | .8002 | .8764 | | .724 | .8383 | .8002 |
| 15 | .6859 | .8383 | .9145 | 1.1812 | .8383 | .9907 | .7621 |
| 16 | .6859 | .724 | .8002 | .9145 | .7621 | .9526 | .7621 |
| 17 | .6478 | .6478 | .7621 | .8002 | .6859 | .8002 | |
| 18 | .6097 | .6478 | .6859 | .6478 | .7621 | .6859 | |
| 19 | .724 | .724 | .8002 | .8002 | .8002 | .8383 | .8383 |
| 20 | .8383 | .8764 | .9526 | .8764 | .8383 | .9145 | .9145 |
| 21 | .8764 | .9526 | 1.0288 | .9526 | .8764 | .9526 | 1.0288 |
| 22 | 1.0669 | 1.0288 | 1.2193 | 1.0669 | 1.0669 | 1.1431 | 1.1431 |
| 23 | 1.4098 | 1.4098 | 1.448 | | 1.2574 | 1.4098 | 1.4861 |
| 24 | 1.4098 | 1.5242 | | 1.6385 | 1.448 | 1.4098 | 1.4861 |
| Max | 1.4861 | 1.5242 | 1.4861 | 1.6385 | 1.448 | 1.4098 | 1.4861 |
| Min | .6097 | .6478 | .6859 | .6478 | .6859 | .6478 | .6859 |
| Avg | .8367 | .9066 | .9510 | .9304 | .9193 | .9463 | .9561 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 283212 / SONAR PADA

Feeder No / Name : 301 / 22 KV SONARPADA IND

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .7621 | .7621 | .7621 | .8383 | .7621 | .7621 | .8002 |
| 2 | .6859 | .7621 | .7621 | .7621 | .0381 | .724 | .7621 |
| 3 | .6478 | .6478 | .6859 | .724 | .724 | .724 | .724 |
| 4 | .6478 | .6478 | .6859 | .6859 | .6859 | .6478 | .6859 |
| 5 | .6097 | .6859 | .6478 | .6478 | .6859 | .6478 | .6859 |
| 6 | .6478 | .6478 | .6859 | .6478 | .6859 | .6859 | .6859 |
| 7 | .6478 | .6478 | .6478 | .6097 | .6478 | .6478 | .6859 |
| 8 | .6859 | .6478 | .6859 | .5716 | .6859 | .6859 | .0381 |
| 9 | .6859 | .8002 | .8383 | .6478 | .7621 | .6859 | .7621 |
| 10 | 1.105 | 1.0288 | 1.0288 | .8764 | .7621 | .9907 | 1.0669 |
| 11 | 1.2193 | 1.1812 | 1.3336 | .9145 | 1.1812 | 1.105 | .9526 |
| 12 | 1.2193 | 1.2955 | 1.4098 | .8764 | 1.2574 | 1.2193 | 1.2955 |
| 13 | 1.0669 | 1.0669 | 1.3717 | .8764 | 1.2955 | 1.2193 | 1.2193 |
| 14 | 1.1812 | 1.2193 | 1.2574 | .9526 | 1.2574 | 1.2193 | 1.3717 |
| 15 | 1.2955 | 1.2574 | 1.3336 | .9526 | 1.3336 | 1.2193 | 1.3336 |
| 16 | 1.3717 | 1.2574 | 1.3717 | .9526 | 1.2955 | 1.1431 | 1.4861 |
| 17 | 1.3336 | 1.1812 | 1.3336 | .9145 | 1.2193 | 1.105 | |
| 18 | .8002 | 1.105 | 1.2574 | .8764 | 1.2193 | 1.0669 | 1.2574 |
| 19 | 1.0288 | .9907 | 1.1431 | .7621 | 1.1431 | .8764 | 1.0669 |
| 20 | 1.0288 | .9907 | 1.1431 | .8383 | 1.1431 | 1.105 | 1.105 |
| 21 | .9526 | .9526 | 1.0288 | .8002 | .9526 | .9526 | 1.0288 |
| 22 | .8383 | .8002 | .9526 | .7621 | .8383 | .8764 | .9145 |
| 23 | .8383 | .8383 | .9145 | | .8764 | .8383 | .9145 |
| 24 | .8764 | .8764 | .8383 | .8764 | .8002 | .8383 | .8383 |
| Max | 1.3717 | 1.2955 | 1.4098 | .9526 | 1.3336 | 1.2193 | 1.4861 |
| Min | .6097 | .6478 | .6478 | .5716 | .0381 | .6478 | .0381 |
| Avg | .9240 | .9288 | 1.0050 | .7985 | .9272 | .9161 | .9427 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 283212 / SONAR PADA

Feeder No / Name : 302 / 22 KV SONARPADA VILLAGE

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.7147 | 1.7909 | 1.7528 | 1.7909 | 1.7147 | 1.7528 | 1.7528 |
| 2 | 1.6766 | 1.6004 | 1.6385 | 1.6766 | 1.6766 | 1.6766 | 1.6766 |
| 3 | 1.6004 | 1.5242 | 1.6004 | 1.6004 | 1.6766 | 1.6385 | 1.6004 |
| 4 | 1.5242 | 1.5242 | 1.6385 | 1.5623 | 1.6004 | 1.5242 | 1.5623 |
| 5 | 1.4861 | 1.829 | 1.5623 | 1.5242 | 1.5623 | 1.5623 | 1.5242 |
| 6 | 1.448 | 1.448 | | 1.4861 | 1.5242 | 1.5242 | 1.5623 |
| 7 | 1.4098 | 1.3717 | 1.448 | 1.4098 | 1.4861 | 1.4861 | 1.5242 |
| 8 | 1.3336 | 1.3717 | 1.3717 | 1.3336 | 1.3717 | 1.3717 | 1.4098 |
| 9 | 1.2574 | 1.2574 | 1.2574 | 1.2955 | 1.3717 | 1.3717 | 1.3717 |
| 10 | 1.2574 | 1.2193 | .9145 | 1.1431 | 1.2193 | 1.2955 | 1.2574 |
| 11 | 1.2193 | 1.2193 | .9526 | 1.1431 | 1.1812 | 1.3336 | 1.1812 |
| 12 | 1.2193 | 1.1812 | 1.2193 | | 1.2193 | 1.2955 | 1.3336 |
| 13 | 1.1431 | 1.1431 | 1.2574 | 1.0669 | 1.1812 | 1.2193 | 1.2574 |
| 14 | 1.2955 | 1.1812 | 1.3717 | 1.2193 | 1.2955 | 1.448 | 1.3717 |
| 15 | 1.4098 | 3.6199 | 1.4861 | 1.3717 | 1.3717 | 1.5242 | 1.3717 |
| 16 | 1.4861 | 1.4098 | 1.3717 | 1.2955 | 1.3717 | 1.5242 | 1.3717 |
| 17 | 1.2574 | 1.2955 | 1.3336 | 1.1812 | 1.2955 | 1.3717 | 1.2955 |
| 18 | 1.1431 | 1.1431 | 1.1812 | 1.105 | 1.1812 | 1.2193 | 1.1431 |
| 19 | | 1.2193 | 1.3336 | 1.1812 | 1.2955 | 1.2955 | 1.1812 |
| 20 | 1.5623 | 1.5242 | 1.6766 | 1.6385 | 1.5242 | 1.5242 | 1.6004 |
| 21 | 1.6004 | 1.5242 | 1.6004 | | 1.6004 | 1.6766 | 1.7147 |
| 22 | 1.5623 | 1.6004 | 1.7909 | 1.6004 | 1.6766 | 1.7528 | 1.7528 |
| 23 | 1.6766 | 1.7909 | 1.9052 | | 1.7909 | 1.829 | 1.9052 |
| 24 | 1.7909 | 1.7528 | 1.7909 | 1.9052 | 1.7528 | 1.7528 | 1.8671 |
| Max | 1.7909 | 3.6199 | 1.9052 | 1.9052 | 1.7909 | 1.829 | 1.9052 |
| Min | 1.1431 | 1.1431 | .9145 | 1.0669 | 1.1812 | 1.2193 | 1.1431 |
| Avg | 1.4380 | 1.5226 | 1.4546 | 1.4062 | 1.4559 | 1.4988 | 1.4829 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 283212 / SONAR PADA

Feeder No / Name : 303 / 22 KV JADE RUBBER
Feeder KV- 22 / OUTGOINGSHEDDABLE FEEDER HAVING WEEKLY
STAGGERING (MIDC, EQUIVALENT)

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.4768 | 2.2862 | 2.4006 | 2.2481 | 1.829 | 2.2862 | 2.0957 |
| 2 | 2.5149 | 2.2481 | 2.2862 | 2.1338 | 1.7909 | 2.2862 | 2.0576 |
| 3 | 2.4387 | 2.2481 | 2.3624 | 2.0957 | 1.9052 | 2.3243 | 2.0957 |
| 4 | 2.3624 | 2.2862 | 2.3243 | 2.1719 | 1.9433 | 2.0957 | 2.0957 |
| 5 | 2.3243 | 2.3624 | 2.2481 | 2.0957 | 1.9052 | 2.1719 | 2.0576 |
| 6 | 2.2862 | 2.4006 | 2.2481 | 2.0576 | 1.9433 | 2.21 | 1.9814 |
| 7 | 2.21 | 2.3624 | 2.2481 | 1.9814 | 1.9433 | 2.0195 | 2.2481 |
| 8 | 2.5911 | 2.5911 | 2.7054 | 1.9052 | 2.2481 | 2.4006 | 2.4768 |
| 9 | 3.4294 | 2.9721 | 3.1245 | 2.1338 | 2.7816 | 2.8197 | 3.2388 |
| 10 | 3.8485 | 3.8104 | 4.0771 | 2.2862 | 3.4294 | 3.1626 | 3.5437 |
| 11 | 4.1914 | 4.039 | 4.2676 | 2.3243 | 3.3913 | 3.5437 | 3.9628 |
| 12 | 3.7723 | 3.9247 | 4.1914 | | 3.6961 | 3.8866 | 3.8866 |
| 13 | 3.7723 | 3.658 | 4.039 | 2.1338 | 3.5056 | 2.8578 | 3.7342 |
| 14 | 3.6199 | 3.4675 | 4.0009 | 2.0957 | 3.5818 | 3.3532 | 3.9247 |
| 15 | 4.2676 | 4.0009 | 4.1152 | 2.1338 | 3.5056 | 3.3532 | 4.1533 |
| 16 | 4.0009 | 3.9628 | 4.0009 | 2.21 | 3.658 | 3.5818 | 4.039 |
| 17 | 3.8485 | 3.9628 | 3.6961 | 2.0957 | 3.2769 | 3.0102 | 3.8104 |
| 18 | 3.3532 | 3.4294 | 3.5056 | 2.0195 | 3.1245 | 2.8197 | 3.2388 |
| 19 | 3.4294 | 3.315 | 3.2388 | 1.8671 | 2.8578 | 2.8197 | |
| 20 | 3.0864 | 2.5149 | 2.6292 | 1.9052 | 2.7816 | 2.4768 | |
| 21 | 2.6292 | 2.4006 | 2.4768 | 1.9052 | 2.6292 | 2.21 | 1.9052 |
| 22 | 2.4768 | 2.4387 | 2.3624 | 1.9052 | 2.4006 | 2.2481 | 2.3243 |
| 23 | 2.4387 | 2.5149 | 2.2862 | 1.9433 | 2.4768 | 2.2481 | 2.2862 |
| 24 | 2.6292 | 2.4006 | 2.4006 | 2.3243 | 1.829 | 2.3624 | 2.3624 |
| Max | 4.2676 | 4.039 | 4.2676 | 2.3243 | 3.6961 | 3.8866 | 4.1533 |
| Min | 2.21 | 2.2481 | 2.2481 | 1.8671 | 1.7909 | 2.0195 | 1.9052 |
| Avg | 3.0833 | 2.9832 | 3.0515 | 2.0858 | 2.6848 | 2.6895 | 2.8872 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 283212 / SONAR PADA

Feeder No / Name : 304 / 22 KV REGENCY FEEDER

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.5818 | 3.0864 | 3.5818 | 3.5818 | 3.5056 | 3.3913 | 3.5437 |
| 2 | 3.2769 | 3.0483 | 3.315 | 3.315 | 3.1245 | 3.2388 | 3.4294 |
| 3 | 3.0483 | 2.9721 | 3.0864 | 3.1245 | 3.0483 | 3.0483 | 3.2388 |
| 4 | 2.8578 | 2.934 | 2.9721 | 3.0102 | 2.9721 | 2.5911 | 3.0483 |
| 5 | 2.6292 | 2.7054 | 2.7435 | 2.7054 | 2.934 | 2.4387 | 2.9721 |
| 6 | 2.4768 | 2.5149 | 2.553 | 2.553 | 2.7435 | 2.4768 | 2.6673 |
| 7 | 2.2862 | 2.1719 | 2.2862 | 2.3624 | 2.3624 | 2.2862 | 2.5911 |
| 8 | 2.1338 | 1.9814 | 2.2481 | 2.1338 | 2.2481 | 2.21 | 2.2481 |
| 9 | 1.9814 | 2.1338 | 2.0957 | 2.0576 | 2.1719 | 2.1338 | |
| 10 | 2.0576 | 2.1338 | 2.21 | 2.21 | 2.1719 | 2.1719 | 2.21 |
| 11 | 2.0576 | 2.1338 | 2.3243 | 2.1338 | 2.1719 | 2.21 | 2.3243 |
| 12 | 2.1719 | 2.1338 | 2.3624 | 2.2481 | 1.9814 | 2.2862 | 2.3243 |
| 13 | 2.1338 | 2.0576 | 2.3624 | 2.21 | 2.2481 | 2.21 | 2.21 |
| 14 | 2.1719 | 2.1719 | 2.5149 | 2.3624 | 2.3243 | 2.553 | 2.4387 |
| 15 | 2.4768 | 2.6673 | 2.6673 | 2.6673 | 2.5149 | 2.8959 | 2.8578 |
| 16 | 2.3243 | 2.553 | 2.6673 | 2.4768 | 2.4768 | 2.4768 | 2.6292 |
| 17 | 2.21 | 2.2481 | 2.4387 | 2.1719 | 2.2862 | 2.2862 | 2.2862 |
| 18 | 1.9814 | 2.0576 | 2.1338 | 1.9433 | 2.0957 | 2.2862 | 2.0576 |
| 19 | 2.0195 | 2.0957 | 2.3243 | 2.0576 | 2.1338 | 2.4387 | 2.2481 |
| 20 | 2.3243 | 2.3243 | 2.7054 | 2.3624 | 2.4768 | 2.7435 | 2.5149 |
| 21 | 2.5911 | 2.6673 | 2.9721 | 2.6292 | 2.6673 | 2.8959 | 2.7435 |
| 22 | 2.8578 | 2.8959 | 3.1626 | 2.8959 | 2.8578 | 3.1245 | 3.1245 |
| 23 | 3.3913 | 3.5056 | 3.6199 | | 3.2769 | 3.6961 | 3.658 |
| 24 | 3.7342 | 3.5056 | 3.8104 | 3.7342 | 3.6199 | 3.5818 | 3.9247 |
| Max | 3.7342 | 3.5056 | 3.8104 | 3.7342 | 3.6199 | 3.6961 | 3.9247 |
| Min | 1.9814 | 1.9814 | 2.0957 | 1.9433 | 1.9814 | 2.1338 | 2.0576 |
| Avg | 2.5323 | 2.5291 | 2.7149 | 2.5629 | 2.6006 | 2.6530 | 2.7518 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 283212 / SONAR PADA

Feeder No / Name : 305 / 22 KV SAGAON-NANDIVLI

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.4294 | 3.6199 | 3.5056 | 3.5437 | 3.8104 | 3.4294 | 3.6199 |
| 2 | 3.0483 | 3.2388 | 3.2007 | 3.2388 | 3.1626 | 3.2007 | 3.4294 |
| 3 | 2.8578 | 2.9721 | 3.0102 | 3.0102 | 3.0483 | 2.9721 | 3.2388 |
| 4 | 2.7816 | 2.8578 | 2.8578 | 2.8197 | 2.9721 | 2.5911 | 2.9721 |
| 5 | 2.6292 | 2.7816 | 2.7816 | 2.6673 | 2.8578 | 2.553 | 2.8959 |
| 6 | 2.553 | 2.6673 | 2.553 | 2.5149 | 2.7054 | 2.6292 | 2.7054 |
| 7 | 2.4387 | 2.553 | 2.553 | 2.553 | 2.6673 | 2.4387 | 2.553 |
| 8 | 2.3243 | 2.3624 | 2.4006 | 2.4006 | 2.4006 | 2.4387 | 2.5149 |
| 9 | 2.2481 | 2.2481 | 2.2862 | 2.21 | 2.3624 | 2.4006 | 2.4006 |
| 10 | 2.0957 | 2.0195 | 2.1338 | 2.1719 | 2.2481 | 2.2481 | 2.2481 |
| 11 | 2.0957 | 1.9814 | 2.0576 | 1.9814 | 2.21 | 2.21 | 2.1719 |
| 12 | 2.0576 | 1.9814 | 2.0957 | | 2.0957 | 2.21 | 2.1338 |
| 13 | 1.9433 | 1.9433 | 2.0957 | | 2.0195 | 2.2481 | 2.0957 |
| 14 | 2.0576 | 2.0957 | 2.3624 | | 2.0957 | 2.553 | 2.2481 |
| 15 | 2.2481 | 2.2862 | 2.4387 | | 2.3243 | 2.7054 | 2.3624 |
| 16 | 2.1338 | 2.1338 | 2.3243 | | 2.2481 | 2.7054 | 2.21 |
| 17 | 1.9814 | 1.9814 | 2.0195 | | 2.0957 | 2.4768 | 2.0576 |
| 18 | 1.8671 | 1.8671 | 2.0195 | 2.4768 | 2.0195 | 2.2862 | 2.0576 |
| 19 | 2.0195 | 2.1719 | 2.2862 | 2.5149 | 2.21 | 2.4006 | 2.1338 |
| 20 | 2.4387 | 2.4387 | 2.6673 | 2.7816 | 2.5911 | 2.6673 | 2.5911 |
| 21 | 2.6673 | 2.6673 | 2.8578 | 2.8959 | 2.7816 | 2.9721 | 2.8578 |
| 22 | 3.0102 | 2.9721 | 3.2007 | 3.0864 | 2.9721 | 3.2388 | 3.0864 |
| 23 | 3.3913 | 3.5056 | 3.658 | | 3.3913 | 3.8104 | 3.6961 |
| 24 | 3.6199 | | 3.7342 | 3.8104 | 3.8866 | 3.658 | 3.8866 |
| Max | 3.6199 | 3.6199 | 3.7342 | 3.8104 | 3.8866 | 3.8104 | 3.8866 |
| Min | 1.8671 | 1.8671 | 2.0195 | 1.9814 | 2.0195 | 2.21 | 2.0576 |
| Avg | 2.4974 | 2.4933 | 2.6292 | 2.7457 | 2.6323 | 2.7102 | 2.6736 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 283212 / SONAR PADA

Feeder No / Name : 306 / 22 KV MIDC RESI. ZONE

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 4.4582 | 4.2295 | 4.6106 | 4.8011 | 4.9916 | 4.5725 | 4.6106 |
| 2 | 3.9628 | 3.7342 | 4.2295 | 4.3439 | 4.2295 | 4.2295 | 4.1914 |
| 3 | 3.5437 | 3.5437 | 3.8485 | 3.8866 | 3.8485 | 3.7723 | 3.8485 |
| 4 | 3.3532 | 3.3532 | 3.5056 | 3.658 | 3.6961 | 3.0483 | 3.5056 |
| 5 | 3.0483 | 3.1245 | 3.2007 | 3.3532 | 3.4294 | 2.8578 | 3.3532 |
| 6 | 2.7816 | 2.7816 | 2.8578 | 3.0102 | 3.0864 | 2.8959 | 2.934 |
| 7 | 2.4387 | 2.5149 | 2.7054 | 2.7435 | 2.8578 | 2.4387 | 2.7054 |
| 8 | 2.7435 | 2.553 | 2.6673 | 2.6292 | 2.8578 | 2.4768 | 2.6673 |
| 9 | 2.5911 | 2.7816 | 2.6292 | 2.8578 | 2.9721 | 2.3624 | 2.8578 |
| 10 | 3.0483 | 3.0102 | 2.9721 | 2.9721 | 3.1626 | 2.6673 | 3.0483 |
| 11 | 3.2388 | 3.2769 | 3.0102 | 3.1245 | 3.1626 | 2.7816 | 3.315 |
| 12 | 3.1626 | 2.934 | 3.0864 | 3.0102 | 3.3913 | 2.7816 | 3.2007 |
| 13 | 3.1245 | 3.1626 | 3.1626 | 3.1626 | 3.2388 | 2.934 | 3.0864 |
| 14 | 3.1626 | 3.5818 | 3.5056 | 3.5056 | 3.6199 | 3.315 | 3.3532 |
| 15 | 3.7342 | 3.5818 | 3.9247 | | 3.5056 | 3.8866 | 3.7723 |
| 16 | 3.3913 | 3.6961 | 3.5437 | | 3.3913 | 3.5818 | 3.5818 |
| 17 | 3.0102 | 3.0864 | 3.315 | | 3.1626 | 3.1245 | 3.1245 |
| 18 | 2.8578 | 2.7816 | 3.0483 | | 2.7816 | 3.0864 | 2.9721 |
| 19 | 2.9721 | 2.934 | 3.315 | 4.0009 | 2.934 | 3.2007 | 3.0864 |
| 20 | 3.315 | 3.3532 | 3.5437 | 4.1152 | 3.4294 | 3.5437 | 3.3532 |
| 21 | 3.2007 | 3.315 | 3.6961 | 4.1914 | 3.4294 | 3.7723 | 3.5056 |
| 22 | 3.5437 | 3.6199 | 4.039 | 4.3439 | 3.8485 | 3.9247 | 3.9628 |
| 23 | 4.4201 | 4.5344 | 4.8392 | 4.9154 | 4.4582 | 4.8773 | 4.6868 |
| 24 | 4.8773 | 4.8392 | 5.1059 | 5.2584 | 5.2584 | 4.8392 | 5.0678 |
| Max | 4.8773 | 4.8392 | 5.1059 | 5.2584 | 5.2584 | 4.8773 | 5.0678 |
| Min | 2.4387 | 2.5149 | 2.6292 | 2.6292 | 2.7816 | 2.3624 | 2.6673 |
| Avg | 3.3325 | 3.3468 | 3.5151 | 3.6942 | 3.5310 | 3.3738 | 3.4913 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 283212 / SONAR PADA

Feeder No / Name : 307 / 22 KV MIDC FEEDER NO - 11 SHEDDABLE FEEDER HAVING WEEKLY
Feeder KV- 22 / OUTGOING STAGGERING (MIDC, EQUIVALENT)

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.5056 | 3.2388 | 3.5056 | 3.315 | 2.4387 | 3.4294 | 3.6199 |
| 2 | 3.3913 | 3.2388 | 3.3532 | 3.3532 | 2.3624 | 3.3532 | 3.4294 |
| 3 | 3.315 | 3.1626 | 3.3532 | 3.1626 | 2.4006 | 3.315 | 3.3532 |
| 4 | 3.2769 | 3.1245 | 3.1626 | 3.0864 | 2.5149 | 3.2007 | 3.2388 |
| 5 | 3.2388 | 3.1626 | 3.3913 | 3.0483 | 2.553 | 3.2007 | 3.1626 |
| 6 | 3.2388 | 3.2007 | 3.4294 | 3.0483 | 2.5149 | 3.2007 | 3.0483 |
| 7 | 3.0483 | 3.2388 | 3.4294 | 2.8197 | 2.5911 | 3.0864 | 3.315 |
| 8 | 3.3913 | 2.3624 | 3.8485 | 2.6673 | 2.8959 | 3.2388 | 3.5818 |
| 9 | 4.039 | 3.3913 | 4.4963 | 3.0483 | 3.8485 | 3.6199 | 4.3439 |
| 10 | 4.9535 | 5.0297 | 5.4489 | 3.2388 | 4.8773 | 4.6487 | 5.2584 |
| 11 | 5.5632 | 5.5251 | 6.0204 | 3.315 | 5.4108 | 4.8392 | 5.2965 |
| 12 | 5.5251 | 5.144 | 5.5251 | | 5.487 | 5.2584 | 5.4489 |
| 13 | 5.3346 | 5.1821 | 5.2584 | 3.2388 | 5.3727 | 4.7249 | 5.1821 |
| 14 | 5.1821 | 5.144 | 5.6394 | 3.2007 | 5.0678 | 5.0678 | 5.3346 |
| 15 | 5.3346 | 5.3346 | 5.6394 | 3.1626 | 5.2584 | 5.2584 | 5.4489 |
| 16 | | 5.5632 | 5.6013 | 3.1245 | 5.2965 | 5.4108 | 5.5251 |
| 17 | 5.3727 | 5.4108 | 5.6775 | 2.934 | 5.4108 | 5.0678 | 5.0678 |
| 18 | 4.9154 | 4.9154 | 5.1059 | 2.6673 | 4.8392 | 4.6487 | 4.8011 |
| 19 | 4.7249 | 4.5344 | 4.5725 | 2.553 | 4.5725 | 4.3439 | 4.6868 |
| 20 | 4.2676 | 4.1914 | 4.0009 | 2.5911 | 4.0771 | 3.9247 | 4.1152 |
| 21 | 3.7342 | 3.7723 | 3.7723 | 2.6673 | 3.8104 | 3.6961 | 3.8104 |
| 22 | 3.4294 | 3.3913 | 3.4675 | 2.5149 | 3.5437 | 3.7723 | 3.3532 |
| 23 | 3.4294 | 3.4675 | 3.4294 | 2.4768 | 3.5056 | 3.6199 | 3.2769 |
| 24 | 3.4675 | 3.3913 | 3.5818 | 3.4675 | 2.5149 | 3.4675 | 3.6199 |
| Max | 5.5632 | 5.5632 | 6.0204 | 3.4675 | 5.487 | 5.4108 | 5.5251 |
| Min | 3.0483 | 2.3624 | 3.1626 | 2.4768 | 2.3624 | 3.0864 | 3.0483 |
| Avg | 4.1600 | 4.0882 | 4.3629 | 2.9870 | 3.8819 | 4.0581 | 4.2216 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 283212 / SONAR PADA

Feeder No / Name : 308 / 22 KV TEMPO NAKA
Feeder KV- 22 / OUTGOINGSHEDDABLE FEEDER HAVING WEEKLY
STAGGERING (MIDC, EQUIVALENT)

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.8104 | 3.658 | 3.6961 | 3.6961 | 2.8197 | 3.6199 | 3.5437 |
| 2 | 3.5818 | 3.5818 | 3.658 | 3.7723 | 2.7816 | 3.5437 | 3.4675 |
| 3 | 3.5437 | 3.5818 | 3.4294 | 3.5818 | 2.7816 | 3.5056 | 3.3913 |
| 4 | 3.5056 | 3.6199 | 3.5437 | 3.5056 | 2.7435 | 3.2388 | 3.3532 |
| 5 | 3.5437 | 3.5818 | 3.3913 | 3.4675 | 2.7816 | 3.2007 | 3.3913 |
| 6 | 3.7342 | 3.6199 | 3.4675 | 3.5437 | 2.8197 | 3.3913 | 3.4294 |
| 7 | 3.5818 | 3.3913 | 3.3913 | 3.3532 | 2.8578 | 3.4675 | 3.4675 |
| 8 | 3.6961 | 3.4675 | 3.5818 | 3.1245 | 3.0102 | 2.3243 | 3.5056 |
| 9 | 4.1533 | 3.8866 | 4.1914 | 3.1626 | 3.7723 | 3.6199 | 4.3439 |
| 10 | 6.1347 | 5.9442 | 5.7918 | 3.3913 | 5.3346 | 4.8773 | 5.8299 |
| 11 | 6.6682 | 6.5158 | 6.1347 | 3.5818 | 5.868 | 4.8773 | 6.0966 |
| 12 | 6.6301 | 6.592 | 6.592 | 3.658 | 6.4015 | 5.144 | 6.0585 |
| 13 | 5.4489 | 5.487 | 5.7918 | 3.6199 | 5.6775 | 4.5725 | 5.6394 |
| 14 | 5.868 | 6.2491 | 5.7918 | 3.4294 | 5.6394 | 4.8011 | 6.1347 |
| 15 | 6.1347 | 6.8968 | 6.0204 | 3.0102 | 6.2491 | 4.9916 | 6.1728 |
| 16 | 6.2491 | 6.6682 | 6.0966 | 2.8578 | 5.7918 | 5.1059 | 5.9442 |
| 17 | 6.6301 | 6.3253 | 6.0585 | 3.0483 | 5.5632 | 4.9916 | 5.868 |
| 18 | 5.2584 | 5.144 | 5.1821 | 2.9721 | 5.144 | 4.4963 | 5.2965 |
| 19 | 4.7249 | 4.6868 | 5.0678 | 2.8197 | 4.6487 | 4.2295 | 4.7249 |
| 20 | 4.3058 | 4.1533 | 4.382 | 3.0483 | 4.1914 | 4.039 | 4.3439 |
| 21 | 4.2295 | 4.0009 | 4.3058 | 3.2769 | 4.039 | 3.8866 | 4.2676 |
| 22 | 3.8485 | 3.9247 | 4.0771 | 3.1245 | 3.8866 | 3.8104 | 3.9247 |
| 23 | 3.7342 | 3.658 | 3.6961 | | 3.5437 | 3.6961 | 3.8485 |
| 24 | 3.7342 | 3.7342 | 3.6961 | 3.5818 | 2.8197 | 3.7723 | 3.5818 |
| Max | 6.6682 | 6.8968 | 6.592 | 3.7723 | 6.4015 | 5.144 | 6.1728 |
| Min | 3.5056 | 3.3913 | 3.3913 | 2.8197 | 2.7435 | 2.3243 | 3.3532 |
| Avg | 4.6979 | 4.6820 | 4.6265 | 3.3316 | 4.2153 | 4.0501 | 4.5677 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 283212 / SONAR PADA

Feeder No / Name : 310 / 22 KV Sonarpada sw stn
transfo Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 2 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 3 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 4 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 5 | .0381 | .0381 | .0381 | .0381 | | .0381 | .0381 |
| 6 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 7 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 8 | .0381 | .0381 | .0381 | .0381 | | .0381 | .0381 |
| 9 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 10 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 11 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 12 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 13 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 14 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 15 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 16 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 17 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | |
| 18 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 19 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 20 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 21 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 22 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 23 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 24 | .0381 | | .0381 | .0381 | .0381 | .0381 | .0381 |
| Max | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| Min | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| Avg | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283046 / 22 Kv Netivali Sw stn

Feeder No / Name : 301 / Pal Incomer

SHEDDABLE URBAN

Feeder KV- 22 / INCOMING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 5.9061 | 6.0204 | 5.5251 | 5.7918 | 1.7528 | 5.5251 | 5.7156 |
| 2 | 5.5251 | 5.7918 | 5.3727 | 5.5632 | 1.6766 | 5.4108 | 5.5251 |
| 3 | 6.0966 | 5.5632 | 5.2965 | 5.4108 | 1.5623 | 5.3346 | 5.5251 |
| 4 | 5.3346 | 5.3727 | 5.2202 | 5.1821 | 1.5242 | 5.4108 | 5.7156 |
| 5 | 5.3346 | 5.2202 | 5.144 | 4.9916 | 1.6385 | 5.5251 | 5.4489 |
| 6 | 5.1821 | 4.9916 | 5.0297 | 4.6487 | 1.9433 | 5.5251 | 5.7156 |
| 7 | 5.0297 | 4.6487 | 4.8773 | 4.4201 | 2.0957 | 4.6868 | 4.9154 |
| 8 | 4.9154 | 5.0297 | 4.6487 | 2.8578 | 2.8578 | 4.9154 | 4.7249 |
| 9 | 5.3346 | 5.2584 | 5.2965 | 2.7054 | 5.5251 | 5.3346 | 5.4108 |
| 10 | 7.697 | 7.2779 | 6.9349 | 3.1245 | 6.4777 | 6.4777 | 7.8875 |
| 11 | 7.7351 | 8.078 | 10.3262 | 3.2007 | 6.5158 | 6.7444 | 7.2779 |
| 12 | 7.6208 | 8.3448 | 10.974 | 3.1245 | 7.0873 | 8.078 | 7.3541 |
| 13 | 7.316 | 7.316 | 10.3262 | 2.7435 | 6.1347 | 4.3439 | 7.316 |
| 14 | 7.2017 | 8.0018 | 7.316 | 2.6292 | 6.973 | 6.4777 | 7.5446 |
| 15 | 7.3541 | 8.5353 | 7.6208 | 2.6292 | 7.3541 | 7.1636 | 7.6589 |
| 16 | 8.078 | 8.3067 | 8.3067 | 2.2862 | 7.0111 | 7.8494 | 8.3448 |
| 17 | 7.4684 | 8.078 | 7.4303 | 2.4387 | 7.5446 | 7.5065 | 7.6208 |
| 18 | 6.5539 | 6.8587 | 6.8587 | 1.9052 | 6.8587 | 6.6682 | 7.2779 |
| 19 | 6.3253 | 7.0492 | 6.5539 | 1.7147 | 5.9823 | 5.8299 | 6.1347 |
| 20 | 5.5632 | 5.7156 | 5.7156 | 1.6766 | 5.7918 | 6.0585 | 6.0966 |
| 21 | 5.487 | 5.5632 | 5.3346 | 1.829 | 5.144 | 5.1059 | 5.1821 |
| 22 | 5.3727 | 5.5251 | 5.3346 | 1.7909 | 5.144 | 5.7918 | 5.3346 |
| 23 | 5.6394 | 5.2584 | 5.487 | 1.829 | 5.3727 | 5.7156 | 6.0585 |
| 24 | 5.6013 | 5.7537 | 5.6394 | 6.1347 | 1.7147 | 5.7918 | 5.7918 |
| Max | 8.078 | 8.5353 | 10.974 | 6.1347 | 7.5446 | 8.078 | 8.3448 |
| Min | 4.9154 | 4.6487 | 4.6487 | 1.6766 | 1.5242 | 4.3439 | 4.7249 |
| Avg | 6.2364 | 6.3983 | 6.5237 | 3.3595 | 4.6535 | 5.9696 | 6.3157 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283046 / 22 Kv Netivali Sw stn

Feeder No / Name : 302 / Dombivali Incomer

SHEDDABLE URBAN

Feeder KV- 22 / INCOMING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 8.8401 | 8.8401 | 9.3355 | 9.526 | 9.0688 | 8.9925 | 9.7165 |
| 2 | 8.3829 | 8.4972 | 9.0306 | 9.0688 | 8.802 | 8.7639 | 9.145 |
| 3 | | 8.0018 | 9.0306 | 8.8401 | 12.1933 | 8.3829 | 8.5734 |
| 4 | 7.5446 | 7.697 | 8.3448 | 8.5734 | 8.0018 | 8.0018 | 8.1543 |
| 5 | 7.4303 | 7.3541 | 7.6589 | 8.2686 | 7.8875 | 7.6208 | 7.9256 |
| 6 | 7.2779 | 7.5827 | 7.2398 | 7.5446 | 7.8113 | 7.3922 | 7.697 |
| 7 | 6.973 | 6.8587 | 6.8968 | 7.0492 | 7.2398 | 7.2017 | 7.4303 |
| 8 | 6.7444 | 6.6682 | 6.6682 | 6.8587 | 7.0873 | 7.0873 | 4.2295 |
| 9 | 6.592 | 6.4777 | 6.4396 | 6.6301 | 6.973 | 6.8206 | 6.8206 |
| 10 | 6.6682 | 6.6682 | 6.5539 | 6.592 | 7.0111 | 6.8206 | 6.8587 |
| 11 | 6.7063 | 6.2491 | | 3.3532 | 7.0111 | 7.0492 | 6.7825 |
| 12 | 6.8587 | 5.9823 | | 2.7054 | 3.2769 | 6.8587 | 6.8968 |
| 13 | 6.8206 | 6.592 | | 2.7054 | 7.0492 | 7.316 | 6.8968 |
| 14 | 6.7063 | 6.7444 | 7.1254 | 3.0483 | 6.973 | 7.4684 | 7.2779 |
| 15 | 6.7825 | 7.2017 | 7.316 | 3.2007 | 7.2398 | 7.9256 | 7.4684 |
| 16 | 6.973 | 6.973 | 7.0492 | 3.1626 | 4.382 | 7.9256 | 7.2779 |
| 17 | 6.6682 | 6.9349 | 6.8968 | 6.5158 | 7.0492 | 7.2017 | 7.0873 |
| 18 | 6.5539 | 6.5158 | 6.4015 | 7.3922 | 7.0873 | 7.2017 | 6.7063 |
| 19 | | 7.2779 | 7.316 | 7.6589 | 7.2779 | 7.8875 | 7.1636 |
| 20 | | 8.1543 | 8.3829 | 8.3829 | 8.2686 | 8.6115 | 8.3829 |
| 21 | | 8.421 | 8.9544 | 8.7639 | 8.6877 | 9.0688 | 8.7639 |
| 22 | | 8.802 | 8.9925 | 9.2212 | 8.6877 | 9.1831 | 9.2212 |
| 23 | | 9.3355 | 9.7165 | 9.7165 | 8.5353 | 9.8308 | 9.7546 |
| 24 | 9.3736 | 9.145 | 9.2974 | 9.526 | 9.6022 | 9.4498 | 9.7165 |
| Max | 9.3736 | 9.3355 | 9.7165 | 9.7165 | 12.1933 | 9.8308 | 9.7546 |
| Min | 6.5539 | 5.9823 | 6.4015 | 2.7054 | 3.2769 | 6.8206 | 4.2295 |
| Avg | 7.2165 | 7.4573 | 7.8403 | 6.8460 | 7.6335 | 7.9193 | 7.7478 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283046 / 22 Kv Netivali Sw stn

Feeder No / Name : 303 / 22 Kv Kalyan west feeder

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 5.2202 | 5.2584 | 5.7156 | 5.3346 | 5.4108 | 5.144 | 5.5251 |
| 2 | 4.763 | 4.9535 | 5.6394 | 5.1821 | 5.1821 | 4.9535 | 4.9535 |
| 3 | 4.5725 | 4.8011 | 5.2584 | 4.9535 | 4.9535 | 4.763 | 4.763 |
| 4 | 4.5725 | 4.6106 | 4.8011 | 4.8011 | 4.6106 | 4.5725 | 4.4201 |
| 5 | 4.1914 | 4.3439 | 3.9628 | 4.5725 | 4.1914 | 4.1914 | 4.3058 |
| 6 | 3.8104 | 4.1914 | 3.8104 | 4.4582 | 3.8485 | 4.1914 | 4.039 |
| 7 | 3.3532 | 3.8104 | 3.5437 | 3.5437 | 3.5818 | 3.5056 | 3.658 |
| 8 | 3.2388 | 3.1245 | 3.4294 | 3.4294 | 3.4294 | 3.2007 | 3.4675 |
| 9 | 3.1626 | 3.0483 | 3.2388 | | 3.6199 | 3.2007 | 3.3532 |
| 10 | 3.1626 | 3.3913 | 3.4294 | | 3.4675 | 3.4294 | 3.5056 |
| 11 | 3.2007 | 3.2769 | 3.4294 | | 3.3532 | 3.4294 | 3.3913 |
| 12 | 2.8578 | 3.3532 | 3.4294 | | 3.3913 | 3.4294 | 3.4675 |
| 13 | 3.1626 | 3.6199 | 3.5056 | | 3.2769 | 3.6961 | 3.4675 |
| 14 | 3.3532 | 3.5818 | 3.6961 | 5.2202 | 3.5818 | 3.8104 | 3.6199 |
| 15 | 3.5818 | 3.9628 | 4.0009 | 5.144 | 3.6961 | 4.2676 | 3.9247 |
| 16 | 3.4675 | 3.8104 | 4.4582 | 4.5344 | 3.6961 | 4.4201 | 3.9247 |
| 17 | 3.3532 | 3.4675 | 3.6199 | 3.7342 | 3.4294 | 4.5725 | 3.4294 |
| 18 | 3.0483 | 3.0864 | 3.4294 | 3.2388 | 3.1626 | 3.5437 | 3.1245 |
| 19 | | 3.5437 | 3.5056 | 3.5437 | 3.4675 | 3.4675 | 3.3532 |
| 20 | | 3.8485 | 4.1914 | 4.0009 | 3.8104 | 3.9628 | 4.039 |
| 21 | | 4.039 | 4.2676 | 4.2295 | 3.9247 | 4.3058 | 4.2295 |
| 22 | | 4.382 | 4.763 | 4.4963 | 4.3058 | 4.5725 | 4.5725 |
| 23 | | 5.2965 | 5.6394 | 5.2202 | 5.0678 | 5.487 | 5.3346 |
| 24 | 5.487 | 5.6394 | 5.7537 | 5.7537 | 5.5251 | 5.4108 | 5.8299 |
| Max | 5.487 | 5.6394 | 5.7537 | 5.7537 | 5.5251 | 5.487 | 5.8299 |
| Min | 2.8578 | 3.0483 | 3.2388 | 3.2388 | 3.1626 | 3.2007 | 3.1245 |
| Avg | 3.7663 | 4.0184 | 4.1883 | 4.4943 | 3.9993 | 4.1470 | 4.0708 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283046 / 22 Kv Netivali Sw stn

Feeder No / Name : 304 / 22 Kv Kalyan east

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.2862 | 2.21 | 2.2862 | 2.2862 | 1.829 | 2.2862 | 2.2862 |
| 2 | 2.1719 | 1.9814 | 2.21 | 2.1338 | 1.7147 | 2.0957 | 2.0957 |
| 3 | 2.1338 | 1.9052 | 2.0957 | 1.9814 | 1.5242 | 1.9052 | 1.9052 |
| 4 | 2.0957 | 1.829 | 1.9814 | 1.9052 | 1.3717 | 1.7147 | 2.1719 |
| 5 | 2.0195 | 1.7147 | 1.9052 | 1.9433 | 1.2193 | 1.7147 | 2.1338 |
| 6 | 1.9814 | 1.6004 | 1.9433 | 1.9814 | 1.5242 | 1.8671 | 2.0195 |
| 7 | 1.7147 | 1.9052 | 1.829 | 1.829 | 1.6004 | 1.7147 | 1.9814 |
| 8 | 1.7147 | 1.829 | 1.7909 | 1.6766 | 1.6766 | 1.7909 | 1.9814 |
| 9 | 1.8671 | 1.9052 | 1.9433 | 1.6004 | 1.7909 | 1.829 | 2.0195 |
| 10 | 2.0576 | 2.0957 | 1.829 | 1.6004 | 2.0957 | 1.8671 | 2.0957 |
| 11 | 1.7909 | 2.1338 | 1.7147 | 1.6766 | 2.1338 | 2.0957 | 2.1719 |
| 12 | 1.8671 | 2.1338 | 2.0195 | 1.7147 | 2.1719 | 2.1338 | 2.21 |
| 13 | 1.9814 | 1.9433 | 2.0195 | 1.5242 | 2.0576 | 2.1719 | 2.1338 |
| 14 | 2.0576 | 2.1338 | 2.21 | 1.6004 | 2.21 | 2.5149 | 2.1338 |
| 15 | 2.2862 | 2.0576 | 1.6385 | 1.6004 | 2.1719 | 2.0957 | 2.1338 |
| 16 | 2.0576 | 2.0957 | 2.1719 | 1.7147 | 2.3243 | 2.2862 | 2.2481 |
| 17 | 2.1338 | 2.0957 | 2.1338 | 1.6004 | 2.1719 | 2.2481 | 2.0957 |
| 18 | 2.1338 | 2.0576 | 2.2862 | 1.4098 | 2.1338 | 2.1338 | 1.9433 |
| 19 | | 2.21 | 1.9814 | 1.5242 | 2.2481 | 2.2481 | 2.1338 |
| 20 | | 2.2481 | 2.3624 | 1.6385 | 2.21 | 2.3243 | 2.2862 |
| 21 | | 2.2481 | 2.3624 | 1.6385 | 2.21 | 2.2862 | 2.2862 |
| 22 | | 2.2481 | 2.4768 | 1.829 | 2.21 | 2.3624 | 2.2862 |
| 23 | | 2.4387 | 2.5911 | 1.9052 | 2.3624 | 2.4387 | 2.4006 |
| 24 | 2.2862 | 2.3624 | 2.3243 | 2.4387 | 1.9433 | 2.3243 | 2.4387 |
| Max | 2.2862 | 2.4387 | 2.5911 | 2.4387 | 2.3624 | 2.5149 | 2.4387 |
| Min | 1.7147 | 1.6004 | 1.6385 | 1.4098 | 1.2193 | 1.7147 | 1.9052 |
| Avg | 2.0335 | 2.0576 | 2.0878 | 1.7814 | 1.9544 | 2.1021 | 2.1497 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283046 / 22 Kv Netivali Sw stn

Feeder No / Name : 305 / 22kv SHREE MALANG feeder

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 6.1728 | 6.5539 | 6.5539 | 6.5158 | 5.9061 | 5.9061 | 5.7156 |
| 2 | 5.6013 | 5.7537 | 6.4777 | 6.0966 | 5.7156 | 5.7156 | 5.5251 |
| 3 | 5.3346 | 5.3346 | 6.4777 | 5.7537 | 5.3346 | 5.5251 | 5.5632 |
| 4 | 5.144 | 5.1821 | 6.4396 | 5.5251 | 5.0297 | 5.3346 | 5.5251 |
| 5 | 5.3346 | 5.7156 | 6.3634 | 5.9061 | 5.5251 | 5.3346 | 5.6775 |
| 6 | 5.868 | 5.7918 | 6.4015 | 6.0966 | 6.0966 | | 6.0204 |
| 7 | 6.2872 | 5.9823 | 6.0585 | | 5.7918 | | 5.8299 |
| 8 | 5.6013 | 5.7918 | 5.868 | 5.1821 | 4.9535 | 5.3346 | 5.3346 |
| 9 | 4.8773 | 4.9916 | 5.3346 | 4.8392 | 4.8392 | 4.9535 | 4.9916 |
| 10 | 4.8392 | 5.3727 | 5.6394 | 5.0678 | 4.8773 | 4.6868 | 4.9916 |
| 11 | 4.7249 | 5.1059 | 4.8773 | 5.0297 | 4.9154 | 4.8773 | 1.9814 |
| 12 | 5.1059 | 5.2584 | | 4.8773 | 4.3058 | 4.7249 | 2.0195 |
| 13 | 4.5725 | 4.9535 | | 4.5725 | 4.1152 | 4.7249 | 2.0195 |
| 14 | 4.5344 | 4.4582 | 5.4108 | 4.7249 | 4.4963 | 4.7249 | 2.0576 |
| 15 | 4.763 | 4.6868 | 5.3727 | 5.1059 | 4.8011 | 4.9535 | 2.0195 |
| 16 | 5.1821 | 4.8011 | 5.487 | 4.9916 | 4.8392 | 4.8011 | 5.4108 |
| 17 | 4.6106 | 3.8485 | 5.4108 | 4.5725 | 4.2295 | 4.8773 | 5.487 |
| 18 | 4.4582 | 4.3439 | 5.3346 | 4.382 | 4.2676 | 4.6487 | 5.1821 |
| 19 | | 5.3727 | 5.6394 | 5.1821 | 4.8773 | 4.9535 | 5.4108 |
| 20 | | 6.4396 | 6.5539 | 6.1347 | 6.1728 | 6.211 | 6.7063 |
| 21 | | 6.8968 | 6.7444 | 6.1728 | 6.2491 | 6.3253 | 6.6301 |
| 22 | | 6.592 | 7.316 | 6.1728 | 6.3253 | 6.4015 | 6.7063 |
| 23 | | 6.5158 | 7.316 | 6.3253 | 6.3634 | 6.3253 | 6.5539 |
| 24 | 6.4396 | 6.6682 | 6.592 | 7.1636 | 6.0966 | 6.0966 | 6.0585 |
| Max | 6.4396 | 6.8968 | 7.316 | 7.1636 | 6.3634 | 6.4015 | 6.7063 |
| Min | 4.4582 | 3.8485 | 4.8773 | 4.382 | 4.1152 | 4.6487 | 1.9814 |
| Avg | 5.2343 | 5.5171 | 6.0759 | 5.4952 | 5.2552 | 5.3380 | 4.9757 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283046 / 22 Kv Netivali Sw stn

Feeder No / Name : 306 / 22 Kv Nandivali new

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 5.7918 | | 6.0966 | 6.4777 | 6.0966 | 5.6394 | 6.4777 |
| 2 | 5.5632 | | 5.7156 | 6.1728 | 5.7537 | 5.5251 | 6.0966 |
| 3 | 5.3346 | | 5.2584 | 6.0966 | 5.5251 | 5.3346 | 5.7156 |
| 4 | 5.2584 | | 4.763 | 5.9061 | 5.3346 | 5.144 | 5.4489 |
| 5 | 4.9535 | | 4.6868 | 5.7537 | 5.144 | 4.9535 | 5.3346 |
| 6 | 4.8392 | | 4.8011 | 5.0297 | 4.9535 | 4.8392 | 5.1059 |
| 7 | 4.5344 | | 4.5344 | 4.6487 | 4.8392 | 4.6106 | 4.9154 |
| 8 | 4.382 | | 4.3439 | 4.4963 | 4.6487 | 4.6868 | 4.4963 |
| 9 | 4.2295 | 4.1914 | 4.0771 | 4.3058 | 4.5344 | 4.5725 | 4.4582 |
| 10 | 4.1152 | 4.1533 | 4.1914 | 4.2295 | 4.4963 | 4.4201 | 4.4201 |
| 11 | 4.2295 | 4.0771 | | 1.0669 | 4.4201 | 4.7249 | 4.382 |
| 12 | 4.3439 | 3.8485 | 5.1821 | 1.105 | 4.5344 | 4.4963 | 4.4963 |
| 13 | 4.2295 | 3.9247 | 4.763 | 1.0669 | 4.4582 | 4.6868 | 4.4582 |
| 14 | 4.2676 | 4.2676 | 4.6868 | 1.105 | 4.2676 | 4.8392 | 4.5725 |
| 15 | 4.4201 | 4.1152 | 4.6106 | 1.1431 | 4.4963 | 4.9916 | 4.7249 |
| 16 | 4.3439 | 4.2295 | 4.5725 | 1.105 | 4.382 | 5.0297 | 4.5725 |
| 17 | 4.039 | 4.2295 | 4.4963 | 4.4201 | 4.382 | 4.5344 | 4.4201 |
| 18 | 4.0771 | 4.0771 | 4.4201 | 5.0297 | 4.4582 | 4.5344 | 4.1914 |
| 19 | | 4.5725 | 4.6487 | 5.144 | 4.6868 | 5.2965 | 4.5725 |
| 20 | | 5.2202 | 5.3346 | 5.4489 | 5.3727 | 5.6775 | 5.3346 |
| 21 | | 5.3346 | 5.9061 | 5.7537 | 5.487 | 5.9823 | 5.7156 |
| 22 | | 5.7918 | 5.7918 | 6.0204 | 5.4489 | 6.1347 | 6.0966 |
| 23 | | 6.2872 | 6.5539 | 6.4015 | 5.2584 | 6.592 | 6.5158 |
| 24 | 6.0966 | | 6.1728 | 6.5158 | 6.5539 | 6.2491 | 6.592 |
| Max | 6.0966 | 6.2872 | 6.5539 | 6.5158 | 6.5539 | 6.592 | 6.592 |
| Min | 4.039 | 3.8485 | 4.0771 | 1.0669 | 4.2676 | 4.4201 | 4.1914 |
| Avg | 4.6868 | 4.5547 | 5.0264 | 4.3518 | 4.9805 | 5.1456 | 5.1298 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283046 / 22 Kv Netivali Sw stn

Feeder No / Name : 307 / 22 KV Shil feeder

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.315 | 3.2769 | 3.3913 | 3.0483 | 3.2769 | 3.315 | 3.2388 |
| 2 | 3.0864 | 3.1245 | 3.3532 | 2.8959 | 3.0483 | 3.2388 | 3.0483 |
| 3 | 3.0483 | 3.0483 | 3.1626 | 2.7435 | 2.8578 | 3.0483 | 2.8578 |
| 4 | 2.7435 | 2.934 | 2.8197 | 2.6673 | 2.6673 | 2.8578 | 2.9721 |
| 5 | 2.7435 | 2.7435 | 2.7435 | 2.5149 | 2.7435 | 2.6673 | 2.8959 |
| 6 | 2.7054 | 2.8959 | 2.8197 | 2.7435 | 2.8578 | 2.7054 | 2.8197 |
| 7 | 2.5911 | 2.6673 | 2.6673 | 2.5911 | 2.7054 | 2.7435 | 2.7054 |
| 8 | 2.5911 | 2.7054 | 2.6673 | 2.5911 | 2.7435 | 2.6673 | |
| 9 | 2.553 | 2.5911 | 2.5911 | 2.5149 | 2.7054 | 2.5149 | 2.4006 |
| 10 | 2.6673 | 2.6673 | 2.6673 | 2.5149 | 2.7435 | 2.553 | 2.5149 |
| 11 | 2.6673 | 2.21 | 2.7816 | 2.2862 | 2.7435 | 2.6292 | 2.6292 |
| 12 | 2.7435 | 2.2481 | 2.7054 | 1.6766 | 2.8578 | 2.7435 | 2.7054 |
| 13 | 2.8197 | 2.7816 | 2.7054 | 1.7147 | 2.8197 | 2.8197 | 2.7054 |
| 14 | 2.6292 | 2.6673 | 2.7816 | 1.9433 | 2.8578 | 2.8959 | 2.9721 |
| 15 | 2.6292 | 3.2007 | 2.9721 | 2.0576 | 2.934 | 3.0864 | 2.9721 |
| 16 | 2.9721 | 3.0483 | 2.5911 | 2.0195 | 3.0102 | 3.0483 | 2.9721 |
| 17 | 2.7435 | 2.9721 | 2.5911 | 2.2862 | 2.934 | 2.934 | 2.8959 |
| 18 | 2.8197 | 2.6673 | 2.1338 | 2.5911 | 2.8578 | 2.7816 | 2.7816 |
| 19 | | 2.934 | 2.9721 | 2.7435 | 2.8578 | 2.8197 | 2.8959 |
| 20 | | 3.1626 | 3.4294 | 3.1245 | 3.1626 | 3.0864 | 3.2769 |
| 21 | | 3.3532 | 3.4294 | 3.2388 | 3.315 | 3.315 | 3.3532 |
| 22 | | 3.3532 | 3.4294 | 3.2769 | 3.3532 | 3.315 | 3.4294 |
| 23 | | 3.4294 | 3.4294 | 3.4294 | 3.5056 | 3.4675 | 3.5056 |
| 24 | 3.4675 | 3.4294 | 3.4294 | 3.0483 | 3.3532 | 3.4675 | 3.4294 |
| Max | 3.4675 | 3.4294 | 3.4294 | 3.4294 | 3.5056 | 3.4675 | 3.5056 |
| Min | 2.553 | 2.21 | 2.1338 | 1.6766 | 2.6673 | 2.5149 | 2.4006 |
| Avg | 2.8177 | 2.9213 | 2.9277 | 2.5943 | 2.9547 | 2.9467 | 2.9556 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283046 / 22 Kv Netivali Sw stn

Feeder No / Name : 308 / 22 kv Metro Mall feeder

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .4572 | .4572 | .6859 | .4954 | .6097 | .4191 | .4572 |
| 2 | .381 | .381 | .4191 | .381 | .5335 | .381 | .381 |
| 3 | .381 | .3048 | .381 | .3048 | .4572 | .3429 | .3048 |
| 4 | .381 | .3048 | .4191 | .3048 | .381 | .3048 | .3048 |
| 5 | .381 | .3048 | .381 | .3048 | .381 | .3048 | .3048 |
| 6 | .3429 | .3048 | .4191 | .381 | .3048 | .3048 | .3429 |
| 7 | .3048 | .381 | .4191 | .381 | .381 | .3048 | .3048 |
| 8 | .3429 | .381 | .4191 | .381 | .4572 | .3048 | .4191 |
| 9 | .4191 | .381 | .5335 | .3048 | .6097 | .381 | .381 |
| 10 | .9907 | 1.0669 | 1.1812 | 1.0669 | 1.2574 | .9907 | 1.0288 |
| 11 | 1.5242 | 1.4098 | 1.6385 | 1.6385 | 1.7909 | 1.8671 | 1.6385 |
| 12 | 2.0957 | 2.0576 | 2.21 | 2.1338 | 2.21 | 2.1719 | 2.0957 |
| 13 | 2.0957 | 2.1338 | 1.7909 | 2.0576 | 2.2481 | 2.1719 | 2.0195 |
| 14 | 1.7528 | 1.7909 | 1.8671 | 2.0957 | 1.9814 | 1.9052 | 1.7528 |
| 15 | 2.0576 | 2.1338 | 2.0957 | 1.7909 | 2.3624 | 2.1719 | 2.1338 |
| 16 | 2.0195 | 1.9814 | 2.0195 | 2.21 | 2.0957 | 2.1338 | 2.0195 |
| 17 | 1.6766 | 1.7147 | 1.9814 | 1.829 | 2.1338 | 2.2481 | 1.6766 |
| 18 | 1.6004 | 1.8671 | 1.9052 | 1.9052 | 2.1719 | 2.21 | 1.6766 |
| 19 | 1.7528 | 2.2862 | 2.0576 | 2.3624 | 2.3624 | 2.3243 | 1.9814 |
| 20 | 1.9052 | 2.21 | 1.829 | 2.2862 | 2.2862 | 2.3624 | 2.0576 |
| 21 | 1.7147 | 1.9052 | 1.7147 | 2.2862 | 1.9433 | 2.0957 | 1.7528 |
| 22 | 1.3717 | 1.6004 | 1.1431 | 1.3717 | 1.5242 | 1.7528 | 1.3336 |
| 23 | .7621 | .9907 | .8002 | .8383 | .724 | .9907 | .6859 |
| 24 | .5716 | .6097 | .724 | .6478 | .7621 | .6478 | .6097 |
| Max | 2.0957 | 2.2862 | 2.21 | 2.3624 | 2.3624 | 2.3624 | 2.1338 |
| Min | .3048 | .3048 | .381 | .3048 | .3048 | .3048 | .3048 |
| Avg | 1.1368 | 1.2066 | 1.2098 | 1.2400 | 1.3320 | 1.2955 | 1.1526 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283046 / 22 Kv Netivali Sw stn

Feeder No / Name : 309 / 22 KV KDMC Express feeder NON SHEDDABLE WATER SUPPLY AND
Feeder KV- 22 / OUTGOING UTILITY

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0762 |
| 2 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 3 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 4 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 5 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 6 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0762 |
| 7 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 8 | .0381 | .0381 | .0381 | .0381 | .0381 | .0762 | .0381 |
| 9 | .0381 | .0762 | .0762 | .0762 | .0381 | .0381 | .0381 |
| 10 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 11 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 12 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 13 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 14 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 15 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 16 | .0381 | .0762 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 17 | .0381 | .0762 | .0381 | .0381 | .0762 | .0381 | .0381 |
| 18 | .0381 | .0762 | .0381 | .0381 | .0762 | .0381 | .0381 |
| 19 | | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 20 | | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 21 | | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 22 | | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 23 | | .0762 | .0381 | .0381 | .0762 | .0762 | .0381 |
| 24 | .0381 | .0381 | .0762 | .0381 | .0381 | .0762 | .0762 |
| Max | .0381 | .0762 | .0762 | .0762 | .0762 | .0762 | .0762 |
| Min | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| Avg | .0381 | .0460 | .0413 | .0397 | .0429 | .0429 | .0429 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283046 / 22 Kv Netivali Sw stn

Feeder No / Name : 310 / Netivali swiching station
tran Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .5716 | | .5335 | .4572 | .4572 | .4572 | .4572 |
| 2 | .5716 | | .5335 | .4572 | .4572 | .4572 | .4572 |
| 3 | .5716 | | .5335 | .4572 | .4572 | .4572 | .4572 |
| 4 | .5716 | | .5335 | .5335 | .4572 | .4572 | .4572 |
| 5 | .5716 | | .5335 | .5335 | .4572 | .4572 | .4572 |
| 6 | .381 | | .381 | .4572 | .381 | .4572 | .4572 |
| 7 | .1905 | | .1905 | .1905 | .381 | .4572 | .4572 |
| 8 | .1143 | | .1905 | .2667 | .2286 | .381 | .381 |
| 9 | .1524 | .1905 | .2286 | .3048 | .1905 | .2667 | .3048 |
| 10 | .1905 | .1905 | .3048 | .381 | .1905 | .2667 | .3048 |
| 11 | .381 | .381 | .381 | .4572 | .1905 | .2667 | .3429 |
| 12 | .381 | .381 | .381 | .4572 | .1905 | .2667 | .3429 |
| 13 | .381 | .4572 | .4572 | .4572 | .1905 | .1905 | .3429 |
| 14 | .381 | .4572 | .4572 | .4572 | .1905 | .2667 | .3429 |
| 15 | .381 | .4572 | .4572 | .4572 | .1143 | .1905 | .3429 |
| 16 | .381 | .4572 | .4572 | .4572 | .1143 | .1905 | .381 |
| 17 | .2286 | .4572 | .3048 | .4572 | .3048 | .1905 | .5335 |
| 18 | .1905 | .4572 | .3048 | .4572 | .3048 | .1905 | .381 |
| 19 | | .5335 | .3048 | .381 | .3048 | .4191 | .381 |
| 20 | | .5335 | .381 | .5335 | .5335 | .4191 | .381 |
| 21 | | .5335 | .4191 | .5335 | .5335 | .4572 | .3429 |
| 22 | | .5335 | .4954 | .5335 | .5335 | .4572 | .4191 |
| 23 | | .5335 | .4572 | .4572 | .5335 | .4572 | .4572 |
| 24 | .5716 | | .5335 | .4572 | .4572 | .5335 | .4572 |
| Max | .5716 | .5335 | .5335 | .5335 | .5335 | .5335 | .5335 |
| Min | .1143 | .1905 | .1905 | .1905 | .1143 | .1905 | .3048 |
| Avg | .3770 | .4369 | .4064 | .4413 | .3397 | .3588 | .4016 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283046 / 22 Kv Netivali Sw stn

Feeder No / Name : 311 / 22 Kv MIDC netivali new SHEDDABLE FEEDER HAVING WEEKLY
Feeder KV- 22 / OUTGOING STAGGERING (MIDC, EQUIVALENT)

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 5.9061 | 5.9823 | 5.5251 | 5.7537 | 1.7147 | 5.4108 | 5.7156 |
| 2 | 6.1347 | 5.7537 | 5.2965 | 5.5251 | 1.6004 | 5.4108 | 5.5251 |
| 3 | 6.0966 | 5.5251 | 5.2202 | 5.3727 | 1.5242 | 5.3346 | 5.5251 |
| 4 | 5.3346 | 5.3346 | 5.144 | 5.1821 | 1.448 | 5.4108 | 5.0297 |
| 5 | 5.3346 | 5.1821 | 5.0678 | 4.9535 | 1.6004 | 5.5251 | 6.0966 |
| 6 | 5.1821 | 4.9535 | 4.9916 | 4.6106 | 1.9052 | 5.144 | 5.5251 |
| 7 | 5.0297 | 4.6106 | 4.8392 | 4.382 | 2.0195 | 4.8011 | 4.8011 |
| 8 | 4.9154 | 4.9535 | 4.5725 | 2.7816 | 2.8197 | 4.6868 | 5.2202 |
| 9 | 6.8206 | 10.4404 | 5.144 | 2.8959 | 5.6394 | 20.4618 | 5.8299 |
| 10 | 7.697 | 6.973 | 6.9349 | 3.1245 | 6.4396 | 6.6301 | 7.9637 |
| 11 | 8.1162 | 8.0399 | 7.8494 | 3.2007 | 6.6682 | 6.6301 | 7.316 |
| 12 | 8.1543 | 8.0018 | 7.8494 | 3.0483 | 6.7825 | 8.078 | 7.3541 |
| 13 | 7.3922 | 7.2779 | 7.697 | 2.7435 | 6.2872 | 6.5158 | 7.3541 |
| 14 | 7.6589 | 8.0018 | 7.6208 | 2.7054 | 7.0111 | 13.5269 | 7.4303 |
| 15 | 7.6589 | 8.0018 | 7.7732 | 2.5911 | 7.0873 | 7.0873 | 8.0399 |
| 16 | 8.0018 | 7.8113 | 8.1543 | 2.3243 | 7.0111 | 7.697 | 7.2779 |
| 17 | 7.4303 | 8.0018 | 7.3922 | 2.3624 | 7.5065 | 7.4684 | 7.5827 |
| 18 | 6.5158 | 6.7825 | 6.7825 | 1.8671 | 6.7444 | 6.592 | 6.7063 |
| 19 | | 6.973 | 6.4777 | 1.6766 | 5.9061 | 6.0585 | 6.0966 |
| 20 | | 5.6775 | 11.355 | 1.6004 | 5.7537 | 6.0966 | 6.0204 |
| 21 | | 5.6394 | 5.2965 | 1.7909 | 4.9916 | 5.1059 | 5.144 |
| 22 | | 5.4489 | 5.2584 | 1.7528 | 5.0678 | 5.9442 | 5.3346 |
| 23 | | 5.1821 | 5.4108 | 1.7909 | 5.4489 | 5.6775 | 5.868 |
| 24 | 5.6013 | 5.7156 | 5.6013 | 6.0966 | 1.6766 | 5.7918 | 5.7537 |
| Max | 8.1543 | 10.4404 | 11.355 | 6.0966 | 7.5065 | 20.4618 | 8.0399 |
| Min | 4.9154 | 4.6106 | 4.5725 | 1.6004 | 1.448 | 4.6868 | 4.8011 |
| Avg | 6.5780 | 6.5110 | 6.3856 | 3.3389 | 4.6106 | 6.9619 | 6.2713 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283214 / Lokdhara switching stn

Feeder No / Name : 301 / 22 KV Netiwali Incomer

SHEDDABLE URBAN

Feeder KV- 22 / INCOMING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 10.9358 | 11.1264 | 11.7741 | 11.5455 | 11.736 | 11.6979 | 11.8122 |
| 2 | 10.5167 | 10.5548 | 11.0502 | 11.2026 | 11.2026 | 11.0121 | 11.2407 |
| 3 | 10.0976 | 9.9451 | 10.7072 | 11.0502 | 10.7834 | 10.3262 | 10.631 |
| 4 | 9.6403 | 9.4879 | 10.25 | 10.2881 | 10.4405 | 10.0976 | 10.3643 |
| 5 | 9.2212 | 9.0688 | 9.5641 | 10.0214 | 9.7165 | 9.6784 | 9.9832 |
| 6 | 9.145 | 9.2212 | 9.2974 | 9.526 | 9.5641 | 9.3355 | 9.7165 |
| 7 | 8.6496 | 8.6115 | 8.5353 | 8.9163 | | 8.5734 | 9.1069 |
| 8 | 8.4972 | 8.421 | 8.421 | 8.6115 | 8.802 | 8.4972 | 8.7258 |
| 9 | 8.078 | 8.3067 | 8.1543 | | 8.6496 | 8.6115 | 8.1924 |
| 10 | 8.1162 | 8.1162 | 8.3829 | | 8.421 | 8.6496 | 8.3448 |
| 11 | 8.3067 | 8.1924 | 8.4591 | | 8.6496 | 8.8782 | 8.1924 |
| 12 | 7.9256 | 8.0399 | 8.1924 | | 8.3829 | 8.9163 | 8.3448 |
| 13 | 8.1543 | 8.0399 | 8.3067 | | 8.6115 | 8.7258 | 8.4972 |
| 14 | 8.3829 | 8.421 | 8.9925 | 1.1431 | 8.6496 | 9.4117 | 8.7639 |
| 15 | 8.5734 | 9.1069 | 9.2593 | 6.5539 | 8.3829 | 5.1059 | 9.0688 |
| 16 | 8.421 | 8.7639 | | 6.0204 | 8.4972 | | 8.9163 |
| 17 | 7.8113 | 8.2305 | .0381 | 10.7453 | 8.3829 | 9.4117 | 8.421 |
| 18 | 7.9637 | 8.2305 | 8.7258 | 9.907 | 8.421 | 9.1831 | 8.4972 |
| 19 | 9.2593 | 10.0595 | | 10.7453 | 9.8689 | 10.5167 | 10.4024 |
| 20 | 10.8215 | 10.8215 | 11.5074 | 11.9647 | 10.9358 | 11.3931 | 11.0883 |
| 21 | 11.0883 | 11.1264 | 11.6979 | 11.8503 | 11.0502 | 11.6598 | 11.3931 |
| 22 | 11.1264 | 11.1645 | 12.079 | 11.9266 | 11.2026 | 12.0409 | 11.6979 |
| 23 | 12.1552 | 12.3076 | 12.841 | 12.9173 | 11.8503 | 13.1078 | 12.8029 |
| 24 | 12.5362 | 12.2695 | 12.841 | 12.7648 | 12.8029 | 12.46 | 13.1459 |
| Max | 12.5362 | 12.3076 | 12.841 | 12.9173 | 12.8029 | 13.1078 | 13.1459 |
| Min | 7.8113 | 8.0399 | .0381 | 1.1431 | 8.3829 | 5.1059 | 8.1924 |
| Avg | 9.3926 | 9.4847 | 9.5035 | 9.8790 | 9.7828 | 9.8822 | 9.8896 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283214 / Lokdhara switching stn

Feeder No / Name : 302 / 22 Kv Harmon mohata

Feeder KV- 22 / OUTGOING

NON SHEDDABLE EXPRESS HV FEEDERS

(NON-CONTINUOUS PROCESS)(NO
STAGGERING)

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 16.4609 | 16.3085 | 16.6514 | 17.0325 | 16.9563 | 16.0799 | 17.1087 |
| 2 | 15.2416 | 15.2035 | 15.5464 | 16.0799 | 15.8513 | 15.3559 | 16.2323 |
| 3 | 14.67 | 14.4033 | 14.7844 | 14.8606 | 15.013 | 14.3652 | 15.1654 |
| 4 | 14.0223 | 13.9842 | 14.4414 | 14.289 | 14.7844 | 14.0985 | 14.0985 |
| 5 | 13.2221 | 13.0697 | 13.8318 | 13.6793 | 13.565 | 13.8699 | 13.4126 |
| 6 | 12.6505 | 12.7267 | 13.0316 | 13.2983 | 13.3745 | 13.0697 | 13.2221 |
| 7 | 11.9647 | 11.9266 | 12.079 | 12.4981 | 7.1254 | 11.8884 | 12.6124 |
| 8 | 11.6217 | 11.4693 | 7.0492 | 7.4684 | 12.079 | 11.6979 | 12.1171 |
| 9 | 10.9358 | 10.9358 | 10.6691 | 16.0799 | 11.6217 | 11.6979 | 11.6598 |
| 10 | 11.355 | 11.0883 | 10.2881 | 12.6505 | 11.5836 | 12.0409 | 11.355 |
| 11 | 10.974 | 10.0976 | 9.9832 | | 11.6979 | 11.8884 | 10.6691 |
| 12 | 10.4405 | 10.4786 | 10.0595 | | 11.1645 | 11.6217 | 10.6691 |
| 13 | 10.25 | 10.25 | 11.355 | | 11.355 | 11.8122 | 9.4117 |
| 14 | 10.5929 | 11.0883 | 11.7741 | 2.4006 | 11.4693 | 12.2314 | 11.8122 |
| 15 | 11.736 | 11.9647 | 12.3838 | 2.1338 | 11.4312 | 12.8792 | 11.9266 |
| 16 | 11.4693 | 11.3931 | | 2.2481 | 11.5455 | | 11.9647 |
| 17 | 11.3169 | 10.1738 | | 10.7453 | 11.2407 | 12.6505 | 11.6979 |
| 18 | 10.4405 | 10.631 | 14.5557 | 13.6412 | 11.2788 | 12.1552 | 11.2026 |
| 19 | 11.736 | | 14.3271 | 15.1654 | 12.7267 | 13.7936 | 13.9842 |
| 20 | 14.289 | 14.3652 | 15.737 | 16.0799 | 14.2509 | 15.0892 | 15.013 |
| 21 | 14.7081 | 14.8606 | 16.4609 | 16.5371 | 14.7844 | 15.6607 | 15.7751 |
| 22 | 15.4321 | 15.7751 | 17.1087 | 16.6133 | 15.2797 | 16.3847 | 16.6896 |
| 23 | 17.223 | 17.3754 | 17.9089 | 18.2899 | 16.6133 | 17.1468 | 18.2518 |
| 24 | 17.5278 | 17.4516 | 18.2899 | 18.328 | 18.7853 | 17.4135 | 18.2899 |
| Max | 17.5278 | 17.4516 | 18.2899 | 18.328 | 18.7853 | 17.4135 | 18.2899 |
| Min | 10.25 | 10.0976 | 7.0492 | 2.1338 | 7.1254 | 11.6217 | 9.4117 |
| Avg | 12.9284 | 12.9140 | 13.5598 | 12.8628 | 13.1491 | 13.6909 | 13.5142 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283214 / Lokdhara switching stn

Feeder No / Name : 305 / 22 kv LOKDHARAFEEDER

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.1626 | 3.0102 | 3.315 | 2.7816 | 2.934 | 3.1245 | 3.2388 |
| 2 | 2.934 | 2.6673 | 3.0864 | 2.7816 | 2.6673 | 2.8959 | 3.0102 |
| 3 | 2.7054 | 2.4768 | 2.7054 | 2.6673 | 2.4768 | 2.7435 | 2.7054 |
| 4 | 2.4768 | 2.3243 | 2.4768 | 2.4768 | 2.3624 | 2.553 | 2.4768 |
| 5 | 2.21 | 2.21 | 2.3624 | 2.2862 | 2.2862 | 2.3243 | 2.2862 |
| 6 | 2.0957 | 2.1338 | 2.1719 | 2.0576 | 2.2481 | 2.0957 | 2.21 |
| 7 | 2.0195 | 1.9814 | 1.7909 | 1.8671 | 1.9814 | 1.9433 | 2.0576 |
| 8 | 2.0195 | 1.9052 | 1.7528 | 1.829 | 1.829 | 1.9052 | 1.9052 |
| 9 | 1.6004 | 1.6766 | 1.4861 | 1.7147 | 1.9814 | 1.9433 | 1.7147 |
| 10 | 1.6004 | 1.6766 | 1.5242 | 1.7909 | 1.9814 | 1.9052 | 1.4861 |
| 11 | 1.8671 | 1.5623 | 1.5623 | | 1.9433 | 1.9052 | 1.5623 |
| 12 | 1.7909 | 1.6004 | 1.7147 | | 1.9433 | 1.8671 | 1.448 |
| 13 | 1.8671 | 1.5623 | 1.7909 | | 1.9052 | 1.9433 | 1.6004 |
| 14 | 1.8671 | 1.6766 | 1.8671 | 2.4006 | 1.9814 | 2.0576 | 1.6766 |
| 15 | 2.1338 | 1.8671 | 1.9052 | 2.1338 | 1.9814 | 2.3243 | 1.7528 |
| 16 | 1.9814 | 1.7147 | | 2.2481 | 2.0576 | | 1.7909 |
| 17 | 1.829 | 1.6004 | 1.9052 | 1.6004 | 1.829 | 2.21 | 1.9052 |
| 18 | 1.7528 | 1.6004 | 2.3243 | 1.9052 | 1.829 | 2.0576 | 1.9052 |
| 19 | 1.9433 | 1.7147 | 2.1719 | 1.9814 | 2.0576 | 2.21 | 2.1719 |
| 20 | 2.0957 | 1.8671 | 2.2862 | 2.1719 | 2.1338 | 2.3624 | 2.2481 |
| 21 | 2.2481 | 1.9433 | 2.3624 | 2.3624 | 2.2481 | 2.3243 | 2.4006 |
| 22 | 2.5149 | 2.21 | 2.5911 | 2.4387 | 2.4006 | 2.6673 | 2.553 |
| 23 | 3.1626 | 3.2769 | 3.0864 | 3.0864 | 2.8197 | 3.2769 | 3.2388 |
| 24 | 3.4675 | 3.3532 | 3.5437 | 3.2388 | 3.1245 | 3.2769 | 3.5437 |
| Max | 3.4675 | 3.3532 | 3.5437 | 3.2388 | 3.1245 | 3.2769 | 3.5437 |
| Min | 1.6004 | 1.5623 | 1.4861 | 1.6004 | 1.829 | 1.8671 | 1.448 |
| Avg | 2.2227 | 2.0672 | 2.2514 | 2.2772 | 2.2084 | 2.3442 | 2.2037 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283214 / Lokdhara switching stn

Feeder No / Name : 306 / Station transformer

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 2 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 3 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 4 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 5 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 6 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 7 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 8 | .0381 | .0381 | .0381 | .0381 | .0381 | .0762 | .0381 |
| 9 | .0381 | .0381 | .0381 | .0381 | .0381 | .0762 | .0381 |
| 10 | .0381 | .0381 | .0381 | .0381 | .0381 | .0762 | .0381 |
| 11 | .0381 | .0381 | .0381 | | .0381 | .0762 | .0381 |
| 12 | .0381 | .0381 | .0381 | | .0381 | .0762 | .0381 |
| 13 | .0381 | .0381 | .0381 | | .0381 | .0762 | .0381 |
| 14 | .0381 | .0381 | .0381 | .0381 | .0381 | .0762 | .0381 |
| 15 | .0381 | .0381 | .0381 | .0381 | .0381 | | .0381 |
| 16 | .0381 | .0381 | | .0381 | .0381 | .0762 | .0762 |
| 17 | .0381 | .0381 | | .0381 | .0381 | .0381 | .0762 |
| 18 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0762 |
| 19 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .1143 |
| 20 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .1143 |
| 21 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .1143 |
| 22 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .1143 |
| 23 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .1143 |
| 24 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| Max | .0381 | .0381 | .0381 | .0381 | .0381 | .0762 | .1143 |
| Min | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| Avg | .0381 | .0381 | .0381 | .0381 | .0381 | .0514 | .0587 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283214 / Lokdhara switching stn

Feeder No / Name : 307 / KOLSHEWADI

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 4.6106 | 4.7249 | 5.0297 | 4.8773 | 5.1821 | 5.0297 | 5.144 |
| 2 | 4.4201 | 4.5344 | 4.6868 | 4.5725 | 4.8773 | 4.4582 | 4.8773 |
| 3 | 4.2295 | 4.2295 | 4.3058 | 4.5725 | 4.5725 | 4.2295 | 4.5344 |
| 4 | 4.039 | 4.039 | 4.2295 | 4.1914 | 4.2676 | 4.1533 | 4.382 |
| 5 | 3.8485 | 3.8485 | 4.039 | 4.1152 | 4.1152 | 3.8866 | 4.1533 |
| 6 | 3.6961 | 3.6961 | 3.8485 | 3.8104 | 3.9628 | 3.8104 | 3.9247 |
| 7 | 3.5818 | 3.5437 | 3.5437 | 3.6961 | 3.7723 | 3.5437 | 3.6961 |
| 8 | 3.4294 | 3.3913 | 3.5056 | 3.5818 | 3.6199 | 3.5437 | 3.5818 |
| 9 | 3.2007 | 3.315 | 3.3913 | 3.4675 | 3.4675 | 3.5056 | 3.5056 |
| 10 | 3.315 | 3.2007 | 3.6961 | | 3.4294 | 3.4675 | 3.4294 |
| 11 | 3.2769 | 3.2388 | 3.5056 | | 3.5056 | 3.5818 | 3.2769 |
| 12 | 3.2769 | 3.2769 | 3.315 | | 3.4675 | 3.658 | 3.4294 |
| 13 | 3.2388 | 3.2388 | 3.4675 | | 3.5056 | 3.7342 | 3.4675 |
| 14 | 3.3532 | 3.4294 | 3.4675 | | 3.5818 | 3.8485 | 3.4294 |
| 15 | 3.5056 | 3.8104 | 3.8485 | | 3.4675 | 4.1914 | 3.7342 |
| 16 | 3.3913 | 3.5437 | | | 3.5818 | | 3.6199 |
| 17 | 3.2007 | 3.315 | 3.6199 | 4.8011 | 3.5437 | 3.8485 | 3.4294 |
| 18 | 3.2007 | 3.315 | 3.6199 | 4.382 | 3.4294 | 3.7723 | 3.5818 |
| 19 | 3.6199 | 3.9247 | 4.1152 | 4.4963 | 4.0009 | 4.2295 | 4.2295 |
| 20 | 4.3439 | 4.2676 | 4.6106 | 5.144 | 4.4582 | 4.7249 | 4.5344 |
| 21 | 4.4963 | 4.4963 | 4.8011 | 5.0678 | 4.5725 | 4.8011 | 4.6487 |
| 22 | 4.6106 | 4.6106 | 5.0678 | 5.144 | 4.6487 | 4.9916 | 4.8773 |
| 23 | 5.144 | 5.1059 | 5.3727 | 5.6013 | 4.9916 | 5.5632 | 5.3727 |
| 24 | 5.2965 | 5.0678 | 5.3727 | 5.3727 | 5.6013 | 5.3346 | 5.5632 |
| Max | 5.2965 | 5.1059 | 5.3727 | 5.6013 | 5.6013 | 5.5632 | 5.5632 |
| Min | 3.2007 | 3.2007 | 3.315 | 3.4675 | 3.4294 | 3.4675 | 3.2769 |
| Avg | 3.8469 | 3.8818 | 4.1070 | 4.5232 | 4.0676 | 4.1699 | 4.1010 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283214 / Lokdhara switching stn

Feeder No / Name : 309 / 22 KV Jari Mari Feeder

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.4861 | 1.4098 | 1.448 | 1.4098 | 1.3717 | 1.3336 | 1.448 |
| 2 | 1.4098 | 1.2955 | 1.3336 | 1.3717 | 1.3336 | 1.2574 | 1.3717 |
| 3 | 1.3336 | 1.2574 | 1.4098 | 1.3336 | 1.3336 | 1.2193 | 1.2955 |
| 4 | 1.2193 | 1.2193 | 1.3336 | 1.2955 | 1.2955 | 1.1812 | 1.2574 |
| 5 | 1.1431 | 1.1812 | 1.1812 | 1.2574 | 1.2193 | 1.1812 | 1.2193 |
| 6 | 1.105 | 1.1431 | 1.1812 | 1.2193 | 1.1431 | 1.1812 | 1.1431 |
| 7 | 1.105 | 1.105 | 1.105 | 1.1431 | 1.0669 | 1.105 | 1.105 |
| 8 | 1.0669 | 1.0669 | 1.0288 | 1.105 | 1.0669 | 1.0288 | 1.0288 |
| 9 | .9907 | 1.0288 | .9907 | 1.0288 | .9907 | .9526 | .9907 |
| 10 | .9526 | .9145 | .9145 | .9907 | .9145 | .9145 | .8383 |
| 11 | .9145 | .8383 | .8764 | | .8764 | .9145 | .8764 |
| 12 | .8764 | .8002 | .8383 | | .8764 | .9145 | .8764 |
| 13 | .8383 | .7621 | .8764 | | .8383 | .9145 | .8764 |
| 14 | .9145 | .8383 | .9526 | 1.1431 | .8764 | .9526 | .9526 |
| 15 | .9907 | .9526 | 1.0288 | 1.105 | .8383 | 1.0288 | .9907 |
| 16 | .8764 | .9145 | | .9907 | .9145 | | .9145 |
| 17 | .8383 | .8383 | .8764 | .9145 | .8764 | .9526 | .8764 |
| 18 | .7621 | .8002 | .8764 | .8764 | .8383 | .9145 | .8002 |
| 19 | .8764 | .9526 | 1.0669 | .9526 | .9526 | 1.0669 | 1.0288 |
| 20 | 1.105 | 1.105 | 1.1812 | 1.105 | 1.105 | 1.1431 | 1.105 |
| 21 | 1.105 | 1.1812 | 1.2193 | 1.1431 | 1.105 | 1.1812 | 1.1431 |
| 22 | 1.2193 | 1.2574 | 1.3336 | 1.2193 | 1.2574 | 1.2955 | 1.2574 |
| 23 | 1.4098 | 1.4861 | 1.448 | 1.448 | 1.3717 | 1.5242 | 1.4861 |
| 24 | 1.5623 | 1.4861 | 1.5242 | 1.5242 | 1.448 | 1.4098 | 1.5242 |
| Max | 1.5623 | 1.4861 | 1.5242 | 1.5242 | 1.448 | 1.5242 | 1.5242 |
| Min | .7621 | .7621 | .8383 | .8764 | .8383 | .9145 | .8002 |
| Avg | 1.0875 | 1.0764 | 1.1315 | 1.1703 | 1.0796 | 1.1116 | 1.1003 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 286050 / TATA NETIVALI

Feeder No / Name : 301 / KB1 I/C

Feeder KV- 22 / INCOMING

NON SHEDDABLE EXPRESS HV FEEDERS

(NON-CONTINUOUS PROCESS)(NO

STAGGERING)

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 12.9658 | 12.7801 | 13.6114 | 13.1516 | 13.263 | 13.3745 | 14.1175 |
| 2 | 11.9999 | 12.0371 | 12.6315 | 12.4829 | 12.5943 | 12.1114 | 12.8915 |
| 3 | 11.034 | 10.8854 | 11.7891 | 11.6655 | 11.9256 | 11.4798 | 11.9999 |
| 4 | 10.5138 | 10.4024 | 11.0081 | 10.9225 | 11.294 | 10.9968 | 11.294 |
| 5 | 10.2538 | 9.6594 | 10.3652 | 10.2538 | 11.1454 | 10.2538 | 10.6996 |
| 6 | 9.1021 | 9.7337 | 9.8924 | 10.3281 | 10.3281 | 9.7708 | 10.068 |
| 7 | 9.5108 | 9.4736 | 10.1423 | 10.4024 | 9.9194 | 9.7337 | 9.7337 |
| 8 | 10.0309 | 9.9194 | 10.4024 | 10.8482 | 10.5138 | 10.2538 | 10.5881 |
| 9 | 9.8823 | 8.099 | 10.4395 | 10.9225 | 10.6953 | 10.2166 | 10.7368 |
| 10 | 11.9628 | 11.6655 | 12.0742 | 12.8172 | 11.4426 | 10.3281 | 12.26 |
| 11 | 14.1175 | 14.2661 | 12.7801 | 14.6005 | 11.2197 | 9.3622 | 13.8575 |
| 12 | 15.0835 | 14.6005 | 12.8544 | 15.3064 | 11.5169 | 10.1052 | 14.3404 |
| 13 | 15.4921 | 14.8234 | 13.3002 | 15.6779 | 11.2569 | 13.1144 | 15.1206 |
| 14 | 15.7893 | 15.3064 | 13.7089 | 15.6407 | 11.5912 | 13.7089 | 15.2321 |
| 15 | 15.6407 | 16.5695 | 14.4519 | 16.6438 | 16.2352 | 14.4147 | 15.7522 |
| 16 | 15.1578 | 15.694 | 13.9689 | 15.938 | 15.6779 | 14.229 | 15.4178 |
| 17 | 14.3033 | 14.727 | 14.4147 | 14.3404 | 14.6005 | 13.1144 | 14.1175 |
| 18 | 13.4117 | 13.7089 | 13.8946 | 13.5231 | 14.0061 | 12.7058 | 13.2259 |
| 19 | 13.8946 | 13.6485 | 14.3776 | 14.6377 | 14.7491 | 16.8296 | 13.6717 |
| 20 | 14.4519 | 14.1175 | 15.8636 | 14.7863 | 15.0835 | 17.7955 | 14.4519 |
| 21 | 13.8203 | 13.4488 | 15.0463 | 14.229 | 14.4147 | 12.3343 | 13.8203 |
| 22 | 12.5943 | 12.3714 | 13.9689 | 13.0773 | 13.003 | 11.1454 | 13.3002 |
| 23 | 13.4488 | 14.9502 | 14.7863 | 13.9318 | 13.746 | 14.3404 | 14.3033 |
| 24 | 13.7832 | 13.746 | | 13.6717 | 14.6005 | 14.3033 | 14.7491 |
| Max | 15.7893 | 16.5695 | 15.8636 | 16.6438 | 16.2352 | 17.7955 | 15.7522 |
| Min | 9.1021 | 8.099 | 9.8924 | 10.2538 | 9.9194 | 9.3622 | 9.7337 |
| Avg | 12.8436 | 12.7764 | 12.8597 | 13.3250 | 12.7009 | 12.3343 | 13.1562 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 286050 / TATA NETIVALI

Feeder No / Name : 312 / TATA I/C

SHEDDABLE URBAN

Feeder KV- 22 / INCOMING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 14.2128 | 14.5557 | 15.4321 | 14.6319 | 13.9461 | 14.0985 | 13.9842 |
| 2 | 13.2602 | 13.0697 | 15.2416 | 13.7936 | 13.1459 | 13.1459 | 12.9554 |
| 3 | 12.4981 | 12.3457 | 14.4414 | 12.9935 | 12.2695 | 12.5362 | 12.5362 |
| 4 | 12.6124 | 11.9266 | 13.9461 | 12.5743 | 11.3931 | 11.9266 | 12.7648 |
| 5 | 12.7648 | 12.079 | 13.4507 | 12.7267 | 11.3169 | 11.5455 | 12.5362 |
| 6 | 11.9266 | 11.8884 | 12.9173 | 12.5743 | 11.7741 | 6.5539 | 12.7648 |
| 7 | 12.0409 | 12.1933 | 12.3457 | 5.7537 | 11.736 | 5.7918 | 11.736 |
| 8 | 11.355 | 11.5074 | 11.8122 | 10.6691 | 11.1264 | 10.7834 | 11.1264 |
| 9 | 10.5929 | 10.5929 | 11.2788 | 13.7936 | 11.1264 | 10.4405 | 10.8596 |
| 10 | 11.5074 | 12.079 | 12.2695 | 15.8512 | 12.0028 | 11.4312 | 11.9266 |
| 11 | 11.6979 | 12.2695 | 12.1171 | 8.5734 | 12.6886 | 12.3457 | 9.4117 |
| 12 | 12.2695 | 12.8792 | 13.2602 | 8.8401 | 12.3838 | 13.0316 | 11.1645 |
| 13 | 12.3076 | 13.1459 | 12.4219 | 8.2686 | 12.1171 | 13.4126 | 10.0595 |
| 14 | 11.9647 | 12.3457 | 13.6031 | 14.0223 | 12.1933 | 12.8029 | 10.0976 |
| 15 | 12.9173 | 13.184 | 13.8699 | 13.8318 | 13.4888 | 13.9842 | 10.6691 |
| 16 | 13.2602 | 13.2983 | 14.4795 | 13.7174 | 13.4507 | 13.9842 | 13.9461 |
| 17 | 12.0409 | 12.079 | 13.9461 | 12.079 | 12.5743 | 13.5269 | 12.9554 |
| 18 | 11.5074 | 11.5455 | 13.7555 | 11.2788 | 12.4219 | 12.9554 | 12.4219 |
| 19 | 13.1078 | 13.7174 | 13.1078 | 13.2221 | 13.3364 | 13.4126 | 13.2602 |
| 20 | 11.0502 | 15.2035 | 15.394 | 14.4795 | 14.9368 | 15.013 | 15.2416 |
| 21 | 14.9368 | 15.394 | 15.2416 | 14.1366 | 14.8987 | 15.5083 | 15.1654 |
| 22 | 14.5557 | 15.3178 | 15.8894 | 14.2128 | 14.8225 | 15.5464 | 15.0511 |
| 23 | 15.4702 | 15.394 | 16.4609 | 14.4795 | 14.8987 | 15.737 | 15.3178 |
| 24 | 14.9368 | 15.394 | 15.5083 | 15.6226 | 14.5176 | 14.7844 | 15.1273 |
| Max | 15.4702 | 15.394 | 16.4609 | 15.8512 | 14.9368 | 15.737 | 15.3178 |
| Min | 10.5929 | 10.5929 | 11.2788 | 5.7537 | 11.1264 | 5.7918 | 9.4117 |
| Avg | 12.6998 | 13.0586 | 13.8413 | 12.5886 | 12.8569 | 12.6791 | 12.6283 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-III[751] BU 4751

Substation No/ Name :- 283515 / 22/22 KV VALLIPER SWITCHING
ST

Feeder No / Name : 309 / SHIVAJI CHOWK

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.5828 | 1.5466 | 1.6204 | 1.5074 | 1.5828 | 1.3633 | 1.5074 |
| 2 | 1.5074 | 1.4335 | 1.432 | 1.432 | 1.5074 | 1.2071 | 1.3567 |
| 3 | 1.3943 | 1.2826 | 1.3567 | 1.3567 | 1.4697 | 1.1422 | 1.1986 |
| 4 | 1.2813 | 1.1317 | 1.2813 | 1.2436 | 1.3943 | 1.0242 | 1.1305 |
| 5 | 1.2059 | 1.094 | 1.1305 | 1.1682 | 1.432 | .9949 | 1.1305 |
| 6 | 1.0175 | 1.0562 | 1.0929 | 1.1682 | .9798 | .9949 | .9798 |
| 7 | 1.1694 | 1.1317 | 1.1682 | 1.2436 | 1.0175 | .958 | .9798 |
| 8 | 1.2059 | 1.2826 | 1.3567 | 1.4697 | 1.1682 | 1.0974 | 1.2059 |
| 9 | 1.3203 | 1.5074 | 1.432 | 1.5074 | 1.2436 | 1.1682 | 1.2436 |
| 10 | 2.037 | 1.8861 | 2.035 | 2.148 | 1.4697 | 1.1682 | 1.8089 |
| 11 | 2.5274 | 2.5626 | 2.5626 | 2.7133 | | 1.3859 | 2.035 |
| 12 | 2.7161 | 2.6003 | 2.6756 | 2.6756 | 1.8466 | 1.5732 | 2.1857 |
| 13 | 2.7915 | 2.5766 | 2.7887 | 2.9017 | 1.7997 | 1.5451 | 2.2988 |
| 14 | 2.8669 | 2.7887 | 2.7133 | 2.8264 | 1.8671 | 1.6855 | 2.2611 |
| 15 | 2.8669 | 2.9017 | 2.8264 | 3.0148 | 1.8671 | 1.7335 | 2.2988 |
| 16 | 2.7538 | 2.7426 | 2.751 | 2.8264 | 1.7924 | 1.7335 | 2.3365 |
| 17 | 2.452 | 2.5548 | 2.6003 | 2.6003 | 1.7177 | 1.6958 | 2.1857 |
| 18 | 2.2634 | 2.3294 | 2.4495 | 2.3741 | 1.6581 | 1.5357 | 1.9596 |
| 19 | 2.2634 | 2.3294 | 2.4495 | 2.4495 | 1.643 | 1.6907 | 1.8842 |
| 20 | 2.2634 | 2.3669 | 2.4872 | 2.3365 | 1.6804 | 1.6204 | 1.7712 |
| 21 | 2.0748 | 2.0727 | 2.2234 | 2.148 | 1.5844 | 1.6204 | 1.6581 |
| 22 | 1.6975 | 1.6481 | 1.8466 | 1.8089 | 1.4697 | 1.5074 | 1.5074 |
| 23 | 1.6221 | 1.8089 | 1.8466 | 1.7335 | 1.4697 | 1.5074 | 1.5451 |
| 24 | 1.6204 | 1.5844 | 1.7335 | 1.5828 | 1.8089 | 1.5451 | 1.5828 |
| Max | 2.8669 | 2.9017 | 2.8264 | 3.0148 | 1.8671 | 1.7335 | 2.3365 |
| Min | 1.0175 | 1.0562 | 1.0929 | 1.1682 | .9798 | .958 | .9798 |
| Avg | 1.9376 | 1.9258 | 1.9942 | 2.0099 | 1.5422 | 1.3958 | 1.6688 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-III[751] BU 4751

Substation No/ Name :- 283515 / 22/22 KV VALLIPER SWITCHING
ST

Feeder No / Name : 310 / STATION ROAD

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.135 | 2.1725 | 2.3597 | 2.1725 | 2.2474 | 2.2474 | 2.2848 |
| 2 | 1.9852 | 2.0226 | 2.2474 | 2.135 | 2.1725 | 2.0975 | 2.1725 |
| 3 | 1.8728 | 1.8354 | 2.0975 | 2.0601 | 2.0601 | 1.9897 | 2.0226 |
| 4 | 1.7979 | 1.7604 | 1.9339 | 1.9103 | 1.9852 | 1.9044 | 1.9477 |
| 5 | 1.8728 | 1.723 | 1.8728 | 1.8354 | 1.9852 | 1.8671 | 1.8728 |
| 6 | 1.7604 | 1.8354 | 1.8354 | 1.9103 | 1.9852 | 1.8671 | 1.9103 |
| 7 | 1.8354 | 1.8354 | 1.9103 | 1.9103 | 1.9103 | 1.8728 | 1.9103 |
| 8 | 2.0226 | 2.0601 | 2.0975 | 2.135 | 2.0601 | 2.0538 | 2.0601 |
| 9 | 2.0975 | 2.2474 | 2.2474 | 2.2848 | 2.2848 | 2.0601 | 2.2474 |
| 10 | 2.6219 | 2.5845 | 2.6594 | 2.7343 | 2.6219 | 2.2779 | 2.7343 |
| 11 | 3.0714 | 3.2212 | 3.2587 | 2.9216 | 3.1838 | 2.6968 | 3.1463 |
| 12 | 3.446 | 3.3336 | 3.5583 | 3.5583 | 3.3981 | 2.9965 | 3.2212 |
| 13 | 3.446 | 3.3711 | 3.6707 | 3.6707 | 3.3711 | 2.959 | 3.5958 |
| 14 | 3.446 | 3.446 | | 3.6707 | 3.3608 | 2.9874 | 3.5583 |
| 15 | 3.4085 | 3.5958 | 3.7082 | 3.7082 | 3.3608 | 3.034 | 3.4834 |
| 16 | 3.3711 | 3.5958 | 3.5583 | 3.5958 | 3.3608 | 2.959 | 3.5209 |
| 17 | 3.1463 | 3.3336 | 3.4085 | 3.2587 | 3.1741 | 2.6968 | 3.2961 |
| 18 | 2.9965 | 3.2311 | 3.2587 | 3.1463 | 3.0714 | 2.6968 | 3.1089 |
| 19 | 3.1089 | 3.2587 | 3.2587 | 3.2587 | 3.2587 | 3.2587 | 3.0714 |
| 20 | 3.2212 | 3.3336 | 3.446 | 3.2587 | 3.3848 | 5.5604 | 3.2587 |
| 21 | 2.959 | 3.0714 | 3.1838 | 3.034 | 3.1655 | 2.9216 | 3.034 |
| 22 | 2.5845 | 2.7051 | 2.6219 | 2.547 | 2.6379 | 2.6003 | 2.6594 |
| 23 | 2.3972 | 2.547 | 1.7957 | 2.5096 | 2.4721 | 2.5845 | 2.5096 |
| 24 | 2.3597 | 2.3597 | 2.5845 | 2.2848 | 2.4347 | 2.3972 | 2.4446 |
| Max | 3.446 | 3.5958 | 3.7082 | 3.7082 | 3.3981 | 5.5604 | 3.5958 |
| Min | 1.7604 | 1.723 | 1.7957 | 1.8354 | 1.9103 | 1.8671 | 1.8728 |
| Avg | 2.6235 | 2.6867 | 2.7206 | 2.7296 | 2.7061 | 2.6078 | 2.7113 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-III[751] BU 4751

Substation No/ Name :- 283515 / 22/22 KV VALLIPER SWITCHING
ST

Feeder No / Name : 311 / PATRI POOL

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.5336 | 3.5704 | 3.6808 | 3.6847 | 3.611 | 3.6478 | 3.7215 |
| 2 | 3.2391 | 3.3128 | 3.3128 | 3.3899 | 3.4267 | 3.353 | 3.4636 |
| 3 | 3.0183 | 3.0183 | 3.0919 | 3.2425 | 3.2425 | 3.1688 | 3.2057 |
| 4 | 2.8711 | 2.9447 | 2.9447 | 3.0214 | 3.0951 | 3.0495 | 3.0951 |
| 5 | 2.9447 | 2.8711 | 2.8343 | 2.874 | 3.0214 | 2.8003 | 2.8372 |
| 6 | 2.503 | 2.7974 | 2.7606 | 2.9477 | 2.9477 | 2.6377 | 5.6006 |
| 7 | 2.5766 | 2.4294 | 2.653 | 2.8372 | 2.6161 | 2.5056 | 2.3582 |
| 8 | 2.6134 | 2.4662 | 2.5056 | 2.9477 | 2.8372 | 3.1688 | 2.6161 |
| 9 | 2.4294 | | 2.653 | 2.874 | 2.9846 | 2.5424 | 2.5793 |
| 10 | 2.7606 | 2.6566 | 2.9109 | 3.0583 | 2.9477 | 2.5424 | 3.0214 |
| 11 | 3.0551 | 2.7238 | 3.2057 | 3.0951 | | | 3.0951 |
| 12 | 3.2391 | 2.8343 | 3.2057 | 3.1688 | | | 3.2425 |
| 13 | 3.3496 | 2.8343 | 3.353 | 3.1688 | | 3.0214 | 3.353 |
| 14 | 3.3864 | 2.9447 | 3.5373 | 3.2425 | | 3.2793 | 3.611 |
| 15 | 3.3864 | 3.4915 | 3.7583 | 3.5004 | 4.3896 | 3.5373 | 3.7952 |
| 16 | 3.3864 | 3.3864 | 3.5373 | 3.3162 | 4.1335 | 3.6931 | 3.6478 |
| 17 | 3.0183 | 2.9079 | 3.2793 | 3.0583 | 3.7583 | 3.132 | 3.1688 |
| 18 | 2.8343 | 2.7238 | 2.8372 | 2.653 | 3.3162 | 2.9846 | 2.9109 |
| 19 | 2.8343 | 2.6502 | 2.9846 | 3.0583 | 3.2793 | 3.2057 | 2.9938 |
| 20 | 2.8343 | 2.8343 | 3.1688 | 3.0583 | 3.2425 | 3.1655 | 3.1688 |
| 21 | 2.8343 | 2.8343 | 3.3162 | 3.0951 | 3.132 | 3.132 | 3.0583 |
| 22 | 3.0183 | 2.8711 | 3.353 | 3.132 | 3.2057 | 3.1688 | 3.2895 |
| 23 | 3.46 | 3.3864 | 3.8689 | 3.5741 | 3.647 | 3.611 | 3.6478 |
| 24 | 3.6808 | 3.7545 | 3.7913 | 3.832 | 3.9057 | 3.7952 | 3.7952 |
| Max | 3.6808 | 3.7545 | 3.8689 | 3.832 | 4.3896 | 3.7952 | 5.6006 |
| Min | 2.4294 | 2.4294 | 2.5056 | 2.653 | 2.6161 | 2.5056 | 2.3582 |
| Avg | 3.0336 | 2.9671 | 3.1893 | 3.1596 | 3.3370 | 3.1428 | 3.3032 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-III[751] BU 4751

Substation No/ Name :- 283515 / 22/22 KV VALLIPER SWITCHING
ST

Feeder No / Name : 312 / SANTOSHI MATA ROAD

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 5.692 | 5.7096 | 5.743 | 5.76 | 5.8029 | 5.9076 | 6.3942 |
| 2 | 5.2484 | 5.2276 | 5.4297 | 5.4646 | 5.4702 | 5.3169 | 5.692 |
| 3 | 4.731 | 4.7085 | 5.1322 | 4.9846 | 5.1376 | 5.0267 | 5.3224 |
| 4 | 4.5462 | 4.5232 | 4.7231 | 4.7261 | 4.8049 | 4.8 | 4.9528 |
| 5 | 4.2135 | 3.967 | 4.314 | 4.3569 | 4.694 | 4.4677 | 4.694 |
| 6 | 3.807 | 4.0783 | 4.1069 | 4.32 | 4.3938 | 4.1335 | 4.2396 |
| 7 | 3.9179 | 3.8439 | 4.1723 | 4.2092 | 4.3569 | 4.1701 | 4.3244 |
| 8 | 4.1766 | 4.1396 | 4.3569 | 4.2461 | 4.4307 | 4.4307 | 4.5092 |
| 9 | 4.0287 | 4.2092 | 4.2092 | 4.2461 | 3.9507 | 4.314 | 4.4723 |
| 10 | 4.5232 | 4.5046 | 4.4307 | 4.8738 | 4.2092 | 4.2092 | 4.8049 |
| 11 | 5.5613 | 5.5753 | 3.7292 | 5.8707 | 6.203 | 5.0584 | 5.8398 |
| 12 | 5.7467 | 5.723 | 3.4338 | 5.9076 | 6.1661 | 5.3169 | 5.8398 |
| 13 | 5.932 | 5.8338 | 3.5077 | 5.9446 | 5.9076 | 5.3907 | 6.1355 |
| 14 | 6.1545 | 5.9076 | 3.9877 | 5.9076 | 6.1661 | 5.5384 | 6.0246 |
| 15 | 6.0062 | 6.4015 | 4.1723 | 6.4246 | 6.2769 | 5.8707 | 6.3203 |
| 16 | 5.6725 | 5.76 | 4.0984 | 6.2094 | 6.0553 | 5.7289 | 6.1355 |
| 17 | 5.7096 | 5.7348 | 5.0953 | 5.4332 | 5.6861 | 5.3963 | 5.655 |
| 18 | 5.3388 | 5.2539 | 5.3538 | 5.3593 | 5.76 | 5.3224 | 5.2854 |
| 19 | 5.895 | 5.1799 | 5.6861 | 5.8768 | 6.3507 | 8.501 | 5.7659 |
| 20 | 6.1545 | 5.3649 | 6.6092 | 6.1355 | 6.5353 | 7.3552 | 6.2094 |
| 21 | 5.932 | 5.2539 | 6.0553 | 5.9507 | 6.2769 | 4.4353 | 6.0985 |
| 22 | 5.3018 | 4.8369 | 6.0184 | 5.5811 | 5.4646 | 3.6961 | 5.7289 |
| 23 | 5.895 | 5.1323 | 6.4246 | 6.0985 | 6.0553 | 6.5051 | 6.3942 |
| 24 | 6.0985 | 6.0803 | 6.4984 | 5.9076 | 6.4312 | 6.3507 | 6.7269 |
| Max | 6.1545 | 6.4015 | 6.6092 | 6.4246 | 6.5353 | 8.501 | 6.7269 |
| Min | 3.807 | 3.8439 | 3.4338 | 4.2092 | 3.9507 | 3.6961 | 4.2396 |
| Avg | 5.2618 | 5.1229 | 4.8870 | 5.4081 | 5.5244 | 5.3018 | 5.5652 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-II[696] BU 4696

Substation No/ Name :- 283049 / 22/22 KV DURGADI SWITCHING

STN

Feeder No / Name : 302 / 22 KV BUNDER ROAD

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.5606 | 2.5911 | 2.6703 | 2.8959 | 2.6673 | 2.6703 | 2.8166 |
| 2 | 2.4874 | 2.5911 | 2.5972 | 2.7435 | 2.5911 | 2.5606 | 2.7435 |
| 3 | 2.4143 | 2.5149 | 2.5606 | 2.7054 | 2.4768 | 2.3777 | 2.5972 |
| 4 | 2.3045 | 2.4006 | 2.4143 | 2.6292 | 2.3624 | 2.3045 | 2.4508 |
| 5 | 2.2314 | 2.2481 | 2.3045 | 2.4768 | 2.4006 | 2.2314 | 2.3411 |
| 6 | 2.1948 | 2.21 | 2.1948 | 2.4768 | 2.2862 | 2.3045 | 2.268 |
| 7 | 2.0851 | 2.1719 | 2.1948 | 2.3624 | 2.3243 | 2.268 | 2.2314 |
| 8 | 2.1216 | 1.9814 | 2.1582 | 2.3243 | 2.0576 | 2.1216 | 2.1582 |
| 9 | 1.9753 | 1.8656 | 1.9433 | 1.9814 | 2.0195 | 1.9022 | 1.9387 |
| 10 | 2.5972 | 1.7924 | 1.8671 | 1.7909 | 1.9022 | 2.0576 | 1.9387 |
| 11 | 1.8656 | 1.6095 | 1.8671 | 2.0576 | 1.829 | 1.9814 | 1.9022 |
| 12 | 1.6827 | 1.7558 | 1.9433 | 2.0195 | | 4.9916 | 1.7193 |
| 13 | 1.7924 | 1.6827 | 2.0576 | 1.9433 | | 1.8671 | 1.7924 |
| 14 | 1.9022 | 1.829 | 1.9052 | 1.9814 | | 2.3243 | 2.1338 |
| 15 | 2.1948 | 3.3653 | 2.21 | 2.1719 | 2.2314 | 2.4768 | 2.2862 |
| 16 | 2.1582 | 2.0851 | 2.2862 | 2.1338 | 2.1948 | 2.1216 | 2.3243 |
| 17 | 1.9814 | 1.7558 | 1.9814 | 1.8671 | 2.1948 | 2.0851 | 1.9814 |
| 18 | 1.6766 | 1.8656 | 1.9052 | 1.6766 | 1.8656 | 1.9753 | 1.9433 |
| 19 | 1.9814 | 1.9022 | 2.1719 | 1.9433 | 2.1582 | 2.0851 | 2.1338 |
| 20 | 2.0195 | 2.1216 | 2.3243 | 2.0957 | 2.1216 | 2.268 | 2.1719 |
| 21 | 1.9814 | 2.1582 | 2.2862 | 2.1338 | 2.1948 | 2.2314 | 2.1338 |
| 22 | 2.0195 | 2.3045 | 2.4768 | 2.21 | 2.3777 | 2.3777 | 1.9052 |
| 23 | 2.5911 | 2.6703 | 2.8197 | 2.553 | 2.5972 | 2.7069 | 2.6673 |
| 24 | 2.5972 | 2.6673 | 2.8166 | 2.8959 | 2.6673 | 2.5972 | 2.7801 |
| Max | 2.5972 | 3.3653 | 2.8197 | 2.8959 | 2.6673 | 4.9916 | 2.8166 |
| Min | 1.6766 | 1.6095 | 1.8671 | 1.6766 | 1.829 | 1.8671 | 1.7193 |
| Avg | 2.1423 | 2.1725 | 2.2482 | 2.2529 | 2.2629 | 2.3703 | 2.2233 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-II[696] BU 4696

Substation No/ Name :- 283049 / 22/22 KV DURGADI SWITCHING

STN

Feeder No / Name : 303 / 22 KV AGRA ROAD

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.9506 | 4.1533 | 4.0969 | 4.4963 | 4.3439 | 4.0969 | 4.2433 |
| 2 | 3.7311 | 3.7342 | 3.8043 | 4.039 | 4.1152 | 3.7677 | 3.9506 |
| 3 | 3.4385 | 3.5056 | 3.5117 | 3.8104 | 3.7723 | 3.4751 | 3.658 |
| 4 | 3.219 | 3.2388 | 3.219 | 3.4294 | 3.6199 | 3.1824 | 3.4019 |
| 5 | 2.963 | 3.0102 | 2.9264 | 3.315 | 3.3532 | 2.963 | 3.1093 |
| 6 | 2.7435 | 2.8578 | 2.8532 | 3.0483 | 3.0864 | 2.9264 | 2.8898 |
| 7 | 2.7435 | 2.7435 | 2.963 | 2.9721 | 2.9721 | 2.6337 | 2.8898 |
| 8 | 2.7435 | 2.7816 | 2.8898 | 2.934 | 2.934 | 2.7435 | 2.7435 |
| 9 | 2.4874 | 2.6337 | 2.7435 | 2.8578 | 2.8197 | 2.5606 | 2.7069 |
| 10 | 2.1216 | 2.6703 | 2.9721 | 2.934 | 2.9995 | 2.8197 | 2.8166 |
| 11 | 2.268 | 2.8532 | 3.0483 | 2.9721 | 3.1459 | 2.8959 | 3.0727 |
| 12 | 2.9264 | 2.8532 | 3.1245 | 3.5437 | 3.0361 | 3.0102 | 2.9264 |
| 13 | 2.9264 | 2.9995 | 3.2388 | 2.8578 | 3.1093 | 2.9721 | 3.0361 |
| 14 | 3.0361 | 3.2556 | 3.5056 | 3.5056 | 2.9995 | 3.5437 | 3.3532 |
| 15 | 2.524 | 3.3653 | 3.658 | 3.6199 | 2.8532 | 3.5818 | 3.5056 |
| 16 | 2.3777 | 3.219 | 3.6199 | 3.5056 | 3.1093 | 3.4751 | 3.5437 |
| 17 | 2.8197 | 2.963 | 3.315 | 3.0483 | 3.1093 | 3.1093 | 3.2388 |
| 18 | 2.7435 | 2.8166 | 3.1245 | 2.8959 | 2.8532 | 2.9995 | 2.7435 |
| 19 | 2.8959 | 2.7801 | 3.2388 | 3.1245 | 2.963 | 3.3288 | 3.2388 |
| 20 | 3.1245 | 3.1093 | 3.5437 | 3.3532 | 3.219 | 3.3288 | 3.3532 |
| 21 | 3.2769 | 3.1093 | 3.5818 | 3.315 | 3.219 | 3.4385 | 3.5056 |
| 22 | 3.5056 | 3.3653 | 3.8485 | 3.6199 | 3.3288 | 3.5482 | 3.658 |
| 23 | 4.1914 | 4.0969 | 4.4201 | 4.2676 | 3.9506 | 4.3164 | 4.4582 |
| 24 | 4.1701 | 4.4201 | 4.4262 | 4.4963 | 4.4963 | 4.3896 | 4.5725 |
| Max | 4.1914 | 4.4201 | 4.4262 | 4.4963 | 4.4963 | 4.3896 | 4.5725 |
| Min | 2.1216 | 2.6337 | 2.7435 | 2.8578 | 2.8197 | 2.5606 | 2.7069 |
| Avg | 3.0387 | 3.1890 | 3.4031 | 3.4151 | 3.3087 | 3.2961 | 3.359 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-II[696] BU 4696

Substation No/ Name :- 283049 / 22/22 KV DURGADI SWITCHING

STN

Feeder No / Name : 304 / 22 KV ADHARWADI

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.219 | 3.3913 | 5.048 | 3.4294 | 3.5818 | 3.1459 | 3.1824 |
| 2 | 3.0361 | 3.0864 | 4.4993 | 3.2007 | 3.2769 | 2.9264 | 2.963 |
| 3 | 2.7801 | 2.8959 | 4.2433 | 3.0483 | 3.1245 | 2.7435 | 2.7801 |
| 4 | 2.524 | 2.7435 | 3.9506 | 2.934 | 2.8578 | 2.5972 | 2.6337 |
| 5 | 2.1948 | 2.553 | 3.6214 | 2.7816 | 2.7435 | 2.524 | 2.524 |
| 6 | 2.0485 | 2.21 | 3.3288 | 2.4006 | 2.4006 | 2.3045 | 2.1582 |
| 7 | 2.0119 | 2.0576 | 2.8532 | 2.2481 | 2.2481 | 2.0119 | 2.0485 |
| 8 | 1.8823 | 2.0957 | 2.8532 | 2.1719 | 2.3624 | 2.0485 | 2.1216 |
| 9 | 2.0851 | 2.0851 | 3.0102 | 2.1338 | 2.2862 | 2.1216 | 2.0485 |
| 10 | 2.21 | 2.0851 | 3.0102 | 2.1338 | 2.3045 | 2.1719 | |
| 11 | 2.268 | 1.9753 | 2.934 | 2.21 | 2.268 | 2.21 | 2.0485 |
| 12 | 2.1582 | 1.9387 | 3.0483 | 2.1338 | 2.4508 | 2.1719 | 1.9753 |
| 13 | 2.1948 | 1.9022 | 3.2388 | 2.0957 | 2.3411 | 2.21 | 2.0485 |
| 14 | 2.3777 | 2.1216 | 3.5818 | 2.4768 | 2.4874 | 2.5911 | 2.2862 |
| 15 | 2.524 | 2.4508 | 3.8485 | 2.5911 | 2.4508 | 2.7435 | 2.553 |
| 16 | 2.3777 | 2.3411 | 3.6199 | 2.3624 | 2.3777 | 2.5606 | 2.1338 |
| 17 | 2.2481 | 4.4627 | 3.5437 | 1.8671 | 2.3777 | 2.3045 | 2.2481 |
| 18 | 1.9814 | 3.7677 | 3.2007 | 2.0195 | 2.0485 | 2.1582 | 1.9814 |
| 19 | 2.1719 | 3.0361 | 3.2769 | 2.5911 | 2.2314 | 2.3045 | 2.0957 |
| 20 | 2.553 | 3.5482 | 3.8866 | 2.7435 | 2.6337 | 2.524 | 2.5911 |
| 21 | 2.6292 | 3.6214 | 4.1914 | 3.0483 | 2.8166 | 2.6337 | 2.6673 |
| 22 | 2.8959 | 4.1335 | 4.6106 | 3.2388 | 3.0361 | 2.8898 | 3.1245 |
| 23 | 3.4294 | 5.048 | 5.7156 | 3.7342 | 3.3288 | 3.4019 | 3.5818 |
| 24 | 3.4751 | 3.5056 | 5.2675 | 5.6394 | 3.8866 | 3.4019 | 3.4751 |
| Max | 3.4751 | 5.048 | 5.7156 | 5.6394 | 3.8866 | 3.4019 | 3.5818 |
| Min | 1.8823 | 1.9022 | 2.8532 | 1.8671 | 2.0485 | 2.0119 | 1.9753 |
| Avg | 2.4698 | 2.8774 | 3.7659 | 2.7181 | 2.6634 | 2.5292 | 2.4900 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-II[696] BU 4696

Substation No/ Name :- 283049 / 22/22 KV DURGADI SWITCHING

STN

Feeder No / Name : 306 / 22 KV WADEGHAR

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 4.9749 | 5.0297 | 5.048 | 5.4108 | 5.3727 | 5.3041 | 5.2675 |
| 2 | 4.6456 | 4.6487 | 4.792 | 5.0297 | 4.9154 | 4.8651 | 4.9383 |
| 3 | 4.353 | 4.4201 | 4.5725 | 4.763 | 4.6487 | 4.5725 | 4.6456 |
| 4 | 4.0604 | 4.1152 | | 4.5344 | 4.5344 | 4.353 | 4.3896 |
| 5 | 3.8043 | 4.0009 | 3.9872 | 4.3439 | 4.1152 | 4.0604 | 4.0604 |
| 6 | 3.5482 | 3.658 | 3.8043 | 4.0009 | 4.1152 | 3.7311 | 3.8409 |
| 7 | 3.3653 | 3.5056 | 3.3288 | 3.8104 | 3.8104 | 3.4385 | 3.5848 |
| 8 | 2.9264 | 3.2388 | 3.3288 | 3.6961 | 3.4294 | 3.3288 | 3.5117 |
| 9 | 2.8532 | 2.963 | 3.315 | 3.1245 | 3.1245 | 3.2922 | 3.2556 |
| 10 | 3.0361 | 2.8898 | 3.0864 | 3.1245 | 3.0727 | 3.3913 | 3.1093 |
| 11 | 3.0361 | 2.8166 | 3.0102 | 3.0864 | 2.963 | 3.1626 | 3.0727 |
| 12 | 2.963 | 2.7435 | 3.2007 | 3.1245 | 2.9264 | 3.1245 | 3.0361 |
| 13 | 2.7435 | 2.7801 | 3.2007 | 3.2388 | 2.963 | 3.3532 | 3.219 |
| 14 | 3.1459 | 2.6703 | 3.4675 | 3.2769 | 3.1459 | 3.8866 | 3.4675 |
| 15 | 3.4385 | 2.8532 | 3.9628 | 4.0009 | 3.4385 | 4.0009 | 3.6961 |
| 16 | 3.4385 | 3.4019 | 3.6199 | 3.658 | 3.2556 | 3.914 | 3.5437 |
| 17 | 3.1245 | 3.1093 | 3.2769 | 3.1626 | 3.2556 | 3.3653 | 3.1626 |
| 18 | 2.934 | 2.963 | 3.2769 | 3.0483 | 2.963 | 3.1093 | |
| 19 | 3.1626 | 2.8898 | 3.315 | 3.2007 | 3.1824 | 3.3288 | 2.934 |
| 20 | 3.8485 | 3.658 | 4.039 | 3.6961 | 3.4751 | 3.8043 | 3.6961 |
| 21 | 3.8866 | 3.8043 | 4.1914 | 4.0009 | 3.8409 | 3.9506 | 3.9628 |
| 22 | 4.1152 | 4.0604 | 4.5725 | 4.1152 | 4.2067 | 4.3896 | 4.4963 |
| 23 | 4.8011 | 4.9749 | 5.487 | 4.9535 | 4.7554 | 5.1578 | 5.5632 |
| 24 | 5.2675 | 5.2202 | 5.3407 | 5.9061 | 5.2965 | 5.2675 | 5.3772 |
| Max | 5.2675 | 5.2202 | 5.487 | 5.9061 | 5.3727 | 5.3041 | 5.5632 |
| Min | 2.7435 | 2.6703 | 3.0102 | 3.0483 | 2.9264 | 3.1093 | 2.934 |
| Avg | 3.6447 | 3.6006 | 3.8793 | 3.9295 | 3.7836 | 3.923 | 3.9057 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 283513 / TEJSHREE SWITCHING STATION

Feeder No / Name : 302 / CHHAYA TALKIES SHEDDABLE URBAN
Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.0957 | 1.9052 | 2.0957 | 2.0576 | | 2.0576 | 2.0957 |
| 2 | 1.9052 | 1.829 | 1.9052 | 1.9052 | 2.2862 | 1.9052 | 1.9433 |
| 3 | 1.8671 | 1.6766 | 1.8671 | 1.7147 | 2.2481 | 1.7909 | 1.829 |
| 4 | 1.7147 | 1.6766 | 1.829 | 1.6385 | 2.0195 | 1.7528 | 1.6766 |
| 5 | 1.5623 | 1.6766 | 1.7147 | 1.6004 | 1.8671 | 1.6004 | 1.5242 |
| 6 | 1.5242 | 1.6385 | 1.5623 | 1.6004 | 1.829 | 1.5623 | 1.5242 |
| 7 | 1.5242 | 1.448 | 1.5242 | 1.448 | 1.6766 | 1.448 | 1.4861 |
| 8 | 1.4861 | 1.6385 | 1.4861 | 1.6004 | 1.6766 | 1.5242 | 1.4861 |
| 9 | 3.7341 | 1.7147 | 1.5623 | 1.6004 | 1.6004 | 1.7147 | 1.5623 |
| 10 | 1.6004 | 1.7909 | 1.6385 | 1.7909 | 2.0576 | 1.4861 | 1.7528 |
| 11 | 1.8671 | 1.8671 | 1.8671 | 1.8671 | 1.7528 | 1.5242 | 1.829 |
| 12 | 1.829 | 1.8671 | 1.9052 | 1.9433 | 1.8671 | 1.6004 | 1.9433 |
| 13 | 1.9052 | 1.9052 | 2.0195 | 1.9052 | 1.7528 | 1.6385 | 1.9052 |
| 14 | 1.9052 | 1.9814 | 2.0195 | 1.9814 | 1.7909 | 1.7147 | 2.0195 |
| 15 | 2.0576 | 2.2481 | 2.1338 | 2.0957 | 1.8671 | 2.2481 | 2.0195 |
| 16 | 2.0195 | 2.1719 | 2.6673 | | 1.9052 | 3.7342 | 3.9628 |
| 17 | 1.7909 | | 1.9052 | | 1.7528 | 1.8671 | 1.9052 |
| 18 | 1.7909 | 1.7528 | 1.7909 | 1.8671 | 1.6766 | 1.9433 | 1.8671 |
| 19 | 1.7147 | 1.7147 | 1.7147 | 1.9052 | 1.6385 | | 1.829 |
| 20 | 1.9052 | 1.829 | 1.9433 | 2.0195 | 1.9433 | | 1.829 |
| 21 | 1.8671 | 1.9052 | 1.8671 | 2.0195 | 2.0576 | 2.1338 | 1.8671 |
| 22 | 1.9433 | 2.0957 | 2.0195 | 2.0957 | 1.9814 | | 1.9052 |
| 23 | 2.1719 | 2.1338 | 2.1338 | 2.3243 | 2.1719 | | 2.1338 |
| 24 | 2.3243 | 2.21 | 2.1338 | 2.21 | 2.3243 | 2.21 | 2.21 |
| Max | 3.7341 | 2.2481 | 2.6673 | 2.3243 | 2.3243 | 3.7342 | 3.9628 |
| Min | 1.4861 | 1.448 | 1.4861 | 1.448 | 1.6004 | 1.448 | 1.4861 |
| Avg | 1.9211 | 1.8555 | 1.8877 | 1.8723 | 1.9019 | 1.8728 | 1.9211 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 283513 / TEJSHREE SWITCHING STATION

Feeder No / Name : 303 / PORNIMA CHOWK

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.4768 | 2.6673 | 2.5911 | 2.6673 | 2.8578 | 2.6673 | 2.8578 |
| 2 | 2.2862 | 2.3624 | 2.5149 | 2.4768 | 2.7054 | 2.4006 | 2.7054 |
| 3 | 1.9814 | 1.9433 | 2.4768 | 2.2862 | 2.6673 | 2.21 | 2.5911 |
| 4 | 1.9052 | 1.9052 | 2.3243 | 2.21 | 2.5911 | 1.9052 | 2.4768 |
| 5 | 1.829 | 1.7909 | 2.21 | 2.0576 | 2.4768 | 1.829 | 1.8671 |
| 6 | 1.7147 | 1.7147 | 2.0957 | 1.9433 | 2.2481 | 1.7147 | 1.829 |
| 7 | 1.6004 | 1.6385 | 1.9052 | 1.8671 | 1.9052 | 1.7909 | 1.7909 |
| 8 | 1.6004 | 1.6004 | 1.829 | 1.9052 | 1.7528 | 1.6766 | 1.8671 |
| 9 | 1.6004 | 1.6004 | 1.7528 | 1.829 | 1.7147 | 1.6766 | 1.6766 |
| 10 | 1.7528 | 1.9052 | 1.9433 | 1.9433 | 2.3624 | 1.6385 | 1.8671 |
| 11 | 1.7528 | 1.9814 | 3.8485 | 2.0957 | 1.9814 | 1.7147 | 1.9052 |
| 12 | 1.8671 | 2.1338 | 3.5818 | 2.0576 | 2.0195 | 3.6199 | 2.0195 |
| 13 | 1.8671 | 2.0576 | 3.6199 | 2.1338 | 2.0957 | 3.5056 | 2.0195 |
| 14 | 1.9052 | 2.1338 | 3.8104 | 2.21 | 2.0576 | 3.5437 | 2.1338 |
| 15 | 2.1719 | 2.3243 | 4.4201 | 2.4006 | 2.1719 | 4.1533 | 2.2862 |
| 16 | 2.0957 | 2.1719 | 4.2295 | 4.5724 | 2.1338 | 8.2304 | 4.4962 |
| 17 | 1.9052 | 2.0957 | 3.8485 | 1.9052 | 1.9814 | 4.0771 | 2.2481 |
| 18 | 1.7909 | 1.9814 | 3.6961 | 2.0195 | 1.9814 | | 2.21 |
| 19 | 1.9052 | 2.0576 | 2.21 | 2.0957 | 2.0576 | | 2.2481 |
| 20 | 2.0957 | 2.2481 | 2.4006 | 2.2862 | 2.21 | | 2.2481 |
| 21 | 2.1338 | 2.2862 | 2.3243 | 2.2481 | 2.21 | 2.4387 | 2.2862 |
| 22 | 2.3624 | 2.5911 | 2.4768 | 2.2862 | 2.3243 | 2.7435 | 2.2862 |
| 23 | 2.7435 | 2.8578 | 2.8959 | 2.7816 | 2.7054 | 2.8578 | 2.8197 |
| 24 | 2.7054 | 2.8197 | 2.934 | 3.0102 | 2.934 | 2.7816 | 3.0102 |
| Max | 2.7435 | 2.8578 | 4.4201 | 4.5724 | 2.934 | 8.2304 | 4.4962 |
| Min | 1.6004 | 1.6004 | 1.7528 | 1.829 | 1.7147 | 1.6385 | 1.6766 |
| Avg | 2.0021 | 2.1195 | 2.8308 | 2.3037 | 2.2561 | 2.8179 | 2.3227 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 283513 / TEJSHREE SWITCHING STATION

Feeder No / Name : 305 / KARNIK ROAD

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.1245 | 3.4294 | 3.4675 | 3.3532 | 3.4675 | 3.1626 | 3.4675 |
| 2 | 2.8959 | 3.1626 | 3.1626 | 3.0483 | 3.3913 | 2.8959 | 3.2388 |
| 3 | 2.6673 | 2.8197 | 3.0864 | 2.6673 | 3.2388 | 2.4768 | 3.0864 |
| 4 | 2.5911 | 2.4768 | 2.9721 | 2.553 | 3.0864 | 2.0576 | 2.8578 |
| 5 | 2.4768 | 2.3624 | 2.7054 | 2.4768 | 2.6673 | 2.0957 | 2.7054 |
| 6 | 2.0957 | 2.3243 | 2.4768 | 2.4006 | 2.4768 | 2.0957 | 2.5911 |
| 7 | 1.9433 | 2.1719 | 2.2862 | 2.2862 | 2.2862 | 2.0576 | 2.2862 |
| 8 | 1.8671 | 2.0957 | 2.0195 | 2.2862 | 2.0957 | 2.0195 | 2.0576 |
| 9 | 1.9814 | 2.0576 | 2.0957 | 2.0957 | 2.0195 | 1.8671 | 1.9814 |
| 10 | 1.9814 | 2.1338 | 2.0957 | 2.2481 | 1.9814 | 1.9433 | 2.0195 |
| 11 | 1.9814 | 2.2862 | 2.3624 | | 2.2481 | 2.0576 | 2.21 |
| 12 | 2.2481 | 2.4006 | 2.4768 | | 2.3243 | 2.1719 | 2.2481 |
| 13 | 2.3243 | 2.3243 | 2.5911 | | 2.3624 | 2.3243 | 2.3624 |
| 14 | 2.3624 | 2.4768 | 2.7435 | | 2.4387 | 2.4387 | 2.4768 |
| 15 | 2.6673 | 2.6673 | 2.8578 | 3.5818 | 2.5911 | 2.7054 | 2.6673 |
| 16 | 2.553 | 2.7054 | 2.7816 | 3.2769 | 2.553 | 2.7816 | 2.5149 |
| 17 | 2.3243 | 2.5149 | 2.5911 | 2.8197 | 2.4387 | 2.7816 | 2.5911 |
| 18 | 2.1338 | 2.3243 | 2.5149 | 2.8197 | 2.3624 | | 2.6673 |
| 19 | 2.5149 | 2.4387 | 2.7054 | 2.7816 | 2.5149 | | 2.7054 |
| 20 | 2.553 | 2.8197 | 3.0102 | 2.9721 | 2.6673 | | 2.7435 |
| 21 | 2.8959 | 3.0483 | 2.934 | 3.1245 | 2.6673 | 2.2862 | 2.8197 |
| 22 | 3.0102 | 3.2388 | 3.1626 | 3.2769 | 2.7435 | 2.8578 | 3.0483 |
| 23 | 3.4675 | 3.5056 | 3.658 | 3.5056 | 3.0483 | 3.2769 | 3.4675 |
| 24 | 3.4294 | 3.5818 | 3.7342 | 3.7342 | 3.6961 | 3.4294 | 3.7342 |
| Max | 3.4675 | 3.5818 | 3.7342 | 3.7342 | 3.6961 | 3.4294 | 3.7342 |
| Min | 1.8671 | 2.0576 | 2.0195 | 2.0957 | 1.9814 | 1.8671 | 1.9814 |
| Avg | 2.5038 | 2.6403 | 2.7705 | 2.8654 | 2.6403 | 2.4659 | 2.6895 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 283513 / TEJSHREE SWITCHING STATION

Feeder No / Name : 306 / RAMDASWADI SHEDDABLE URBAN
Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.2388 | | 3.2769 | 3.2769 | 3.2388 | 3.0483 | 3.4675 |
| 2 | 3.0483 | 3.0483 | 3.0483 | 3.0864 | 3.0864 | 2.8197 | 3.2388 |
| 3 | 2.7435 | 2.8197 | 2.6673 | 2.8578 | 2.9721 | 2.5911 | 3.0864 |
| 4 | 2.6673 | 2.6673 | 2.5911 | 2.7054 | 2.7054 | | 2.8578 |
| 5 | 2.4768 | 2.6292 | 2.3243 | 2.5911 | 2.4768 | 2.3624 | 2.7054 |
| 6 | 2.2862 | 2.5911 | 2.2862 | 2.5911 | 2.4006 | 2.3624 | 2.4768 |
| 7 | 2.21 | 2.2862 | 2.2862 | 2.3624 | 2.2862 | 2.2862 | 2.3624 |
| 8 | 2.0957 | 2.2862 | 2.2862 | 2.4006 | 2.2862 | 2.3624 | 2.3243 |
| 9 | 2.1338 | 2.21 | 2.1719 | 2.2481 | 2.2862 | 2.21 | 2.21 |
| 10 | 2.1338 | 2.1719 | 2.2481 | 2.3243 | 2.2481 | 2.21 | 2.2862 |
| 11 | 2.0576 | 2.21 | 2.2862 | 2.3624 | 2.3624 | 2.2862 | 2.3624 |
| 12 | 2.0957 | 2.2481 | 2.4387 | 1.7528 | 2.4006 | 2.3624 | 2.4006 |
| 13 | 2.0957 | 2.3243 | 2.4768 | 1.6766 | 2.4768 | 2.4387 | 2.2862 |
| 14 | 2.2481 | 2.5149 | 2.5911 | 2.5911 | 2.4006 | 2.553 | 2.6292 |
| 15 | 2.5911 | 2.6673 | 2.7435 | 2.7816 | 2.553 | 2.7816 | 2.7435 |
| 16 | 2.6292 | 2.6673 | 2.6673 | 5.487 | 2.5149 | 5.6394 | 5.4108 |
| 17 | 2.2862 | 2.5149 | 2.553 | 2.3624 | 2.4006 | 2.8197 | 2.7435 |
| 18 | 2.2862 | 2.3624 | 2.21 | 2.3624 | 2.1719 | | 2.8578 |
| 19 | 2.4387 | 2.4768 | 2.553 | 2.4768 | 2.5149 | | 2.9721 |
| 20 | 2.934 | 2.8959 | 3.0483 | 2.8959 | 2.8959 | | 3.0102 |
| 21 | 2.934 | 3.0483 | 3.1245 | 3.0483 | 2.9721 | 3.0483 | 3.1626 |
| 22 | 3.1626 | 3.2007 | 3.2007 | 3.2388 | 3.0483 | 3.2769 | 3.315 |
| 23 | 3.4294 | 3.4675 | 3.5437 | 3.315 | 3.315 | 3.4294 | 3.6199 |
| 24 | 3.4675 | 3.5056 | 3.5818 | 3.5818 | 3.4294 | 3.4294 | 3.658 |
| Max | 3.4675 | 3.5056 | 3.5818 | 5.487 | 3.4294 | 5.6394 | 5.4108 |
| Min | 2.0576 | 2.1719 | 2.1719 | 1.6766 | 2.1719 | 2.21 | 2.21 |
| Avg | 2.5704 | 2.6441 | 2.6752 | 2.7657 | 2.6435 | 2.8159 | 2.9245 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 283514 / BARAVE SWITCHING STATION

Feeder No / Name : 301 / GODREJ HILL

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.9628 | 3.8104 | 6.0966 | 4.1914 | 3.7723 | 3.8485 | 4.0771 |
| 2 | 3.8104 | 3.4294 | 5.7156 | 3.8104 | 3.5056 | 3.8104 | 3.7342 |
| 3 | 3.0483 | 3.0102 | 4.5725 | 3.6199 | 3.3532 | 3.6199 | 3.2388 |
| 4 | 2.8578 | 2.4768 | 4.1914 | 3.6199 | 2.934 | 3.2388 | 2.9721 |
| 5 | 2.5911 | 2.3243 | 4.2295 | 3.2388 | 2.8578 | 2.6673 | 2.6673 |
| 6 | 2.5911 | 2.3243 | 3.6199 | 3.0483 | 2.7435 | 2.4768 | 2.3624 |
| 7 | 1.9052 | 2.2862 | 3.315 | 2.4768 | 2.5911 | 2.4768 | 2.1719 |
| 8 | 1.9052 | 1.9052 | 3.0102 | 2.1338 | 2.4006 | 1.9433 | 2.0576 |
| 9 | 1.8671 | 2.3624 | 2.8578 | 2.553 | 2.4006 | 2.1338 | 2.1338 |
| 10 | 2.1338 | 2.2481 | 3.0483 | 2.4387 | 2.2862 | 2.2862 | 2.5149 |
| 11 | 2.0957 | 2.0957 | 3.2388 | 2.553 | 2.4387 | 2.4387 | 2.4768 |
| 12 | 2.3243 | 2.2481 | 3.2388 | 2.4768 | 2.4387 | 2.6292 | 2.6673 |
| 13 | 2.2481 | 2.21 | 3.315 | 2.7054 | 2.3624 | 2.8959 | 2.6292 |
| 14 | 2.4006 | 2.4387 | 3.315 | 3.0102 | 2.7435 | 3.1626 | 2.8578 |
| 15 | 2.7435 | 2.8197 | 4.2676 | 3.2769 | 2.7435 | 3.5056 | 3.1245 |
| 16 | 2.6673 | 2.6673 | 4.2676 | 3.0483 | 2.5911 | 3.4294 | 3.1245 |
| 17 | 2.4387 | 3.9247 | 3.8104 | 2.8578 | 2.5911 | 3.0483 | 2.7054 |
| 18 | 2.21 | 3.1626 | 3.2388 | 2.6673 | 2.1719 | 2.4768 | 2.2481 |
| 19 | 2.3243 | 3.315 | 3.3913 | 2.553 | 2.3243 | 2.4768 | 2.3243 |
| 20 | 2.4387 | 3.4675 | 3.5437 | 3.0102 | 2.3243 | 2.7054 | 2.6292 |
| 21 | 2.553 | 3.6199 | 3.5437 | 3.1245 | 2.7435 | 2.8197 | 2.8197 |
| 22 | 2.7054 | 4.1914 | 4.4201 | 3.2007 | 2.8959 | 3.0864 | 3.1245 |
| 23 | 3.8485 | 5.2584 | 4.4201 | 3.8485 | 2.8959 | 3.5818 | 3.7723 |
| 24 | 4.2295 | 4.1914 | 5.7156 | 5.9442 | 4.1914 | 3.8866 | 4.2676 |
| Max | 4.2295 | 5.2584 | 6.0966 | 5.9442 | 4.1914 | 3.8866 | 4.2676 |
| Min | 1.8671 | 1.9052 | 2.8578 | 2.1338 | 2.1719 | 1.9433 | 2.0576 |
| Avg | 2.6625 | 2.9912 | 3.9326 | 3.1420 | 2.7625 | 2.9435 | 2.8626 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 283514 / BARAVE SWITCHING STATION

Feeder No / Name : 302 / MURBAD ROAD

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 4.6868 | 4.1152 | 4.9535 | 5.0297 | 4.1914 | 4.7249 | 5.1059 |
| 2 | 4.1914 | 3.8104 | 4.1914 | 4.9535 | 4.0771 | 4.5725 | 4.7249 |
| 3 | 3.8866 | 3.4675 | 3.6961 | 4.763 | 3.8866 | 4.1914 | 4.382 |
| 4 | 3.8104 | 3.1245 | 3.6199 | 4.5725 | 3.8104 | 3.6961 | 4.0009 |
| 5 | 3.5437 | 3.1245 | 3.4294 | 4.1914 | 3.6199 | 3.6199 | 3.8104 |
| 6 | 3.4294 | 3.0483 | 3.3532 | 3.8104 | 3.4294 | 3.315 | 3.5437 |
| 7 | 3.2388 | 2.9721 | 3.2769 | 3.6199 | 3.2769 | 3.315 | 3.2769 |
| 8 | 2.8578 | 2.8197 | 2.9721 | 3.2388 | 3.1245 | 2.9721 | 3.2388 |
| 9 | 2.9721 | 2.7435 | 3.0483 | 3.1626 | 3.1245 | 3.1245 | 3.2007 |
| 10 | 2.9721 | 2.8197 | | 3.1245 | 3.2007 | 3.1626 | 3.2388 |
| 11 | 2.8578 | 2.8578 | | 3.0102 | 3.1245 | 3.2769 | 3.1626 |
| 12 | 2.8197 | 2.8959 | | 3.0864 | 3.1626 | | 3.1626 |
| 13 | 2.6673 | 2.934 | | 3.2388 | 3.1245 | 1.9052 | 3.1626 |
| 14 | 2.8959 | 3.0864 | | 3.2769 | 3.2388 | 2.1338 | 3.4675 |
| 15 | 3.4294 | 3.6961 | 2.6292 | 3.5818 | 3.2388 | 2.3624 | 3.658 |
| 16 | 3.315 | 3.5437 | 2.6292 | 3.4294 | 3.5437 | 2.2481 | 3.5056 |
| 17 | 3.1245 | 3.315 | 2.1338 | 3.1245 | 3.5437 | 2.2481 | 3.5056 |
| 18 | 2.6673 | 3.0483 | 2.1338 | 3.1245 | 3.315 | 1.7528 | 3.4294 |
| 19 | 2.8197 | 3.2007 | 3.658 | 3.2388 | 3.315 | 6.1347 | 3.3913 |
| 20 | 3.2769 | 3.658 | 3.8485 | 3.658 | 3.315 | 6.7063 | 3.658 |
| 21 | 3.5056 | 3.5818 | 3.8485 | 3.7342 | 3.5437 | 4.039 | 3.8104 |
| 22 | 3.8104 | 3.8485 | 4.3058 | 3.9247 | 3.7342 | 4.4963 | 4.2295 |
| 23 | 4.5344 | 4.7249 | 4.3058 | 4.6106 | | 5.1059 | 4.9535 |
| 24 | 4.8773 | 4.8773 | 5.2202 | 5.2202 | 4.9535 | 4.8011 | 5.2965 |
| Max | 4.8773 | 4.8773 | 5.2202 | 5.2202 | 4.9535 | 6.7063 | 5.2965 |
| Min | 2.6673 | 2.7435 | 2.1338 | 3.0102 | 3.1245 | 1.7528 | 3.1626 |
| Avg | 3.4246 | 3.3881 | 3.5397 | 3.7802 | 3.5171 | 3.6480 | 3.7882 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 283514 / BARAVE SWITCHING STATION

Feeder No / Name : 303 / COLLEGE ROAD

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 5.2965 | 4.9916 | 5.7918 | 5.8299 | 5.6394 | 5.5251 | 5.8299 |
| 2 | 4.763 | 4.2295 | 4.9916 | 5.7156 | 5.2202 | 5.3346 | 5.2584 |
| 3 | 4.4201 | 4.0771 | 4.5344 | 5.5251 | 4.8011 | 5.144 | 4.9535 |
| 4 | 4.0009 | 4.0009 | 4.1533 | 5.3346 | 4.4582 | 4.9535 | 4.6487 |
| 5 | 3.9247 | 3.8104 | 3.7723 | 3.8104 | 4.1914 | 4.763 | 4.382 |
| 6 | 3.8104 | 3.6961 | 3.7723 | 3.6199 | 3.8485 | 3.8104 | 4.0009 |
| 7 | 3.5437 | 3.5437 | 3.7342 | 3.6199 | 3.658 | 3.8104 | 3.8104 |
| 8 | 3.1626 | 3.4294 | 3.4675 | 3.5818 | 3.5437 | 3.4675 | 3.5818 |
| 9 | 3.0483 | 3.2769 | 3.2388 | 3.3532 | 3.5437 | 3.4294 | 3.3913 |
| 10 | 3.2769 | 3.2769 | 3.315 | 3.3532 | 3.2388 | 3.2769 | 3.3532 |
| 11 | 3.4294 | 3.2769 | 3.3913 | 3.5818 | 3.4675 | 3.4294 | 3.4294 |
| 12 | 3.2769 | 3.2769 | 3.3913 | 3.5437 | 3.2388 | 3.5818 | 3.4294 |
| 13 | 3.3532 | 3.3532 | 3.8104 | 3.7342 | 2.5911 | 3.6199 | 3.5437 |
| 14 | 3.5818 | 3.6199 | 4.1533 | 3.8866 | 3.9247 | 4.039 | 3.8866 |
| 15 | 4.039 | 4.1533 | 4.382 | 4.1152 | 3.9247 | 4.6106 | 4.3058 |
| 16 | 3.8485 | 4.0771 | 4.382 | 3.7342 | 3.7342 | 4.4582 | 4.1533 |
| 17 | 3.5437 | 3.7723 | 3.9247 | 3.5056 | 3.7342 | 4.1152 | 3.6961 |
| 18 | 3.6961 | 3.5437 | 3.5056 | 3.5437 | 3.4294 | 3.5818 | 3.3913 |
| 19 | 3.658 | 3.5056 | 3.9247 | 3.4675 | 3.5818 | 6.6682 | 3.5056 |
| 20 | 4.0009 | 3.9628 | 4.2676 | 4.1152 | 3.5818 | 7.2017 | 4.039 |
| 21 | 4.1152 | 4.1914 | 4.2676 | 4.4582 | 4.039 | 4.3439 | 4.1533 |
| 22 | 4.4582 | 4.5725 | 4.8392 | 4.6106 | 4.3439 | | 4.6868 |
| 23 | 5.4489 | 5.6775 | 4.8392 | 5.6013 | 5.4108 | 5.9442 | 5.7537 |
| 24 | 5.8299 | | 6.211 | 6.2491 | 6.0585 | 5.9442 | 6.1728 |
| Max | 5.8299 | 5.6775 | 6.211 | 6.2491 | 6.0585 | 7.2017 | 6.1728 |
| Min | 3.0483 | 3.2769 | 3.2388 | 3.3532 | 2.5911 | 3.2769 | 3.3532 |
| Avg | 3.9803 | 3.8833 | 4.1692 | 4.2454 | 4.0501 | 4.5675 | 4.2232 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 283514 / BARAVE SWITCHING STATION

Feeder No / Name : 304 / BARAVE FEEDER

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.4861 | 1.2193 | 1.5623 | 1.5242 | 1.6766 | 1.4861 | 1.5623 |
| 2 | 1.448 | 1.2193 | 1.3336 | 1.5242 | 1.448 | 1.3336 | 1.5242 |
| 3 | 1.3336 | 1.1431 | 1.2574 | 1.4861 | 1.448 | 1.2955 | 1.4098 |
| 4 | 1.1431 | 1.1431 | 1.2193 | 1.448 | 1.3336 | 1.2574 | 1.3336 |
| 5 | 1.1431 | 1.0669 | 1.1431 | 1.3336 | 1.3336 | 1.2574 | 1.2193 |
| 6 | 1.1431 | 1.0669 | 1.1431 | 1.3336 | 1.1431 | 1.1431 | 1.1431 |
| 7 | .9907 | .9907 | 1.0669 | 1.1431 | 1.1431 | 1.1431 | 1.0669 |
| 8 | .9907 | .9907 | 1.0288 | .9907 | 1.0288 | 1.0288 | .9907 |
| 9 | .9145 | .8764 | .9145 | .9526 | .9145 | .9526 | .9145 |
| 10 | .8383 | .8764 | .8764 | .9145 | .9145 | .9145 | .8383 |
| 11 | .8002 | .8764 | .9145 | .9145 | .8764 | .8764 | .8764 |
| 12 | .8764 | .8764 | .9145 | .8764 | .9145 | .9145 | .9526 |
| 13 | .8383 | .8002 | .9526 | .9526 | 1.0288 | .9145 | .9145 |
| 14 | .9526 | .9145 | 1.0288 | 1.0288 | 1.0288 | 1.105 | 1.0669 |
| 15 | 1.105 | 1.105 | 1.1812 | 1.1431 | .9526 | 1.2574 | 1.1431 |
| 16 | 1.0288 | 1.105 | 1.1812 | 1.0669 | .9526 | 1.2193 | 1.0669 |
| 17 | .9145 | .9526 | 1.0288 | .9907 | .9145 | 1.0288 | 1.0288 |
| 18 | .8764 | .8764 | .9526 | .9907 | | .9526 | .8764 |
| 19 | .9145 | .9145 | .9907 | .9526 | .9145 | .9526 | .8764 |
| 20 | 1.0669 | 1.0288 | 1.1431 | 1.0669 | .9145 | 1.105 | 1.0669 |
| 21 | 1.1431 | 1.1431 | 1.1431 | 1.2193 | 1.0669 | 1.1431 | 1.1431 |
| 22 | 1.2193 | 1.2574 | 1.3717 | 1.2955 | 1.2574 | 1.3717 | 1.3336 |
| 23 | 1.5242 | 1.5623 | 1.3717 | 1.5242 | | 1.6004 | 1.6385 |
| 24 | 1.6766 | 1.6004 | 1.7147 | 1.7147 | 1.6766 | 1.6004 | 1.7147 |
| Max | 1.6766 | 1.6004 | 1.7147 | 1.7147 | 1.6766 | 1.6004 | 1.7147 |
| Min | .8002 | .8002 | .8764 | .8764 | .8764 | .8764 | .8383 |
| Avg | 1.0987 | 1.0669 | 1.1431 | 1.1828 | 1.1310 | 1.1606 | 1.1542 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 283514 / BARAVE SWITCHING STATION

Feeder No / Name : 305 / WATER SUPPLY

NON SHEDDABLE WATER SUPPLY AND

Feeder KV- 22 / OUTGOING

UTILITY

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.5242 | 1.2955 | 1.5623 | 1.1812 | 1.2193 | 1.4861 | 1.2193 |
| 2 | 1.4861 | 1.2955 | 1.5242 | 1.8671 | 1.3336 | 1.4861 | 1.1812 |
| 3 | 1.1431 | 1.4098 | 1.448 | 1.8671 | 1.4098 | 1.4861 | 1.1812 |
| 4 | 1.448 | 1.4098 | 1.4098 | 1.8671 | 1.4098 | 1.448 | 1.0669 |
| 5 | 1.4098 | 1.4098 | 1.4098 | 1.8671 | 1.448 | 1.448 | 1.2193 |
| 6 | 1.4098 | 1.448 | 1.4098 | 1.5242 | 1.448 | 1.448 | 1.2193 |
| 7 | 1.448 | 1.448 | 1.448 | 1.7147 | 1.448 | 1.448 | .9145 |
| 8 | 1.448 | 1.6004 | 1.448 | 1.5242 | 1.4861 | 1.4098 | 1.448 |
| 9 | 1.5242 | 1.5242 | 1.5242 | 1.4861 | 1.4861 | 1.4098 | 1.5242 |
| 10 | 1.2193 | 1.2193 | 1.2574 | 1.4861 | 1.4861 | 1.2193 | 1.2574 |
| 11 | .8764 | 1.1812 | 1.2193 | 1.1812 | 1.2574 | 1.1812 | 1.2574 |
| 12 | .0152 | 1.1812 | 1.5242 | 1.4861 | 1.2574 | 1.5623 | 1.5242 |
| 13 | 1.448 | .0191 | 1.4861 | 1.448 | 1.1812 | 1.5242 | 1.4861 |
| 14 | 1.448 | .0191 | 1.1812 | 1.448 | 1.4861 | 1.2193 | 1.4098 |
| 15 | 1.4861 | .0229 | 1.2574 | 1.1812 | 1.4861 | 1.1812 | 1.2955 |
| 16 | 1.2574 | .0152 | 1.2574 | 1.2193 | 1.2193 | 1.2574 | 1.2574 |
| 17 | 1.2574 | 1.2193 | 1.2574 | 1.2574 | 1.2193 | 1.2574 | 1.2193 |
| 18 | 1.5242 | 1.5242 | 1.5623 | 1.2193 | 1.4861 | 1.448 | 1.5242 |
| 19 | 1.5242 | 1.5242 | 1.5623 | .9907 | 1.5242 | 1.448 | 1.5242 |
| 20 | 1.4861 | 1.5623 | 1.5623 | .9907 | 1.5242 | 1.4861 | 1.4861 |
| 21 | 1.448 | 1.5242 | 1.5623 | 1.4098 | 1.4861 | 1.4861 | 1.4861 |
| 22 | 1.2193 | 1.4861 | 1.4861 | 1.5623 | 1.2574 | 1.2574 | 1.2193 |
| 23 | 1.2574 | 1.5623 | | 1.2574 | | 1.2574 | 1.2955 |
| 24 | 1.2574 | 1.2574 | 1.2955 | 1.4861 | 1.2574 | 1.2574 | 1.2955 |
| Max | 1.5242 | 1.6004 | 1.5623 | 1.8671 | 1.5242 | 1.5623 | 1.5242 |
| Min | .0152 | .0152 | 1.1812 | .9907 | 1.1812 | 1.1812 | .9145 |
| Avg | 1.3152 | 1.1733 | 1.4198 | 1.4384 | 1.3833 | 1.3797 | 1.3130 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 08-MAY-18 and 14-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 283514 / BARAVE SWITCHING STATION

Feeder No / Name : 306 / MILESTONE ESTATE

Feeder KV- 22 / OUTGOING

NON SHEDDABLE EXPRESS HV FEEDERS

(NON-CONTINUOUS PROCESS)(NO

STAGGERING)

| DATE | 08-MAY-18 | 09-MAY-18 | 10-MAY-18 | 11-MAY-18 | 12-MAY-18 | 13-MAY-18 | 14-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .0648 | | .1029 | .0876 | .1219 | .1143 | .2096 |
| 2 | .0381 | .0457 | .0762 | .0381 | .0381 | .08 | .0572 |
| 3 | | .0343 | .0495 | .0381 | .0343 | .0419 | .0381 |
| 4 | | .0343 | .0343 | | .0343 | .0381 | .0381 |
| 5 | | .0457 | .0343 | | .0457 | .0381 | .0572 |
| 6 | | .0572 | .0381 | .0419 | .0419 | .061 | .0572 |
| 7 | .08 | .0724 | .0457 | .0419 | .1105 | .061 | .0686 |
| 8 | .1372 | .0838 | .1143 | .0876 | .1143 | .08 | .0686 |
| 9 | .1829 | .141 | .1219 | .1448 | .1562 | .1562 | .0838 |
| 10 | .2515 | .1791 | .0953 | .1753 | .1562 | .2134 | .1029 |
| 11 | .202 | .1943 | .1638 | .1791 | .1638 | .1867 | .1562 |
| 12 | .2248 | .202 | .1638 | .1791 | .2477 | .2743 | .1867 |
| 13 | .2058 | .1981 | .202 | .2362 | .282 | .2629 | |
| 14 | .202 | .1791 | .2743 | .2743 | .2743 | .2248 | |
| 15 | .2591 | .2172 | .2743 | .2172 | .2743 | .301 | |
| 16 | .2629 | .2172 | .2743 | .2248 | .2401 | .3086 | .2096 |
| 17 | .2439 | .2667 | .2591 | .2362 | .2401 | .2667 | .2324 |
| 18 | .2401 | .2058 | .2172 | .2324 | .2477 | .2172 | .2362 |
| 19 | .2591 | .2553 | .2401 | .2401 | .3239 | .3429 | .1867 |
| 20 | .282 | .2362 | .2515 | .2629 | .282 | .362 | .2096 |
| 21 | .2743 | .1981 | .2515 | .2401 | .282 | .3353 | .1981 |
| 22 | .2667 | .2362 | .2401 | .2324 | .2782 | .3467 | .1829 |
| 23 | .2553 | .1638 | .2058 | .1943 | .1943 | .2629 | .1448 |
| 24 | .16 | .1715 | .0838 | .1448 | .2058 | .2058 | .2362 |
| Max | .282 | .2667 | .2743 | .2743 | .3239 | .362 | .2362 |
| Min | .0381 | .0343 | .0343 | .0381 | .0343 | .0381 | .0381 |
| Avg | .2046 | .1580 | .1589 | .1704 | .1829 | .1992 | .1410 |