

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

BHOKAR (R) S/DN[457] BU 7412

Substation No/ Name :- 174011 / BHOKAR

Feeder No / Name : 201 / BHOKAR TOWN I

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           |           |           |           | .6001     |           |
| 2    |           |           | .6001     |           |           | .6001     | .6001     |
| 3    |           |           |           |           |           | .6001     |           |
| 4    |           |           | .6001     |           |           | .6001     | .6001     |
| 5    |           |           |           |           |           | .6001     | .6001     |
| 6    |           |           | .6001     |           |           | .6001     | .6859     |
| 7    |           |           | .6859     |           |           |           | .6859     |
| 8    |           | .6001     |           |           | .6859     |           |           |
| 9    | .6859     | .6001     | .6859     |           | .6001     |           | .6001     |
| 10   |           | .6001     | .6001     |           | .6001     |           |           |
| 11   |           | .6001     |           |           | .6001     |           | .6001     |
| 12   |           | .6001     |           |           | .6001     | .6001     |           |
| 13   |           |           | .6001     |           |           |           |           |
| 14   |           |           |           |           |           | .6001     |           |
| 15   |           | .6001     |           |           |           |           |           |
| 16   |           | .6001     | .5144     |           |           |           |           |
| 17   |           |           |           |           |           |           | .6001     |
| 18   |           |           | .5144     |           |           | .6001     |           |
| 19   |           | .6001     |           |           |           | .6001     | .6859     |
| 20   |           |           |           |           | .6001     |           |           |
| 21   |           | .6859     |           |           | .6001     |           |           |
| 22   |           | .6859     | .6001     |           |           |           | .6001     |
| 24   | .6001     |           | .6001     | .6001     |           | .6001     | .6001     |
| Max  | .6859     | .6859     | .6859     | .6001     | .6859     | .6001     | .6859     |
| Min  | .6001     | .6001     | .5144     | .6001     | .6001     | .6001     | .6001     |
| Avg  | .643      | .6173     | .6001     | .6001     | .6124     | .6001     | .6235     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

BHOKAR (R) S/DN[457] BU 7412

Substation No/ Name :- 174011 / BHOKAR

Feeder No / Name : 202 / BHOKAR TOWN II

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           |           |           |           | 1.4575    |           |
| 2    |           |           | 1.3717    |           |           | 1.4575    | 1.4575    |
| 3    |           |           |           |           |           | 1.4575    |           |
| 4    |           |           | 1.4575    |           |           | 1.4575    | 1.4575    |
| 5    |           |           |           |           |           | 1.5432    | 1.4575    |
| 6    |           |           | 1.4575    |           |           | 1.5432    | 1.5432    |
| 7    |           |           |           |           |           | 1.6289    | 1.5432    |
| 8    |           | 1.6289    |           |           | 1.3717    |           |           |
| 9    | 1.3717    | 1.6289    | 1.4575    |           | 1.286     |           | 1.4575    |
| 10   |           | 1.5432    | 1.4575    |           | 1.286     |           |           |
| 11   |           | 1.5432    |           |           | 1.4575    |           | 1.5432    |
| 12   |           | 1.3717    |           |           |           | 1.6289    |           |
| 13   |           |           | 1.5432    |           |           |           |           |
| 14   |           |           |           |           |           | 1.4575    |           |
| 15   |           | 1.4575    |           |           |           |           |           |
| 16   |           | 1.4575    | 1.5432    |           |           |           |           |
| 17   |           |           |           |           |           |           | 1.5432    |
| 18   |           |           | 1.5432    |           |           | 1.5432    |           |
| 19   |           | 1.7147    |           |           |           | 1.7147    | 1.7147    |
| 20   |           |           |           |           | 1.7147    |           |           |
| 21   |           | 1.5432    |           |           | 1.5432    |           |           |
| 22   |           | 1.5432    | 1.5432    |           |           |           | 1.5432    |
| 24   | 1.3717    |           | 1.4575    | 1.3717    |           | 1.4575    | 1.5432    |
| Max  | 1.3717    | 1.7147    | 1.5432    | 1.3717    | 1.7147    | 1.7147    | 1.7147    |
| Min  | 1.3717    | 1.3717    | 1.3717    | 1.3717    | 1.286     | 1.4575    | 1.4575    |
| Avg  | 1.3717    | 1.5432    | 1.4832    | 1.3717    | 1.4432    | 1.5289    | 1.5276    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

BHOKAR (R) S/DN[457] BU 7412

Substation No/ Name :- 174011 / BHOKAR

Feeder No / Name : 203 / BATALA

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           |           |           |           | .4572     |           |
| 2    |           |           | .4572     |           |           | .4572     | .5335     |
| 3    |           |           |           |           |           | .4572     |           |
| 4    |           |           | .5335     |           |           | .4572     | .5335     |
| 5    |           |           |           |           |           | .5335     | .5335     |
| 6    |           |           | .6097     |           |           | .5335     | .5335     |
| 7    |           |           | .5335     |           |           | .381      | .4572     |
| 8    |           | .6859     |           |           | .5144     |           |           |
| 9    | .381      | 1.4575    | 1.4575    |           | 1.2193    |           | 1.3717    |
| 10   |           | 1.7147    | 1.7147    |           | 1.2955    |           |           |
| 11   |           | 1.8861    |           |           | 1.7147    |           | 1.5242    |
| 12   |           | 1.6766    |           |           | 1.7147    | 1.6766    |           |
| 13   |           |           | 1.3717    |           |           |           |           |
| 14   |           |           |           |           |           | 1.2955    |           |
| 15   |           | 1.3717    |           |           |           |           |           |
| 16   |           | 1.6766    | 1.6766    |           |           |           | .6859     |
| 17   |           |           |           |           |           |           | .381      |
| 19   |           | .5335     |           |           |           | .5335     | .6097     |
| 20   |           |           |           |           | .5335     |           |           |
| 21   |           | .5335     |           |           | .6001     |           |           |
| 22   |           | .5335     | .5335     |           |           |           | .5335     |
| 24   | 1.2955    |           | .4572     | .3048     |           | .5335     | .5335     |
| Max  | 1.2955    | 1.8861    | 1.7147    | .3048     | 1.7147    | 1.6766    | 1.5242    |
| Min  | .381      | .5335     | .4572     | .3048     | .5144     | .381      | .381      |
| Avg  | .8383     | 1.2070    | .9345     | .3048     | 1.0846    | .6651     | .6859     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

BHOKAR (R) S/DN[457] BU 7412

Substation No/ Name :- 174011 / BHOKAR

Feeder No / Name : 204 / NARWAT

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           |           |           |           | 1.5432    |           |
| 2    |           |           | 1.4575    |           |           | 1.5432    | 1.5432    |
| 3    |           |           |           |           |           | 1.7147    |           |
| 4    |           |           | 1.5432    |           |           | 1.7147    | 1.7147    |
| 5    |           |           |           |           |           | 2.0576    | 1.7147    |
| 6    |           |           | 2.4006    |           |           | 2.2291    | 1.9814    |
| 7    |           |           |           |           |           | 2.3148    | 1.2193    |
| 8    |           | .5335     |           |           | .4572     |           |           |
| 9    | 1.2193    | .6097     | .4572     |           | .381      |           | .5144     |
| 10   |           | .6859     | .381      |           | .381      |           |           |
| 11   |           | .5144     |           |           | .381      |           | .381      |
| 12   |           | .1524     |           |           | .381      | .381      |           |
| 13   |           |           | .4572     |           |           |           |           |
| 15   |           | .381      |           |           |           |           |           |
| 16   |           | .381      | .381      |           |           |           | .381      |
| 17   |           |           |           |           |           |           | .4572     |
| 18   |           |           | .381      |           |           | .4287     |           |
| 19   |           | .6097     |           |           |           | .6859     | .6859     |
| 20   |           |           |           |           | .7621     |           |           |
| 21   |           | .8573     |           |           | .8573     |           |           |
| 22   |           | 1.2003    | .9145     |           |           |           | 1.2003    |
| 24   | .5335     |           | 1.3717    | .6097     |           | 1.5432    | 1.3717    |
| Max  | 1.2193    | 1.2003    | 2.4006    | .6097     | .8573     | 2.3148    | 1.9814    |
| Min  | .5335     | .1524     | .381      | .6097     | .381      | .381      | .381      |
| Avg  | .8764     | .5925     | .9745     | .6097     | .5144     | 1.4687    | 1.0971    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

BHOKAR (R) S/DN[457] BU 7412

Substation No/ Name :- 174011 / BHOKAR

Feeder No / Name : 205 / MANJIT COTTON EXP. FEEDER NON SHEDDABLE EXPRESS HV FEEDERS  
 Feeder KV- 11 / OUTGOING (CONTINOUS PROCESS)(NO STAGGERING)

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           |           |           |           | .0857     |           |
| 2    |           |           | .3429     |           |           | .0857     | .5144     |
| 3    |           |           |           |           |           | .0857     |           |
| 4    |           |           | .3429     |           |           | .0857     | .5144     |
| 5    |           |           |           |           |           | .0857     | .5144     |
| 6    |           |           | .3429     |           |           | .0857     | .5144     |
| 7    |           |           | .1715     |           |           | .0857     | .4287     |
| 8    |           | .3429     |           |           | .3429     |           |           |
| 9    | .2572     | .0857     | .0857     |           | .3429     |           | .0857     |
| 10   |           | .0857     | .1715     |           | .5144     |           |           |
| 11   |           | .0857     |           |           |           |           | .0857     |
| 12   |           | .1715     |           |           | .5144     | .0857     |           |
| 13   |           |           | .0857     |           |           |           |           |
| 14   |           |           |           |           |           | .0857     |           |
| 15   |           | .1715     |           |           |           |           |           |
| 16   |           | .1715     | .2572     |           |           |           | .1715     |
| 17   |           |           |           |           |           |           | .2572     |
| 18   |           |           | .2572     |           |           | .5144     |           |
| 19   |           | .2572     |           |           |           | .5144     | .5144     |
| 20   |           |           |           |           | .0857     |           |           |
| 21   |           | .3429     |           |           | .0857     |           |           |
| 22   |           | .3429     | .3429     |           |           |           | .5144     |
| 24   | .4287     |           | .3429     | .2572     |           | .0857     | .5144     |
| Max  | .4287     | .3429     | .3429     | .2572     | .5144     | .5144     | .5144     |
| Min  | .2572     | .0857     | .0857     | .2572     | .0857     | .0857     | .0857     |
| Avg  | .3430     | .2058     | .2494     | .2572     | .3143     | .1572     | .3858     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

BHOKAR (R) S/DN[457] BU 7412

Substation No/ Name :- 174011 / BHOKAR

Feeder No / Name : 206 / EXP. FEEDER W/S BKR(SUDHA) NON SHEDDABLE WATER SUPPLY AND  
Feeder KV- 11 / OUTGOING UTILITY

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           |           |           |           | .0857     |           |
| 2    |           |           | .0857     |           |           | .0857     | .1715     |
| 3    |           |           |           |           |           | .0857     |           |
| 4    |           |           | .0857     |           |           | .0857     | .1715     |
| 5    |           |           |           |           |           | .0857     | .1715     |
| 6    |           |           | .1715     |           |           | .1715     | .1715     |
| 7    |           |           | .1715     |           |           | .1715     | .1715     |
| 8    |           | .1715     |           |           | .1715     |           |           |
| 9    | .1715     | .1715     | .1715     |           | .1715     |           | .1715     |
| 10   |           | .1715     | .1715     |           | .1715     |           |           |
| 11   |           | .1715     |           |           | .1715     |           | .1715     |
| 12   |           | .1715     |           |           | .1715     |           |           |
| 13   |           |           | .1715     |           |           |           |           |
| 15   |           | .0857     |           |           |           |           |           |
| 16   |           | .0857     | .0857     |           |           |           | .0857     |
| 17   |           |           |           |           |           |           | .0857     |
| 18   |           |           | .0857     |           |           |           |           |
| 19   |           | .0857     |           |           |           | .0857     | .0857     |
| 20   |           |           |           |           | .0857     |           |           |
| 21   |           | .0857     |           |           | .0857     |           |           |
| 22   |           | .0857     | .0857     |           |           |           | .0857     |
| 24   | .0857     |           | .0857     | .0857     |           | .0857     | .0857     |
| Max  | .1715     | .1715     | .1715     | .0857     | .1715     | .1715     | .1715     |
| Min  | .0857     | .0857     | .0857     | .0857     | .0857     | .0857     | .0857     |
| Avg  | .1286     | .1286     | .1247     | .0857     | .1470     | .1048     | .1358     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

BHOKAR (R) S/DN[457] BU 7412

Substation No/ Name :- 174046 / MATUL

Feeder No / Name : 201 / MATUL

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .57       | .4268     | .4268     | .478      | .4225     | .4268     | .57       |
| 2    | .57       | .381      | .3963     | .478      |           | .3963     | .5636     |
| 3    | .5182     | .381      | .381      | .4438     | .424      | .3963     | .5636     |
| 4    | .5182     | .3658     | .381      | .4268     | .4077     | .4458     | .5636     |
| 5    | .5182     | .3963     | .3963     | .4268     | .455      | .4458     | .5967     |
| 6    | .5487     | .4268     | .4268     | .5804     | .4875     | .5144     | .5304     |
| 7    | .6097     | .4572     | .4268     | .5804     | .5331     | .4877     | .431      |
| 8    | .3048     | .5792     | .3658     | .3414     | .5018     | .4572     | .426      |
| 9    | .3353     | .7011     | .7621     | .6978     | .6586     | .5792     | .7209     |
| 10   |           | .7926     | .8383     | .7974     | .7011     | .7545     |           |
| 11   |           | .8383     | .884      | .8316     | .7011     | .8383     | .8192     |
| 12   |           | .884      | .9218     | .7476     | .6097     | .8951     | .852      |
| 13   | .3353     | .884      | .8554     | .6586     | .6097     | .8619     | .852      |
| 14   | .3353     | .823      | .8669     | .6272     | .6401     | .8192     | .8383     |
| 15   | .3353     | .7621     | .8149     | .5645     | .6401     | .7209     | .8192     |
| 16   | .3353     | .7316     | .8322     | .7526     | .6401     |           | .8192     |
| 17   | .3353     | .3353     | .412      | .4077     | .3963     | .3768     | .431      |
| 18   | .3658     | .3658     | .4893     | .439      | .3963     | .426      | .4915     |
| 19   | .4268     | .4572     | .6487     | .5545     | .4268     | .6371     | .57       |
| 20   | .4877     | .5182     | .5871     | .5545     | .4877     | .6226     | .5765     |
| 21   | .5182     | .5182     | .5759     | .5525     | .5182     | .5898     | .5426     |
| 22   | .5182     | .4572     | .5463     |           | .4572     | .5898     | .5426     |
| 23   | .4877     | .4572     | .5121     | .491      | .4268     | .5571     | .5365     |
| 24   | .57       | .4268     | .4268     | .5121     | .4893     | .4268     | .57       |
| Max  | .6097     | .884      | .9218     | .8316     | .7011     | .8951     | .852      |
| Min  | .3048     | .3353     | .3658     | .3414     | .3963     | .3768     | .426      |
| Avg  | .4545     | .5569     | .5906     | .5628     | .5231     | .5768     | .6185     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

BHOKAR (R) S/DN[457] BU 7412

Substation No/ Name :- 174046 / MATUL

Feeder No / Name : 202 / BENDRI

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .3086     | .2058     | .2019     | .1682     | .1715     | .2984     |
| 2    |           | .2401     | .1715     | .1682     | .1344     | .1715     | .3052     |
| 3    |           | .2401     | .1715     | .1682     | .13       | .1715     | .2984     |
| 4    |           | .2743     | .1715     | .1682     | .0975     | .1715     | .2984     |
| 5    |           | .2743     | .1829     | .1682     | .1062     | .2058     | .2984     |
| 6    |           | .2743     | .2134     | .2023     | .1369     | .2572     | .2652     |
| 7    |           | .2439     | .1829     | .1305     | .1711     | .2743     | .2652     |
| 8    |           | .2743     | .2058     | .0751     | .1364     | .1524     | .1638     |
| 9    | .1372     | .4458     | .3048     | .0726     | .2728     | .3086     | .3315     |
| 10   | .3429     | .4572     | .3658     | .0979     | .3658     | .3018     | .426      |
| 11   | .3086     | .3963     | .4268     | .0975     | .3772     |           | .431      |
| 12   |           | .4877     | .5133     | .3147     | .4287     |           | .431      |
| 13   |           | .4268     | .439      | .3739     | .4458     | .4409     | .426      |
| 14   |           | .3963     | .4225     | .3697     | .3658     | .4694     | .3978     |
| 15   | .1829     | .3963     | .4321     | .39       | .3658     | .4694     | .3353     |
| 16   | .1829     | .3963     | .463      | .4092     | .4458     | .2012     | .503      |
| 17   | .2058     | .2058     | .3028     | .1299     | .1715     | .1677     | .1989     |
| 18   | .2401     | .2058     | .3028     | .1568     | .2058     | .2012     | .2035     |
| 19   | .2572     | .2401     | .2692     | .2195     | .2286     | .2984     | .2321     |
| 20   | .3048     | .2743     | .2692     | .2509     | .2439     | .3018     | .2347     |
| 21   | .3048     | .2743     | .25       | .2731     | .2743     | .2984     | .2321     |
| 22   | .3048     | .2401     | .2355     |           | .2439     | .3018     | .2347     |
| 23   | .2743     | .2401     | .2355     | .2387     | .2134     | .3018     | .2321     |
| 24   |           | .3086     | .2058     | .2019     | .2019     | .2058     | .3018     |
| Max  | .3429     | .4877     | .5133     | .4092     | .4458     | .4694     | .503      |
| Min  | .1372     | .2058     | .1715     | .0726     | .0975     | .1524     | .1638     |
| Avg  | .2539     | .3134     | .2893     | .2121     | .2472     | .2656     | .3060     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

BHOKAR (R) S/DN[457] BU 7412

Substation No/ Name :- 174046 / MATUL

Feeder No / Name : 203 / SONARI

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .6706     | .7621     | .9945     | .9923     | .8669     | .9145     | 1.1736    |
| 2    | .6706     | .7621     | .7926     | .9536     | .8669     | .8535     | 1.3413    |
| 3    | .6706     | .7621     | .7926     | .9015     | .9015     | .8535     | 1.4255    |
| 4    | .6706     | .8535     | .9145     | 1.0402    | .9362     | .945      | 1.4582    |
| 5    | .6706     | 1.0364    | 1.2803    | 1.2136    | .9015     | 1.2193    | 1.6766    |
| 6    | .7316     | 1.2193    | 1.4937    | 1.3794    | 1.4217    | 1.448     | 1.7635    |
| 7    | .8535     | 1.326     | 1.6766    | 1.5518    | 1.647     | 1.5242    | 1.5912    |
| 8    | .7316     | .5487     | .7621     | .8378     | .8149     | .8535     | .9389     |
| 9    | .7926     | .5182     | .6401     | .3825     | .7733     | .6859     | .7956     |
| 10   | .9755     | .5182     | .5487     | .4438     | .6249     | .5801     | .7377     |
| 11   | 1.0669    | .583      | .5487     | .5633     | .5639     | .5426     | .6783     |
| 12   | 1.0974    | .583      | .5968     | .5646     | .5335     | .5898     | .6706     |
| 13   | 1.0974    | .5792     | .6197     | .5456     | .6344     | .5304     | .6706     |
| 14   | 1.0974    | .5792     | .6501     | .5456     | .6173     | .663      | .6706     |
| 15   | 1.1279    | .5792     | .6176     | .5115     | .6173     | .6036     | .6706     |
| 16   | 1.1279    | .5944     | .648      | .4619     | .6173     | .6036     | .6706     |
| 17   | .5335     | .6859     | .585      | .6501     | .7716     | .663      | .8048     |
| 18   | .5335     | .7716     | .7502     | .7357     | .7621     | .8048     |           |
| 19   | .7545     | .8916     | 1.0927    | 1.0265    | .8535     | 1.073     | 1.0288    |
| 20   | .823      | .9945     | 1.0099    | 1.1361    | .884      | 1.0974    | 1.0174    |
| 21   | .8383     | 1.0288    | 1.0437    | 1.1121    | .884      | 1.0608    | 1.0288    |
| 22   | .6097     | .8916     | 1.1267    |           | .6859     | 1.1401    | 1.1401    |
| 23   | .7316     | .884      | 1.0584    | .8669     | 1.1145    | 1.153     | 1.1271    |
| 24   | .6706     | .8916     | .9945     | .9923     | .8322     | .9145     | 1.1603    |
| Max  | 1.1279    | 1.326     | 1.6766    | 1.5518    | 1.647     | 1.5242    | 1.7635    |
| Min  | .5335     | .5182     | .5487     | .3825     | .5335     | .5304     | .6706     |
| Avg  | .8145     | .7852     | .8849     | .8439     | .8386     | .8882     | 1.0539    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

BHOKAR (R) S/DN[457] BU 7412

Substation No/ Name :- 174047 / KINI

Feeder No / Name : 201 / MASALGA AG

FEEDER SEPERATION/PURE AG

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 11-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 4    | .5365     |           |           |           |
| 7    | .6036     |           |           |           |
| 10   |           |           | .57       | .57       |
| 11   |           |           | .57       |           |
| 12   |           | .7712     | .57       |           |
| 13   |           |           | .57       |           |
| 14   |           |           | .6036     |           |
| 16   |           | .6036     | .6371     |           |
| 17   |           | .57       | .57       |           |
| 24   | .4694     |           |           |           |
| Max  | .6036     | .7712     | .6371     | .57       |
| Min  | .4694     | .57       | .57       | .57       |
| Avg  | .5365     | .6483     | .5844     | .57       |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

BHOKAR (R) S/DN[457] BU 7412

Substation No/ Name :- 174047 / KINI

Feeder No / Name : 202 / PALAJ AG

FEEDER SEPERATION/PURE AG

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           | 1.0669    |           |           | 1.073     |
| 2    |           |           | 1.0669    |           |           | 1.0395    |
| 3    |           |           | 1.2193    |           |           | 1.1065    |
| 4    |           | 1.1401    | 1.2193    | .7712     | 1.073     | 1.1401    |
| 5    |           |           | 1.2193    |           |           | 1.2071    |
| 6    |           | 1.3077    | 1.2193    |           |           | 1.3077    |
| 7    |           |           | 1.2193    | 1.0059    | 1.3748    | 1.0395    |
| 20   | 1.0395    |           |           |           |           |           |
| 22   |           |           | .7042     | .9724     | 1.0395    |           |
| 23   |           |           |           |           | .9724     |           |
| 24   |           | 1.073     | 1.0669    |           | 1.0395    | 1.1736    |
| Max  | 1.0395    | 1.3077    | 1.2193    | 1.0059    | 1.3748    | 1.3077    |
| Min  | 1.0395    | 1.073     | .7042     | .7712     | .9724     | 1.0395    |
| Avg  | 1.0395    | 1.1736    | 1.1113    | .9165     | 1.0998    | 1.1359    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

BHOKAR (R) S/DN[457] BU 7412

Substation No/ Name :- 174047 / KINI

Feeder No / Name : 203 / KINI GAOTHAN

GAOTHAN FEEDER

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           | .2126     | .1772     |           |           | .2195     |
| 2    |           |           | .2126     | .1772     |           |           | .2195     |
| 3    |           |           | .2126     | .2126     |           |           | .2561     |
| 4    |           |           | .2481     | .2126     | .2561     | .2926     | .2561     |
| 5    |           |           | .2481     | .2481     |           |           | .1829     |
| 6    |           |           | .2835     | .2481     |           |           | .1829     |
| 7    |           |           |           | .2835     |           |           | .1829     |
| 8    | .2926     | .2561     |           | .2926     | .2561     | .2561     | .1829     |
| 9    |           |           |           |           |           |           | .1829     |
| 10   |           |           |           |           |           | .1829     | .1463     |
| 11   |           |           |           |           |           | .1829     |           |
| 12   |           |           |           | .1829     |           | .1829     |           |
| 13   |           |           |           |           |           | .1829     |           |
| 14   |           |           |           |           |           | .1829     |           |
| 15   |           |           |           |           |           | .1829     |           |
| 16   | .1829     |           |           | .2195     | .1829     | .1829     |           |
| 17   |           |           |           |           |           | .1829     |           |
| 18   |           |           |           |           |           | .2926     |           |
| 19   |           |           |           |           |           | .3658     |           |
| 20   |           |           |           | .2926     |           | .3292     |           |
| 21   |           |           |           |           |           | .3292     |           |
| 23   |           |           |           |           |           | .2926     |           |
| 24   | .2561     | .2926     | .2126     | .1772     | .1463     | .2926     | .3292     |
| Max  | .2926     | .2926     | .2835     | .2926     | .2561     | .3658     | .3292     |
| Min  | .1829     | .2561     | .2126     | .1772     | .1463     | .1829     | .1463     |
| Avg  | .2439     | .2744     | .2329     | .2270     | .2104     | .2446     | .2128     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

BHOKAR (R) S/DN[457] BU 7412

Substation No/ Name :- 174047 / KINI

Feeder No / Name : 204 / PALAJ GAONTHAN

GAOTHAN FEEDER

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           | .2195     | .2195     |           |           | .3292     |
| 2    |           |           | .2195     | .2195     |           |           | .3658     |
| 3    |           |           | .2561     | .2561     |           |           | .439      |
| 4    |           |           | .2561     | .2561     | .3292     | .3292     | .4024     |
| 5    |           |           | .2926     | .2926     |           |           | .2926     |
| 6    |           |           | .3292     | .2926     |           |           | .5121     |
| 7    |           |           | .3292     | .3292     |           |           | .4024     |
| 8    | .3658     | .3658     |           | .3292     | .2926     | .2561     | .3658     |
| 9    |           |           |           |           |           |           | .3292     |
| 10   |           |           |           |           |           | .2195     | .3292     |
| 11   |           |           |           |           |           | .2195     |           |
| 12   |           |           |           | .2561     |           | .3658     |           |
| 13   |           |           |           |           |           | .3292     |           |
| 14   |           |           |           |           |           | .2926     |           |
| 15   |           |           |           |           |           | .4024     |           |
| 16   | .3292     |           |           | .3292     | .2561     | .4024     |           |
| 17   |           |           |           |           |           | .3292     |           |
| 18   |           |           |           |           |           | .4207     |           |
| 19   |           |           |           |           |           | .439      |           |
| 21   |           |           |           |           |           | .4024     |           |
| 22   |           |           |           |           |           | .3292     |           |
| 23   |           |           |           |           |           | .3292     |           |
| 24   | .2926     | .3292     | .2561     | .2195     | .2561     | .3292     | .2926     |
| Max  | .3658     | .3658     | .3292     | .3292     | .3292     | .439      | .5121     |
| Min  | .2926     | .3292     | .2195     | .2195     | .2561     | .2195     | .2926     |
| Avg  | .3292     | .3475     | .2698     | .2727     | .2835     | .3372     | .3691     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

BHOKAR (R) S/DN[457] BU 7412

Substation No/ Name :- 174114 / SOMTHANA

Feeder No / Name : 201 / SINGARWADI

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .2321     | .3481     | .2984     | .2486     | .2984     | .2984     | .3481     |
| 2    | .2155     | .2984     | .2984     | .2486     | .2984     | .2984     | .3481     |
| 3    | .2321     | .2984     | .2984     | .2486     | .2486     | .2984     | .3481     |
| 4    | .1989     | .2984     | .2984     | .2984     | .2486     | .2984     | .3481     |
| 5    | .1989     | .2984     | .2984     | .2984     | .2486     | .2984     | .3481     |
| 6    | .3149     | .3481     | .3315     | .1989     | .1989     | .3647     | .3481     |
| 7    |           | .2486     | .2652     | .1989     | .1989     | .2984     | .2486     |
| 8    | .1989     | .1989     | .1989     | .1492     | .1989     | .1658     | .2486     |
| 9    | .1492     | .3978     | .431      | .2652     | .3647     | .3978     | .2321     |
| 10   | .1457     | .5636     | .4973     | .2984     | .3978     | .4641     | .2984     |
| 11   | .1492     | .5304     | .5138     | .431      | .431      | .3978     | .3315     |
| 12   | .1492     | .4641     | .4807     | .4973     | .4973     | .3978     | .2984     |
| 13   | .1989     |           | .5304     | .3978     | .431      | .3481     | .2652     |
| 14   | .1492     | .431      | .5304     | .4144     | .431      | .3647     | .2652     |
| 15   | .1492     | .4973     | .5636     | .431      | .4641     | .3647     | .2652     |
| 16   | .1492     | .5304     | .5967     | .4641     | .4641     | .3978     | .2984     |
| 17   | .1492     | .2984     | .1989     | .1492     | .1989     | .1989     | .1989     |
| 18   | .1492     | .2984     | .2486     | .2486     | .2321     | .1989     | .1492     |
| 19   | .2486     | .3315     | .2486     | .3978     | .2984     | .2984     | .3481     |
| 20   | .3481     | .3647     | .2486     | .3978     | .3315     | .3978     | .3978     |
| 21   | .3481     | .3647     | .3481     | .3481     | .3647     | .3978     | .3978     |
| 22   | .3481     | .3647     | .3481     | .3481     | .3647     | .3978     | .3481     |
| 23   | .3481     | .3647     | .3481     | .2984     | .3315     | .3481     | .3481     |
| 24   | .2321     | .3481     | .3315     | .3481     | .2984     | .2984     | .3481     |
| Max  | .3481     | .5636     | .5967     | .4973     | .4973     | .4641     | .3978     |
| Min  | .1457     | .1989     | .1989     | .1492     | .1989     | .1658     | .1492     |
| Avg  | .2175     | .3690     | .3647     | .3177     | .3267     | .3329     | .3073     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

BHOKAR (R) S/DN[457] BU 7412

Substation No/ Name :- 174114 / SOMTHANA

Feeder No / Name : 202 / SAWARGAON MAL

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .0648     | 1.0526    | 1.166     | .1943     | .2429     | 1.0688    | 1.1012    |
| 2    | .0648     | 1.0526    | 1.166     | .8745     | .2429     | 1.1012    | 1.1012    |
| 3    | .0648     | 1.0526    | 1.166     | .9717     | .2429     | 1.1012    | 1.1012    |
| 4    | .0648     | 1.0526    | 1.1984    | 1.004     | .2429     | 1.1336    | 1.1336    |
| 5    | .0648     | 1.1012    | 1.2308    | 1.0364    | .2915     | 1.166     | 1.1336    |
| 6    | .0648     | 1.166     | 1.2955    | 1.166     | .7449     | 1.2308    | 1.1984    |
| 7    |           | 1.166     | 1.2308    | 1.1012    | .7773     | 1.1984    | 1.2631    |
| 8    | .0648     | .0486     | .0648     | .0648     | .0486     | .0324     | .0648     |
| 9    | .1619     | .0324     | .0324     | .0486     | .0324     | .0324     | .0486     |
| 10   | .2591     | .0324     | .0324     | .0486     | .0324     | .0324     | .0486     |
| 11   | .2591     | .0324     | .0324     | .0486     | .0324     | .0324     | .0486     |
| 12   | .2591     | .0324     | .0324     | .0486     | .0324     | .0324     | .0486     |
| 13   | .2591     | .0324     | .0324     | .0486     | .0324     | .0324     | .0486     |
| 14   | .2267     | .0648     | .0324     | .0486     | .0324     | .0324     | .0486     |
| 15   | .2267     | .0648     | .0324     | .0486     | .0324     | .0324     | .0486     |
| 16   |           | .0648     | .0648     | .0486     | .0324     | .0324     | .0486     |
| 17   | .0486     | .0648     | .0648     | .0486     | .0324     | .0486     | .0486     |
| 18   | .0486     | .0648     | .0648     | .0486     | .0648     | .0486     | .0486     |
| 19   | .0486     | .0972     | .0972     | .0972     | .0648     | .0486     | .0486     |
| 20   | .0972     | .0972     | .0972     | .0972     | .0972     | .0648     | .0972     |
| 21   | .0972     | .0648     | .0648     | .0972     | .0972     | .0972     | .0972     |
| 22   | 1.0688    | 1.1336    | 1.166     | .2429     | 1.004     | 1.004     | 1.166     |
| 23   | 1.0688    | 1.1336    | 1.166     | .2429     | 1.0688    | 1.0688    | 1.166     |
| 24   | .0648     | 1.0688    | 1.166     | 1.166     | .2429     | 1.0688    | 1.0688    |
| Max  | 1.0688    | 1.166     | 1.2955    | 1.166     | 1.0688    | 1.2308    | 1.2631    |
| Min  | .0486     | .0324     | .0324     | .0486     | .0324     | .0324     | .0486     |
| Avg  | .2113     | .4906     | .5290     | .3684     | .2402     | .4892     | .5095     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

BHOKAR (R) S/DN[457] BU 7412

Substation No/ Name :- 174114 / SOMTHANA

Feeder No / Name : 203 / DEWTHANA

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .208      | .1734     | .208      | .1387     | .1387     | .1387     | .1734     |
| 2    | .208      | .1734     | .1734     | .1387     | .1214     | .1387     | .1734     |
| 3    | .2254     | .1734     | .1734     | .1387     | .1214     | .1387     | .1734     |
| 4    | .208      | .1734     | .208      | .1387     | .1214     | .1734     | .208      |
| 5    | .208      | .1734     | .2427     | .1387     | .1214     | .1734     | .208      |
| 6    | .208      | .208      | .2774     | .208      | .104      | .1734     | .2774     |
| 7    |           | .208      | .2774     | .2774     | .104      | .208      | .2774     |
| 8    | .2601     | .208      | .208      | .208      | .208      | .1734     | .208      |
| 9    | .1734     | .1734     | .156      | .156      | .1387     | .156      | .156      |
| 10   | .208      | .1734     | .104      | .104      | .1734     | .156      | .156      |
| 11   | .2427     | .1734     | .156      | .104      | .1387     | .156      | .156      |
| 12   | .1734     | .1387     | .104      | .104      | .1387     | .156      | .156      |
| 13   | .1734     | .104      | .104      | .156      | .1387     | .156      | .156      |
| 14   | .1387     | .104      | .156      | .156      | .1387     | .156      | .156      |
| 15   | .1734     | .1387     | .156      | .156      | .1734     | .156      | .156      |
| 16   | .208      | .1387     | .156      | .156      | .1734     | .156      | .052      |
| 17   | .156      | .1734     | .156      | .156      | .1734     | .0693     | .156      |
| 18   | .156      | .208      | .156      | .208      | .208      | .156      | .156      |
| 19   | .208      | .2427     | .208      | .2601     | .2427     | .2601     | .156      |
| 20   | .2601     | .2774     | .2601     | .2601     | .2774     | .2601     | .2601     |
| 21   | .104      | .2427     | .2601     | .2601     | .2427     | .2601     | .2601     |
| 22   | .208      | .1734     | .1734     | .1734     | .1387     | .1387     | .208      |
| 23   | .208      | .1734     | .1387     | .1734     | .1387     | .1387     | .208      |
| 24   | .208      | .208      | .208      | .1387     | .1387     | .1387     | .1387     |
| Max  | .2601     | .2774     | .2774     | .2774     | .2774     | .2601     | .2774     |
| Min  | .104      | .104      | .104      | .104      | .104      | .0693     | .052      |
| Avg  | .1967     | .1806     | .1842     | .1712     | .1589     | .1661     | .1827     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

BHOKAR (R) S/DN[457] BU 7412

Substation No/ Name :- 174116 / BHOSI

Feeder No / Name : 201 / BHOSI FEEDER

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 3    | .5281     |           |           | .6161     |           | 1.6975    | 1.307     |
| 6    | .6602     |           |           | .6535     |           | 1.8298    | 1.7924    |
| 7    |           | 1.5223    | 1.8861    |           | 1.587     |           |           |
| 8    |           |           |           | .4854     |           |           |           |
| 9    |           |           |           |           | .2401     | .5228     | .5415     |
| 10   |           |           | .4854     |           |           |           |           |
| 11   |           |           | .3734     |           |           |           |           |
| 12   |           |           |           | .2105     |           |           |           |
| 14   |           | .3086     | .3361     |           |           | .415      |           |
| 16   | 1.2146    |           |           | .2058     |           |           |           |
| 17   |           | .2926     | .4108     |           |           | .4481     |           |
| 18   | .2401     |           |           | .2743     |           |           |           |
| 20   |           |           |           |           |           | .5601     |           |
| 21   | .3201     |           |           | .3201     |           |           |           |
| 22   |           | 1.6289    |           |           |           |           |           |
| 24   | .4904     |           | 1.4575    | .6036     |           | 3.1089    | 1.2071    |
| Max  | 1.2146    | 1.6289    | 1.8861    | .6535     | 1.587     | 3.1089    | 1.7924    |
| Min  | .2401     | .2926     | .3361     | .2058     | .2401     | .415      | .5415     |
| Avg  | .5756     | .9381     | .8249     | .4212     | .9136     | 1.2260    | 1.212     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

BHOKAR (R) S/DN[457] BU 7412

Substation No/ Name :- 174116 / BHOSI

Feeder No / Name : 202 / WAKAD FEEDER

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 3    | .132      |           |           | .1307     |           | .9896     | .7468     |
| 6    | .1494     |           |           | .6722     |           | 1.3256    | 1.1949    |
| 7    |           | 1.0526    | 1.2174    |           | .4372     |           |           |
| 8    |           |           |           | 1.1203    |           |           |           |
| 9    |           | .1372     |           |           | .08       | .1494     | .1307     |
| 10   |           |           | .1307     |           |           |           |           |
| 11   |           |           | .1494     |           |           |           |           |
| 12   |           |           |           | .0686     |           | .1307     |           |
| 14   |           |           | .1307     |           |           | .1509     |           |
| 16   | 1.1336    |           |           | .0914     |           |           |           |
| 17   |           | .0724     | .1494     |           |           | .1307     |           |
| 18   | .1143     |           |           | .1143     |           |           |           |
| 20   |           |           |           |           |           | .2054     |           |
| 21   | .1715     |           |           | .1486     |           |           |           |
| 22   |           | .7602     |           |           |           |           |           |
| 24   | .1509     |           | .7888     | .1509     |           | 1.6682    | .8676     |
| Max  | 1.1336    | 1.0526    | 1.2174    | 1.1203    | .4372     | 1.6682    | 1.1949    |
| Min  | .1143     | .0724     | .1307     | .0686     | .08       | .1307     | .1307     |
| Avg  | .3086     | .5056     | .4277     | .3121     | .2586     | .5938     | .735      |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

BHOKAR (R) S/DN[457] BU 7412

Substation No/ Name :- 174116 / BHOSI

Feeder No / Name : 203 / CHITGIRI FEEDER

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 3    | 1.6975    |           |           | .2241     |           | .3584     | .415      |
| 6    | 2.7073    |           |           | .2987     |           | .3734     | .4854     |
| 7    |           | .2972     | .4801     |           | .16       |           |           |
| 8    |           |           |           | .3174     |           |           |           |
| 9    |           |           | .4115     |           | 1.587     | 2.2405    | 2.5019    |
| 10   |           |           | 3.0247    |           |           |           |           |
| 11   |           | 2.8635    | 2.3525    |           |           |           |           |
| 12   |           |           |           | 2.0243    |           | 2.726     |           |
| 13   |           | 2.7435    |           |           |           |           |           |
| 14   |           |           | 2.8292    |           |           | 2.4897    |           |
| 16   | .1715     | 2.4691    |           | 2.0729    |           |           |           |
| 17   |           |           | .3395     |           |           | .3921     |           |
| 18   | .2172     |           |           | .1829     |           |           |           |
| 20   |           |           |           |           |           | .5228     |           |
| 21   | .2858     |           |           | .2172     |           |           |           |
| 22   |           | .4458     |           |           |           |           |           |
| 24   | 1.358     |           |           | .1886     |           | .5797     | .4527     |
| Max  | 2.7073    | 2.8635    | 3.0247    | 2.0729    | 1.587     | 2.726     | 2.5019    |
| Min  | .1715     | .2972     | .3395     | .1829     | .16       | .3584     | .415      |
| Avg  | 1.0729    | 1.7638    | 1.5729    | .6908     | .8735     | 1.2103    | .9638     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HADGAON (R) S/DN[456] BU 7439

Substation No/ Name :- 174013 / HADGAON

Feeder No / Name : 201 / AMBALA

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .6154     | .5182     | .5144     |           | .2267     | .4858     | .6001     |
| 2    | .6478     | .5182     | .5144     |           | .2429     | .4858     | .6001     |
| 3    | .6802     | .502      | .5316     |           | .2429     | .4858     | .6001     |
| 4    | .6802     | .5182     | .5487     |           | .2429     | .4696     | .6001     |
| 5    | .7287     | .5182     | .5487     |           | .2429     | .4696     | .583      |
| 6    | 1.0202    | .5182     | .5487     |           | .2429     | .4858     | .5144     |
| 7    | 1.4251    | .4696     | .5658     |           | .2267     | .4372     | .5144     |
| 8    | .4807     | .4534     | .4973     |           | .1781     | .3239     | .5144     |
| 9    |           | 1.0688    | 1.0212    | .6344     | .2267     | .5506     | .6964     |
| 10   | .3887     | 1.2651    | 1.3717    | .7935     | .2267     | .6173     | .8583     |
| 11   | .2429     | 1.4232    | 1.4746    | .8421     |           | .7202     | 1.1174    |
| 12   | .2915     | 1.4232    | 1.2803    | 1.1174    |           | .6859     | .8097     |
| 13   | .3401     | 1.2346    | 1.2041    | 1.1336    | .3563     | .6859     | .8907     |
| 14   | .3401     | 1.166     | 1.1279    | .9878     | .421      | .6687     | .8097     |
| 15   | .4049     | 1.0974    | 1.0669    | .7935     | .4534     |           | .8259     |
| 16   | .3239     | 1.0669    |           | 1.1336    | .6964     |           | .8583     |
| 17   | .3239     | .3429     | .3601     | .5992     | .7773     | .3772     | .3077     |
| 18   | .3239     | .4801     | .4115     | .7611     |           | .4115     | .4534     |
| 19   | .5668     | .5316     | .5144     | .583      | .4372     | .6859     | .5182     |
| 20   | .583      | .6516     | .583      | .583      | .3563     | .7888     | .5668     |
| 21   | .5992     | .6516     | .6516     | .5668     | .4696     | .7202     | .5992     |
| 22   | .583      | .6516     | .6516     |           | .5506     | .6516     | .6133     |
| 23   | .5668     | .583      |           |           | .502      | .6516     | .5801     |
| 24   | .583      | .5182     | .5144     |           |           | .4858     | .6001     |
| Max  | 1.4251    | 1.4232    | 1.4746    | 1.1336    | .7773     | .7888     | 1.1174    |
| Min  | .2429     | .3429     | .3601     | .5668     | .1781     | .3239     | .3077     |
| Avg  | .5539     | .7572     | .7501     | .8099     | .3660     | .5611     | .6513     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HADGAON (R) S/DN[456] BU 7439

Substation No/ Name :- 174013 / HADGAON

Feeder No / Name : 202 / HADGAON

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.6804    | 1.7556    | 1.5775    | 1.4575    |           | 1.7187    | 1.5775    |
| 2    | 1.6617    | 1.7372    | 1.5775    | 1.4575    | 1.587     | 1.7002    | 1.5775    |
| 3    | 1.6617    | 1.7372    | 1.5775    | 1.4575    | 1.587     | 1.6632    | 1.5775    |
| 4    | 1.6617    | 1.7556    | 1.5432    | 1.5432    | 1.6244    | 1.6263    | 1.6289    |
| 5    | 1.7924    | 1.8111    | 1.7147    | 1.6289    | 1.6804    | 1.7187    | 1.6289    |
| 6    | 1.9791    | 1.9589    | 1.7318    | 1.7318    | 1.7177    | 1.9589    | 1.7147    |
| 7    | 1.9605    | 2.0698    | 1.8519    | 1.5432    | 1.8111    | 2.0328    | 1.749     |
| 8    | 1.9978    | 1.922     | 1.7661    | 1.5089    | 1.8484    | 1.922     | 1.8176    |
| 9    | 1.7177    | 1.6078    | 1.4403    | 1.4918    |           | 1.8111    | 1.7551    |
| 10   | 1.7177    | 1.4403    | 1.3717    | 1.6057    |           | 1.5604    | 1.6991    |
| 11   | 1.4784    | 1.4403    | 1.3546    | 1.587     |           | 1.4746    | 1.6244    |
| 12   | 1.423     | 1.3032    | 1.3546    | 1.4003    |           | 1.4575    | 1.587     |
| 13   | 1.3676    | 1.3375    | 1.3546    | 1.531     |           | 1.4746    | 1.587     |
| 14   | 1.423     | 1.3375    | 1.3375    | 1.6057    | 1.423     | 1.5261    | 1.5497    |
| 15   | 1.5339    | 1.3203    | 1.3546    | 1.6057    | 1.7926    | 1.5432    | 1.531     |
| 16   | 1.5893    | 1.3546    |           | 1.587     | 1.9404    | 1.5432    | 1.6804    |
| 17   | 1.6632    | 1.3889    | 1.3717    | 1.7551    | 1.6817    | 1.5432    | 1.7924    |
| 18   | 1.6817    | 1.5432    | 1.4575    | 1.8671    | 1.7372    | 1.6461    | 1.7924    |
| 19   | 1.9959    | 1.8176    | 1.4918    | 1.9605    | 2.1437    | 1.7147    | 2.0911    |
| 20   | 1.9404    | 1.8176    | 1.7318    | 2.0911    | 2.0513    | 1.8861    | 1.9978    |
| 21   | 1.9404    | 1.8004    | 1.749     | 2.0538    | 2.0144    | 1.8176    | 1.9418    |
| 22   | 1.9404    | 1.869     | 1.5432    |           | 1.9774    | 1.8519    | 1.9791    |
| 23   | 1.885     | 1.6461    | 1.5604    |           | 1.8665    | 1.6118    | 1.8671    |
| 24   | 1.7924    | 1.7556    | 1.6118    | 1.4403    | 1.5684    | 1.7741    | 1.6118    |
| Max  | 1.9978    | 2.0698    | 1.8519    | 2.0911    | 2.1437    | 2.0328    | 2.0911    |
| Min  | 1.3676    | 1.3032    | 1.3375    | 1.4003    | 1.423     | 1.4575    | 1.531     |
| Avg  | 1.7286    | 1.6470    | 1.5402    | 1.6323    | 1.7807    | 1.6907    | 1.7233    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HADGAON (R) S/DN[456] BU 7439

Substation No/ Name :- 174013 / HADGAON

Feeder No / Name : 203 / BELMANDAL

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .7842     | 1.0364    | 1.0669    | .884      |           | .7432     | .9145     |
| 2    | .8029     | 1.0364    | 1.0517    | .884      |           | .7274     | .884      |
| 3    | .8029     | 1.0364    | 1.0517    | .884      |           | .7274     | .884      |
| 4    | .8029     | 1.0669    | 1.1279    | .9145     |           | .7274     | .8535     |
| 5    | .8589     | 1.1584    | 1.2498    | 1.0364    |           | .8223     | .9907     |
| 6    | .8775     | 1.2955    | 1.326     | 1.1584    |           | .9922     | 1.1584    |
| 7    |           | 1.4022    | 1.5089    | 1.1431    |           | 1.0936    | 1.1584    |
| 8    |           | .6413     | .6859     | .5144     |           | .7095     | .583      |
| 9    |           | .5281     | .583      | .463      |           | .5228     | .6535     |
| 10   | .7362     | .4458     | .5144     | .4668     |           | .3086     | .4854     |
| 11   | 1.5394    | .4115     | .4115     | .4108     |           | .4287     | .4481     |
| 12   | 1.5546    | .4115     | .4115     | .4294     | .5647     | .4287     | .4854     |
| 13   | 1.4969    | .4801     | .463      | .4481     |           | .4287     | .5041     |
| 14   | 1.4661    | .4801     | .4287     | .4854     | .8488     | .463      | .5975     |
| 15   | 1.4352    | .5144     | .4287     | .4854     | .8078     | .463      | .4108     |
| 16   | 1.5432    | .463      | .4458     | .4668     | .8579     | .5144     | .5228     |
| 17   | .5601     | .4973     | .4801     | .5788     | .8383     | .5487     | .6535     |
| 18   | .6653     | .5487     | .583      | .6348     | .9031     | .583      | .6535     |
| 19   | .8589     | .6344     | .6344     | .8215     | .7842     | .823      | .8589     |
| 20   | .8676     | .7716     | .6516     | .8402     | .9149     | .823      | .8589     |
| 21   | .8589     | .7545     | .7545     | .8962     | .8775     | .6859     | .8589     |
| 22   | 1.2193    | 1.1431    | .9907     |           | .8421     | .9907     | 1.0082    |
| 23   | 1.1883    | 1.0669    | .945      |           | .7682     | .9755     | .9602     |
| 24   | .7842     | 1.0364    | 1.0669    | .884      |           | .7682     | .9755     |
| Max  | 1.5546    | 1.4022    | 1.5089    | 1.1584    | .9149     | 1.0936    | 1.1584    |
| Min  | .5601     | .4115     | .4115     | .4108     | .5647     | .3086     | .4108     |
| Avg  | 1.0335    | .7859     | .7859     | .715      | .8189     | .6791     | .7651     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HADGAON (R) S/DN[456] BU 7439

Substation No/ Name :- 174013 / HADGAON

Feeder No / Name : 204 / WATEGAON

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .4481     | .8128     | .7316     | .6344     |           | .4877     | .7316     |
| 2    | .4668     | .8078     | .7316     | .6516     |           | .4877     | .8059     |
| 3    | .4668     | .8078     | .7468     | .6344     |           | .4877     | .8059     |
| 4    | .4481     | .823      | .7621     | .6344     |           | .4877     | .7164     |
| 5    | .6348     | .8383     | .823      | .6344     |           | .5182     | .823      |
| 6    | .8215     | 1.1111    | .884      | .6344     |           | .7186     | .9907     |
| 7    | .7468     | 1.0517    | 1.0364    |           |           | .8333     | 1.0974    |
| 8    | .7655     | .6413     | .4801     | .6687     |           | .5041     | .6173     |
| 9    | 1.1043    | .4338     | .4458     | .3429     |           | .5281     | .5788     |
| 10   | 1.1043    | .3086     | .4115     | .3174     |           | .3601     | .4108     |
| 11   | 1.0957    | .3086     | .3258     | .4481     | .602      |           | .6348     |
| 12   | 1.1439    | .3258     | .3086     |           | .6171     |           | .2801     |
| 13   | 1.1439    | .3601     | .2915     |           | .6401     |           | .2801     |
| 14   | 1.0837    | .3429     | .2915     |           | .7468     | .3601     | .4668     |
| 15   | 1.1138    | .3429     | .2915     |           | .6241     | .2743     | .4108     |
| 16   | .9783     | .3086     |           |           | .6836     | .4115     | .3734     |
| 17   | .3921     | .3772     | .2058     |           | .6687     | .4801     | .3734     |
| 18   | .5041     | .5144     | .3429     |           | .6687     | .3772     | .5788     |
| 19   | .5847     | .6001     | .463      |           | .5228     | .6859     | .6348     |
| 20   | .6036     | .463      | .463      |           | .5228     | .6859     | .6535     |
| 21   | .547      | .4801     | .463      |           | .5601     | .5487     | .6348     |
| 22   | .8383     | .7164     | .6687     |           | .5247     | .7316     | .8322     |
| 23   | .8383     | .7316     | .6516     |           | .4967     | .7316     | .8162     |
| 24   | .4668     | .8128     | .7316     | .6516     |           | .4877     | .823      |
| Max  | 1.1439    | 1.1111    | 1.0364    | .6687     | .7468     | .8333     | 1.0974    |
| Min  | .3921     | .3086     | .2058     | .3174     | .4967     | .2743     | .2801     |
| Avg  | .7642     | .5967     | .5457     | .5684     | .6060     | .5328     | .6404     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HADGAON (R) S/DN[456] BU 7439

Substation No/ Name :- 174013 / HADGAON

Feeder No / Name : 205 / KOTHALA

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .9717     | .6653     | .5487     | .5658     |           | .5544     | .5144     |
| 2    | .9602     | .6653     | .583      | .5658     |           | .5544     | .5144     |
| 3    | .9602     | .6653     | .583      | .5487     |           | .4251     | .5487     |
| 4    | .9602     | .7023     | .583      | .5487     |           | .5415     | .5487     |
| 5    | 1.0562    | .7468     | .583      | .5658     |           | .5601     | .583      |
| 6    | 1.2492    | .7842     | .583      | .5658     |           | .5975     | .583      |
| 7    | 1.4083    | .6468     | .5658     | .6001     |           | .5415     | .583      |
| 8    | .6219     | .6516     | .4973     | .6001     |           | .7023     |           |
| 9    | .5853     | 1.2944    | 1.2803    | .7926     |           | .6642     | .7926     |
| 10   | .5121     | 1.3717    | 1.3717    | 1.0242    | .5376     |           | 1.387     |
| 11   | .4207     | 1.3413    | 1.4632    | 1.2643    | .6483     | .8535     |           |
| 12   | .4163     | 1.3413    | 1.4327    |           | 1.3125    | .8535     | 1.0059    |
| 13   | .439      | 1.326     | 1.387     |           | .7287     | .884      | 1.0059    |
| 14   | .439      | 1.3717    | 1.3717    |           | .664      | .8993     | .9907     |
| 15   | .4755     | 1.4175    | 1.3413    |           | .7042     | .8383     | 1.004     |
| 16   | .5068     | 1.4327    | 1.2193    |           | .7432     | .3429     | .9602     |
| 17   | .4784     | .3772     | .3258     |           | .68       | .3601     | .3201     |
| 18   | .4961     | .4115     | .5144     |           | .703      | .4115     | .4207     |
| 19   | .6401     | .4801     | .4725     |           | .6161     | .5658     | .6401     |
| 20   | .7023     |           | .5487     |           | .5975     | .5658     | .6036     |
| 21   | .6838     | .5316     | .5487     |           | .5975     | .583      | .6036     |
| 22   | .695      | .583      | .5487     |           | .5788     | .5658     | .5853     |
| 23   | .7023     | .583      | .5316     |           | .5788     | .5144     | .5487     |
| 24   | .9922     | .6838     | .5487     | .5658     |           |           | .5144     |
| Max  | 1.4083    | 1.4327    | 1.4632    | 1.2643    | 1.3125    | .8993     | 1.387     |
| Min  | .4163     | .3772     | .3258     | .5487     | .5376     | .3429     | .3201     |
| Avg  | .7239     | .8728     | .8097     | .6840     | .6922     | .6081     | .6935     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HADGAON (R) S/DN[456] BU 7439

Substation No/ Name :- 174013 / HADGAON

Feeder No / Name : 206 / KOTHALA WW EXP.

Feeder KV- 11 / OUTGOING

NON SHEDDABLE WATER SUPPLY AND  
UTILITY

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 2    | .0579     |           |           |           |           |           | .0547     |
| 3    | .0602     |           | .0573     | .0533     |           | .0602     | .0547     |
| 4    | .0602     |           | .0573     | .0533     |           | .0602     | .0547     |
| 5    | .0602     | .0625     | .056      | .0457     |           | .0457     | .06       |
| 6    | .0602     | .0625     | .056      | .0533     |           | .061      | .0587     |
| 7    | .0602     | .0625     | .0573     | .056      |           | .0617     | .06       |
| 8    | .0602     | .0625     | .0573     | .048      |           | .0587     | .06       |
| 9    |           | .0625     | .0587     |           |           |           | .0762     |
| 10   |           |           | .0533     |           |           | .0533     | .0753     |
| 11   |           |           |           |           |           | .0533     | .0753     |
| 12   |           |           |           |           |           | .0533     | .009      |
| 13   |           |           |           |           |           | .056      |           |
| 15   | .0625     | .056      |           | .0079     |           | .0533     | .0762     |
| 16   | .0625     | .0573     |           | .008      |           | .06       | .0762     |
| 17   | .0617     | .056      |           | .008      |           | .0627     | .0762     |
| 18   | .0602     | .056      |           | .0714     | .061      | .0627     | .0762     |
| 19   | .061      | .0587     |           | .0753     | .061      | .008      | .0762     |
| 20   | .061      |           |           | .0753     | .061      | .008      | .0762     |
| 21   |           |           |           | .0079     | .061      |           | .01       |
| 22   |           |           |           |           |           |           | .007      |
| 23   |           |           |           |           | .0617     |           | .007      |
| Max  | .0625     | .0625     | .0587     | .0753     | .0617     | .0627     | .0762     |
| Min  | .0579     | .056      | .0533     | .0079     | .061      | .008      | .007      |
| Avg  | .0606     | .0597     | .0567     | .0433     | .0611     | .0511     | .0560     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HADGAON (R) S/DN[456] BU 7439

Substation No/ Name :- 174014 / TAMSA

Feeder No / Name : 201 / WAIPANA

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.1022    | .7362     | 1.1576    |           | .6554     | 1.0174    | 1.8858    |
| 2    | 1.1022    | .7449     | 1.1949    | .9326     | .6554     | 1.0174    | 1.9044    |
| 3    | 1.1022    | .7449     | 1.1949    | .9326     | .6554     | 1.0174    | 1.9044    |
| 4    | 1.1022    | .8002     | 1.1576    | .9326     | .6554     | 1.0174    | 1.9044    |
| 5    | 1.1869    | .9069     | 1.2323    | 1.0174    | .7682     | 1.1869    | 1.9044    |
| 6    | 1.1022    | 1.0456    | 1.2323    | 1.2717    | 1.0242    | 1.3565    | 1.8298    |
| 7    | 1.3565    | .9709     | 1.2696    | 1.6956    | 1.3413    | 2.0348    | 1.8484    |
| 8    | .0905     | .8962     | .9496     | .9326     | 1.0185    | .9326     | .8402     |
| 9    | .0905     |           | .7468     | .8478     | 1.0185    | .8478     | .8402     |
| 10   | .8488     | .8589     | .5935     | .8215     | .7545     | .7202     | .8402     |
| 11   | .7545     | .7842     | .5087     | .5975     | .763      | .7095     | .7468     |
| 12   | .7468     |           | .5087     | .6722     | .763      | .7095     | .7468     |
| 13   | .7468     |           |           | .6722     | .6783     | .7468     | .7468     |
| 14   | .7468     |           |           | .5975     | .6783     | .7468     | .7468     |
| 15   | .7468     |           |           | .5975     | .6783     | .7282     | .7468     |
| 16   | .7468     |           |           | .5975     | .6783     | .7095     | .7468     |
| 17   | .7468     | .7282     |           | .7095     | .763      | .7655     | .7468     |
| 18   | .8215     | .7655     | .8478     | .8962     | .8383     | .8589     | .9808     |
| 19   | 1.6842    | 1.1203    | 1.1022    | 1.1203    | 1.1869    | .8402     | 1.1949    |
| 20   | 1.6248    | 1.1763    | 1.1022    | 1.1317    | 1.1869    | .8402     | 1.1949    |
| 21   | 1.4899    | 1.1949    | 1.0898    | 1.1203    | 1.1022    | .9149     | 1.1949    |
| 22   | 1.2803    | 1.1576    | .8383     | 1.0082    | 1.0174    | 1.2883    | 1.3413    |
| 23   | 1.166     | 1.1576    | .9326     | .6554     | 1.0174    | 1.3817    | 1.2803    |
| 24   | 1.1022    | 1.1523    | 1.1203    | .9326     | .6554     | 1.0174    | 1.8298    |
| Max  | 1.6842    | 1.1949    | 1.2696    | 1.6956    | 1.3413    | 2.0348    | 1.9044    |
| Min  | .0905     | .7282     | .5087     | .5975     | .6554     | .7095     | .7468     |
| Avg  | .9787     | .9412     | .9884     | .8997     | .8564     | .9752     | 1.2478    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HADGAON (R) S/DN[456] BU 7439

Substation No/ Name :- 174014 / TAMSA

Feeder No / Name : 202 / TALEGAON

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .6783     | .7125     | 1.0082    | .763      | .3978     | .8478     | .9149     |
| 2    | .6783     | .7125     | 1.2323    | .6783     | .3978     | .8478     | .9149     |
| 3    | .763      | .7125     | 1.2323    | .6783     | .3978     | .8478     | .9149     |
| 4    | .6783     | .7773     | 1.307     | .6783     | .4858     | .905      | 1.0082    |
| 5    | .763      | .9069     | 1.475     | .763      | .5761     | 1.0174    | 1.2323    |
| 6    | .763      | 1.0883    | 1.6991    | .8478     | .6478     | 1.0174    | 1.4003    |
| 7    | .763      | 1.4899    | 1.9791    | 1.0174    | 1.1012    | 1.3565    | 1.4563    |
| 8    | .763      | .679      | .5601     | .6783     | .5281     | .5087     | .5975     |
| 9    | .9326     | .6036     | .5975     | .5935     | .4527     | .5087     | .5975     |
| 10   | 1.0486    | .5601     | .5087     | .5281     | .3772     | .5228     | .5281     |
| 11   | 1.2452    | .5601     | .5087     | .3772     | .4239     | .5228     | .5281     |
| 12   | 1.1111    | .5228     | .5087     | .4527     | .4239     | .4668     | .4527     |
| 13   | 1.0494    | .5041     | .5087     | .4527     |           | .4854     | .4527     |
| 14   | 1.0623    | .5041     | .5087     | .4527     |           | .4854     | .4527     |
| 15   | 1.0623    | .5041     | .5087     | .4527     | .5087     | .4854     | .4527     |
| 16   | 1.0494    | .5228     | .5087     | .4527     | .5087     | .4854     | .3772     |
| 17   | .4527     | .5228     | .5087     | .5281     | .5935     | .4917     | .4527     |
| 18   | .5281     | .5228     |           | .6036     | .6783     | .5601     | .679      |
| 19   | .7545     | .6348     | .5087     | .8299     | .763      | .5975     | .9054     |
| 20   | .7167     | .8775     | .5935     | .8299     | .763      | .5975     | .9054     |
| 21   | .679      | .9149     | .763      | .7545     | .763      | .5975     | .8299     |
| 22   | .5182     | .9149     | .6783     | .7545     | .8478     | .8215     | .9054     |
| 23   | .6478     | .9149     | .6783     | .3978     | .8478     | .8589     | 1.0364    |
| 24   | .6783     | .7125     | .8962     | .763      | .3887     | .8478     | .8775     |
| Max  | 1.2452    | 1.4899    | 1.9791    | 1.0174    | 1.1012    | 1.3565    | 1.4563    |
| Min  | .4527     | .5041     | .5087     | .3772     | .3772     | .4668     | .3772     |
| Avg  | .8078     | .7240     | .8382     | .6387     | .5851     | .6952     | .7864     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HADGAON (R) S/DN[456] BU 7439

Substation No/ Name :- 174014 / TAMSA

Feeder No / Name : 203 / TAMSA TOWN

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .724      | .5853     | .5601     | .6335     | .5975     | .6335     | .7095     |
| 2    | .724      | .5853     | .5601     | .6335     | .5975     | .6335     | .7095     |
| 3    | .724      | .5975     | .5601     | .6335     | .5975     | .6335     | .7095     |
| 4    | .724      | .5487     | .5601     | .6335     | .5975     | .6335     | .7095     |
| 5    | .724      | .6722     | .5601     | .724      | .6722     | .724      | .7282     |
| 6    | .8145     | .7468     | .5975     | .724      | .7468     | .724      |           |
| 7    | .8145     | .7468     | .8029     | .8145     | .7468     | .8145     | .8215     |
| 8    | .8145     | .7468     | .7655     | .8145     | .7392     | .8145     | .7842     |
| 9    | .8145     | .7316     | .7095     | .8145     | .6653     | .8145     | .7842     |
| 10   | .6219     | .7468     | .724      | .7095     | .6283     | .8215     | .7316     |
| 11   | .6219     | .7468     | .724      | .6283     | .6335     | .7842     | .7316     |
| 12   | .6219     | .7095     | .724      | .6283     | .6335     | .7842     | .724      |
| 13   | .6584     | .7095     | .6335     | .6283     | .6335     | .7842     | .724      |
| 14   | .6584     | .6722     | .724      | .6219     | .6335     | .7655     | .6878     |
| 15   | .6219     | .6535     | .724      | .6219     | .6335     | .7655     | .6878     |
| 16   | .6219     | .7095     | .724      | .6219     | .6335     | .7468     | .7316     |
| 17   | .6516     |           | .724      | .695      | .6335     | .7842     | .7964     |
| 18   | .7087     | .7095     | .724      | .7522     | .724      | .8029     | .7964     |
| 19   | .7964     | .7842     | .8145     | .8871     | .8145     | .7842     | .8145     |
| 20   | .8048     | .8402     | .8145     | .8962     | .8145     | .7655     | .8402     |
| 21   | .8048     | .8215     | .8145     | .8215     | .8145     | .7655     | .8402     |
| 22   | .7316     | .7842     | .724      |           | .724      | .7655     | .7762     |
| 23   | 1.2803    | .7468     | .724      | .4435     | .724      | .7655     | .7468     |
| 24   | .724      | .5853     | .6535     | .6335     | .5975     | .6335     | .7468     |
| Max  | 1.2803    | .8402     | .8145     | .8962     | .8145     | .8215     | .8402     |
| Min  | .6219     | .5487     | .5601     | .4435     | .5975     | .6335     | .6878     |
| Avg  | .7419     | .7035     | .6936     | .6963     | .6765     | .7477     | .7536     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HADGAON (R) S/DN[456] BU 7439

Substation No/ Name :- 174014 / TAMSA

Feeder No / Name : 204 / JAMBHALA

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .9116     | .4715     | .4668     | .4239     | .4527     | .4239     | .5228     |
| 2    | .9116     | .4715     | .4409     | .4191     | .4527     | .4748     | .5228     |
| 3    | .9116     | .4715     | .4854     | .4191     | .4527     | .4239     | .5228     |
| 4    | .9116     | .4715     | .4239     | .4191     | .4572     | .4239     | .5228     |
| 5    | 1.0774    | .547      | .4668     | .4191     | .4572     | .4239     | .5228     |
| 6    | 1.326     | .547      | .4481     | .503      | .4954     | .5087     | .5228     |
| 7    | 1.8233    | .547      | .4294     | .503      | .4763     | .5087     | .5975     |
| 8    | .4144     | .4527     | .5228     | .4191     | .415      | .4239     | .6348     |
| 9    | .3315     | 1.1248    | 1.0642    | .8383     | .7377     | 1.1736    | 1.1949    |
| 10   | .3018     | 1.475     | 1.6766    | 1.0242    | 1.3748    | 1.6617    | 1.174     |
| 11   | .2263     | 1.587     | 1.8442    | 1.3108    | 1.5261    | 1.7364    | 1.3395    |
| 12   | .2263     | 1.7551    | 1.7604    | 1.1439    | 1.5261    | 1.7177    | 1.2483    |
| 13   | .2452     | 1.8484    | 1.8442    | 1.0837    | 1.5261    | 1.6804    | 1.1296    |
| 14   | .2452     | 1.7737    | 1.8442    | 1.1248    | 1.3565    | 1.6804    | 1.2029    |
| 15   | .2641     | 1.6991    | 1.8442    | 1.1248    | 1.6766    | 1.6804    | 1.1873    |
| 16   | .2641     | 1.6244    | 1.6766    | 1.2955    | 1.6766    | 1.6057    | 1.3375    |
| 17   | .3018     | .3361     | .4191     | .2641     | .4239     | .3734     | .2641     |
| 18   | .3361     | .3174     | .503      | .3584     | .5087     | .3547     | .3018     |
| 19   | .4338     | .3921     | .503      | .5093     | .5087     | .4481     | .4527     |
| 20   | .4527     | .5228     | .503      | .5093     | .5087     | .5415     | .0604     |
| 21   | .4527     | .4854     | .4191     |           | .5087     | .5415     | .6036     |
| 22   | .4527     | .4854     | .4191     |           | .5087     | .5228     | .5281     |
| 23   | .4527     | .4854     | .4191     | .4527     | .4239     | .5228     | .5281     |
| 24   | .8288     | .4715     | .4668     | .4191     | .4527     | .4239     | .5228     |
| Max  | 1.8233    | 1.8484    | 1.8442    | 1.3108    | 1.6766    | 1.7364    | 1.3395    |
| Min  | .2263     | .3174     | .4191     | .2641     | .415      | .3547     | .0604     |
| Avg  | .5876     | .8485     | .8705     | .6811     | .7877     | .8449     | .7269     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HADGAON (R) S/DN[456] BU 7439

Substation No/ Name :- 174014 / TAMSA

Feeder No / Name : 206 / Natraj Exp  
Feeder KV- 11 / OUTGOINGNON SHEDDABLE EXPRESS HV FEEDERS  
(NON-CONTINUOUS PROCESS)(NO  
STAGGERING)

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .0905     | .0084     | .0747     | .0905     | .0084     | .0905     | .1867     |
| 2    | .0905     | .0084     | .0747     | .0905     | .0084     | .0905     | .1867     |
| 3    | .0848     | .0107     | .0747     | .0905     | .0084     | .0905     | .1867     |
| 4    | .0848     | .0069     | .0747     | .0905     | .0084     | .0905     | .1867     |
| 5    | .0905     | .0069     | .0747     | .0905     | .0076     | .0905     | .1867     |
| 6    | .0905     | .0069     | .0747     | .0905     | .0076     | .0905     | .1867     |
| 7    |           | .0061     | .0747     | .0905     | .0137     | .0905     | .112      |
| 8    |           | .0061     | .112      | .0905     | .0099     | .0905     | .112      |
| 9    |           | .0084     | .112      | .0905     | .0099     | .0905     | .112      |
| 10   | .0143     | .0747     | .181      | .1463     | .0099     | .1867     | .0152     |
| 11   | .0143     | .0747     | .181      | .1463     | .0724     | .1867     | .0152     |
| 12   | .0095     | .0747     | .181      | .1478     | .0724     | .2241     | .0076     |
| 13   | .0095     | .0747     | .181      | .1478     | .0724     | .2241     | .0076     |
| 14   | .0162     | .0747     | .181      | .1478     | .0905     | .2241     | .0137     |
| 15   | .0162     | .0747     | .181      | .1478     | .0905     | .2241     | .0137     |
| 16   | .0162     | .0747     | .181      | .1478     | .0905     | .2241     | .0084     |
| 17   | .0095     | .0747     | .181      | .1509     | .0905     | .2241     | .0114     |
| 18   | .0105     | .0747     | .181      | .1509     | .0905     | .2241     | .0152     |
| 19   | .0105     | .0747     | .181      |           | .0905     | .1867     | .0152     |
| 20   | .0084     | .0747     | .0905     | .1478     | .0905     | .1867     | .0069     |
| 21   | .0084     | .0747     | .0905     | .0084     | .0905     | .1867     | .0069     |
| 22   | .0084     | .0747     | .0905     | .0084     | .0905     | .1867     | .0069     |
| 23   | .0084     | .0934     | .0905     | .0114     | .0905     | .1867     | .0084     |
| 24   | .0905     | .0084     | .0747     | .0905     | .0069     | .0905     | .1867     |
| Max  | .0905     | .0934     | .181      | .1509     | .0905     | .2241     | .1867     |
| Min  | .0084     | .0061     | .0747     | .0084     | .0069     | .0905     | .0069     |
| Avg  | .0373     | .0476     | .1247     | .1050     | .0509     | .1575     | .0748     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HADGAON (R) S/DN[456] BU 7439

Substation No/ Name :- 174032 / NIWGHA

Feeder No / Name : 201 / RUI GAOTHAN

GAOTHAN FEEDER

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .5658     | .5487     | .6001     | .4115     |           | .4458     | .5144     |
| 2    | .5658     | .5487     | .6001     | .4115     |           | .4458     | .4801     |
| 3    | .5658     | .5487     | .6001     | .4115     |           | .4458     | .4801     |
| 4    | .6516     | .6219     | .6516     | .4801     |           | .5144     | .5144     |
| 5    | .7888     | .7316     | .6859     | .6516     |           | .6173     | .6516     |
| 6    | .8916     | 1.1203    | .8059     | .8573     |           | .7545     | .9945     |
| 7    | .9602     |           | .9945     | .8573     |           | .823      | .9602     |
| 8    | .7888     | 1.1203    | 1.0117    | .7888     |           | .6516     | .8916     |
| 9    | .7545     |           | .7373     | .7888     |           |           | .6859     |
| 10   | .6348     | .6859     | .6001     | .3429     |           |           | .583      |
| 11   | .5788     | .5144     | .4801     | .3086     |           | .3086     | .5601     |
| 12   | .5304     | .5487     | .5144     | .3772     |           |           | .3734     |
| 13   | .5487     | .503      |           | .4115     |           |           | .5121     |
| 14   | .5853     | .5182     | .4801     | .4458     |           |           | .4755     |
| 15   | .5853     | .5182     | .5144     | .5144     |           |           | .4755     |
| 16   | .5853     | .6001     | .6173     | .583      |           | .6859     | .5487     |
| 17   | .695      | .6859     | .6516     | .6859     |           | .6859     | .6219     |
| 18   | .8215     | .7716     | .6516     | .7545     | .4801     | .6859     | .5975     |
| 19   | 1.0562    | .8059     | .823      | .823      | .6516     | .8916     | .9054     |
| 20   | 1.0082    | .8059     | .6173     | .7202     | .6173     | .8573     | .8215     |
| 21   | .8316     | .7202     | .6173     | .6859     | .6516     | .6859     | .7392     |
| 22   | .6767     | .6516     |           |           | .6516     | .6516     | .695      |
| 23   | .5853     | .6001     | .5487     |           | .583      | .6173     | .5853     |
| 24   | .5658     | .5487     | .6001     | .5144     |           | .4801     | .5487     |
| Max  | 1.0562    | 1.1203    | 1.0117    | .8573     | .6516     | .8916     | .9945     |
| Min  | .5304     | .503      | .4801     | .3086     | .4801     | .3086     | .3734     |
| Avg  | .7009     | .6690     | .6547     | .5830     | .6059     | .6249     | .6340     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HADGAON (R) S/DN[456] BU 7439

Substation No/ Name :- 174032 / NIWGHA

Feeder No / Name : 202 / DHANORA AG

FEEDER SEPERATION/PURE AG

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .9145     |           |           |           | .1829     |
| 2    |           | .9145     |           |           |           | .1829     |
| 3    |           | .9145     | 1.2193    |           |           | .2134     |
| 4    |           | .9755     | 1.2498    |           |           | .2134     |
| 5    |           | 1.0669    | 1.2955    |           |           | .2675     |
| 6    |           | 1.1126    | 1.3717    |           |           | .3048     |
| 7    |           | 1.2651    | 1.387     | 1.2193    |           | .2743     |
| 8    |           | 1.2955    | 1.387     | 1.2803    |           | .1829     |
| 9    |           |           | 1.3717    | 1.2193    | .0305     |           |
| 10   |           |           |           | 1.1279    | .0305     |           |
| 17   | .5335     |           |           |           |           |           |
| 18   | .6093     |           |           |           | .1524     |           |
| 19   | 1.0669    |           |           |           | .3048     |           |
| 20   | 1.1584    |           |           |           |           |           |
| 21   | 1.0669    |           |           |           |           |           |
| 22   | 1.0059    |           |           |           |           |           |
| 23   | .9755     |           |           |           |           |           |
| 24   |           | .9145     |           |           |           |           |
| Max  | 1.1584    | 1.2955    | 1.387     | 1.2803    | .3048     | .3048     |
| Min  | .5335     | .9145     | 1.2193    | 1.1279    | .0305     | .1829     |
| Avg  | .9166     | 1.0415    | 1.326     | 1.2117    | .1296     | .2278     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HADGAON (R) S/DN[456] BU 7439

Substation No/ Name :- 174032 / NIWGHA

Feeder No / Name : 203 / VARULA AG

FEEDER SEPERATION/PURE AG

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .7011     | .7621     | 1.2193    |           |           | .0305     | .1219     |
| 2    | .7888     | .743      | 1.1279    |           |           | .0305     | .1219     |
| 3    | .8059     | .7621     | 1.1431    |           |           | .0305     | .1219     |
| 4    | .7316     | .7621     | 1.1279    |           |           | .0305     | .1829     |
| 5    | .7316     | .8383     | 1.1279    |           |           | .0305     | .2134     |
| 6    | .9145     | .9602     | 1.1431    |           |           | .061      | .2439     |
| 7    | 1.0517    |           | 1.1279    |           |           |           |           |
| 8    | .7773     |           | 1.0669    |           |           |           |           |
| 9    |           |           |           |           |           |           | .1219     |
| 10   |           |           |           |           |           |           | .2134     |
| 11   |           |           |           | .9145     |           |           | .2439     |
| 12   |           |           |           | 1.0059    |           |           | .3963     |
| 13   |           |           |           |           |           |           | .3963     |
| 14   | .208      |           |           |           |           |           | .3963     |
| 15   | .2286     |           |           |           |           |           | .3963     |
| 16   | .2439     |           |           |           |           |           | .3963     |
| 17   | .2743     |           |           |           |           | .3048     |           |
| 18   | .3048     |           |           |           |           | .3048     |           |
| 19   | .3048     | 1.2193    | 1.2803    | 1.3108    | .061      |           | .1829     |
| 20   | .6859     | 1.3717    | 1.2193    | 1.2193    | .0594     |           | .1635     |
| 21   | .884      | 1.3413    | 1.0974    | 1.1279    | .061      |           | .1635     |
| 22   | .8383     | 1.3413    |           |           | .061      |           | .1614     |
| 23   | .7926     | 1.326     |           |           | .0305     | .1219     | .141      |
| 24   | .6859     | .743      | 1.3413    |           |           | .0305     | .1219     |
| Max  | 1.0517    | 1.3717    | 1.3413    | 1.3108    | .061      | .3048     | .3963     |
| Min  | .208      | .743      | 1.0669    | .9145     | .0305     | .0305     | .1219     |
| Avg  | .6291     | 1.0142    | 1.1685    | 1.1157    | .0546     | .0976     | .2250     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HADGAON (R) S/DN[456] BU 7439

Substation No/ Name :- 174032 / NIWGHA

Feeder No / Name : 204 / Yelamb AG

FEEDER SEPERATION/PURE AG

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           | .6859     |           |           |           |           |
| 2    |           |           | .6859     |           |           |           |           |
| 9    | 1.0517    |           |           |           |           |           |           |
| 10   | 1.0364    |           |           |           |           |           |           |
| 11   | .9907     |           |           |           |           | .4572     |           |
| 12   | .8993     |           |           |           |           |           |           |
| 13   | .9145     |           |           |           |           |           |           |
| 14   | .884      |           |           |           |           |           |           |
| 15   | .9145     |           |           |           |           |           |           |
| 16   | .9145     |           |           |           |           |           |           |
| 17   |           | 1.1888    | 1.9266    |           |           |           | .9602     |
| 18   |           |           | 1.8664    | .4115     |           |           | .9907     |
| 19   |           | .7164     | 1.8664    | .2896     |           | .7621     | .884      |
| 20   |           | .7011     |           | .6097     | .1486     | .6401     | .7727     |
| 21   |           | .6706     |           | .743      | .1829     | .6097     | .7042     |
| 22   |           | .6554     |           |           | .1829     | .6097     | .6602     |
| 23   |           | .6706     |           |           | .1829     | .6097     | .6344     |
| 24   |           |           | .6554     |           |           | .1829     | .4572     |
| Max  | 1.0517    | 1.1888    | 1.9266    | .743      | .1829     | .7621     | .9907     |
| Min  | .884      | .6554     | .6554     | .2896     | .1486     | .1829     | .4572     |
| Avg  | .9507     | .7672     | 1.2811    | .5135     | .1743     | .5531     | .7580     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HADGAON (R) S/DN[456] BU 7439

Substation No/ Name :- 174032 / NIWGHA

Feeder No / Name : 205 / NIWGHA GAOTHAN

GAOTHAN FEEDER

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3944     | .4024     | .4458     | .3429     | .3086     | .3429     | .4115     |
| 2    | .3944     | .4024     | .4458     | .3086     | .3086     | .3429     | .3772     |
| 3    | .3944     | .4024     | .4458     | .3086     | .3086     | .3429     | .3772     |
| 4    | .4115     | .4755     | .4801     | .3429     | .3258     | .3772     | .4115     |
| 5    | .5144     | .5121     | .5144     | .4115     | .3429     | .4458     | .4801     |
| 6    |           | .5853     | .6001     | .5144     | .3772     | .5487     | .5487     |
| 7    | .6173     | .7316     | .6516     | .583      | .5144     | .6516     | .583      |
| 8    | .5658     | .6722     | .6344     | .5144     | .5487     | .5144     | .583      |
| 9    | .583      | .4801     | .5144     | .5144     | .5144     | .9945     | .5144     |
| 10   | .5228     | .4115     | .4287     | .5487     |           | .4801     | .4458     |
| 11   | .4854     | .3601     |           | .4458     |           | .4458     | .4481     |
| 12   | .4481     | .3944     | .4115     | .3772     |           |           | .4108     |
| 13   | .439      | .4115     | .4115     | .3772     |           |           | .4024     |
| 14   | .4481     | .4115     | .3772     | .3772     |           | .5487     | .4755     |
| 15   | .4207     | .4115     | .3772     | .4115     | .5487     | .5487     | .4755     |
| 16   | .4207     | .4115     | .3429     | .4458     | .5487     | .5487     | .4938     |
| 17   | .439      | .4973     | .3772     | .5487     | .583      | .5487     | .5415     |
| 18   | .4854     | .6001     | .4115     | .6859     | .583      | .5487     |           |
| 19   | .7095     | .6859     | .6173     | .6173     | .6173     | .6173     | .6348     |
| 20   | .6722     | .5658     | .5144     | .583      | .5487     | .5487     | .5228     |
| 21   | .5487     | .4801     | .4801     | .4801     | .4801     | .4801     | .5228     |
| 22   | .4572     | .4458     |           |           | .4458     | .4801     | .4854     |
| 23   | .4344     | .4458     | .4115     |           | .4115     | .4458     | .439      |
| 24   | .3944     | .4024     | .4458     | .3772     | .3086     | .3772     | .4115     |
| Max  | .7095     | .7316     | .6516     | .6859     | .6173     | .9945     | .6348     |
| Min  | .3944     | .3601     | .3429     | .3086     | .3086     | .3429     | .3772     |
| Avg  | .4870     | .4833     | .4700     | .4598     | .4539     | .5082     | .4781     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HADGAON (R) S/DN[456] BU 7439

Substation No/ Name :- 174032 / NIWGHA

Feeder No / Name : 206 / PEWA GAOTHAN

GAOTHAN FEEDER

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .4458     | .4755     | .4458     |           |           | .4801     | .4458     |
| 2    | .4458     | .4755     | .4458     |           |           | .4801     | .4115     |
| 3    | .4458     | .4755     | .4458     |           |           | .5144     | .4115     |
| 4    | .4973     | .5121     | .4801     |           |           | .6516     | .4458     |
| 5    | .6001     | .7316     | .5487     |           |           | .7202     |           |
| 6    | .6859     | .9335     | .6344     |           |           | .7545     | .7545     |
| 7    | .7545     | .8775     | .6859     |           |           | .6859     | .7202     |
| 8    | .6516     | .8589     | .6344     | .4801     |           | .5487     | .7888     |
| 9    | .4801     | .5144     | .5144     |           | .7545     | .3429     | .583      |
| 10   | .4294     | .583      | .4115     | .6516     |           |           | .5144     |
| 11   | .4668     | .4801     |           | .5144     |           | .2743     | .5228     |
| 12   | .4854     | .3772     | .3429     | .4115     |           |           | .5228     |
| 13   | .439      | .3429     | .3429     | .3944     |           |           | .5228     |
| 14   | .439      | .3086     | .3429     | .3772     |           | .4801     | .4854     |
| 15   | .439      | .3429     | .3772     | .4801     | .4458     | .4801     | .5544     |
| 16   | .439      | .3944     | .3772     | .583      | .5487     | .4801     | .5914     |
| 17   | .4755     |           | .4458     | .6173     |           | .5487     | .499      |
| 18   | .4854     | .5144     | .4458     | .6173     |           | .583      | .5975     |
| 19   | .9054     | .7202     | .5487     | .7545     | .5487     | .6516     | .9054     |
| 20   | .8215     | .6001     | .5144     | .6001     | .583      |           | .7468     |
| 21   | .7468     | .4973     | .4801     | .5144     | .5144     |           | .7095     |
| 22   | .6584     | .4458     |           |           | .4801     | .5144     | .5975     |
| 23   | .5487     | .4458     |           |           | .4801     | .4801     | .5487     |
| 24   | .4458     | .5121     | .4458     |           |           | .4458     | .4801     |
| Max  | .9054     | .9335     | .6859     | .7545     | .7545     | .7545     | .9054     |
| Min  | .4294     | .3086     | .3429     | .3772     | .4458     | .2743     | .4115     |
| Avg  | .5513     | .5400     | .4719     | .5381     | .5444     | .5325     | .5809     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HADGAON (R) S/DN[456] BU 7439

Substation No/ Name :- 174059 / BARADSHEWALA

Feeder No / Name : 201 / BARADSHEWALA

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.7814    | 1.1191    | 1.4918    |           |           | 1.6651    | 1.1568    |
| 2    | 1.6194    | 1.1317    | 1.4918    |           |           | 1.6651    | 1.2071    |
| 3    | 1.6194    | 1.2071    | 1.4918    |           |           | 1.6651    | 1.2574    |
| 4    | 1.6032    | 1.2449    | 1.4918    |           |           | 1.7528    | 1.3455    |
| 5    | 1.8785    |           | 1.5746    |           |           | 1.893     | 1.3706    |
| 6    | 1.9757    |           | 1.7072    |           |           |           | .9054     |
| 7    |           |           | 1.4918    |           |           |           | .8676     |
| 8    | 1.6194    | 1.4586    | 1.4089    |           |           | 2.1384    | 1.6194    |
| 9    | 1.4413    |           | 2.9007    |           |           | 1.7353    | 1.4251    |
| 10   | .9179     | 2.6749    | 2.713     |           |           | 1.2449    | 2.1538    |
| 11   | .4401     |           | 3.0178    | 1.6766    |           |           | 2.1862    |
| 12   | .9556     | 2.6749    | 2.8502    |           |           | .1132     |           |
| 13   | .8928     | 2.5263    | 2.4691    |           |           | 1.4963    | 2.0719    |
| 14   | .9556     |           | 2.5652    |           |           |           | 1.9528    |
| 15   | .9556     | 2.6673    | 2.6993    |           |           | 1.4586    | 1.9528    |
| 16   | .9305     | 2.734     |           |           |           | 1.5089    | 1.9528    |
| 17   | .9305     | 1.3279    |           | 2.21      |           | 1.1065    | 1.4918    |
| 18   | .9934     | 1.2029    | .8718     | 1.448     |           | .9808     | 1.5581    |
| 19   | 1.3329    | 1.4842    | 1.8143    | 1.6004    | .2454     | 1.3077    | 1.9062    |
| 20   | 1.3203    | 1.7185    | 1.9631    | 1.6004    | 2.2445    | 1.3455    | 1.8233    |
| 21   | 1.2323    | 1.6404    | 1.8519    |           | 2.1879    | 1.3203    | 1.7404    |
| 22   | 1.1694    | 1.6078    | 1.7147    |           | 2.0332    | 1.2952    | 1.6244    |
| 23   | 1.1317    | 1.4918    |           |           | 1.9281    | 1.2071    | 1.6244    |
| 24   | 1.7814    | 1.1191    | 1.442     |           |           | 1.7002    | 1.1568    |
| Max  | 1.9757    | 2.734     | 3.0178    | 2.21      | 2.2445    | 2.1384    | 2.1862    |
| Min  | .4401     | 1.1191    | .8718     | 1.448     | .2454     | .1132     | .8676     |
| Avg  | 1.2817    | 1.7240    | 1.9535    | 1.7071    | 1.7278    | 1.43      | 1.5805    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HADGAON (R) S/DN[456] BU 7439

Substation No/ Name :- 174059 / BARADSHEWALA

Feeder No / Name : 202 / PALSA

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .6104     | .8478     | .9221     |           |           | .4359     |           |
| 2    | .6104     | .8478     | .9221     |           |           | .4359     | .6783     |
| 3    | .6104     | .8478     | .9221     |           |           | .4359     | .6783     |
| 4    | .6104     | .8478     | .9221     |           |           | .4694     | .6783     |
| 5    | .6104     | .8817     | 1.0059    |           |           | .6371     | .7122     |
| 6    | .7122     | 1.0513    | 1.2574    |           |           | .7545     | .8478     |
| 7    | .5935     | 1.2717    | 1.3413    |           |           | .7712     | .8817     |
| 8    | .5426     | .4578     | .503      | .503      |           | .5365     | .5087     |
| 9    | .8987     | .39       | .4191     | .3688     |           | .4024     | .407      |
| 10   | 1.1361    | .3688     | .3353     |           |           | .3391     | .3391     |
| 11   | 1.1191    | .3353     | .3185     | .4191     |           | .2713     | .3391     |
| 12   | 1.1361    | .3688     | .3353     |           |           |           | .4191     |
| 13   | 1.0174    | .2347     | .3688     |           |           |           | .4191     |
| 14   | 1.0513    | .4024     | .3688     |           |           | .373      | .3353     |
| 15   | 1.0174    | .3353     | .3688     |           |           |           | .4191     |
| 16   | .9835     | .3688     | .3353     |           |           | .3647     | .4191     |
| 17   | .3391     |           | .3688     |           |           | .4748     | .3353     |
| 18   | .373      | .4191     | .3688     | .3353     |           | .4409     | .4694     |
| 19   | .6783     | .6371     | .6371     | .5868     | .6706     | .6613     | .6203     |
| 20   | .7291     | .6706     | .7042     | .6706     | .7712     | .7291     | .7545     |
| 21   | .7122     | .7545     | .7042     | .7545     | .7712     | .7461     | .7377     |
| 22   | .9326     | .9221     | .6706     |           | .6706     | .78       | .8048     |
| 23   | .8817     | .9221     |           |           | .5533     | .763      | .7545     |
| 24   | .6104     | .8478     | .9221     |           |           | .4359     | .7461     |
| Max  | 1.1361    | 1.2717    | 1.3413    | .7545     | .7712     | .78       | .8817     |
| Min  | .3391     | .2347     | .3185     | .3353     | .5533     | .2713     | .3353     |
| Avg  | .7715     | .6535     | .6531     | .5197     | .6874     | .5361     | .5785     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HADGAON (R) S/DN[456] BU 7439

Substation No/ Name :- 174059 / BARADSHEWALA

Feeder No / Name : 203 / SIBDARA

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .5426     | .5087     | .4334     |           |           | .3155     | .2713     |
| 2    | .5426     | .5087     | .5201     |           |           | .3155     | .2713     |
| 3    | .5426     | .5087     | .5201     |           |           | .3155     | .2713     |
| 4    | .5426     | .5087     | .5201     |           |           | .3155     | .2713     |
| 5    | .6104     | .5256     | .6935     |           |           | .3155     | .3391     |
| 6    | .6783     | .6783     | .8669     |           |           | .3506     | .407      |
| 7    | .6783     | .6783     | .9536     | .3856     |           | .6443     | .3391     |
| 8    | .6104     | .6104     | .6935     | .4908     |           |           | .5426     |
| 9    | .4748     | .5426     | .5201     | .4908     |           | .6783     | .407      |
| 10   | .6104     | .4854     | .5258     |           |           | .5426     | .3391     |
| 11   | .6952     |           | .1753     | .5201     |           | .3391     | .3391     |
| 12   |           | .1734     | .2629     |           |           | .4748     |           |
| 13   | .5426     | .1734     | .3155     |           |           | .407      | .3467     |
| 14   | .6104     | .1734     | .3506     |           |           | .4748     | .3467     |
| 15   | .6104     | .1734     |           |           |           | .407      | .3467     |
| 16   | .5426     | .1734     |           |           |           | .407      | .3467     |
| 17   | .407      | .3467     | .3506     |           |           | .4748     | .3467     |
| 18   | .4694     | .5201     | .3506     | .6068     |           | .5426     | .3467     |
| 19   | .5765     | .6068     | .7011     | .6935     | .6661     | .7461     | .6935     |
| 20   | .7291     | .6935     | .7712     | .6935     |           | .6783     | .6935     |
| 21   | .6783     | .6935     | .7712     | .6935     | .7888     | .7461     | .6935     |
| 22   | .5087     | .6935     | .7011     |           | .4207     | .5087     | .2601     |
| 23   | .5087     | .6068     |           |           | .2804     | .3391     | .2601     |
| 24   | .5426     | .5087     | .5087     |           |           | .3155     | .2713     |
| Max  | .7291     | .6935     | .9536     | .6935     | .7888     | .7461     | .6935     |
| Min  | .407      | .1734     | .1753     | .3856     | .2804     | .3155     | .2601     |
| Avg  | .5763     | .4823     | .5479     | .5718     | .539      | .4632     | .3805     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HADGAON (R) S/DN[456] BU 7439

Substation No/ Name :- 174059 / BARADSHEWALA

Feeder No / Name : 402 / SALASAR EXP 33KV

Feeder KV- 33 / OUTGOING

NON SHEDDABLE EXPRESS HV FEEDERS  
(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .1629     | .3155     |           | .1698     |
| 2    | .1086     | .1086     | .2103     |           | .2195     |
| 3    | .1132     | .1629     | .2103     |           | .2195     |
| 4    | .1132     | .0543     | .1578     |           |           |
| 5    | .2263     | .1612     | .2103     |           | .3292     |
| 6    |           | .2172     | .3155     |           |           |
| 7    |           | .1629     |           |           |           |
| 8    |           |           | .0526     |           |           |
| 9    | .1086     |           |           |           |           |
| 10   | .1629     |           |           |           |           |
| 11   | .1698     |           |           |           |           |
| 12   | .2263     |           |           |           |           |
| 13   | .1629     | .1052     |           |           |           |
| 14   | .2172     |           | 2.2611    |           | .0526     |
| 15   | .2715     | .2103     | .2241     |           | .1578     |
| 16   |           | .2103     | .1946     |           | .2629     |
| 17   |           | .1578     | .1578     |           | .2103     |
| 18   | .1629     | .2629     | .1578     | .1457     | .2629     |
| 19   | .2172     |           |           | .1132     | .2629     |
| 20   | .0543     |           | .1132     | .1132     | .3155     |
| 21   | .2263     | .2103     | .2263     | .1698     | .1052     |
| 22   | .2263     | .2103     |           | .2263     | .2629     |
| 23   | .1698     | .2103     |           | .2715     | .2103     |
| 24   |           | .1629     | .2629     |           | .1086     |
| Max  | .2715     | .2629     | 2.2611    | .2715     | .3292     |
| Min  | .0543     | .0543     | .0526     | .1132     | .0526     |
| Avg  | .1728     | .1731     | .3380     | .1733     | .2100     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HADGAON (R) S/DN[456] BU 7439

Substation No/ Name :- 174060 / TALNI

Feeder No / Name : 201 / TALNI

FEEDER SEPERATION/PURE AG

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 |
|------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 8    | .5201     |           |           |           |
| 16   |           | .5571     | .6226     | .535      |
| 24   | .5944     |           |           |           |
| Max  | .5944     | .5571     | .6226     | .535      |
| Min  | .5201     | .5571     | .6226     | .535      |
| Avg  | .5573     | .5571     | .6226     | .535      |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HADGAON (R) S/DN[456] BU 7439

Substation No/ Name :- 174060 / TALNI

Feeder No / Name : 202 / SHIVOOR

FEEDER SEPERATION/PURE AG

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 |
|------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 8    | .7819     |           |           |           |
| 16   |           | 1.2452    | 1.278     | .743      |
| 24   | .7133     |           |           |           |
| Max  | .7819     | 1.2452    | 1.278     | .743      |
| Min  | .7133     | 1.2452    | 1.278     | .743      |
| Avg  | .7476     | 1.2452    | 1.278     | .743      |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HADGAON (R) S/DN[456] BU 7439

Substation No/ Name :- 174060 / TALNI

Feeder No / Name : 203 / TALNI GAONTHAN

GAOTHAN FEEDER

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 |
|------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 4    |           | 1.1949    |           |           |
| 8    | 1.1016    | 1.2883    | 1.6278    | 1.6057    |
| 16   | 1.0974    | .7095     | .7468     | 1.2437    |
| 23   | 1.0974    |           |           |           |
| 24   | .9511     | 1.0974    | .78       |           |
| Max  | 1.1016    | 1.2883    | 1.6278    | 1.6057    |
| Min  | .9511     | .7095     | .7468     | 1.2437    |
| Avg  | 1.0619    | 1.0725    | 1.0515    | 1.4247    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HADGAON (R) S/DN[456] BU 7439

Substation No/ Name :- 174060 / TALNI

Feeder No / Name : 204 / MATALA AG

FEEDER SEPERATION/PURE AG

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 12-APR-18 |
|------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 4    |           | 1.086     |           |           |
| 8    |           | .8916     |           |           |
| 9    |           |           |           | .9065     |
| 16   | 1.0402    |           |           |           |
| 23   | .9659     |           |           |           |
| 24   | 1.1145    | .9659     | .5639     |           |
| Max  | 1.1145    | 1.086     | .5639     | .9065     |
| Min  | .9659     | .8916     | .5639     | .9065     |
| Avg  | 1.0402    | .9812     | .5639     | .9065     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HADGAON (R) S/DN[456] BU 7439

Substation No/ Name :- 174091 / LYHARI

Feeder No / Name : 201 / Lyhari

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .8097     | .5093     | .5281     |           |           | .5281     | .5281     |
| 2    | .8097     | .4904     | .4904     |           |           | .5093     | .5228     |
| 3    | .8322     | .4904     | .5093     |           |           | .4904     | .5228     |
| 4    | .8962     | .5093     | .4904     |           |           | .5093     | .5281     |
| 5    | .9602     | .5093     | .5281     |           |           | .5281     | .5658     |
| 6    | 1.2018    | .6036     | .6036     |           |           | .6413     | .6036     |
| 7    | 1.3599    | .5847     | .5847     |           |           | .5658     | .5281     |
| 8    | .5281     | .5281     | .5093     |           |           | .5281     | .5281     |
| 9    | .415      | 1.2125    | 1.2955    |           |           | .9831     |           |
| 10   | .3961     | 1.5074    | 1.4373    |           |           | 1.0437    | 1.278     |
| 11   | .3961     | 1.5708    | 1.3904    |           | .8785     | 1.0753    | 1.4575    |
| 12   | .3772     | 1.6004    | 1.4403    | .5636     | .9393     | 1.0936    | 1.3123    |
| 13   | .3772     | 1.5384    | 1.3763    | 1.0322    |           | .9061     | 1.1961    |
| 14   | .3395     | 1.5074    | 1.3763    | 1.5708    | .9602     | 1.0364    | 1.1603    |
| 15   | .4715     | 1.5061    | 1.4403    | 1.2483    | .7748     | 1.004     | 1.1797    |
| 16   | .3206     | 1.6004    | 1.439     |           | .8179     | .583      | 1.2125    |
| 17   | .3395     | .4338     |           | .5281     | .4904     | .3361     | .415      |
| 18   | .2263     | .4338     |           | .4904     | .4904     | .415      | .4527     |
| 19   | .5281     | .4527     | .5281     | .6036     | .5847     | .5847     | .5281     |
| 20   | .5847     | .5658     | .5658     | .6348     | .6036     | .5847     | .5975     |
| 21   | .5847     | .5847     | .547      | .6413     | .6413     | .6036     | .6161     |
| 22   | .547      | .5658     | .5281     | .547      | .6036     | .5788     | .5658     |
| 23   | .5281     | .5281     |           |           | .5847     | .5601     | .547      |
| 24   | .8097     | .5281     | .5281     |           |           | .5658     | .547      |
| Max  | 1.3599    | 1.6004    | 1.4403    | 1.5708    | .9602     | 1.0936    | 1.4575    |
| Min  | .2263     | .4338     | .4904     | .4904     | .4904     | .3361     | .415      |
| Avg  | .6100     | .8484     | .8636     | .7860     | .6975     | .6773     | .7562     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HADGAON (R) S/DN[456] BU 7439

Substation No/ Name :- 174091 / LYHARI

Feeder No / Name : 202 / HARDAP

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .4904     | 1.186     | .5487     |           | .6962     | 1.0402    | 1.012     |
| 2    | .4904     | 1.1069    | .5201     |           | .6554     | 1.0242    | .9804     |
| 3    | .5093     | 1.0526    | .4973     |           | .6962     | 1.0082    | .9804     |
| 4    | .5281     | 1.0688    | .5144     |           | .7125     | 1.0437    | .9488     |
| 5    | .5658     | 1.1523    | .6001     |           | .8356     | 1.1227    | 1.1385    |
| 6    | .679      | 1.4548    | .7701     |           | .9614     | 1.3435    | 1.2018    |
| 7    | .679      | 1.5813    | .8238     |           | 1.3279    | 1.406     | 1.2811    |
| 8    | .5658     | .6036     | .4904     |           | .5601     | .5658     | .6036     |
| 9    | 1.3763    | .4715     | .3772     |           | .3772     | .4527     | .415      |
| 10   | 1.5043    | .3772     | .3961     |           | .3395     | .3961     | .3772     |
| 11   | 1.4506    | .3395     | .3206     |           | .3018     | .3584     | .3584     |
| 12   | 1.3272    | .3206     |           |           |           | .3395     | .3584     |
| 13   | 1.2963    | .3206     |           | .7209     |           | .3361     | .3772     |
| 14   | 1.3904    | .3395     |           | .9175     | .415      | .3584     | .3961     |
| 15   | 1.3599    | .3395     | .3395     | .3395     | .3772     | .3584     | .415      |
| 16   | 1.2803    | .3961     | .415      |           | .3772     | .3361     | .415      |
| 17   | .3395     |           |           | .415      | .3961     | .3772     | .3395     |
| 18   | .3772     |           | .4338     | .4904     | .4715     | .1886     | .4904     |
| 19   | .5658     |           | .5281     | .4715     | .5847     | .5281     | .547      |
| 20   | .5847     |           | .5281     | .5601     | .5658     | .5658     | .5658     |
| 21   | .5658     | .5658     | .5281     | .547      | .5658     | .5847     | .5788     |
| 22   | 1.2018    | .583      | .5693     |           | 1.186     | 1.1142    | 1.0774    |
| 23   | 1.2803    | .5609     |           |           | 1.1523    | 1.0688    | 1.0059    |
| 24   | .4904     | 1.2483    | .5609     |           | .7293     | 1.0883    | 1.0364    |
| Max  | 1.5043    | 1.5813    | .8238     | .9175     | 1.3279    | 1.406     | 1.2811    |
| Min  | .3395     | .3206     | .3206     | .3395     | .3018     | .1886     | .3395     |
| Avg  | .8708     | .7534     | .5138     | .5577     | .6493     | .7086     | .7042     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HADGAON (R) S/DN[456] BU 7439

Substation No/ Name :- 174091 / LYHARI

Feeder No / Name : 203 / PINGALI

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .5344     | .5243     | .4752     |           | .4096     | .4752     | .4915     |
| 2    | .5506     | .4915     | .4752     |           | .4049     | .4588     | .4915     |
| 3    | .5506     | .4752     | .4424     |           | .4096     | .4752     | .4915     |
| 4    | .5668     | .4588     | .4424     |           | .421      | .4588     | .4915     |
| 5    | .6478     | .4915     | .4752     |           | .4534     | .5079     | .5079     |
| 6    | .8745     | .5243     | .5243     |           | .4534     | .5407     | .5407     |
| 7    | 1.0526    |           | .4915     |           | .3887     | .4752     | .4096     |
| 8    | .4534     | .3932     | .3768     |           | .3725     | .4096     | .3605     |
| 9    | .3563     | .9339     | .852      |           | .664      | .7537     | .7537     |
| 10   | .3239     | 1.2289    | .9646     |           | .7611     | .9878     | .9555     |
| 11   | .3077     | 1.1633    | 1.1385    |           | .852      | .8421     | .9339     |
| 12   | .2915     | 1.0322    | 1.0753    | .6226     | .8684     | .8907     | .852      |
| 13   | .2753     | 1.0486    | 1.0911    | .7209     |           | .8907     | .852      |
| 14   | .2915     | 1.0814    | 1.0437    | .8907     | .7865     | .8583     | .8356     |
| 15   | .3077     | 1.0688    | 1.0437    | .9667     | .8192     | .8259     | .8421     |
| 16   | .2591     | 1.0688    | 1.012     |           | .7935     | .3239     | .9393     |
| 17   | .3401     | .2753     |           | .3239     | .3077     | .2591     | .3277     |
| 18   | .3401     | .2753     | .3239     | .3887     | .3401     | .3563     | .3441     |
| 19   | .4915     | .4696     | .4534     | .5182     | .4696     | .4588     | .4858     |
| 20   | .5079     | .5182     | .5506     | .5735     | .502      | .5243     | .5243     |
| 21   | .5407     | .5182     | .5344     | .5735     | .5344     | .5735     | .5407     |
| 22   | .5243     | .5079     | .502      | .4915     | .5079     | .5243     | .5243     |
| 23   | .5243     | .4915     |           |           | .4915     | .5079     | .5079     |
| 24   | .5344     | .5079     | .4752     |           | .3932     | .4752     | .4915     |
| Max  | 1.0526    | 1.2289    | 1.1385    | .9667     | .8684     | .9878     | .9555     |
| Min  | .2591     | .2753     | .3239     | .3239     | .3077     | .2591     | .3277     |
| Avg  | .4770     | .6760     | .6711     | .6070     | .5393     | .5772     | .6040     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HADGAON (R) S/DN[456] BU 7439

Substation No/ Name :- 174093 / JAWALGAON

Feeder No / Name : 201 / JAWALGAON

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .2054     | .4108     | .4668     |           |           | .4108     | .5658     |
| 2    | .2054     | .4108     | .4668     |           |           | .4108     | .5658     |
| 3    | .2054     | .4481     | .4481     |           |           | .4481     | .6036     |
| 4    | .2241     | .5228     | .5228     |           |           | .5228     | .679      |
| 5    | .2427     | .5975     | .6722     |           |           | .5975     | .679      |
| 6    | .2987     |           | .7095     |           |           | .7095     | .7545     |
| 7    | .3734     | .7095     | .5975     |           | .5228     | .7095     | .7167     |
| 8    | .6535     | .7282     | .6908     |           | .5601     | .6348     | .6036     |
| 9    | .6161     | .3121     | .2949     |           | .2279     | .3189     |           |
| 10   | .5228     | .3361     | .2622     | .2835     | .2481     | .2458     | .2614     |
| 11   | .4344     | .2614     | .2622     | .2835     | .2454     | .2458     | .2614     |
| 12   | .3734     | .2987     | .2622     | .2429     |           | .2458     | .2987     |
| 13   | .3734     | .2987     | .2561     | .2454     | .2103     | .2561     | .3361     |
| 14   | .3734     | .2614     | .2561     | .2126     | .1949     | .2458     | .2987     |
| 15   | .3734     | .2241     | .2401     | .2254     | .181      | .2622     |           |
| 16   | .3921     | .2801     | .2561     | .2454     | .2481     | .2622     |           |
| 17   | .4108     | .4108     | .5658     | .6348     | .4252     | .3018     | .5975     |
| 18   | .4854     | .5228     | .6036     | .5601     | .4854     | .415      | .5601     |
| 19   | .4805     | .6535     | .6413     | .6224     | .6535     | .6036     | .6535     |
| 20   | .5601     | .5601     | .5658     | .5228     | .5788     | .6413     | .5975     |
| 21   | .4854     | .5228     | .4904     | .5041     | .5228     | .5658     | .5415     |
| 22   | .4854     | .4854     | .4854     | .4481     |           | .4715     | .5228     |
| 23   | .4481     | .4458     | .4668     |           | .4481     | .4338     | .5228     |
| 24   |           | .4854     |           |           |           | .4108     | .4854     |
| Max  | .6535     | .7282     | .7095     | .6348     | .6535     | .7095     | .7545     |
| Min  | .2054     | .2241     | .2401     | .2126     | .181      | .2458     | .2614     |
| Avg  | .4010     | .4429     | .4558     | .387      | .3835     | .4321     | .5288     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HADGAON (R) S/DN[456] BU 7439

Substation No/ Name :- 174093 / JAWALGAON

Feeder No / Name : 202 / VIRSANI

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3361     | .2957     | .2801     |           |           | .2641     | .2641     |
| 2    | .3361     | .3174     | .2801     |           |           | .2614     | .2641     |
| 3    | .3361     | .3174     | .2614     |           |           | .2801     | .2641     |
| 4    | .3547     | .3326     | .2987     |           |           | .2987     | .3018     |
| 5    | .3734     | .3361     | .3174     |           |           | .3174     | .3018     |
| 6    | .5228     | .3696     | .3361     |           |           |           | .3018     |
| 7    | .5975     | .3734     | .3734     |           | .2614     | .3174     | .2641     |
| 8    | .3361     | .3511     | .2614     |           | .3109     | .3018     | .1886     |
| 9    | .2614     | .4572     | .3163     |           | .2458     | .4321     |           |
| 10   | .2614     | .7095     | .4096     | .3795     | .2622     | .4915     | .5041     |
| 11   | .2987     | .5601     | .3795     | .3277     | .2688     | .4915     | .4854     |
| 12   | .3734     | .4854     | .3479     | .3321     | .3277     | .4915     | .4854     |
| 13   | .2957     | .4668     | .3605     | .3201     | .3932     | .4481     | .4854     |
| 14   | .2378     | .4481     | .3521     | .2881     | .3932     | .4915     | .4854     |
| 15   | .2427     | .4108     | .3841     | .2949     | .3932     | .4481     | .4854     |
| 16   | .2195     | .4854     | .4096     | .3163     | .4111     | .4915     | .5228     |
| 17   | .2614     |           | .3772     | .2949     | .2987     | .2829     | .2614     |
| 18   | .2614     |           | .3395     | .2915     | .1867     | .2829     | .2427     |
| 19   | .3361     |           | .3395     | .2622     | .3734     | .2829     | .2987     |
| 20   | .3361     |           | .3395     | .2987     | .3361     | .2829     | .3174     |
| 21   | .3142     |           | .3206     | .3174     | .3361     | .2829     | .2987     |
| 22   | .3109     | .2987     | .3206     | .2987     | .3174     | .2641     | .2987     |
| 23   | .2987     | .2987     | .2987     |           | .2987     | .2294     | .2987     |
| 24   |           | .2987     |           |           |           | .2987     | .2987     |
| Max  | .5975     | .7095     | .4096     | .3795     | .4111     | .4915     | .5228     |
| Min  | .2195     | .2957     | .2614     | .2622     | .1867     | .2294     | .1886     |
| Avg  | .3262     | .4007     | .3349     | .3094     | .3185     | .3493     | .3443     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HADGAON (R) S/DN[456] BU 7439

Substation No/ Name :- 174093 / JAWALGAON

Feeder No / Name : 203 / KAMARI

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .8589     | 1.0753    | 1.0631    |           |           | 1.0814    | 1.278     |
| 2    | .7545     | 1.1469    | 1.1576    |           |           | 1.0814    | 1.3108    |
| 3    | .8215     | 1.2125    | 1.1949    |           |           | 1.0753    | 1.3108    |
| 4    | .8215     | 1.278     | 1.2696    |           |           | 1.1385    | 1.2803    |
| 5    | .8402     | 1.4746    | 1.2696    |           |           | 1.3108    | 1.3108    |
| 6    | .8589     | 1.6385    | 1.307     |           |           | 1.3435    | 1.3108    |
| 7    | .8589     | 1.5278    | 1.643     |           | .9335     | 1.5623    | 1.5402    |
| 8    |           | .7499     | .8215     |           | 1.1069    | .7095     | .7922     |
| 9    | 1.8671    | .7265     | .7545     |           | 1.2452    | .7842     |           |
| 10   | 2.2405    |           | .6413     | .7468     | 1.1961    |           | .5975     |
| 11   | 1.9292    | .5228     | .6036     | .9831     | 1.1469    |           | .6348     |
| 12   | 1.9608    | .4108     | .6413     | 1.307     |           | .7167     | .6348     |
| 13   | 1.8976    | .4108     | .6036     | .5914     |           | .679      | .6348     |
| 14   | 1.8343    | .4108     | .6036     | .6413     |           | .6413     | .6348     |
| 15   |           | .4108     | .6224     | .5975     |           | .6413     | .6348     |
| 16   | 1.7368    | .4854     | .6413     | .5975     | 1.0486    | .6413     | .5975     |
| 17   | .5316     |           | .7545     | .6722     | .7468     | .6413     | .7468     |
| 18   | .6219     | .8215     | .8488     |           | .7842     | .7167     | .7468     |
| 19   | .7265     | .9709     | .9054     | .9619     | .8589     | .8488     | .8962     |
| 20   | .7865     | .9335     | .9054     | .9709     | .9709     | 1.0374    | .9709     |
| 21   | .7619     | .8962     | .8676     | .9709     | .9709     | .9431     | .9709     |
| 22   | .9172     | 1.0829    | .9503     | 1.2696    | 1.1469    | 1.1469    | .7468     |
| 23   | 1.0814    | 1.1203    | 1.0159    |           | 1.2696    | 1.1469    | 1.1203    |
| 24   |           | 1.1576    |           |           |           | 1.2696    | 1.1203    |
| Max  | 2.2405    | 1.6385    | 1.643     | 1.307     | 1.2696    | 1.5623    | 1.5402    |
| Min  | .5316     | .4108     | .6036     | .5914     | .7468     | .6413     | .5975     |
| Avg  | 1.1766    | .9302     | .9168     | .8592     | 1.0327    | .9617     | .9488     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HADGAON (R) S/DN[456] BU 7439

Substation No/ Name :- 174094 / MANATHA

Feeder No / Name : 201 / MANATHA

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .5959     | .9526     | 1.0751    |           |           | 1.226     | 1.251     |
| 2    |           | .9526     | 1.0562    |           |           | 1.2449    | 1.1576    |
| 3    |           | .9526     | .9997     |           |           | 1.2449    | 1.1883    |
| 4    |           | .9526     | 1.0374    |           |           | 1.2826    | 1.2071    |
| 5    |           | 1.1431    | 1.1389    |           |           | 1.3203    | 1.2071    |
| 6    |           | 1.2765    | 1.1949    |           |           | 1.3957    | 1.3769    |
| 7    |           | 1.3336    | 1.307     |           |           | 1.2071    | 1.3392    |
| 8    | .7712     |           | 1.2136    | 1.3957    |           | 1.1317    | 1.2449    |
| 9    | .7545     | .7537     | 1.2637    | .5784     |           | .5784     | .5784     |
| 10   | .6859     | .9945     | .4733     |           |           |           | .7712     |
| 11   | .5716     | .8139     | .4287     | .57       |           | .6516     | .7042     |
| 12   |           | .9221     | .373      | .5868     |           | .583      | .7209     |
| 13   | .5716     | .8192     | .703      |           |           | .5426     | .6554     |
| 14   |           | .6133     | .7545     |           |           | .6036     | .663      |
| 15   | .3801     | .6539     | .7888     |           | .763      | .5487     | .663      |
| 16   |           | .8162     |           |           | .8215     | .5316     | .6036     |
| 17   | .8383     |           | .6602     | .7621     | .7716     | .8299     | .8002     |
| 18   | .9907     | 1.0562    | 1.0751    | 1.2765    |           | .9242     | .9335     |
| 19   | 1.105     | 1.3957    | 1.3014    | 1.467     | 1.5844    | 1.358     | 1.2955    |
| 20   | 1.2384    | 1.3957    | 1.3014    | 1.2826    | 1.4901    |           | 1.3717    |
| 21   | 1.2955    | 1.358     | 1.2637    | 1.2826    | 1.4335    | 1.3203    | 1.3336    |
| 22   | 1.105     | 1.2449    |           |           | 1.3392    | 1.2449    | 1.2955    |
| 23   | .9526     | 1.1883    |           |           | 1.2826    | 1.1506    | 1.2384    |
| 24   | .5258     | .9526     | 1.0751    |           |           | 1.2637    | 1.1317    |
| Max  | 1.2955    | 1.3957    | 1.307     | 1.467     | 1.5844    | 1.3957    | 1.3769    |
| Min  | .3801     | .6133     | .373      | .57       | .763      | .5316     | .5784     |
| Avg  | .8255     | 1.0246    | .9755     | 1.0224    | 1.1857    | 1.0084    | 1.0305    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HADGAON (R) S/DN[456] BU 7439

Substation No/ Name :- 174094 / MANATHA

Feeder No / Name : 202 / KEDARGUDA

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3772     | .3045     | .4681     |           |           | .4508     | .3856     |
| 2    | .415      | .3045     | .5144     |           |           | .463      | .3856     |
| 3    | .4108     | .3045     | .5487     |           |           | .463      | .4161     |
| 4    | .415      | .298      | .583      |           |           | .4973     | .3856     |
| 5    | .4338     | .3086     | .6443     |           |           | .5087     | .4382     |
| 6    | .4527     | .3429     | .7291     |           |           | .5365     | .4382     |
| 7    |           | .3688     | .8215     | .5256     |           | .5256     | .4382     |
| 8    |           | .362      | .3206     | .3772     |           | .3772     | .333      |
| 9    |           | .2667     | .2452     | .3206     |           | .3206     | .2452     |
| 10   |           | .2667     | .2263     |           |           | .2641     | .2452     |
| 11   |           |           | .2263     | .2286     |           | .2263     | .2096     |
| 12   |           |           | .1886     | .2096     |           | .2263     | .1905     |
| 13   |           |           | .2075     |           |           | .2641     | .1905     |
| 14   |           |           | .2641     |           |           | .2263     | .2286     |
| 15   |           |           | .2452     |           | .2829     | .2263     | .2286     |
| 16   |           | .2968     |           |           | .3395     | .2035     | .2477     |
| 17   | .2286     | .4902     | .2075     | .2858     | .3206     | .2452     | .2667     |
| 18   | .2858     | .3239     | .2829     | .3429     |           | .2641     | .3239     |
| 19   | .381      | .4954     | .4668     | .5335     | .5281     | .4338     | .5144     |
| 20   | .4954     | .5716     | .5281     | .5335     | .6036     |           | .5335     |
| 21   | .5335     | .5906     |           | .5144     | .6224     | .4527     | .5716     |
| 22   | .2686     | .4298     |           |           | .3856     | .2629     | .3582     |
| 23   | .3045     | .4382     |           |           | .4207     | .3429     | .443      |
| 24   | .3772     | .3045     | .4334     |           |           | .4382     | .3506     |
| Max  | .5335     | .5906     | .8215     | .5335     | .6224     | .5365     | .5716     |
| Min  | .2286     | .2667     | .1886     | .2096     | .2829     | .2035     | .1905     |
| Avg  | .3842     | .3720     | .4076     | .3872     | .4379     | .3574     | .3487     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HADGAON (R) S/DN[456] BU 7439

Substation No/ Name :- 174094 / MANATHA

Feeder No / Name : 203 / MALZARA

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .7922     | .6335     | .5895     |           |           | .4854     | .4382     |
| 2    | .9054     | .6268     | .631      |           |           | .4854     | .4334     |
| 3    | .9054     | .6268     | .6762     |           |           | .4973     | .4908     |
| 4    | .9431     | .6268     | .6859     |           |           | .5316     | .4908     |
| 5    | 1.0374    | .7164     | .703      |           |           | .5658     | .8238     |
| 6    | .9997     | .8505     | .7716     |           |           | .6344     | .6135     |
| 7    | .7545     | .8916     | .8402     | .5083     |           | .5784     | .5434     |
| 8    | .8865     | .7545     | .7095     | .7545     |           | .5975     | .5138     |
| 9    | .4207     | .6224     | .5975     | .6036     |           | .4668     | .4338     |
| 10   | .6173     | .5658     | .4668     |           |           | .3961     | .2641     |
| 11   | .4409     | .4904     | .4715     | .4904     |           | .3772     | .2957     |
| 12   |           |           | .4904     | .5281     |           | .3772     | .2987     |
| 13   | .5087     | .4668     | .4715     |           |           | .3772     | .2801     |
| 14   | .5087     | .4668     | .4904     |           |           | .2641     | .2614     |
| 15   | .4694     | .5041     | .4904     |           |           | .2263     | .2801     |
| 16   |           | .4668     |           |           | .4854     | .3018     | .3696     |
| 17   | .4904     | .5093     | .4527     | .4904     | .4161     | .5093     | .4481     |
| 18   | .6036     | .679      | .6413     | .5658     |           | .2829     | .5228     |
| 19   | .7922     | .9149     | .9242     |           | .5975     |           | .6535     |
| 20   | .8299     | .8589     | .8299     | .8676     | .5975     |           | .6535     |
| 21   | .8676     | .7468     |           | .8299     | .6535     | .6036     | .5914     |
| 22   | .543      | .567      |           |           | .4477     | .4207     | .4477     |
| 23   | .6335     | .5959     |           |           | .4607     | .3856     | .5014     |
| 24   | .7545     | .6335     | .5784     |           |           | .4733     | .3856     |
| Max  | 1.0374    | .9149     | .9242     | .8676     | .6535     | .6344     | .8238     |
| Min  | .4207     | .4668     | .4527     | .4904     | .4161     | .2263     | .2614     |
| Avg  | .7138     | .6441     | .6256     | .6265     | .5226     | .4472     | .4598     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HADGAON (R) S/DN[456] BU 7439

Substation No/ Name :- 174107 / LOHA

Feeder No / Name : 201 / LOHA

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3048     | .3734     | .2829     | .1867     | .1867     | .2829     | .2801     |
| 2    | .3048     | .3734     | .2829     | .1867     | .1867     | .2829     | .2801     |
| 3    | .2934     | .3734     | .2829     | .1867     | .1867     | .2829     | .2801     |
| 4    | .3668     | .3734     | .2829     | .1867     | .1867     | .2829     | .2801     |
| 5    | .3668     | .3734     | .3772     | .1867     | .1867     | .2829     | .2801     |
| 6    | .4572     | .3734     | .3772     | .2801     | .1867     | .2829     | .2801     |
| 7    | .5868     | .3734     | .3772     | .2801     | .1867     | .3772     | .3734     |
| 8    | .2801     | .1867     | .3772     | .2801     | .1867     | .3772     | .2801     |
| 9    |           | .4287     | .5668     | .2801     | .1715     | .3239     |           |
| 10   |           | .6478     | .6859     | .2572     | .2429     | .4049     |           |
| 11   | .1867     | .6478     | .6859     | .3429     |           | .4049     |           |
| 12   | .1867     | .6478     | .6859     | .4287     | .3239     | .4049     |           |
| 13   | .1867     | .6478     | .6859     | .5144     | .3239     | .4858     |           |
| 14   | .1867     | .5668     | .6859     | .5144     | .3239     | .4049     |           |
| 15   | .1867     | .5668     | .6859     | .5144     | .3239     | .4049     |           |
| 16   | .1867     | .5668     | .6859     | .5144     | .4049     | .4858     | .4401     |
| 17   | .1867     | .1886     | .1867     | .1867     | .1886     | .1867     |           |
| 18   | .2801     | .1886     | .0934     | .1867     | .1886     | .1867     |           |
| 19   | .2801     | .2829     | .2572     | .3734     | .2829     | .1867     | .1886     |
| 20   | .2801     | .3772     | .3734     | .2801     | .3772     | .2801     |           |
| 21   | .3734     | .3772     | .3734     | .2801     | .3772     | .2801     | .3772     |
| 22   | .3734     | .3772     | .2801     | .1867     | .3772     |           |           |
| 23   | .3734     | .3772     | .1867     | .1867     | .2829     | .2801     | .2801     |
| 24   | .1505     | .3734     | .2829     | .1867     | .1867     | .2829     | .2801     |
| Max  | .5868     | .6478     | .6859     | .5144     | .4049     | .4858     | .4401     |
| Min  | .1505     | .1867     | .0934     | .1867     | .1715     | .1867     | .1886     |
| Avg  | .2899     | .4193     | .4184     | .2920     | .2552     | .3241     | .3000     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HADGAON (R) S/DN[456] BU 7439

Substation No/ Name :- 174107 / LOHA

Feeder No / Name : 202 / CHIKALA

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .8402     | 2.0576    | 1.3765    |           |           | 1.1336    | 1.2003    |
| 2    | .8402     | 2.0576    | 1.3765    |           |           | 1.1336    | 1.2003    |
| 3    | .8402     | 2.0576    | 1.3765    |           |           | 1.1336    | 1.2003    |
| 4    | .9335     | 2.0576    | 1.5384    |           |           | 1.1336    | 1.5432    |
| 5    | 1.0269    | 2.0576    | 1.7004    |           |           | 1.2955    | 1.5432    |
| 6    |           | 2.0576    | 2.1052    | .5601     | 1.0288    | 1.4575    | 1.5432    |
| 7    |           | 2.2291    | 2.2672    | .4668     |           | 1.7814    | 1.5432    |
| 8    | .8402     | .7468     | .5658     | .3734     | 1.5432    | .6602     | .4668     |
| 9    | 1.4251    | .5658     | .4715     | .5601     | 1.3717    | .5658     |           |
| 10   | 2.0119    | .4715     | .5601     |           | .4715     | .4715     |           |
| 11   | 1.8861    | .4715     | .4668     | .4287     | .4715     | .4715     |           |
| 12   | 2.0576    | .4715     | .5601     | 1.2003    | .4715     | .4715     |           |
| 13   | 1.8861    | .4715     | .5601     | .4668     | .4715     | .4715     |           |
| 14   | 2.0576    | .4715     | .5601     | .4668     | .4715     | .4715     |           |
| 15   | 2.0576    | .4715     | .5601     | .4668     | .4715     | .4715     |           |
| 16   | 2.0576    | .4715     | .5601     | .4668     | .4715     | .4715     | .5601     |
| 17   | .4668     | .5658     | .3734     | .4668     | .4715     | .5601     |           |
| 18   | .7468     | .5658     | .3734     | .5601     | .5658     | .7468     |           |
| 19   | 1.0269    | .8488     | .5601     | .9335     | .8488     | .9335     | .9335     |
| 20   | .3734     | 1.0374    | .6535     | .9335     | .9431     | .9335     |           |
| 21   | .9335     | 1.0374    | .9335     | .9335     | .9431     | .9335     | .8573     |
| 22   | 1.2003    | 1.4575    | .4287     |           | 1.0059    | 1.2003    |           |
| 23   | 1.8671    | 1.4575    |           |           | 1.2146    | 1.2003    | 1.2574    |
| 24   | .9335     | 1.7147    | 1.3765    |           |           | 1.2146    | 1.2003    |
| Max  | 2.0576    | 2.2291    | 2.2672    | 1.2003    | 1.5432    | 1.7814    | 1.5432    |
| Min  | .3734     | .4715     | .3734     | .3734     | .4715     | .4715     | .4668     |
| Avg  | 1.2868    | 1.1614    | .9263     | .6189     | .7786     | .8882     | 1.1576    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HADGAON (R) S/DN[456] BU 7439

Substation No/ Name :- 174107 / LOHA

Feeder No / Name : 203 / WANWADI

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .8954     | .5601     | .6602     | .5601     | .4668     | .6602     | .5601     |
| 2    | .8764     | .5601     | .6602     | .5601     | .4668     | .6602     | .5601     |
| 3    | 1.0517    | .5601     | .6602     | .5601     | .4668     | .6602     | .5601     |
| 4    | 1.0517    | .5601     | .6602     | .5601     | .4668     | .6602     | .5601     |
| 5    |           | .5601     | .6602     | .5601     | .4668     | .6602     | .5601     |
| 6    | 1.4022    | .5601     | .6602     | .5601     | .4668     | .6602     | .5601     |
| 7    | 1.7147    | .5601     | .6602     | .5601     | .4668     | .5658     | .5601     |
| 8    | .4668     | .4668     | .4715     | .4668     | .3734     | .4715     | .5601     |
| 9    | .3734     | 1.2003    | 1.1145    | .5601     | .4287     | 1.0059    |           |
| 10   | .2801     | 1.3413    | 1.5432    | .3429     | 1.0059    | 1.1736    | 1.3413    |
| 11   | .2801     | 1.5089    | 1.5432    | 1.0288    | 1.1736    | 1.1736    |           |
| 12   | .2801     | 1.4251    | 1.3717    | 1.2003    | 1.1736    | 1.2574    |           |
| 13   | .2801     | 1.4251    | 1.2003    | 1.0288    | .9431     | 1.1736    | .9221     |
| 14   | .2801     | 1.3413    | 1.2003    | 1.2003    | .9431     | 1.0898    |           |
| 15   | .2801     | 1.2003    | 1.2003    | 1.2003    | 1.0059    | 1.0898    |           |
| 16   | .2801     | 1.1736    | 1.2003    | 1.2003    | 1.1736    | 1.1736    | 1.2574    |
| 17   | .2801     | .2829     | .3734     | .2801     | .2829     | .2801     |           |
| 18   | .5601     | .3772     |           | .3734     | .3772     | .4668     |           |
| 19   | .7468     | .5658     | .6535     | .5601     | .6602     | .5601     |           |
| 20   | .7468     | .7545     | .6535     | .6535     | .7545     | .6535     |           |
| 21   | .7468     | .7545     | .6535     | .5601     | .7545     | .7468     |           |
| 22   | .6535     | .7545     | .6535     |           | .6602     | .6535     |           |
| 23   | .5601     | .7545     | .5601     | .4668     | .6602     | .5601     | .6535     |
| 24   | .6535     | .5601     | .6602     | .5601     | .4668     | .6602     | .5601     |
| Max  | 1.7147    | 1.5089    | 1.5432    | 1.2003    | 1.1736    | 1.2574    | 1.3413    |
| Min  | .2801     | .2829     | .3734     | .2801     | .2829     | .2801     | .5601     |
| Avg  | .6409     | .8253     | .8554     | .6784     | .6710     | .7799     | .7089     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HADGAON (R) S/DN[456] BU 7439

Substation No/ Name :- 174119 / KOLI

Feeder No / Name : 201 / KOLI GAOTHAN

GAOTHAN FEEDER

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3326     | .4435     | .4668     | .4108     |           | .3142     | .4668     |
| 2    | .3326     | .4435     | .4668     | .3921     |           | .3142     | .4668     |
| 3    | .3696     | .4435     | .4854     | .3921     |           | .2772     | .4668     |
| 4    | .4435     | .5175     | .5415     | .4854     |           | .2957     | .5228     |
| 5    | .499      | .5914     | .6535     | .5415     |           | .3326     | .6348     |
| 6    | .7207     | .7762     | .9335     | .8215     |           | .6838     | .8029     |
| 7    | .7947     | .8131     | .9709     | .8589     |           | .7207     | .8029     |
| 8    | .8316     | .7392     | .8589     | .8215     |           | .7023     | .8029     |
| 9    | .6838     | .5175     | .6535     | .6535     |           | .499      | .7282     |
| 10   | .6099     | .4435     | .5601     | .4668     |           | .5729     | .6348     |
| 11   | .4435     | .3547     | .4294     | .3696     |           | .4668     | .4668     |
| 12   | .462      | .3921     | .4481     | .3881     |           |           | .4294     |
| 13   | .462      | .4294     | .4481     | .3696     |           |           | .4294     |
| 14   | .4435     | .4294     | .4668     | .3696     |           | .5788     | .4481     |
| 15   | .4251     | .4294     | .4481     | .3881     |           | .5601     | .4481     |
| 16   | .462      | .4294     | .4854     | .5544     | .2772     | .5601     | .5415     |
| 17   | .5729     | .5041     | .5601     | .5914     | .5544     | .7282     | .7095     |
| 18   | .6838     | .7095     | .6535     | .6838     | .5729     | .7842     | .8029     |
| 19   |           | .7468     | .7842     | .8501     | .7023     | .9522     | .8402     |
| 20   | .6838     | .6722     | .5601     | .6838     | .7023     | .7655     | .4793     |
| 21   | .6099     | .5788     | .5228     | .5729     | .4066     | .5975     | .5788     |
| 22   | .5359     | .442      | .4294     |           | .3881     | .5601     | .5415     |
| 23   | .4805     | .5041     | .4294     |           | .3511     | .5041     | .5041     |
| 24   | .3511     | .462      | .4668     | .4108     |           | .3326     | .4668     |
| Max  | .8316     | .8131     | .9709     | .8589     | .7023     | .9522     | .8402     |
| Min  | .3326     | .3547     | .4294     | .3696     | .2772     | .2772     | .4294     |
| Avg  | .5319     | .5339     | .5718     | .5489     | .4944     | .5501     | .5840     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HADGAON (R) S/DN[456] BU 7439

Substation No/ Name :- 174119 / KOLI

Feeder No / Name : 202 / KOLI AG

FEEDER SEPERATION/PURE AG

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .1829     |           |           |           |           |           |           |
| 2    | .1829     |           |           |           |           |           |           |
| 3    | .2134     |           |           |           |           |           |           |
| 4    | .2134     |           |           |           |           |           |           |
| 5    | .2286     |           |           |           |           |           |           |
| 6    | .3353     |           |           |           |           |           |           |
| 7    | .4572     |           |           |           |           |           |           |
| 9    |           | .5639     | .4054     | .333      |           | .0914     | .2896     |
| 10   |           | .6249     | .4344     | .3521     |           | .1067     | .3909     |
| 11   |           | .7042     | .4633     | .4572     |           | .1614     | .4054     |
| 12   |           | .6161     | .5502     | .442      |           |           | .362      |
| 13   |           | .5868     | .5502     | .4268     |           |           | .362      |
| 14   |           | .5575     | .5213     | .4268     |           | .1614     | .3475     |
| 15   |           | .5868     |           | .381      |           | .176      | .4108     |
| 16   |           | .6015     | .2606     |           |           |           | .3374     |
| 18   |           |           |           |           | .1219     |           |           |
| 24   | .1829     |           |           |           |           |           |           |
| Max  | .4572     | .7042     | .5502     | .4572     | .1219     | .176      | .4108     |
| Min  | .1829     | .5575     | .2606     | .333      | .1219     | .0914     | .2896     |
| Avg  | .2496     | .6052     | .4551     | .4027     | .1219     | .1394     | .3632     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HADGAON (R) S/DN[456] BU 7439

Substation No/ Name :- 174119 / KOLI

Feeder No / Name : 203 / BHATEGAON AG

FEEDER SEPERATION/PURE AG

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .1067     | .1738     | .0587     |           | .0762     | .0857     |
| 2    |           | .1067     | .1738     | .0587     |           | .0762     | .0857     |
| 3    |           | .1219     | .1882     | .0587     |           | .0762     | .0857     |
| 4    |           | .1372     | .1882     | .0587     |           | .0914     | .1143     |
| 5    |           | .1372     | .2027     | .0734     |           | .1219     | .1429     |
| 6    |           | .2439     | .333      | .176      |           | .1981     | .2143     |
| 7    |           | .3201     | .4054     | .1907     |           | .2896     | .1143     |
| 9    | .1981     |           |           |           |           |           |           |
| 10   | .3048     |           |           |           |           |           |           |
| 11   | .2591     |           |           |           |           |           |           |
| 12   | .2591     |           |           |           |           |           |           |
| 13   | .2439     |           |           |           |           |           |           |
| 14   | .2134     |           |           |           |           |           |           |
| 15   | .1829     |           |           |           | .0762     |           |           |
| 16   | .2286     |           |           |           | .1219     |           |           |
| 22   | .1372     | .2201     |           |           | .0914     | .176      | .176      |
| 23   | .1067     | .1907     | .0587     |           | .0762     | .1143     | .1715     |
| 24   |           | .1067     | .1738     | .0587     |           | .0762     | .0857     |
| Max  | .3048     | .3201     | .4054     | .1907     | .1219     | .2896     | .2143     |
| Min  | .1067     | .1067     | .0587     | .0587     | .0762     | .0762     | .0857     |
| Avg  | .2134     | .1691     | .2108     | .0917     | .0914     | .1296     | .1276     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HIMAYATNAGAR S/DN[750] BU 4750

Substation No/ Name :- 174019 / HIMAYATNAGAR

Feeder No / Name : 201 / HIMAYATNAGAR

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.1765    | 1.2308    | 1.3169    | 1.1145    |           | 1.1523    | 1.4266    |
| 2    | 1.1517    | 1.086     | 1.3169    | 1.1145    | 1.2003    | 1.1222    | 1.4266    |
| 3    | 1.1517    | 1.0517    | 1.2803    | 1.1145    | 1.0974    | 1.1393    | 1.4266    |
| 4    | 1.1888    | 1.0985    | 1.2437    | 1.1145    | 1.0974    | 1.1744    | 1.3717    |
| 5    | 1.1765    | 1.1517    | 1.1888    | 1.1145    | 1.0974    | 1.448     | 1.3717    |
| 6    | 1.3672    | 1.2048    | 1.1888    | 1.1145    | 1.1145    | 1.4118    | 1.3717    |
| 7    | 1.2269    | 1.2803    | 1.2437    | 1.1145    | 1.166     | 1.3032    | 1.3466    |
| 8    | 1.2308    | 1.1393    | 1.1145    | 1.2003    |           | 1.39      | 1.448     |
| 9    | 1.2127    | 1.1888    | 1.1145    | 1.0974    |           | 1.1919    | 1.3756    |
| 10   | 1.1765    | 1.2437    | 1.1145    | 1.0974    |           |           | 1.3169    |
| 11   | 1.1222    | 1.2437    | .9602     | 1.1145    |           |           | 1.3352    |
| 12   | 1.086     | 1.2437    | 1.166     | 1.0974    |           |           | 1.3169    |
| 13   | 1.1765    | 1.3169    | 1.166     | 1.166     |           |           | 1.2803    |
| 14   | 1.1871    | 1.3169    | 1.1145    | 1.2346    |           |           | 1.2986    |
| 15   | 1.1403    | 1.2803    | 1.1145    | 1.2003    |           |           | 1.2308    |
| 16   | 1.1888    | 1.1888    | 1.2003    | 1.0974    |           |           | 1.2803    |
| 17   | 1.2048    | 1.1888    | 1.2003    | 1.0974    |           |           | 1.39      |
| 18   | 1.2127    | 1.0791    | 1.2346    | 1.0974    |           |           | 1.3717    |
| 19   | 1.3575    | 1.4998    | 1.3375    | 1.3032    |           |           | 1.4706    |
| 20   | 1.3756    | 1.4632    | 1.3032    | 1.3717    |           |           | 1.4661    |
| 21   | 1.3289    | 1.4632    | 1.3032    | 1.3717    |           |           | 1.3998    |
| 22   | 1.4175    | 1.4632    | 1.3032    | 1.3717    |           |           | 1.5023    |
| 23   | 1.4118    | 1.4266    | 1.2003    |           |           |           | 1.448     |
| 24   | 1.4266    | 1.3032    | 1.3717    | 1.2003    |           | 1.0631    | 1.4998    |
| Max  | 1.4266    | 1.4998    | 1.3717    | 1.3717    | 1.2003    | 1.448     | 1.5023    |
| Min  | 1.086     | 1.0517    | .9602     | 1.0974    | 1.0974    | 1.0631    | 1.2308    |
| Avg  | 1.2373    | 1.2564    | 1.2124    | 1.1704    | 1.1288    | 1.2396    | 1.3822    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for **All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HIMAYATNAGAR S/DN[750] BU 4750

Substation No/ Name :- 174019 / HIMAYATNAGAR

Feeder No / Name : 202 / SAWANA

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 |
|------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 8    | .4458     |           |           |           |
| 9    | .463      |           |           |           |
| 10   | .4587     |           |           |           |
| 11   | .4801     |           |           |           |
| 12   | .4458     |           |           |           |
| 13   | .463      |           |           |           |
| 14   | .4801     |           |           |           |
| 15   | .4973     |           |           |           |
| 16   | .4801     |           | .2915     |           |
| 22   |           |           |           | .4801     |
| 23   | .583      |           |           |           |
| 24   | .6001     | .5487     |           | .5144     |
| Max  | .6001     | .5487     | .2915     | .5144     |
| Min  | .4458     | .5487     | .2915     | .4801     |
| Avg  | .4906     | .5487     | .2915     | .4973     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HIMAYATNAGAR S/DN[750] BU 4750

Substation No/ Name :- 174019 / HIMAYATNAGAR

Feeder No / Name : 204 / KHADKI

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .2572     | .5487     | .5182     | .2561     | .6584     |
| 2    |           | .2401     | .5487     | .5182     | .2881     | .695      |
| 3    |           | .208      | .5487     | .5182     | .3041     | .6584     |
| 4    |           | .2143     | .5487     | .5182     | .3195     | .7316     |
| 5    |           | .2241     | .5853     | .5487     | .3201     | .7316     |
| 6    |           | .2572     | .5853     | .5639     | .3441     | .7316     |
| 7    |           | .2743     | .5853     | .5335     | .2801     | .3201     |
| 8    |           | .208      | .4572     | .381      | .2743     | .2915     |
| 9    |           | .7316     | .3963     | .3658     | .5144     | .5853     |
| 10   |           | .7316     | .6097     | .5639     | .6401     | .7602     |
| 11   |           | .7316     | .6706     | .6097     | .6401     | .724      |
| 12   |           | .7682     | .6097     | .5335     | .6401     | .7783     |
| 13   |           | .7682     | .6097     | .6097     | .7316     | .7442     |
| 14   |           | .7682     | .6097     | .5639     | .7316     | .6733     |
| 15   |           | .7316     | .5792     | .5792     | .7682     | .6697     |
| 16   |           | .7682     | .6401     | .6097     | .7682     | .6516     |
| 17   | .8413     | .7316     | .5792     | .6097     | .7316     | .16       |
| 18   | .8764     | .7316     | .4801     | .4725     | .5487     | .2401     |
| 19   | .8326     | .6036     | .5335     | .5335     | .6401     | .3001     |
| 20   | .7964     | .7316     | .5639     | .5639     | .7316     | .3201     |
| 21   | .3121     | .7316     | .6687     | .6097     | .7316     | .3195     |
| 22   | .3506     | .6401     | .6173     | .5639     | .695      | .3429     |
| 23   | .3258     | .6401     | .5487     |           | .695      | .2561     |
| 24   | .5316     | .3001     | .6401     | .5182     | .2572     | .695      |
| Max  | .8764     | .7682     | .6706     | .6097     | .7682     | .7783     |
| Min  | .3121     | .208      | .3963     | .3658     | .2561     | .16       |
| Avg  | .6084     | .5414     | .5735     | .5394     | .5355     | .5433     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HIMAYATNAGAR S/DN[750] BU 4750

Substation No/ Name :- 174019 / HIMAYATNAGAR

Feeder No / Name : 205 / SIRANGINI

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 11-APR-18 |
|------|-----------|
| HR   | Load (MW) |
| 22   | .5487     |
| 24   | .5144     |
| Max  | .5487     |
| Min  | .5144     |
| Avg  | .5316     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HIMAYATNAGAR S/DN[750] BU 4750

Substation No/ Name :- 174027 / ISLAPUR

Feeder No / Name : 201 / KOSMETH

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 6    |           | 1.0712    | .9229     | .7621     |           |           | 1.1219    |
| 7    |           |           |           |           |           | 1.0218    |           |
| 8    |           |           |           |           |           |           | 1.2539    |
| 9    | 1.0572    |           |           |           |           |           |           |
| 10   |           | 1.3992    |           |           | .824      | 1.269     |           |
| 11   |           | 1.3811    |           |           | .857      | 1.3184    |           |
| 12   |           | 1.3992    |           |           |           | 1.1866    | 1.1431    |
| 14   | 1.1563    |           |           |           |           |           |           |
| 15   | 1.0675    |           |           |           |           |           |           |
| 16   |           |           |           |           | 1.0877    |           |           |
| 17   |           |           |           |           |           | 1.2525    |           |
| 18   |           | .6577     | 1.0669    |           |           |           | 1.0669    |
| 19   | 1.3138    | .855      |           |           | 1.3184    | 1.3184    |           |
| 20   | 1.1824    | .9207     | .7621     |           | 1.3184    |           | .9907     |
| 21   | 1.1536    | .9207     |           |           |           | .9888     |           |
| 22   |           | .7399     |           |           | 1.0218    | .9888     |           |
| Max  | 1.3138    | 1.3992    | 1.0669    | .7621     | 1.3184    | 1.3184    | 1.2539    |
| Min  | 1.0572    | .6577     | .7621     | .7621     | .824      | .9888     | .9907     |
| Avg  | 1.1551    | 1.0383    | .9173     | .7621     | 1.0712    | 1.1680    | 1.1153    |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HIMAYATNAGAR S/DN[750] BU 4750

Substation No/ Name :- 174044 / JALDHARA

Feeder No / Name : 201 / JALDHARA

FEEDER SEPERATION/PURE AG

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           |           | .0339     |           |           | .2073     |
| 4    |           |           | .0358     |           |           |           |           |
| 5    |           |           |           | .0293     |           |           |           |
| 6    |           |           | .0537     | .032      | .0381     |           |           |
| 7    | .0572     |           |           |           |           | .3163     | .3067     |
| 9    |           |           | .2667     | .16       |           |           |           |
| 10   |           |           | .3338     |           |           |           |           |
| 11   |           | .3948     | .3384     |           |           |           |           |
| 12   |           | .3715     |           |           |           |           |           |
| 13   |           | .3948     |           |           |           |           |           |
| 15   |           |           | .2934     |           |           | .032      |           |
| 16   | .2968     |           | .2681     | .3479     | .3005     |           |           |
| 17   |           |           |           | .3479     |           |           |           |
| 18   |           |           |           |           |           | .032      |           |
| 19   |           |           |           |           |           | .0332     |           |
| 21   |           | .0324     | .032      |           |           | .032      | .0335     |
| 22   | .0572     |           |           | .0381     | .1389     | .1299     |           |
| 23   |           | .0358     | .0339     |           |           | .1216     | .1555     |
| 24   |           |           | .0358     | .032      |           |           | .1981     |
| Max  | .2968     | .3948     | .3384     | .3479     | .3005     | .3163     | .3067     |
| Min  | .0572     | .0324     | .032      | .0293     | .0381     | .032      | .0335     |
| Avg  | .1371     | .2459     | .1692     | .1276     | .1592     | .0996     | .1802     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HIMAYATNAGAR S/DN[750] BU 4750

Substation No/ Name :- 174044 / JALDHARA

Feeder No / Name : 202 / NANDGAON

GAOTHAN FEEDER

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           | .3547     | .3734     |           |           | .3361     |
| 2    |           |           |           | .3734     |           |           | .3361     |
| 3    |           |           | .3734     | .3734     |           |           | .3734     |
| 4    |           |           | .3734     | .3921     |           |           |           |
| 5    |           |           | .3921     | .3921     |           |           |           |
| 6    |           |           | .4024     | .4294     |           |           | .3734     |
| 7    | .3366     |           | .2865     | .3361     | .2926     | .3361     | .2561     |
| 8    |           |           |           |           |           |           | .2012     |
| 11   |           | .2686     | .2686     |           |           | .2896     | .2835     |
| 12   |           | .2835     | .2743     |           |           | .3258     | .3077     |
| 13   |           | .2865     | .2743     |           |           | .2865     | .3077     |
| 14   |           |           | .2743     |           |           | .3258     | .2896     |
| 15   |           |           | .2774     |           |           | .2865     | .2804     |
| 16   | .2743     | .168      | .2686     | .3292     | .3292     | .2715     | .3109     |
| 17   |           | .1478     | .3292     |           |           | .2715     | .2172     |
| 18   |           | .2772     |           |           |           | .2743     |           |
| 19   |           | .4108     |           |           |           | .394      |           |
| 20   |           | .3734     |           |           |           | .4024     |           |
| 21   |           | .4481     | .4108     |           |           | .4294     | .4066     |
| 22   | .3841     |           |           | .4024     | .4435     | .4108     |           |
| 23   |           | .3547     | .3921     |           |           | .4108     | .3734     |
| 24   |           |           | .3547     | .3734     |           |           | .3696     |
| Max  | .3841     | .4481     | .4108     | .4294     | .4435     | .4294     | .4066     |
| Min  | .2743     | .1478     | .2686     | .3292     | .2926     | .2715     | .2012     |
| Avg  | .3317     | .3019     | .3317     | .3775     | .3551     | .3368     | .3139     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HIMAYATNAGAR S/DN[750] BU 4750

Substation No/ Name :- 174061 / SARSAM

Feeder No / Name : 202 / TEMBHI

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           |           | .12       |           |
| 2    |           |           | .2481     | .12       |           |
| 3    |           |           |           | .12       |           |
| 4    |           |           | .2126     | .12       |           |
| 5    |           |           |           | .1715     |           |
| 6    |           |           | .2303     | .2058     |           |
| 7    |           |           | .2481     | .3086     |           |
| 8    |           |           | .0543     | .6859     |           |
| 9    |           |           | .0514     |           |           |
| 10   |           | .0532     | .0514     |           | .0686     |
| 11   | .3721     | .0532     | .0514     |           | .0857     |
| 12   |           | .0709     |           |           | .0857     |
| 13   |           | .0709     |           |           |           |
| 14   |           | .0709     |           |           | .0857     |
| 15   |           | .0709     |           |           | .0686     |
| 16   |           | .0709     | .0686     |           | .0857     |
| 17   |           | .0709     | .0514     |           | .0514     |
| 18   |           | .0724     | .0686     |           | .0857     |
| 19   |           | .1267     | .12       |           | .0857     |
| 20   |           | .1267     | .0686     |           | .1372     |
| 21   |           | .1448     | .1372     |           |           |
| 22   |           | .1772     | .1886     |           |           |
| 23   |           |           | .1715     |           | .1715     |
| 24   |           |           | .2126     | .12       |           |
| Max  | .3721     | .1772     | .2481     | .6859     | .1715     |
| Min  | .3721     | .0532     | .0514     | .12       | .0514     |
| Avg  | .3721     | .0907     | .1315     | .2191     | .0920     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HIMAYATNAGAR S/DN[750] BU 4750

Substation No/ Name :- 174061 / SARSAM

Feeder No / Name : 203 / TAKARALA (OLD POTA)

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           |           | .6687     |           |
| 2    |           |           | .9391     | .6001     |           |
| 3    |           |           |           | .583      |           |
| 4    |           |           | .9745     | .6001     |           |
| 5    |           |           |           | .6859     |           |
| 6    |           |           | 1.2403    | .8059     |           |
| 7    |           |           | 1.134     | .6001     |           |
| 8    |           |           | .9593     | .5144     |           |
| 9    |           |           | .6516     |           |           |
| 10   |           | 1.8604    | 1.6975    |           | 1.5261    |
| 11   | .3772     | 1.5947    | 1.8004    |           | 1.5604    |
| 12   |           | 1.5947    |           |           | 1.4575    |
| 13   |           | 1.5947    |           |           |           |
| 14   |           | 1.4175    |           |           | 1.2689    |
| 15   |           | 1.3289    |           |           | 1.3375    |
| 16   |           | 1.4175    | 1.2689    |           | 1.4746    |
| 17   |           | 1.4175    | 1.166     |           | 1.3546    |
| 18   |           | .7602     | .6859     |           | .2743     |
| 19   |           | 1.0317    | 1.0631    |           | 1.0631    |
| 20   |           | 1.0317    | .9774     |           | 1.0631    |
| 21   |           | 1.0679    | 1.0802    |           |           |
| 22   |           | 1.0808    | 1.0288    |           |           |
| 23   |           |           | .9431     |           | 1.0288    |
| 24   |           |           | .9745     |           |           |
| Max  | .3772     | 1.8604    | 1.8004    | .8059     | 1.5604    |
| Min  | .3772     | .7602     | .6516     | .5144     | .2743     |
| Avg  | .3772     | 1.3229    | 1.0932    | .6323     | 1.2190    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HIMAYATNAGAR S/DN[750] BU 4750

Substation No/ Name :- 174061 / SARSAM

Feeder No / Name : 204 / POTA

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           |           | .5658     |           |
| 2    |           |           | .9391     | .5487     |           |
| 4    |           |           | 1.0277    |           |           |
| 6    |           |           | 1.2403    |           |           |
| 7    |           |           | 1.3289    | .1715     |           |
| 8    |           |           | .8688     | .8745     |           |
| 9    |           |           | .6516     |           |           |
| 10   |           | .567      | .5144     |           | .5316     |
| 11   | .9214     | .5316     | .583      |           | .4458     |
| 12   |           | .5316     |           |           | .5144     |
| 13   |           | .4961     |           |           |           |
| 14   |           | .567      |           |           | .5316     |
| 15   |           | .5316     |           |           | .6001     |
| 16   |           | .567      | .0343     |           | .6344     |
| 17   |           |           | .7545     |           | .583      |
| 18   |           | .6516     | .6859     |           | .6859     |
| 19   |           | .9412     | .8402     |           | .823      |
| 20   |           | .9412     | .823      |           | .8402     |
| 21   |           | .9774     | .8402     |           |           |
| 22   |           | .9214     | .823      |           |           |
| 23   |           |           | .7716     |           | .7202     |
| 24   |           |           | .9745     | .5487     |           |
| Max  | .9214     | .9774     | 1.3289    | .8745     | .8402     |
| Min  | .9214     | .4961     | .0343     | .1715     | .4458     |
| Avg  | .9214     | .6854     | .8059     | .5418     | .6282     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HIMAYATNAGAR S/DN[750] BU 4750

Substation No/ Name :- 174095 / Shiwani

Feeder No / Name : 201 / KANCHALI

FEEDER SEPERATION/PURE AG

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 2    | .2116     |           |           |           |           |           |           |
| 3    | .2644     |           |           |           |           |           |           |
| 4    | .2909     |           |           |           |           |           |           |
| 5    | .3173     |           |           |           |           |           |           |
| 6    | .3702     |           |           |           |           |           |           |
| 7    | .5818     |           |           |           |           |           |           |
| 9    |           | .4512     | .5716     | .5144     |           | .5639     | .4572     |
| 10   |           | .4572     | .6287     | .6082     | .5075     | .6859     | .6287     |
| 11   |           | .6287     | .6859     | .6082     |           | .7145     | .4572     |
| 12   |           | .6287     | .6859     | .5818     | .6203     | .5716     | .6287     |
| 13   |           | .5716     | .6859     | .5818     | .6203     | .6287     | .6287     |
| 14   |           | .6287     | .6287     | .476      | .6203     | .6287     | .4001     |
| 15   |           | .6287     | .6287     | .5553     | .6203     | .6287     | .5716     |
| 16   |           | .5716     | .643      | .6082     |           | .643      | .6287     |
| 17   |           |           |           |           | .5639     |           |           |
| 18   |           |           |           |           | .5075     |           |           |
| 24   | .2116     |           |           |           |           |           |           |
| Max  | .5818     | .6287     | .6859     | .6082     | .6203     | .7145     | .6287     |
| Min  | .2116     | .4512     | .5716     | .476      | .5075     | .5639     | .4001     |
| Avg  | .3211     | .5708     | .6448     | .5667     | .5800     | .6331     | .5501     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HIMAYATNAGAR S/DN[750] BU 4750

Substation No/ Name :- 174095 / Shiwani

Feeder No / Name : 202 / SHIWANI

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3666     | .3102     | .3715     | .3144     |           | .2961     | .4001     |
| 2    | .282      | .282      | .3715     | .3144     | .1974     | .2961     | .4001     |
| 3    | .282      | .282      | .3715     | .3144     | .1974     | .2961     | .4001     |
| 4    | .3102     | .3102     | .3715     | .3429     | .1974     | .3102     | .4287     |
| 5    | .3384     | .3102     |           | .3429     | .1974     | .3102     | .4572     |
| 6    | .3666     | .2961     | .443      | .3429     | .2256     | .3243     | .4572     |
| 7    |           |           |           |           |           |           | .4287     |
| 8    |           |           |           |           |           |           | .4858     |
| 9    |           |           |           |           |           |           | .5001     |
| 10   |           |           |           |           |           |           | .4858     |
| 11   | .423      | .6144     | .543      | .5639     | .4089     |           | .5144     |
| 12   | .5075     | .643      | .5858     | .5639     | .5639     | .6287     | .5144     |
| 13   | .5639     | .643      | .5716     | .5921     | .5639     | .5716     | .543      |
| 14   | .5216     | .6001     | .4858     | .5075     | .4793     | .5573     | .4572     |
| 15   | .4793     | .5144     | .443      | .4793     | .4652     |           | .4858     |
| 16   | .5075     | .443      | .4858     | .5075     | .5075     | .3858     | .2429     |
| 17   | .4793     | .5001     | .5573     | .5639     | .4793     | .543      | .3001     |
| 18   | .5498     | .5144     | .5287     | .5639     | .4652     | .543      |           |
| 19   | .5216     | .443      | .4715     | .5075     | .5216     | .5001     | .443      |
| 20   | .4652     | .4287     | .4287     | .4793     | .4793     | .5144     | .4287     |
| 21   | .4652     | .4287     | .3858     | .4512     | .4793     | .5144     | .4287     |
| 22   | .3243     | .4144     | .3858     | .4512     | .4512     | .439      | .4001     |
| 23   | .3243     | .3858     | .3572     | .3666     | .2961     | .4572     | .3858     |
| 24   | .3666     | .3102     | .3715     | .3144     |           | .2961     | .4287     |
| Max  | .5639     | .643      | .5858     | .5921     | .5639     | .6287     | .543      |
| Min  | .282      | .282      | .3572     | .3144     | .1974     | .2961     | .2429     |
| Avg  | .4222     | .4337     | .4490     | .4442     | .3987     | .4324     | .4355     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HIMAYATNAGAR S/DN[750] BU 4750

Substation No/ Name :- 174112 / Andegaon

Feeder No / Name : 201 / Andegaon

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           | .3222     |           |           |           | .3353     |
| 2    |           |           |           |           |           |           | .3353     |
| 3    |           |           | .2883     |           |           |           | .3353     |
| 4    |           |           |           |           |           |           | .3391     |
| 5    |           |           | .2883     |           |           |           | .3561     |
| 6    |           | .3125     | .3052     |           |           | .3561     | .3481     |
| 7    |           | .2656     | .2515     | .2486     |           | .2753     | .2429     |
| 8    |           |           | .2402     | .2614     |           | .197      | .2172     |
| 9    | .4687     |           |           | .2801     | .3772     | .9724     |           |
| 10   | .6249     |           |           |           | .5087     | 1.0974    |           |
| 11   | .1526     | 1.406     |           |           |           | 1.07      |           |
| 12   |           | 1.3435    |           |           |           | 1.07      |           |
| 13   |           | 1.2654    |           |           |           | 1.028     |           |
| 14   |           | 1.2654    |           |           |           | 1.07      |           |
| 15   |           |           |           |           |           | 1.028     |           |
| 16   |           | 1.2498    | 1.1584    | 1.2811    | 1.2811    | 1.0848    |           |
| 17   |           | 1.142     |           | 1.2811    | 1.2498    | 1.1145    |           |
| 18   |           | .2587     |           |           |           | .2926     | .9214     |
| 19   |           | .4108     |           |           |           | .3734     |           |
| 20   |           | .3856     |           |           |           | .3921     |           |
| 21   |           |           |           |           |           | .3921     |           |
| 22   |           | .3772     |           |           |           | .3521     |           |
| 23   | .373      | .3467     |           | .4527     | .407      | .3353     |           |
| 24   | .9602     | .373      | .3429     | .3391     | .407      | .407      | .3391     |
| Max  | .9602     | 1.406     | 1.1584    | 1.2811    | 1.2811    | 1.1145    | .9214     |
| Min  | .1526     | .2587     | .2402     | .2486     | .3772     | .197      | .2172     |
| Avg  | .5159     | .7430     | .3996     | .5920     | .7051     | .6794     | .3770     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HIMAYATNAGAR S/DN[750] BU 4750

Substation No/ Name :- 174112 / Andegaon

Feeder No / Name : 202 / TEMBHI

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           | .2401     |           |           |           | .2012     |
| 2    |           |           |           |           |           |           | .2347     |
| 3    |           |           | .2601     |           |           |           | .2515     |
| 4    |           |           |           |           |           |           | .2543     |
| 5    |           |           | .2713     |           |           |           | .2543     |
| 6    |           | .3052     | .3052     |           | .25       | .3077     | .2984     |
| 7    |           | .2543     | .3353     | .2321     | .2343     | .3077     | .3239     |
| 8    | .1886     |           |           |           |           |           |           |
| 9    | .3052     |           |           |           |           |           |           |
| 11   | .3041     |           |           |           |           |           |           |
| 17   | .3041     |           |           |           |           |           |           |
| 22   |           | .2229     |           | .1696     | .1696     | .2012     |           |
| 23   | .2543     | .2427     |           | .2035     | .2035     | .2012     |           |
| 24   |           | .3052     | .2454     | .2035     | .2012     | .2035     | .2035     |
| Max  | .3052     | .3052     | .3353     | .2321     | .25       | .3077     | .3239     |
| Min  | .1886     | .2229     | .2401     | .1696     | .1696     | .2012     | .2012     |
| Avg  | .2713     | .2661     | .2762     | .2022     | .2117     | .2443     | .2527     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HIMAYATNAGAR S/DN[750] BU 4750

Substation No/ Name :- 174112 / Andegaon

Feeder No / Name : 203 / PARDI

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .1867     |           | .4973     |           |           |           | .2515     |
| 2    | .1886     |           |           |           |           |           | .2515     |
| 3    | .1886     |           | .4917     |           |           |           | .2515     |
| 4    | .1886     |           |           |           |           |           | .2543     |
| 5    | .2263     |           | .4917     |           | .1619     |           | .2543     |
| 6    | .2263     | .4062     | .5087     |           |           | .39       | .431      |
| 7    | .112      | .4687     | .57       | .5801     |           | .3725     | .4049     |
| 8    | .132      |           | .1478     | .168      |           | .1433     | .1448     |
| 9    | .2543     | .1094     |           |           | .1638     | .1174     |           |
| 10   | .3391     | .0937     |           |           |           | .1067     |           |
| 11   |           | .1094     |           |           |           | .104      |           |
| 12   |           | .108      |           |           |           | .1486     |           |
| 13   |           |           |           |           |           | .1303     |           |
| 14   |           | .1235     |           |           |           | .1189     |           |
| 15   |           | .125      |           |           |           | .1158     |           |
| 16   |           |           |           |           |           | .1189     | .1337     |
| 17   | .4062     | .1406     |           |           |           | .1189     |           |
| 18   |           | .1663     |           |           |           | .1646     |           |
| 19   |           | .2241     |           |           |           | .2054     |           |
| 20   |           | .2218     |           |           |           | .2241     |           |
| 21   | .2829     |           |           | .2829     | .2829     | .2241     |           |
| 22   |           | .4115     | .1219     | .3391     | .3391     | .2347     |           |
| 23   | .373      | .4334     |           | .3391     | .373      | .2347     |           |
| 24   | .176      | .373      | .4508     | .4409     |           | .373      | .2543     |
| Max  | .4062     | .4687     | .57       | .5801     | .373      | .39       | .431      |
| Min  | .112      | .0937     | .1219     | .168      | .1619     | .104      | .1337     |
| Avg  | .2343     | .2343     | .4100     | .3584     | .2641     | .1919     | .2632     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HIMAYATNAGAR S/DN[750] BU 4750

Substation No/ Name :- 174123 / PALASPUR

Feeder No / Name : 201 / PALASPUR

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 6    | .2149     | .1063     |           | .1417     | .1063     | .1063     |           |
| 7    | .1791     | .0716     |           | .1063     | .1063     | .0709     |           |
| 8    | .0716     | .0716     |           | .0709     |           | .1063     |           |
| 9    | .0716     | .0716     |           |           |           | .0709     |           |
| 10   | .0716     | .2149     |           | .1063     | .1417     | .1063     |           |
| 11   | .0716     |           | .1772     | .1063     |           | .1417     | .1417     |
| 12   | .0358     |           | .2126     | .1417     |           | .1417     | .1417     |
| 13   | .0716     |           | .2126     | .1417     | .0709     | .2835     | .1417     |
| 14   | .0709     |           | .1772     | .1772     | .0709     | .1417     | .1417     |
| 15   | .0709     |           | .1772     | .1417     | .0709     | .1417     | .1753     |
| 16   | .0709     |           | .1772     | .1772     | .0709     | .1417     | .1402     |
| 17   | .0709     | .1867     | .1772     |           | .0709     | .1417     | .1402     |
| 18   | .0709     |           |           |           | .0709     | .1417     | .1052     |
| 19   |           |           |           | .1417     | .1063     |           | .1402     |
| 20   |           |           | .1772     | .1772     |           |           | .1772     |
| 21   |           |           | .1772     | .1417     |           |           | .1753     |
| 22   |           | .1494     | .1772     |           |           |           | .1402     |
| 24   |           |           | .1494     | .1417     |           |           |           |
| Max  | .2149     | .2149     | .2126     | .1772     | .1417     | .2835     | .1772     |
| Min  | .0358     | .0716     | .1494     | .0709     | .0709     | .0709     | .1052     |
| Avg  | .0879     | .1246     | .1811     | .1367     | .0886     | .1335     | .1467     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HIMAYATNAGAR S/DN[750] BU 4750

Substation No/ Name :- 174123 / PALASPUR

Feeder No / Name : 202 / SIRPALLI

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 6    | .4428     | .1265     |           | .032      | .032      | .032      |           |
| 7    | .4111     | .0949     |           | .032      |           | .032      |           |
| 8    | .1265     | .0949     |           | .032      |           | .032      |           |
| 9    | .0633     | .0633     |           |           |           | .032      |           |
| 10   | .0633     | .4111     |           | .192      | .032      | .192      |           |
| 11   | .0633     | .4805     |           | .032      |           | .2241     | .1898     |
| 12   | .0316     |           |           |           |           | .192      | .2214     |
| 13   | .0633     |           |           | .032      | .096      | .2241     | .2214     |
| 14   | .0633     |           |           | .032      |           | .2241     | .2214     |
| 15   | .0633     |           |           | .032      | .16       | .2241     | .2214     |
| 16   | .0633     |           |           | .032      | .2241     | .2561     | .253      |
| 17   | .0633     |           |           |           | .192      | .2561     | .2214     |
| 18   | .0633     | .4805     |           |           | .032      | .032      | .0316     |
| 19   |           |           |           | .032      | .032      |           | .0633     |
| 20   |           |           | .064      | .032      |           |           | .0633     |
| 21   |           |           | .064      | .032      |           |           | .0633     |
| 22   |           | .1494     | .064      |           |           |           | .0316     |
| 24   |           |           | .1478     | .064      |           |           |           |
| Max  | .4428     | .4805     | .1478     | .192      | .2241     | .2561     | .253      |
| Min  | .0316     | .0633     | .064      | .032      | .032      | .032      | .0316     |
| Avg  | .1217     | .2376     | .0850     | .0468     | .1000     | .1502     | .1502     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

HIMAYATNAGAR S/DN[750] BU 4750

Substation No/ Name :- 174123 / PALASPUR

Feeder No / Name : 203 / DOLHARI

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 6    | .3521     | .16       |           | .2591     |           | .2591     |           |
| 7    | .4481     | .16       |           | .2915     |           | .2267     |           |
| 8    | .128      | .128      |           | .2591     |           | .2267     |           |
| 9    | .128      | .128      |           |           |           | .1943     |           |
| 10   | .096      | .3841     |           | .4534     |           | .3887     |           |
| 11   | .0972     | .4481     |           | .421      |           | .4858     | .3563     |
| 12   | .0972     |           |           | .4858     |           |           | .421      |
| 13   | .096      |           |           | .5182     | .2915     | .4534     | .421      |
| 14   | .064      |           | .2915     | .5182     |           | .4534     | .421      |
| 15   | .064      | .4481     | .3563     | .5182     | .2591     | .3239     | .4534     |
| 16   | .064      |           | .3887     | .5506     | .3239     | .421      | .4858     |
| 17   | .064      | .4435     |           |           | .3563     | .4534     | .4534     |
| 18   | .096      |           |           |           | .1943     | .1619     |           |
| 19   |           |           |           | .5506     | .2591     |           | .2267     |
| 20   |           |           | .2267     | .2591     |           |           | .2591     |
| 21   |           |           | .2915     | .2915     |           |           | .2591     |
| 22   |           |           | .2915     |           |           |           | .2591     |
| 23   |           | .1867     |           |           |           |           |           |
| 24   |           |           |           | .2591     |           |           |           |
| Max  | .4481     | .4481     | .3887     | .5506     | .3563     | .4858     | .4858     |
| Min  | .064      | .128      | .2267     | .2591     | .1943     | .1619     | .2267     |
| Avg  | .1380     | .2763     | .3077     | .4025     | .2807     | .3374     | .3651     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for **All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

KINWAT (R) S/DN[455] BU 7421

Substation No/ Name :- 174020 / 33 KV MANDVI

Feeder No / Name : 201 / 11 KV MANDVI

Feeder KV- 11 / OUTGOING

SINGLE PHASING

| DATE       | 08-APR-18    | 12-APR-18    | 14-APR-18    |
|------------|--------------|--------------|--------------|
| HR         | Load (MW)    | Load (MW)    | Load (MW)    |
| 5          | .2195        |              |              |
| 7          |              |              | .6226        |
| 12         |              | .1715        |              |
| 13         |              |              | .2058        |
| 16         | .0023        | .1734        |              |
| 18         | .0023        |              |              |
| 22         |              | .4409        | .5426        |
| <b>Max</b> | <b>.2195</b> | <b>.4409</b> | <b>.6226</b> |
| <b>Min</b> | <b>.0023</b> | <b>.1715</b> | <b>.2058</b> |
| <b>Avg</b> | <b>.0747</b> | <b>.2619</b> | <b>.457</b>  |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for **All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

KINWAT (R) S/DN[455] BU 7421

Substation No/ Name :- 174020 / 33 KV MANDVI

Feeder No / Name : 203 / 11 KV UMRI

Feeder KV- 11 / OUTGOING

SINGLE PHASING

| DATE | 08-APR-18 | 14-APR-18 |
|------|-----------|-----------|
| HR   | Load (MW) | Load (MW) |
| 5    | .1417     |           |
| 7    |           | .5441     |
| 16   | .0015     |           |
| 18   | .0015     |           |
| 22   |           | .3353     |
| Max  | .1417     | .5441     |
| Min  | .0015     | .3353     |
| Avg  | .0482     | .4397     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

KINWAT (R) S/DN[455] BU 7421

Substation No/ Name :- 174020 / 33 KV MANDVI

Feeder No / Name : 204 / 11KV MANDAVI RH FEEDER

Feeder KV- 11 / OUTGOING

| DATE | 14-APR-18 |
|------|-----------|
| HR   | Load (MW) |
| 22   | .0686     |
| Max  | .0686     |
| Min  | .0686     |
| Avg  | .0686     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

KINWAT (R) S/DN[455] BU 7421

Substation No/ Name :- 174030 / 33 KV SARKHANI

Feeder No / Name : 201 / 11KV WAI

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3258     | .2801     | .2743     | .2195     |           | .3326     | .3506     |
| 4    | .2715     | .2772     | .439      | .2195     |           | .3326     | .373      |
| 6    |           |           |           | .2172     |           |           |           |
| 7    | .3856     | .373      |           |           |           | .5144     | .4409     |
| 8    |           |           | .4024     |           |           |           |           |
| 9    |           |           |           | .2103     | .0924     |           |           |
| 10   | .1791     | .2801     | .2103     |           |           | .3326     | .3224     |
| 13   | .3429     | .2743     | .1402     | .362      | .0934     | .3506     | .2629     |
| 16   | .3506     | .1829     | .1402     | .362      | .1433     | .2103     | .2103     |
| 18   |           |           | .1448     |           |           |           |           |
| 19   | .4066     | .2218     |           | .5544     | .3696     | .5853     | .394      |
| 21   |           |           |           |           |           |           | .362      |
| 22   | .3696     | .2772     |           | .4668     | .394      | .5853     |           |
| 23   |           |           | .2715     |           |           |           | .362      |
| Max  | .4066     | .373      | .439      | .5544     | .394      | .5853     | .4409     |
| Min  | .1791     | .1829     | .1402     | .2103     | .0924     | .2103     | .2103     |
| Avg  | .3290     | .2708     | .2528     | .3265     | .2185     | .4055     | .3420     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

KINWAT (R) S/DN[455] BU 7421

Substation No/ Name :- 174030 / 33 KV SARKHANI

Feeder No / Name : 202 / 11KV SINDAKHED

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .5792     | .8402     | .9145     | .3982     |           | .7392     | .9709     |
| 4    | .6154     | .8316     | .9511     | .3982     |           | .7762     | 1.0082    |
| 6    |           |           |           | .4525     |           |           |           |
| 7    | .7888     | .961      |           |           |           | .8413     | 1.0829    |
| 8    |           |           | .8145     |           |           |           |           |
| 9    |           |           |           | .5609     | .3326     |           |           |
| 10   | .6401     | .5258     | .5609     |           |           | .4908     | .5487     |
| 13   | .7023     | .5487     | .5258     | .543      | .3506     | .4801     | .6135     |
| 16   | .7682     | .4115     | .3856     | .543      | .439      | .6516     | .5609     |
| 18   |           |           | .6268     |           |           |           |           |
| 19   | 1.1088    | 1.3443    |           | .924      | .9979     | .9709     | .964      |
| 21   |           |           |           |           |           |           | 1.1222    |
| 22   | 1.0349    | 1.1458    |           | .7392     | 1.0719    | 1.0829    |           |
| 23   |           |           | .4525     |           |           |           | .9955     |
| Max  | 1.1088    | 1.3443    | .9511     | .924      | 1.0719    | 1.0829    | 1.1222    |
| Min  | .5792     | .4115     | .3856     | .3982     | .3326     | .4801     | .5487     |
| Avg  | .7797     | .8261     | .6540     | .5699     | .6384     | .7541     | .8741     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

KINWAT (R) S/DN[455] BU 7421

Substation No/ Name :- 174030 / 33 KV SARKHANI

Feeder No / Name : 203 / 11KV DAHELI

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .9412     | .5914     | .8962     | .1829     |           | .5175     | .7973     |
| 4    | .905      | .6283     | .9145     | .1463     |           | .5121     | .8505     |
| 6    |           |           |           | .181      |           |           |           |
| 7    | .7888     | .6173     |           |           |           | .5609     | .8682     |
| 8    |           |           | .823      |           |           |           |           |
| 9    |           |           |           | .5609     | .5175     |           |           |
| 10   | .5144     | 1.0534    | .964      |           |           | .823      | 1.0242    |
| 13   | .5087     | 1.2752    |           | .181      | .5087     | .8596     | .7537     |
| 16   | .5487     | 1.1523    | 1.2269    | .4706     | .631      | .8775     | .7011     |
| 18   |           |           | 1.2403    |           |           |           |           |
| 19   | 1.3676    | 1.7177    |           | 1.2567    | 1.1088    | 1.1763    | .9492     |
| 21   |           |           |           |           |           |           | 1.1222    |
| 22   | 1.3306    | 1.4415    |           | 1.1203    | 1.4045    | 1.419     |           |
| 23   |           |           | .2172     |           |           |           | 1.0317    |
| Max  | 1.3676    | 1.7177    | 1.2403    | 1.2567    | 1.4045    | 1.419     | 1.1222    |
| Min  | .5087     | .5914     | .2172     | .1463     | .5087     | .5121     | .7011     |
| Avg  | .8631     | 1.0596    | .8974     | .5125     | .8341     | .8432     | .8998     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

KINWAT (R) S/DN[455] BU 7421

Substation No/ Name :- 174041 / 33Kv Bodhdi Substation

Feeder No / Name : 201 / 11 KV BODHADI

GAOTHAN FEEDER

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .9313     |           |           | .7265     |           |           |
| 2    | .9134     | .9036     | .8954     | .9214     | .7522     | .8859     | .8505     |
| 3    |           | .8764     |           |           | .7087     |           |           |
| 4    | .8859     | .9036     | .985      | .9922     | .7522     | .9313     | .9745     |
| 5    |           | 1.182     |           |           | .8059     |           |           |
| 6    | 1.2536    | 1.2715    | 1.3253    | 1.3466    | 1.0924    | 1.3289    | 1.3466    |
| 7    |           |           |           |           | 1.3073    | 1.4327    | 1.3253    |
| 8    | 1.2757    | 1.2178    | 1.1462    |           | 1.2178    | 1.2403    | 1.2178    |
| 9    | 1.3611    | 1.0985    | 1.0808    | 1.1871    | 1.0631    | 1.1568    | .985      |
| 10   | .9313     | .985      | .9214     | 1.0208    | .8954     | 1.182     | .8328     |
| 11   | .8859     |           |           | .9036     | .7888     |           | .8596     |
| 12   | .8059     | .9214     | .8505     | .8413     |           | .7265     | .7796     |
| 13   | .7796     |           | .8764     | .815      |           |           | .6379     |
| 14   | .7796     | .8328     |           | .8954     |           | .691      | .8238     |
| 15   | .7522     |           | .9391     | .7362     | .7164     |           | .8059     |
| 16   | .8328     |           |           | .9745     |           | .7265     | .8859     |
| 17   | .985      |           | 1.0099    | 1.0387    | .9214     |           | .9313     |
| 18   | 1.0029    | 1.1104    | 1.0566    | 1.2178    |           | .9568     | .8859     |
| 19   | 1.2536    |           |           | 1.379     | 1.2536    |           | 1.2178    |
| 20   | 1.1104    | 1.2357    | 1.0808    | 1.1517    | 1.1462    | 1.2757    | 1.1641    |
| 21   | 1.0099    |           |           | 1.1641    | 1.1283    |           | 1.0924    |
| 22   | .9671     | 1.0454    | 1.0277    | 1.0985    | 1.0208    | 1.0099    | .9922     |
| 23   | .9214     | 1.0029    | .9922     |           | .985      | .9568     | .9745     |
| 24   | .9036     | .9036     | .985      | .9568     |           | .9671     | .9214     |
| Max  | 1.3611    | 1.2715    | 1.3253    | 1.379     | 1.3073    | 1.4327    | 1.3466    |
| Min  | .7522     | .8328     | .8505     | .7362     | .7087     | .691      | .6379     |
| Avg  | .9805     | 1.0264    | 1.0115    | 1.0356    | .9601     | 1.0312    | .9764     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

KINWAT (R) S/DN[455] BU 7421

Substation No/ Name :- 174041 / 33Kv Bodhdi Substation

Feeder No / Name : 202 / 11 KV SAWRI

GAOTHAN FEEDER

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .567      | .9134     |           |           | .4607     | .7973     |           |
| 2    | .6089     | .8505     | .8505     | .815      | .4835     |           | .6733     |
| 3    | .567      | .7973     |           |           | .4835     | .788      |           |
| 4    | .5847     | .7973     | .8596     | .8682     | .4784     |           | .6733     |
| 5    | .7164     | .8596     |           |           | .6201     | .8505     |           |
| 6    | .8596     | 1.0208    | 1.0208    | .9391     | .788      |           | .8328     |
| 7    | .7973     | .8328     |           |           | .6984     | .9313     | .8238     |
| 8    | .6661     | .8238     | .9745     |           | .6805     | .7973     | .7522     |
| 9    | .6201     | .0716     | .8505     | .6379     | .5847     | .7011     | .691      |
| 10   | .6268     |           | .7973     | .5552     | .5493     | .6379     | .6556     |
| 11   | .5316     | .7164     |           | .4961     | .298      |           | .6201     |
| 12   | .5784     |           | .7265     | .5083     |           | .6201     | .6733     |
| 13   | .6201     | .6733     | .7265     | .4252     | .4031     |           | .6556     |
| 14   | .6984     |           |           | .5552     |           |           | .7442     |
| 15   | .5493     | .5609     | .7442     | .5493     |           |           | .7522     |
| 16   | .567      |           |           | .6089     | .5316     | .6556     | .7343     |
| 17   | .6268     | .691      | .7619     | .5487     |           |           | .5316     |
| 18   | .8745     |           | .8596     | .6447     | .6805     | .6379     | .7973     |
| 19   | 1.1462    | .9313     |           | .8859     |           |           | .9745     |
| 20   | 1.0387    | 1.0099    | .9036     | .9134     |           | .9922     | 1.0029    |
| 21   | 1.0208    |           |           | .8954     | 1.0208    |           | .9568     |
| 22   | .985      | .9313     | .9745     | .8505     |           | .9922     | .9036     |
| 23   | .9391     | .8954     | .9568     |           | .8505     | .9214     | .8505     |
| 24   | .5316     | .8764     | .8954     | .8859     |           | .8417     | .8859     |
| Max  | 1.1462    | 1.0208    | 1.0208    | .9391     | 1.0208    | .9922     | 1.0029    |
| Min  | .5316     | .0716     | .7265     | .4252     | .298      | .6201     | .5316     |
| Avg  | .7217     | .7918     | .8601     | .6991     | .6007     | .7975     | .7707     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

KINWAT (R) S/DN[455] BU 7421

Substation No/ Name :- 174041 / 33Kv Bodhdi Substation

Feeder No / Name : 204 / 11 KV BODHADI AG

FEEDER SEPERATION/PURE AG

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 14   | 1.2048    | 1.4723    |           | .4557     |           | 1.5947    | 1.773     |
| 15   | 1.3073    |           | 1.9136    |           |           |           | 1.6832    |
| 16   | 1.379     |           |           |           |           | 1.7718    | 1.97      |
| 17   | 1.1517    |           | 2.0376    | 1.3289    |           |           | 1.2536    |
| 18   | 1.3073    |           | 1.825     | 1.4506    | 1.0692    | 1.0808    | 1.2536    |
| 19   | 1.2934    |           |           | 1.379     |           |           | 1.134     |
| 20   | 1.0745    |           |           | 1.3289    | .8413     | 1.2757    | 1.0631    |
| 21   | 1.0099    |           |           | 1.3611    | .8328     |           | 1.0631    |
| Max  | 1.379     | 1.4723    | 2.0376    | 1.4506    | 1.0692    | 1.7718    | 1.97      |
| Min  | 1.0099    | 1.4723    | 1.825     | .4557     | .8328     | 1.0808    | 1.0631    |
| Avg  | 1.2160    | 1.4723    | 1.9254    | 1.2174    | .9144     | 1.4308    | 1.3992    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

KINWAT (R) S/DN[455] BU 7421

Substation No/ Name :- 174041 / 33Kv Bodhdi Substation

Feeder No / Name : 205 / 11 KV SAWRI AG

FEEDER SEPERATION/PURE AG

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 5    | 1.7878    | 1.7718    | 1.5074    |           | .7087     | 1.4022    |           |
| 6    |           | 1.8073    |           | 1.7718    | .7265     | 1.5238    | 1.3289    |
| 7    | 2.2148    | 2.2207    | 1.9845    | 1.9667    | .8059     | 1.8804    | 1.5061    |
| 8    |           | 2.2386    | 2.3102    | 2.1132    | .9391     | 1.8959    | 1.6476    |
| 9    | 2.4177    | 2.0553    | 2.2325    | 2.0376    | .9671     | 1.9806    | 1.7013    |
| 10   | 2.2502    |           | 1.825     | 2.1262    | .8328     | 1.825     | 1.8446    |
| 11   | 2.4177    |           |           |           |           |           | 1.2934    |
| 12   | 2.4177    | 1.9667    | 2.0376    | .8859     |           | 1.3112    | 1.4327    |
| 13   |           |           |           |           | .9568     |           |           |
| Max  | 2.4177    | 2.2386    | 2.3102    | 2.1262    | .9671     | 1.9806    | 1.8446    |
| Min  | 1.7878    | 1.7718    | 1.5074    | .8859     | .7087     | 1.3112    | 1.2934    |
| Avg  | 2.2510    | 2.0101    | 1.9829    | 1.8169    | .8481     | 1.6884    | 1.5364    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

KINWAT (R) S/DN[455] BU 7421

Substation No/ Name :- 174092 / 33 KV T.V Center Substation

Feeder No / Name : 205 / 11KV SIRMITI AG

Feeder KV- 11 / OUTGOING

SEPARATED AG FEEDERS HAVING SPECIAL  
DESIGN TRANSFORMER

| DATE | 08-APR-18 |
|------|-----------|
| HR   | Load (MW) |
| 18   | .6554     |
| Max  | .6554     |
| Min  | .6554     |
| Avg  | .6554     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

KINWAT (R) S/DN[455] BU 7421

Substation No/ Name :- 174092 / 33 KV T.V Center Substation

Feeder No / Name : 207 / 11KV SIRMITI GAOTHAN

GAOTHAN FEEDER

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 |
|------|-----------|
| HR   | Load (MW) |
| 18   | .0328     |
| Max  | .0328     |
| Min  | .0328     |
| Avg  | .0328     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

MAHUR SUB-DIVISION[793] BU 4793

Substation No/ Name :- 174021 / 33 KV MAHUR SUBSTATION

Feeder No / Name : 202 / 11KV SHIKHAR FEEDER SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.1431    | .8954     | .8764     |           | .4784     | .7701     | .7712     |
| 2    | 1.2384    | .9036     | .8764     |           | .4607     | .7522     | .7712     |
| 3    | 1.2003    | .9036     | .9114     |           | .4607     | .7164     | .7712     |
| 4    | 1.1622    | .8859     | .929      |           | .4961     | .7164     | .8413     |
| 5    | 1.2193    | .9214     | .9465     |           | .5316     | .788      | .8764     |
| 6    | 1.2003    | 1.0454    | .964      |           | .567      | .8596     | .964      |
| 7    | 1.2765    | 1.0208    | 1.0166    | .9145     | .6733     | .8417     | .8939     |
| 8    | 1.1622    | 1.0387    | 1.56      | 1.1241    | .8328     | .9134     | .8939     |
| 9    | 1.0517    | 1.0479    | .5847     | .7888     | .724      | .8682     | .6984     |
| 10   | .964      | 1.0479    | .6241     | .8413     | .7621     | .7619     | .9492     |
| 11   | .8589     | .9526     | .5784     | .8764     | .8954     | .9036     | 1.0208    |
| 12   | .7888     | .9907     |           |           | .8573     | .9922     | 1.1104    |
| 13   | .8413     | 1.0098    |           | .964      | .8954     | .9745     | 1.1462    |
| 14   | .8238     | .9526     |           | 1.1218    | .8764     | .9391     | 1.0924    |
| 15   | .8413     | .9526     | .3403     | 1.1393    | .8764     | .9391     | 1.0387    |
| 16   | .9114     | .9907     |           | 1.1043    | .8383     | .9568     | 1.1283    |
| 17   | .8145     | 1.0166    |           | 1.1517    | .6268     | 1.0517    | 1.0479    |
| 18   | 1.1765    | 1.1218    |           | 1.0277    | 1.0924    | 1.1393    | 1.1241    |
| 19   | 1.3032    | 1.2094    |           | 1.4352    | 1.3611    | 1.2269    | 1.3146    |
| 20   | 1.3073    | 1.3146    |           | 1.4706    | 1.2178    | 1.2795    | 1.4098    |
| 21   | 1.3432    | 1.2971    |           | 1.4706    | 1.2894    | 1.2269    | 1.3908    |
| 22   | .9922     | .8589     |           | 1.1517    | .8328     | .8413     | .8573     |
| 23   | .9492     | .8589     |           |           | .8238     | .8238     | .823      |
| 24   | 1.1431    | .8859     | .8764     |           |           | .8238     | .7888     |
| Max  | 1.3432    | 1.3146    | 1.56      | 1.4706    | 1.3611    | 1.2795    | 1.4098    |
| Min  | .7888     | .8589     | .3403     | .7888     | .4607     | .7164     | .6984     |
| Avg  | 1.0714    | 1.0051    | .8526     | 1.1055    | .8030     | .9211     | .9885     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

MAHUR SUB-DIVISION[793] BU 4793

Substation No/ Name :- 174021 / 33 KV MAHUR SUBSTATION

Feeder No / Name : 203 / 11KV HADSANI FEEDER SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .5487     | .5373     | .5258     |           |           | .5373     | .5609     |
| 2    | .5144     | .5373     | .5258     |           |           | .5373     | .5609     |
| 3    | .5658     | .5373     | .5258     |           |           | .5373     | .5609     |
| 4    | .6001     | .5373     | .6135     |           |           | .5373     | .6135     |
| 5    | .6516     | .5731     | .6661     |           |           | .5731     | .631      |
| 6    | .703      | .6626     | .7011     |           |           | .6626     | .6485     |
| 7    | .823      | .5194     | .6135     |           |           | .6447     | .631      |
| 8    | .6097     | .4835     | .4908     | .2286     |           | .5373     | .5434     |
| 9    | .5258     | .5487     | .631      | .2279     |           | .3189     | .5258     |
| 10   | .4908     | .5487     | .6687     | .2629     | .4115     | .4075     | .6485     |
| 11   | .3856     | .6173     | .6001     | .2804     | .4115     | .4784     | .6135     |
| 12   | .3856     | .583      | .583      |           | .3944     | .3544     | .5609     |
| 13   | .3506     | .583      | .5609     | .631      |           | .3544     | .6024     |
| 14   | .3506     | .5487     | .5548     | .6485     | .4115     | .3898     | .5316     |
| 15   | .3506     | .5316     | .5201     | .6485     | .4115     | .3898     | .567      |
| 16   | .3155     | .6344     | .5434     | .631      | .4458     | .3721     | .6024     |
| 17   | .394      | .4382     | .6097     |           | .4119     | .4557     |           |
| 18   | .4477     | .4908     |           | .5493     | .5014     | .5959     | .743      |
| 19   | .6447     | .5258     |           | .6024     | .6984     | .6135     | .8002     |
| 20   | .6626     | .5784     |           | .6556     | .6805     | .6135     | .724      |
| 21   | .591      | .5959     |           | .6201     | .6447     | .631      | .7049     |
| 22   | .6089     | .5959     |           | .6733     | .6089     | .631      | .6668     |
| 23   | .5731     | .5784     |           |           | .5792     | .6135     | .6478     |
| 24   | .5487     | .5552     | .5609     | .4001     |           | .5611     | .5609     |
| Max  | .823      | .6626     | .7011     | .6733     | .6984     | .6626     | .8002     |
| Min  | .3155     | .4382     | .4908     | .2279     | .3944     | .3189     | .5258     |
| Avg  | .5268     | .5559     | .5831     | .5043     | .5086     | .5145     | .6196     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

MAHUR SUB-DIVISION[793] BU 4793

Substation No/ Name :- 174021 / 33 KV MAHUR SUBSTATION

Feeder No / Name : 204 / 11KV ASTHA(SARKHANI) SINGLE PHASING

FEEDER Feeder KV- 11 /  
OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .4458     | .4382     | .4382     | .6668     | .4607     | .4298     | .4382     |
| 2    | .4458     | .4207     | .4382     | .6668     | .4075     | .4298     | .4382     |
| 3    | .4458     | .4252     | .4382     | .724      | .4075     | .4298     | .4382     |
| 4    | .4458     | .4252     | .4382     | .724      | .4252     | .4298     | .4908     |
| 5    | .463      | .4382     | .4908     | .743      | .4252     | .4477     | .5083     |
| 6    | .4801     | .4961     | .5083     | .7811     | .443      | .4835     | .5258     |
| 7    | .4801     | .5138     | .5258     | .8383     | .4784     | .5014     | .5258     |
| 8    | .463      | .5784     | .5258     | .6668     | .4075     | .4961     | .4382     |
| 9    | .5258     | .5144     | .567      | .6661     | .4287     | .4961     | .443      |
| 10   | .5609     | .463      | .5258     | .6661     | .3944     | .4961     | .4075     |
| 11   | .5258     | .4287     | .5434     | .6836     | .4115     | .3721     | .3721     |
| 12   | .5083     | .4287     | .5258     |           | .3601     | .3012     | .3544     |
| 13   | .4908     | .3772     | .4733     | .4908     | .3944     | .3189     | .4207     |
| 14   | .4733     | .4115     | .5083     | .4382     | .3429     | .3189     | .4031     |
| 15   | .4557     | .4458     | .5083     | .4733     | .4115     | .3012     | .3681     |
| 16   | .4733     | .4115     | .5434     | .5258     | .3944     | .3189     | .4075     |
| 17   | .5138     | .5258     | .4458     | .6379     | .3506     | .3856     | .5487     |
| 18   | .5847     | .5784     |           | .6024     | .4908     | .4557     | .4973     |
| 19   | .5083     | .5784     |           | .567      | .5138     | .5258     | .5144     |
| 20   | .5258     | .5609     |           | .4961     | .5138     | .5258     | .4973     |
| 21   | .5083     | .5258     |           | .5316     | .4961     | .5083     | .4801     |
| 22   | .5083     | .5083     |           | .5316     | .4835     | .5083     | .4458     |
| 23   | .4961     | .4733     |           |           | .4477     | .4908     | .4287     |
| 24   | .4801     | .4607     | .4557     | .5144     |           |           | .4557     |
| Max  | .5847     | .5784     | .567      | .8383     | .5138     | .5258     | .5487     |
| Min  | .4458     | .3772     | .4382     | .4382     | .3429     | .3012     | .3544     |
| Avg  | .4920     | .4762     | .4945     | .6198     | .4300     | .4335     | .4520     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

MAHUR SUB-DIVISION[793] BU 4793

Substation No/ Name :- 174021 / 33 KV MAHUR SUBSTATION

Feeder No / Name : 205 / 11KV MAHUR FEEDER NEW

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .9088     | .9795     | .9114     | .6859     | .8682     | .924      | .964      |
| 2    | .8573     | .9795     | .9114     | .6859     | .7973     | .9055     | .964      |
| 3    | .8573     | .8871     | .8764     | .7202     | .7973     | .8871     | .964      |
| 4    | .7716     | .8871     | .8589     | .6859     | .7973     | .8871     | .8764     |
| 5    | .7716     | .8686     | .8413     | .703      | .7973     | .8871     | .8063     |
| 6    | .7373     | .8316     | .8063     | .7373     | .7973     | .8871     | .7712     |
| 7    | .6859     | .7392     | .7888     | .6687     | .6556     | .7947     | .7537     |
| 8    | .6344     | .6838     | .6661     | .6687     | .6733     | .7762     | .7537     |
| 9    | .6135     | .6344     | .7023     | .7011     | .4458     | .6733     | .6878     |
| 10   | .5784     | .6173     | .7207     | .7362     | .5144     | .6556     | .7783     |
| 11   | .5609     | .6173     | .6838     | .7537     | .5658     | .691      | .724      |
| 12   | .5784     | .6859     | .7392     |           | .6001     | .7619     | .8507     |
| 13   | .5959     | .7373     | .7947     | .7888     | .703      | .7973     | .7059     |
| 14   | .6135     | .7716     | .8131     | .7011     | .6859     | .8328     | .8326     |
| 15   | .6135     | .7545     | .8686     | .7011     | .6859     | .8328     | .8507     |
| 16   | .7888     | .6516     | .7392     | .7011     | .7373     | .7265     | .8507     |
| 17   | .7577     | .6836     | .6516     | .6201     | .7762     | .7712     | .7545     |
| 18   | .7577     | .7011     |           | .7265     | .8131     | .7888     | .7888     |
| 19   | .8501     | .7537     |           | .8859     | .9055     | .8413     | .8402     |
| 20   | .8871     | .7888     |           | .9391     | .9055     | .8589     | .8402     |
| 21   | .961      | .8413     |           | .9568     | .0924     | .9816     | .8916     |
| 22   | .9795     | .9114     |           | .9922     | .9979     | .9816     | .9259     |
| 23   | .9795     | .964      |           |           | .961      | .964      | .9259     |
| 24   | .9259     | .9795     | .9465     | .7716     |           | .9425     | .9465     |
| Max  | .9795     | .9795     | .9465     | .9922     | .9979     | .9816     | .964      |
| Min  | .5609     | .6173     | .6516     | .6201     | .0924     | .6556     | .6878     |
| Avg  | .7611     | .7896     | .7956     | .7514     | .7206     | .8354     | .8353     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

MAHUR SUB-DIVISION[793] BU 4793

Substation No/ Name :- 174021 / 33 KV MAHUR SUBSTATION

Feeder No / Name : 206 / 11KV RENUKADEVI PHC NON SHEDDABLE WATER SUPPLY AND  
EXPRESS FE Feeder KV- 11 / UTILITY  
OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .0343     | .037      | .0351     | .0343     | .0181     | .0373     | .0526     |
| 2    | .0343     | .037      | .0351     | .0343     | .0181     | .0373     | .0526     |
| 3    | .0343     | .037      | .0351     | .0343     | .0181     | .0373     | .0526     |
| 4    | .0343     | .037      | .0351     | .0343     | .0181     | .0373     | .0526     |
| 5    | .0343     | .037      | .0351     | .0343     | .0181     | .0373     | .0351     |
| 6    | .0343     | .037      | .0351     | .0343     | .0181     | .0373     | .0351     |
| 7    | .0343     | .0185     | .0351     | .0343     | .0181     | .0187     | .0351     |
| 8    | .0343     | .0185     | .0351     | .0343     | .0181     | .0373     | .0351     |
| 9    | .0351     | .0343     | .0373     | .0351     | .0171     | .0362     | .0373     |
| 10   | .0351     | .0343     | .0373     | .0351     | .0171     | .0362     | .0373     |
| 11   | .0351     | .0343     | .0373     | .0351     | .0343     | .0543     | .0373     |
| 12   | .0351     | .0343     | .056      |           | .0343     | .0543     | .056      |
| 13   | .0351     | .0343     | .056      | .0351     | .0343     | .0543     | .112      |
| 14   | .0526     | .0343     | .056      | .0351     | .0343     | .0905     | .056      |
| 15   | .0526     | .0343     | .0373     | .0351     | .0343     | .0905     | .112      |
| 16   | .0351     | .0343     | .0373     | .0526     | .0514     | .0543     | .0747     |
| 17   | .037      | .0351     | .0343     | .0362     | .0373     | .0526     | .0857     |
| 18   | .037      | .0351     |           | .0543     | .056      | .0526     | .0686     |
| 19   | .0554     | .0351     |           | .0543     | .056      | .0526     | .0857     |
| 20   | .0554     | .0351     |           | .0543     | .0934     | .0526     | .0857     |
| 21   | .037      | .0351     |           | .0362     | .0934     | .0526     | .0514     |
| 22   | .037      | .0351     |           | .0362     | .0373     | .0526     | .0343     |
| 23   | .037      | .0351     |           |           | .0373     | .0526     | .0343     |
| 24   | .0343     | .037      | .0351     | .0343     |           | .0373     | .0526     |
| Max  | .0554     | .037      | .056      | .0543     | .0934     | .0905     | .112      |
| Min  | .0343     | .0185     | .0343     | .0343     | .0171     | .0187     | .0343     |
| Avg  | .0383     | .0340     | .0392     | .0383     | .0353     | .0482     | .0572     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

MAHUR SUB-DIVISION[793] BU 4793

Substation No/ Name :- 174102 / 33/11 KV WAI SUBSTATION

Feeder No / Name : 201 / 11 KV WAI FEEDER SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 10-APR-18 |
|------|-----------|
| HR   | Load (MW) |
| 12   | .9362     |
| 13   | .7526     |
| 14   | .8322     |
| 15   | .7628     |
| Max  | .9362     |
| Min  | .7526     |
| Avg  | .8210     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

MAHUR SUB-DIVISION[793] BU 4793

Substation No/ Name :- 174102 / 33/11 KV WAI SUBSTATION

Feeder No / Name : 202 / 11 KV HIWALANI FEEDER SINGLE PHASING  
Feeder KV- 11 / OUTGOING

| DATE | 10-APR-18 |
|------|-----------|
| HR   | Load (MW) |
| 12   | .583      |
| 13   | .5087     |
| 14   | .4458     |
| 15   | .4508     |
| Max  | .583      |
| Min  | .4458     |
| Avg  | .4971     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

MAHUR SUB-DIVISION[793] BU 4793

Substation No/ Name :- 174102 / 33/11 KV WAI SUBSTATION

Feeder No / Name : 203 / 11 KV ANJANKHED FEEDER SINGLE PHASING  
Feeder KV- 11 / OUTGOING

| DATE | 10-APR-18 |
|------|-----------|
| HR   | Load (MW) |
| 12   | .499      |
| 13   | .499      |
| 14   | .4572     |
| 15   | .4572     |
| Max  | .499      |
| Min  | .4572     |
| Avg  | .4781     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

MAHUR SUB-DIVISION[793] BU 4793

Substation No/ Name :- 174102 / 33/11 KV WAI SUBSTATION

Feeder No / Name : 204 / JAY YOGESWAR EXPRESS NON SHEDDABLE EXPRESS HV FEEDERS  
Feeder KV- 11 / OUTGOING (CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 10-APR-18 |
|------|-----------|
| HR   | Load (MW) |
| 12   | .0594     |
| 13   | .0301     |
| 14   | .0301     |
| 15   | .0301     |
| Max  | .0594     |
| Min  | .0301     |
| Avg  | .0374     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

MAHUR SUB-DIVISION[793] BU 4793

Substation No/ Name :- 174118 / 33 KV ASHTA

Feeder No / Name : 201 / 11 KV Ashta

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .2401     | .2743     | .2401     | .208      | .2774     |
| 2    | .2401     | .2743     | .2743     | .208      | .2774     |
| 3    | .2401     | .2743     | .2401     | .208      | .2774     |
| 4    | .2743     | .3086     | .2401     | .1734     |           |
| 5    | .3086     | .3429     | .1715     | .208      | .2774     |
| 6    | .3429     | .3429     | .2058     | .2427     | .3121     |
| 7    | .4115     | .3086     | .2401     | .2427     | .2774     |
| 8    | .2743     | .3429     | .2743     | .2427     | .2774     |
| 9    | .3086     | .3772     | .2401     | .2427     | .2774     |
| 10   | .2743     | .5144     | .1715     | .208      | .2774     |
| 11   | .2743     |           | .1715     | .208      | .3121     |
| 12   | .2743     |           | .2058     | .1734     | .2427     |
| 13   | .2743     |           | .3086     | .1734     |           |
| 14   | .2743     |           | .3086     | .1734     |           |
| 15   | .2401     |           | .3429     | .208      |           |
| 16   |           |           | .3086     | .208      |           |
| 17   | .2743     |           | .2401     | .208      |           |
| 18   | .3772     |           |           | .208      |           |
| 19   | .3772     |           | .4115     | .3467     |           |
| 20   | .4458     |           | .3772     | .3121     |           |
| 21   | .3086     |           | .3772     | .3467     |           |
| 22   | .3086     |           | .3429     | .3121     |           |
| 23   | .3086     |           |           | .3121     |           |
| 24   | .2401     | .2743     | .1715     |           | .3121     |
| Max  | .4458     | .5144     | .4115     | .3467     | .3121     |
| Min  | .2401     | .2743     | .1715     | .1734     | .2427     |
| Avg  | .2997     | .3304     | .2666     | .2337     | .2832     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

MAHUR SUB-DIVISION[793] BU 4793

Substation No/ Name :- 174118 / 33 KV ASHTA

Feeder No / Name : 202 / 11 KV Takali

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3018     | .503      | .3018     | .3353     | .4024     |
| 2    | .3018     | .503      | .3353     | .3353     |           |
| 3    | .3018     | .503      | .3688     | .3018     | .4024     |
| 4    | .3018     | .503      | .3353     | .2683     |           |
| 5    | .3018     | .57       | .3688     | .3353     |           |
| 6    | .3353     | .6706     | .3353     | .4024     |           |
| 7    | .4024     | .7377     | .3018     | .503      |           |
| 8    |           | .3688     | .4024     | .4694     | .4694     |
| 9    | .2012     | .3018     | .2683     | .3688     | .57       |
| 10   | .503      | .2683     | .3018     | .3353     | .3688     |
| 11   | .57       |           | .3688     | .2683     | .2683     |
| 12   | .57       |           | .2347     | .2012     | .2347     |
| 13   | .5365     |           | .2347     | .2012     |           |
| 14   | .5365     |           | .2347     | .2347     |           |
| 15   | .503      |           | .2012     | .2347     |           |
| 16   | .6036     |           | .2347     | .2012     |           |
| 17   | .2012     |           | .2683     | .2347     |           |
| 18   | .2683     |           | .3353     |           |           |
| 19   | .4359     |           | .503      | .4694     |           |
| 20   | .4359     |           | .4359     | .4024     |           |
| 21   | .3688     |           | .4024     | .3353     |           |
| 22   | .5365     |           | .4359     | .4694     |           |
| 23   | .5365     |           |           | .4359     |           |
| 24   | .3018     | .503      | .1341     |           | .4024     |
| Max  | .6036     | .7377     | .503      | .503      | .57       |
| Min  | .2012     | .2683     | .1341     | .2012     | .2347     |
| Avg  | .4068     | .4938     | .3193     | .3338     | .3898     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

MAHUR SUB-DIVISION[793] BU 4793

Substation No/ Name :- 174118 / 33 KV ASHTA

Feeder No / Name : 203 / 11 KV Gokul

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .2507     | .6089     | .4656     | .4298     | .6089     |
| 2    | .2507     | .6089     | .5014     | .4298     | .5731     |
| 3    | .2507     | .6089     | .5373     | .4298     | .5731     |
| 4    | .3224     | .6089     | .5014     | .4298     |           |
| 5    | .3582     | .6089     | .4656     | .4298     | .5731     |
| 6    | .4298     | .6805     | .5014     | .5014     | .6805     |
| 7    | .5731     | .6805     | .5373     | .6089     | .7164     |
| 8    | .6805     | .7164     | .6089     | .5373     | .6089     |
| 9    | .5731     | .394      | .2149     | .1791     | .2507     |
| 10   | .4656     | .4656     | .2507     | .2507     | .2507     |
| 11   | .394      |           | .2507     | .1433     | .2507     |
| 12   | .394      |           | .2507     | .1791     | .2149     |
| 13   | .4298     |           | .2507     | .1433     |           |
| 14   | .4298     |           | .2865     | .1433     |           |
| 15   | .4298     |           | .3224     | .1433     |           |
| 16   | .394      |           | .2507     | .1433     |           |
| 17   | .394      |           | .394      | .394      |           |
| 18   | .4656     |           | .5731     | .6089     |           |
| 19   | .7522     |           | .4298     | .8238     |           |
| 20   |           |           | .788      | .7522     |           |
| 21   | .6805     |           | .7164     | .6805     |           |
| 22   | .6447     |           | .7164     | .6447     |           |
| 23   | .6447     |           |           | .6447     |           |
| 24   | .2507     | .6089     | .2865     |           | .6089     |
| Max  | .7522     | .7164     | .788      | .8238     | .7164     |
| Min  | .2507     | .394      | .2149     | .1433     | .2149     |
| Avg  | .4547     | .5991     | .4391     | .4205     | .4925     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

UMRI SUB-DIVISION[794] BU 4794

Substation No/ Name :- 174080 / SHINDI

Feeder No / Name : 201 / SHINDI

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .2572     |           |           | .2572     | .2572     |           |           |
| 2    | .2572     |           |           | .2572     | .2572     |           |           |
| 3    | .2572     |           |           | .2572     | .2572     |           |           |
| 4    | .2572     |           |           | .3429     | .2572     |           |           |
| 5    | .2572     |           |           | .3429     | .2572     |           |           |
| 6    | .2572     |           |           | .3429     | .2572     |           |           |
| 7    | .2572     |           |           | .3429     | .2572     |           |           |
| 8    | .1715     |           |           | .2572     | .1715     |           |           |
| 9    | .1715     |           |           | .2572     | .1715     |           |           |
| 10   | .2572     | .181      |           | .2572     | .0895     |           |           |
| 11   | .1717     | .1791     | .1715     | .1715     |           | .1715     | .1715     |
| 12   | .2572     | .1791     | .1715     | .1715     |           | .1715     | .1715     |
| 13   | .2572     | .1791     | .1715     | .1715     |           | .1715     | .1715     |
| 14   | .2572     | .181      | .1715     | .1715     |           | .1715     | .1715     |
| 15   | .2572     |           | .1715     | .1715     |           |           | .1715     |
| 16   | .2572     | .1791     | .1715     | .1715     |           |           | .1715     |
| 17   | .2572     | .1791     | .1715     | .1715     |           |           | .1715     |
| 18   | .1715     |           | .2572     | .2572     |           |           | .2572     |
| 19   | .2572     |           | .2572     | .2572     |           |           | .2572     |
| 20   | .2572     |           | .2572     |           |           |           | .2572     |
| 21   | .2572     |           | .2572     | .2572     |           |           | .2572     |
| 22   | .1715     |           | .2572     | .2572     |           |           | .3429     |
| 23   | .1715     |           | .2572     | .2572     |           |           | .3429     |
| 24   | .2572     |           |           | .2572     | .1715     |           |           |
| Max  | .2572     | .181      | .2572     | .3429     | .2572     | .1715     | .3429     |
| Min  | .1715     | .1791     | .1715     | .1715     | .0895     | .1715     | .1715     |
| Avg  | .2358     | .1796     | .2111     | .2460     | .2186     | .1715     | .2242     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

UMRI SUB-DIVISION[794] BU 4794

Substation No/ Name :- 174080 / SHINDI

Feeder No / Name : 202 / HUNDA

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .6859     |           |           | .1715     | .3429     |           |           |
| 2    | .6859     |           |           | .1715     | .3429     |           |           |
| 3    | .6859     |           |           | .1715     | .3429     |           |           |
| 4    | .7716     |           |           | .1715     | .3429     |           |           |
| 5    | .8573     |           |           | .1715     | .3429     |           |           |
| 6    | 1.0288    |           |           | .2572     | .3429     |           |           |
| 7    | 1.286     |           |           | .2572     | .2572     |           |           |
| 8    | .4239     |           |           | .2572     | .3391     |           |           |
| 9    | .3429     |           |           | .2572     | .3391     |           |           |
| 10   | .2543     | 1.5261    |           | 1.5432    |           |           |           |
| 11   | .1696     | 1.8442    | 1.7147    | 1.8861    |           | 2.0576    | 1.8861    |
| 12   | .1696     | 1.8442    | 1.7147    | 1.8861    |           | 2.1434    | 2.1434    |
| 13   | .2543     | 1.8442    | 1.8861    | 1.9719    |           | 2.1434    | 2.0576    |
| 14   | .2543     | 1.6766    | 1.8861    | 1.9719    |           | 2.1434    | 2.0576    |
| 15   | .2572     | 1.6766    | 1.8861    | 1.9719    |           |           | 1.8861    |
| 16   | .2543     | 1.6766    | 1.8861    | 1.9719    |           |           | 1.7147    |
| 17   | .3391     | 1.6766    | 1.8004    | 1.8861    |           |           | 1.6289    |
| 18   | .4239     |           | .3429     | .3429     |           |           | .2572     |
| 19   | .5144     |           | .3429     | .4287     |           |           | .2572     |
| 20   | .5144     |           | .3429     |           |           |           | .3429     |
| 21   | .5144     |           | .5144     | .3429     |           |           | .3429     |
| 22   | .4287     |           | .5144     |           |           |           | .3429     |
| 23   | .4239     |           | .3429     |           |           |           | .3429     |
| 24   | .5087     |           |           | .3429     | .3429     |           |           |
| Max  | 1.286     | 1.8442    | 1.8861    | 1.9719    | .3429     | 2.1434    | 2.1434    |
| Min  | .1696     | 1.5261    | .3429     | .1715     | .2572     | 2.0576    | .2572     |
| Avg  | .5021     | 1.7206    | 1.1673    | .8778     | .3336     | 2.1220    | 1.1739    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

UMRI SUB-DIVISION[794] BU 4794

Substation No/ Name :- 174080 / SHINDI

Feeder No / Name : 203 / SHIVANGAON

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .0838     |           | .2515     | .1187     |           |           |
| 2    | .0838     |           | .2515     | .1187     |           |           |
| 3    | .0838     |           | .2515     | .1187     |           |           |
| 4    | .0838     |           | .2515     | .1187     |           |           |
| 5    | .0838     |           | .2515     | .1187     |           |           |
| 6    | .0838     |           | .2515     | .1696     |           |           |
| 7    | .0838     |           | .2515     | .1696     |           |           |
| 8    | .0838     |           | .0838     | .0848     |           |           |
| 9    | .0838     |           | .0838     | .0848     |           |           |
| 10   | .1677     |           | .0838     |           |           |           |
| 11   | .1677     | .0857     | .0838     |           | .0857     | .0857     |
| 12   | .1677     | .0857     | .0838     |           | .0857     | .0857     |
| 13   | .1677     | .0857     | .0838     |           | .0857     | .0857     |
| 14   | .1677     | .0857     | .0838     |           | .0857     | .0857     |
| 15   | .1677     | .0857     | .0838     |           |           | .0857     |
| 16   | .1696     | .0857     | .0848     |           |           | .0857     |
| 17   | .1677     | .0857     | .0848     |           |           | .0857     |
| 18   | .0838     | .0857     | .0848     |           |           | .0857     |
| 19   | .0838     | .0857     | .0848     |           |           | .0857     |
| 20   | .0857     | .0857     |           |           |           | .0857     |
| 21   | .0857     | .0857     | .0848     |           |           | .0857     |
| 22   | .0857     | .2572     | .0848     |           |           | .2572     |
| 23   | .0838     | .2515     | .0848     |           |           | .2572     |
| 24   | .0838     |           | .2515     | .0848     |           |           |
| Max  | .1696     | .2572     | .2515     | .1696     | .0857     | .2572     |
| Min  | .0838     | .0857     | .0838     | .0848     | .0857     | .0857     |
| Avg  | .1121     | .1116     | .1424     | .1187     | .0857     | .1121     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

UMRI SUB-DIVISION[794] BU 4794

Substation No/ Name :- 174080 / SHINDI

Feeder No / Name : 204 / 11 kv Dairy feeder

Feeder KV- 11 / OUTGOING

NON SHEDDABLE EXPRESS HV FEEDERS

(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 08-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           | .1715     |           |           |           |
| 2    |           |           | .1715     |           |           |           |
| 3    |           |           | .1715     |           |           |           |
| 4    |           |           | .1715     |           |           |           |
| 5    |           |           | .0857     |           |           |           |
| 7    |           |           |           | .0857     |           |           |
| 8    |           |           | .1715     | .0857     |           |           |
| 9    | .1715     |           | .3429     | .1715     |           |           |
| 10   | .1734     |           | .1715     |           |           |           |
| 11   | .1715     | .3429     | .1715     |           | .1715     | .1715     |
| 12   | .1715     | .3429     | .1715     |           | .1715     | .1715     |
| 13   | .1715     | .3429     | .1715     |           | .1715     | .1715     |
| 14   | .1715     | .3429     | .1715     |           | .1715     | .1715     |
| 15   | .1715     | .3429     | .1715     |           |           | .2572     |
| 16   | .1715     | .3429     | .0857     |           |           | .2572     |
| 17   | .1715     | .3429     | .0857     |           |           | .3429     |
| 18   | .1715     | .0857     | .0857     |           |           | .3429     |
| 19   | .1715     | .0857     | .0857     |           |           | .3429     |
| 20   |           | .0857     |           |           |           | .1715     |
| 21   |           | .0857     |           |           |           |           |
| 22   |           | .0857     |           |           |           |           |
| 23   |           | .0857     |           |           |           |           |
| 24   |           |           | .0857     |           |           |           |
| Max  | .1734     | .3429     | .3429     | .1715     | .1715     | .3429     |
| Min  | .1715     | .0857     | .0857     | .0857     | .1715     | .1715     |
| Avg  | .1717     | .2242     | .1524     | .1143     | .1715     | .2401     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

UMRI SUB-DIVISION[794] BU 4794

Substation No/ Name :- 174080 / SHINDI

Feeder No / Name : 205 / PALASGAON FEEDER

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.0288    |           | 1.3717    | .6859     |           |           |
| 2    | 1.0288    |           |           | .6859     |           |           |
| 3    | 1.0288    |           |           | .6859     |           |           |
| 4    | 1.0288    |           |           | .6859     |           |           |
| 5    | 1.0288    |           | 1.3717    | .9431     |           |           |
| 6    | 1.0898    |           | 1.3717    | 1.3717    |           |           |
| 7    | 1.2003    |           | 1.3717    | 1.7147    |           |           |
| 8    | 1.0288    |           | 1.0288    | 1.0288    |           |           |
| 9    | .9431     |           | .9431     | .8573     |           |           |
| 10   | 1.3717    |           | .6859     |           |           |           |
| 11   | 2.0576    |           | .6001     |           | .7716     | .7716     |
| 12   | 2.0576    |           | .6001     |           | .6859     | .6859     |
| 13   | 2.0576    | .5144     | .6859     |           | .6859     | .6859     |
| 14   | 1.8861    | .6859     | .6859     |           | .6859     | .6859     |
| 15   | 1.8861    | .6859     | .6859     |           |           | .6859     |
| 16   | 1.8861    | .6859     | .6859     |           |           | .7716     |
| 17   | 1.8861    | .7716     | .7716     |           |           | .7716     |
| 18   | 1.0117    | .8573     | 1.0288    |           |           | .8573     |
| 19   | 1.2003    | 1.0288    | 1.2003    |           |           | 1.0288    |
| 20   | 1.2003    | 1.2003    |           |           |           | 1.2003    |
| 21   | 1.2003    | 1.2003    | 1.2003    |           |           | 1.2003    |
| 22   | 1.3717    | 1.3717    |           |           |           | 1.5432    |
| 23   | 1.4575    | 1.3717    |           |           |           | 1.5432    |
| 24   | 1.0288    |           | 1.3717    | .6859     |           |           |
| Max  | 2.0576    | 1.3717    | 1.3717    | 1.7147    | .7716     | 1.5432    |
| Min  | .9431     | .5144     | .6001     | .6859     | .6859     | .6859     |
| Avg  | 1.3736    | .9431     | .9812     | .9345     | .7073     | .9563     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

UMRI SUB-DIVISION[794] BU 4794

Substation No/ Name :- 174080 / SHINDI

Feeder No / Name : 206 / SHELGAON FEEDER

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .5087     |           | .1715     | .1715     |           |           |
| 2    | .5087     |           | .1715     | .1715     |           |           |
| 3    | .5087     |           | .1715     | .1715     |           |           |
| 4    | .5087     |           | .1715     | .1715     |           |           |
| 5    | .5087     |           | .1715     | .1715     |           |           |
| 6    | .6783     |           | .1715     | .1715     |           |           |
| 7    | .8478     |           | .2572     | .2572     |           |           |
| 8    | .2543     |           | .1715     | .2543     |           |           |
| 9    | .1696     |           | .1715     | .2543     |           |           |
| 10   | .1696     |           | .9431     |           |           |           |
| 11   | .1696     | 1.2003    | .9326     |           | 1.0288    | 1.2003    |
| 12   | .1696     | 1.1145    | .9326     |           | 1.0288    | 1.2003    |
| 13   | .1696     | 1.0288    | .9326     |           | 1.0288    | 1.2003    |
| 14   | .1696     | 1.0288    | .9326     |           | 1.0288    | 1.2003    |
| 15   | .1696     | 1.0288    | .9326     |           |           | 1.2003    |
| 16   | .1677     | 1.0288    | .9326     |           |           | 1.2003    |
| 17   | .1696     | 1.0288    | 1.0174    |           |           | 1.1145    |
| 18   | .1696     | .1715     | .1696     |           |           | .1715     |
| 19   | .2572     | .1715     | .2572     |           |           | .2572     |
| 20   | .2572     | .2572     |           |           |           | .2572     |
| 21   | .2572     | .2572     | .2572     |           |           | .2572     |
| 22   | .2572     | .1715     | .1715     |           |           | .2572     |
| 23   | .2543     | .1715     |           |           |           | .1715     |
| 24   | .763      |           | .1715     | .1715     |           |           |
| Max  | .8478     | 1.2003    | 1.0174    | .2572     | 1.0288    | 1.2003    |
| Min  | .1677     | .1715     | .1696     | .1715     | 1.0288    | .1715     |
| Avg  | .3360     | .6661     | .4642     | .1966     | 1.0288    | .7452     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

UMRI SUB-DIVISION[794] BU 4794

Substation No/ Name :- 174080 / SHINDI

Feeder No / Name : 207 / 11 KV MANOOR FEEDER

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .4287     |           | .4287     | .4287     |           |           |
| 2    | .5144     |           | .3429     | .4287     |           |           |
| 3    | .5144     |           | .3429     | .4287     |           |           |
| 4    | .5144     |           | .3429     | .4287     |           |           |
| 5    | .5144     |           | .3429     | .4287     |           |           |
| 6    | .6859     |           | .4287     | .5144     |           |           |
| 7    | .7716     |           | .5144     | .5201     |           |           |
| 8    | .5144     |           | 1.0174    | .4287     |           |           |
| 9    | .3429     |           |           | .4287     |           |           |
| 10   | .2572     |           | 1.0174    |           |           |           |
| 11   | .3429     | 1.2003    | 1.1869    |           | 1.2003    | 1.286     |
| 12   | .1715     | 1.2003    | 1.1869    |           | 1.2003    | 1.286     |
| 13   | .3429     | 1.2003    | 1.1869    |           | 1.2003    | 1.286     |
| 14   | .2572     | 1.2003    | 1.1869    |           | 1.0288    | 1.286     |
| 15   | .2572     | 1.2003    | 1.1869    |           |           | 1.2003    |
| 16   | .2572     | 1.2003    | 1.2003    |           |           | 1.2003    |
| 17   | .3429     | 1.2003    | 1.1145    |           |           | 1.1145    |
| 18   | .4287     | .5144     | .5144     |           |           | 1.0288    |
| 19   | .6001     | .5144     | .6859     |           |           | 1.0288    |
| 20   | .6001     | .6859     |           |           |           | .6859     |
| 21   | .6001     | .6859     | .6859     |           |           | .6859     |
| 22   | .6001     | .6001     | .6001     |           |           | .6001     |
| 23   | .5144     | .5144     | .4287     |           |           | .5144     |
| 24   | .4287     |           | .5144     | .4287     |           |           |
| Max  | .7716     | 1.2003    | 1.2003    | .5201     | 1.2003    | 1.286     |
| Min  | .1715     | .5144     | .3429     | .4287     | 1.0288    | .5144     |
| Avg  | .4501     | .9167     | .7480     | .4464     | 1.1574    | 1.0156    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

UMRI SUB-DIVISION[794] BU 4794

Substation No/ Name :- 174127 / 33kv karkala sub station

Feeder No / Name : 201 / 11 kv waghawada SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 |
|------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           | .2229     | .2058     |
| 2    |           |           | .2229     | .2058     |
| 3    |           |           | .2229     | .2058     |
| 4    |           |           | .2229     | .2058     |
| 5    |           |           | .2229     |           |
| 6    |           |           | .2058     |           |
| 7    |           |           | .2058     |           |
| 8    |           | .1715     | .1372     | .2401     |
| 9    | .2401     |           | .1543     | .1543     |
| 10   | .1543     |           | .2058     | .1715     |
| 11   | .1543     |           | .2572     | .1715     |
| 12   | .1543     |           | .2572     | .1886     |
| 13   | .1543     |           | .2572     | .1886     |
| 14   | .1543     |           | .2572     | .2401     |
| 15   | .1715     |           | .2572     | .2401     |
| 16   | .2058     | .2229     | .2572     | .2058     |
| 17   |           |           | .2572     |           |
| 18   |           |           | .1886     |           |
| 19   |           |           | .2229     |           |
| 20   |           |           | .2229     |           |
| 21   |           |           | .2229     |           |
| 22   |           |           | .2229     |           |
| 23   |           | .2058     | .2058     |           |
| 24   |           | .2058     | .2058     | .2058     |
| Max  | .2401     | .2229     | .2572     | .2401     |
| Min  | .1543     | .1715     | .1372     | .1543     |
| Avg  | .1736     | .2015     | .2215     | .2021     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

UMRI SUB-DIVISION[794] BU 4794

Substation No/ Name :- 174127 / 33kv karkala sub station

Feeder No / Name : 202 / 11kv Hassa feeder SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 09-APR-18 | 10-APR-18 | 11-APR-18 |
|------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .2743     | .1715     |
| 2    |           | .2743     | .2058     |
| 3    |           | .2915     | .2058     |
| 4    |           | .3086     | .2572     |
| 5    |           | .3086     | .2572     |
| 6    |           | .3258     | .2572     |
| 7    |           | .3258     | .2743     |
| 8    | .3086     | .3258     | .2743     |
| 9    |           | .12       | .2401     |
| 10   |           | .2572     | .0857     |
| 11   |           | .3086     | .0857     |
| 12   |           | .3086     | .0857     |
| 13   |           | .0686     | .1029     |
| 14   |           | .0857     | .0857     |
| 15   |           | .1029     | .0857     |
| 16   | .1029     | .1029     | .0857     |
| 17   |           | .1029     |           |
| 18   |           | .1029     |           |
| 19   |           | .12       |           |
| 20   |           | .1029     |           |
| 21   |           | .1543     |           |
| 22   |           | .1543     |           |
| 23   | .2229     | .1543     |           |
| 24   | .2229     | .2401     | .1715     |
| Max  | .3086     | .3258     | .2743     |
| Min  | .1029     | .0686     | .0857     |
| Avg  | .2143     | .2050     | .1725     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

BHOKAR DIVSION[695]

UMRI SUB-DIVISION[794] BU 4794

Substation No/ Name :- 174127 / 33kv karkala sub station

Feeder No / Name : 203 / 11 kv Hatni Feeder SINGLE PHASING  
Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 |
|------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           | .2229     | .1029     |
| 2    |           |           | .2229     | .12       |
| 3    |           |           | .2229     | .1372     |
| 4    |           |           | .2229     | .1372     |
| 5    |           |           | .2401     | .1372     |
| 6    |           |           | .2401     | .1372     |
| 7    |           |           | .2401     | .1543     |
| 8    |           | .2058     | .2229     | .1543     |
| 9    | .1029     |           | .1543     | .1715     |
| 10   | .1715     |           | .1029     | .0857     |
| 11   | .1886     |           | .0857     | .0857     |
| 12   | .1886     |           | .0857     | .0857     |
| 13   | .1886     |           | .0857     | .0857     |
| 14   | .1886     |           | .0857     | .0857     |
| 15   | .1886     |           | .1029     | .0857     |
| 16   | .2058     | .1029     | .1029     | .0857     |
| 17   |           |           | .1029     |           |
| 18   |           |           | .1029     |           |
| 19   |           |           | .1029     |           |
| 20   |           |           | .1029     |           |
| 21   |           |           | .1029     |           |
| 22   |           |           | .1029     |           |
| 23   |           | .1715     |           |           |
| 24   |           | .12       | .1715     | .1029     |
| Max  | .2058     | .2058     | .2401     | .1715     |
| Min  | .1029     | .1029     | .0857     | .0857     |
| Avg  | .1779     | .1501     | .1491     | .1150     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

BILOLISUB-DIVISION[792] BU 4792

Substation No/ Name :- 174034 / 33 KV SUB STATION RAHER

Feeder No / Name : 201 / 11 KV LOHGAON FEEDER SINGLE PHASING  
Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 11-APR-18 |
|------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) |
| 8    | 1.905     | 1.6221    |           |
| 16   | 1.226     |           | 1.094     |
| 24   | 1.2483    |           |           |
| Max  | 1.905     | 1.6221    | 1.094     |
| Min  | 1.226     | 1.6221    | 1.094     |
| Avg  | 1.4598    | 1.6221    | 1.094     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

BILOLISUB-DIVISION[792] BU 4792

Substation No/ Name :- 174034 / 33 KV SUB STATION RAHER

Feeder No / Name : 202 / 11 KV RAHER FEEDER SINGLE PHASING  
Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 11-APR-18 | 12-APR-18 |
|------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 8    | .3395     | .415      |           | .2641     |
| 16   | .3467     |           | .3601     |           |
| 24   | .2452     |           |           |           |
| Max  | .3467     | .415      | .3601     | .2641     |
| Min  | .2452     | .415      | .3601     | .2641     |
| Avg  | .3105     | .415      | .3601     | .2641     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

BILOLISUB-DIVISION[792] BU 4792

Substation No/ Name :- 174034 / 33 KV SUB STATION RAHER

Feeder No / Name : 203 / 11 KV HARNAL FEEDER SINGLE PHASING  
Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 11-APR-18 | 12-APR-18 |
|------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 8    | .9431     | 1.094     |           | .9619     |
| 16   | .6733     |           | .7059     |           |
| 24   | .7167     |           |           |           |
| Max  | .9431     | 1.094     | .7059     | .9619     |
| Min  | .6733     | 1.094     | .7059     | .9619     |
| Avg  | .7777     | 1.094     | .7059     | .9619     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

BILOLISUB-DIVISION[792] BU 4792

Substation No/ Name :- 174079 / 33 KV SUB STATION - SAGROLI

Feeder No / Name : 201 / 11 KV DAULATAPUR FEEDER SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 8    | .3086     | .6859     | .8573     | .6173     |           | .6249     | .4268     |
| 16   | .6859     | .1886     | .2229     | .12       | .4877     | .1829     | .2401     |
| 24   | .2743     | .7888     | .7888     | .7888     | .2743     | .5487     | .4268     |
| Max  | .6859     | .7888     | .8573     | .7888     | .4877     | .6249     | .4268     |
| Min  | .2743     | .1886     | .2229     | .12       | .2743     | .1829     | .2401     |
| Avg  | .4229     | .5544     | .623      | .5087     | .381      | .4522     | .3646     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

BILOLISUB-DIVISION[792] BU 4792

Substation No/ Name :- 174079 / 33 KV SUB STATION - SAGROLI

Feeder No / Name : 202 / 11 KV SAGROLI

GAOTHAN FEEDER

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 16   | .3772     | .4458     | .4115     | .4801     | .3658     | .3353     | .3772     |
| 24   | .4458     | .3772     | .4287     | .3772     | .3429     | .3048     | .3048     |
| Max  | .4458     | .4458     | .4287     | .4801     | .3658     | .3353     | .3772     |
| Min  | .3772     | .3772     | .4115     | .3772     | .3429     | .3048     | .3048     |
| Avg  | .4115     | .4115     | .4201     | .4287     | .3544     | .3201     | .341      |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

BILOLISUB-DIVISION[792] BU 4792

Substation No/ Name :- 174079 / 33 KV SUB STATION - SAGROLI

Feeder No / Name : 203 / 11 KV BOLEGAON SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 8    | .823      | .4287     | .5487     |           | .5144     | .3658     |           |
| 16   | .2401     | .7888     | .8573     | .6859     | .6097     | .6706     | .3429     |
| 24   | .7202     | .4115     | .3944     | .3086     |           | .3353     | .3201     |
| Max  | .823      | .7888     | .8573     | .6859     | .6097     | .6706     | .3429     |
| Min  | .2401     | .4115     | .3944     | .3086     | .5144     | .3353     | .3201     |
| Avg  | .5944     | .543      | .6001     | .4973     | .5621     | .4572     | .3315     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

BILOLISUB-DIVISION[792] BU 4792

Substation No/ Name :- 174126 / 33 KV BAMNI SUB-STATION

Feeder No / Name : 201 / 11 kv BAMNI FEEDER SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3721     | .4252     | .5144     | .3898     | .1372     | .3898     | .4458     |
| 2    | .3721     | .4252     | .5144     | .3544     | .1372     | .3898     | .4458     |
| 3    | .3721     | .4961     | .5144     | .3544     | .1715     | .3898     | .4115     |
| 4    | .3721     | .4961     | .5487     | .3544     | .2058     | .4252     | .4115     |
| 5    | .3898     | .5316     | .5487     | .4252     | .2058     | .4252     | .3772     |
| 6    | .4075     | .5847     | .5487     | .4784     | .2401     | .4252     | .3772     |
| 7    | .4252     | .5847     | .5144     | .6201     | .3086     | .4607     | .3772     |
| 8    | .3721     | .6024     | .4801     | .567      | .2401     | .4784     | .3772     |
| 9    | .3189     | .3601     | .2743     | .4075     | .2058     | .2058     | .3429     |
| 10   | .3544     | .3944     | .3189     | .4075     | .583      | .2229     | .3429     |
| 11   | .4252     | .3944     | .4075     | .3772     | .2481     | .3429     | .3086     |
| 12   | .4252     | .3944     | .3721     | .3772     | .2126     | .3772     | .3429     |
| 13   | .443      | .3944     | .4252     | .3772     |           | .3772     | .2915     |
| 14   | .4252     | .3772     | .4252     | .3772     | .2126     | .4115     | .3601     |
| 15   | .4252     | .3772     | .4252     | .3772     |           | .4115     | .3429     |
| 16   | .4075     | .3772     | .4075     |           | .2126     | .4115     | .3772     |
| 17   | .3544     | .4115     | .4075     |           |           | .3429     | .2743     |
| 18   | .3721     | .4115     | .4961     |           | .2481     | .4115     | .3086     |
| 19   | .4252     | .4115     | .5316     |           |           | .3772     | .2743     |
| 20   | .4607     | .4458     | .567      | .2743     | .3366     | .3772     | .3429     |
| 21   | .4252     | .4458     | .5316     | .3429     |           | .4115     | .3429     |
| 22   | .4075     | .4458     | .4784     |           | .2835     | .4115     | .3429     |
| 23   | .3898     | .4801     | .3544     |           |           | .4458     | .2401     |
| 24   | .3721     | .3898     | .4801     | .3898     | .1372     | .3898     | .4801     |
| Max  | .4607     | .6024     | .567      | .6201     | .583      | .4784     | .4801     |
| Min  | .3189     | .3601     | .2743     | .2743     | .1372     | .2058     | .2401     |
| Avg  | .3964     | .4440     | .4619     | .4029     | .2404     | .388      | .3558     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

BILOLISUB-DIVISION[792] BU 4792

Substation No/ Name :- 174126 / 33 KV BAMNI SUB-STATION

Feeder No / Name : 202 / 11 KV HINGNI FEEDER SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .2572     | .4115     | .5144     | .3429     |           | .2713     | .3772     |
| 2    | .2572     | .4115     | .5144     | .3258     |           | .3052     | .4115     |
| 3    | .2572     | .4115     | .5487     | .3258     |           | .3052     | .4115     |
| 4    | .2572     | .4458     | .5487     | .1886     |           | .3052     | .4458     |
| 5    | .2572     | .4801     | .5144     | .2401     |           | .3052     | .4115     |
| 6    | .2572     | .4801     | .5144     | .2915     |           | .3052     | .3772     |
| 7    | .4115     | .4801     | .4801     | .3429     |           | .3086     |           |
| 8    | .2572     | .4973     | .4801     | .463      |           | .2572     |           |
| 9    | .3086     | .6173     | .3772     | .3601     |           | .3772     |           |
| 10   | .3429     | .6859     | .583      | .5487     |           | .3944     |           |
| 11   | .3601     | .6859     | .583      | .6173     |           | .3772     | .5144     |
| 12   | .3601     | .703      | .6344     | .1715     |           | .3772     | .6173     |
| 13   | .3772     | .703      | .703      | .4801     |           | .4115     | .6173     |
| 14   | .3772     | .7202     | .6859     | .4801     | .583      | .4458     | .3601     |
| 15   | .3772     | .7202     | .6859     |           |           | .4801     | .4801     |
| 16   | .3772     | .7202     | .6859     | .4458     | .6173     | .5144     | .3086     |
| 17   | .4115     | .583      |           | .3429     |           | .3429     | .2743     |
| 18   | .4115     | .5144     | .5316     | .4115     | .6516     | .2058     | .3772     |
| 19   |           | .5144     | .5658     |           |           |           | .4458     |
| 20   | .463      | .5144     | .5144     | .3086     | .2713     | .2743     | .4801     |
| 21   | .463      | .4801     | .4973     | .3086     |           | .3429     | .4458     |
| 22   | .4458     | .4801     | .463      |           | .2713     | .4115     | .4458     |
| 23   | .4115     | .4801     | .4287     |           |           | .4115     | .4115     |
| 24   | .2229     | .4115     | .4801     | .3429     | .2058     | .2713     | .3772     |
| Max  | .463      | .7202     | .703      | .6173     | .6516     | .5144     | .6173     |
| Min  | .2229     | .4115     | .3772     | .1715     | .2058     | .2058     | .2743     |
| Avg  | .3444     | .5480     | .5450     | .3669     | .4334     | .3479     | .4295     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

BILOLISUB-DIVISION[792] BU 4792

Substation No/ Name :- 174126 / 33 KV BAMNI SUB-STATION

Feeder No / Name : 203 / 11 KV BADOOR FEEDER SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .5316     | .4801     | .6859     | .4115     | .2743     | .5548     | .5487     |
| 2    | .5316     | .4801     | .6516     |           | .2743     | .5548     | .583      |
| 3    | .5316     | .4801     | .6516     |           | .2743     | .5895     | .583      |
| 4    | .5316     | .4458     | .6173     | .1886     | .3086     | .5895     | .6173     |
| 5    | .5316     | .4458     | .6173     | .2572     | .3086     | .6241     | .6173     |
| 6    | .5316     | .4458     | .6173     | .3258     | .3429     | .6588     | .6516     |
| 7    | .5658     | .6173     | .5487     | .3944     | .4115     | .6588     | .6516     |
| 8    | .583      | .6516     | .4801     | .3944     | .4458     | .6415     | .4458     |
| 9    | .2401     | .4801     | .5144     | .3944     | .4458     | .4458     | .5487     |
| 10   | .4801     | .4801     | .5487     | .463      | .4115     | .4458     | .6173     |
| 11   | .5144     | .4801     | .5316     | .4458     |           |           | .6173     |
| 12   | .6173     | .4801     |           | .3429     | .4161     | .3429     | .6173     |
| 13   | .5144     | .4801     | .4458     | .4115     |           | .3772     |           |
| 14   | .5658     | .5144     | .5487     | .4458     | .5201     | .4115     | .3601     |
| 15   | .6173     | .5144     | .5487     | .5144     |           | .4458     | .4458     |
| 16   | .6344     | .5144     | .5316     | .5144     | .5201     | .4801     | .4801     |
| 17   | .5144     | .5487     |           | .5144     |           | .4458     | .3429     |
| 18   | .5658     | .6173     | .6173     | .4801     | .5721     | .4458     | .4115     |
| 19   | .7202     | .6516     | .7716     | .6173     |           | .4801     | .6516     |
| 20   | .7545     | .6859     | .8402     | .6859     | .6068     | .4801     | .5487     |
| 21   | .7202     | .6859     | .7888     | .6516     |           | .5144     | .583      |
| 22   | .6859     | .7202     | .7373     |           | .6241     | .5487     | .583      |
| 23   | .4115     | .7202     | .3772     |           |           | .5144     | .4458     |
| 24   | .5316     | .4801     | .7202     | .4115     | .2401     | .4854     | .5487     |
| Max  | .7545     | .7202     | .8402     | .6859     | .6241     | .6588     | .6516     |
| Min  | .2401     | .4458     | .3772     | .1886     | .2401     | .3429     | .3429     |
| Avg  | .5594     | .5458     | .6087     | .4432     | .4116     | .5102     | .5435     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

DEGLOOR (R) S/DN[449] BU 2488

Substation No/ Name :- 174007 / 33 KV DEGLOOR-I

Feeder No / Name : 201 / 11 KV TOWN 1 DEGLOOR  
Feeder KV- 11 / OUTGOING

SHEDDABLE URBAN

| DATE | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 4    | .9774     |           | .8779     | .7682     |           |           |
| 8    | .9877     | 1.0349    | 1.0974    | 1.0608    | 1.0719    | 1.0269    |
| 10   |           |           | 1.0719    | 1.0974    |           |           |
| 12   | 1.1888    | 1.0242    | 1.0791    | 1.1888    |           | 1.1888    |
| 14   |           |           | 1.134     |           |           |           |
| 16   | 1.2437    | 1.2254    | 1.1888    |           |           |           |
| 18   |           |           | 1.1706    |           |           |           |
| 20   |           | 1.2071    | 1.4083    |           |           |           |
| 21   |           | 1.39      |           |           |           |           |
| 24   |           | 1.1888    |           |           | .9511     | 1.2696    |
| Max  | 1.2437    | 1.39      | 1.4083    | 1.1888    | 1.0719    | 1.2696    |
| Min  | .9774     | 1.0242    | .8779     | .7682     | .9511     | 1.0269    |
| Avg  | 1.0994    | 1.1784    | 1.1285    | 1.0288    | 1.0115    | 1.1618    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

DEGLOOR (R) S/DN[449] BU 2488

Substation No/ Name :- 174007 / 33 KV DEGLOOR-I

Feeder No / Name : 202 / 11 KV TOWN 2 DEGLOOR  
Feeder KV- 11 / OUTGOING

SHEDDABLE URBAN

| DATE | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 4    | .6584     |           | .5853     | .5121     |           |           |
| 8    | .7316     | .7392     | .8779     | .8413     | .7392     | .7316     |
| 10   |           |           | .8048     | .8048     |           |           |
| 11   |           |           |           | .7316     |           |           |
| 12   |           | .695      | .7316     | .7316     |           | .6584     |
| 13   | .6584     |           |           |           |           |           |
| 14   |           |           | .7682     |           |           |           |
| 16   | .5853     | .6219     | .695      |           |           |           |
| 18   |           |           | .7682     |           |           |           |
| 20   |           | .8413     | .8779     |           |           |           |
| 21   |           | .8779     |           |           |           |           |
| 24   |           | .7316     | .7316     |           | .6584     | .695      |
| Max  | .7316     | .8779     | .8779     | .8413     | .7392     | .7316     |
| Min  | .5853     | .6219     | .5853     | .5121     | .6584     | .6584     |
| Avg  | .6584     | .7512     | .7601     | .7243     | .6988     | .695      |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

DEGLOOR (R) S/DN[449] BU 2488

Substation No/ Name :- 174007 / 33 KV DEGLOOR-I

Feeder No / Name : 203 / 11 KV TOWN 3 DEGLOOR  
Feeder KV- 11 / OUTGOING

SHEDDABLE URBAN

| DATE | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 4    | .6584     |           | .6584     | .5487     |           |           |
| 8    | .8316     | .9145     | .7682     | .7499     | .6468     | .823      |
| 10   |           |           | .7316     | .7682     |           |           |
| 11   |           |           |           | .7682     |           |           |
| 12   | .695      | .695      | .6584     |           |           | .7316     |
| 14   |           |           | .695      |           |           |           |
| 16   | .6584     | .7133     | .6767     |           |           |           |
| 18   |           |           | .8131     |           |           |           |
| 20   |           | .9145     | .8962     |           |           |           |
| 21   |           | .8596     |           |           |           |           |
| 24   |           | .695      |           |           | .5487     | .7468     |
| Max  | .8316     | .9145     | .8962     | .7682     | .6468     | .823      |
| Min  | .6584     | .695      | .6584     | .5487     | .5487     | .7316     |
| Avg  | .7109     | .7987     | .7372     | .7088     | .5978     | .7671     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

DEGLOOR (R) S/DN[449] BU 2488

Substation No/ Name :- 174007 / 33 KV DEGLOOR-I

Feeder No / Name : 204 / 11 KV INDUSTRIAL DEGLOOR      SHEDDABLE FEEDER HAVING WEEKLY  
 Feeder KV- 11 / OUTGOING      STAGGERING (MIDC, EQUIVALENT)

| DATE | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 4    | .0549     |           | .0549     | .0549     |           |           |
| 8    | .0549     | .0554     | .0924     | .0914     | .0934     | .0739     |
| 10   |           |           | .0732     | .1463     |           |           |
| 12   | .0732     | .1463     | .2195     | .1829     |           | .2195     |
| 14   |           |           | .1463     |           |           |           |
| 16   | .181      | .2012     | .1646     |           |           |           |
| 18   |           |           | .1829     |           |           |           |
| 20   |           | .1463     | .128      |           |           |           |
| 21   |           | .1097     |           |           |           |           |
| 24   |           | .0549     | .0549     |           | .0554     | .056      |
| Max  | .181      | .2012     | .2195     | .1829     | .0934     | .2195     |
| Min  | .0549     | .0549     | .0549     | .0549     | .0554     | .056      |
| Avg  | .091      | .1190     | .1241     | .1189     | .0744     | .1165     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

DEGLOOR (R) S/DN[449] BU 2488

Substation No/ Name :- 174007 / 33 KV DEGLOOR-I

Feeder No / Name : 205 / 11 KV TOWN 4 DEGLOOR  
Feeder KV- 11 / OUTGOING

SHEDDABLE URBAN

| DATE | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 4    | .6401     |           | .695      | .5121     |           |           |
| 8    | .6653     | .7023     | .7682     | .7133     | .7392     | .7316     |
| 10   |           |           | .695      | .6653     |           |           |
| 12   | .6584     | .6584     | .6584     | .6036     |           | .7023     |
| 14   |           |           | .695      |           |           |           |
| 16   | .5853     | .6767     | .6219     |           |           |           |
| 18   |           |           | .5487     |           |           |           |
| 20   |           | .7865     | .7682     |           |           |           |
| 21   |           | .8048     |           |           |           |           |
| 24   |           | .695      | .5853     |           | .5487     | .7023     |
| Max  | .6653     | .8048     | .7682     | .7133     | .7392     | .7316     |
| Min  | .5853     | .6584     | .5487     | .5121     | .5487     | .7023     |
| Avg  | .6373     | .7206     | .6706     | .6236     | .6440     | .7121     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

DEGLOOR (R) S/DN[449] BU 2488

Substation No/ Name :- 174007 / 33 KV DEGLOOR-I

Feeder No / Name : 206 / 11 KV BHAKTAPUR

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 4    |           |           | .1848     | .1463     |           |           |
| 5    |           | .1829     |           |           |           |           |
| 8    | .439      |           | .439      | .3292     | .3734     | .1829     |
| 10   |           |           | .3841     | .3658     |           |           |
| 11   | .1463     |           |           | .3841     |           |           |
| 12   | .5914     |           | .4024     |           |           | .128      |
| 14   |           |           | .4024     |           |           |           |
| 15   |           | .5121     |           |           |           |           |
| 16   | .4435     | .5853     | .4207     |           |           |           |
| 18   |           |           | .2195     |           |           |           |
| 20   |           | .6036     | .2195     |           |           |           |
| 21   |           | .5487     |           |           |           |           |
| 24   |           | .1829     |           |           |           | .3292     |
| Max  | .5914     | .6036     | .439      | .3841     | .3734     | .3292     |
| Min  | .1463     | .1829     | .1848     | .1463     | .3734     | .128      |
| Avg  | .4051     | .4359     | .3341     | .3064     | .3734     | .2134     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

DEGLOOR (R) S/DN[449] BU 2488

Substation No/ Name :- 174007 / 33 KV DEGLOOR-I

Feeder No / Name : 207 / GOVT. HOSPITAL EXPRESS NON SHEDDABLE EXPRESS HV FEEDERS  
 FEEDER Feeder KV- 11 / OUTGOING (CONTINOUS PROCESS)(NO STAGGERING)

| DATE | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 4    | .0183     |           | .0187     | .0183     |           |           |
| 8    | .0185     | .0185     | .0183     | .0185     | .0189     | .0187     |
| 10   |           |           | .0187     | .0185     |           |           |
| 12   | .0183     | .0183     | .0185     | .0183     |           | .0183     |
| 14   |           |           | .0183     |           |           |           |
| 16   | .0183     | .0183     | .0183     |           |           |           |
| 18   |           |           | .0183     |           |           |           |
| 20   |           | .0187     | .0185     |           |           |           |
| 21   |           | .0187     |           |           |           |           |
| 24   |           | .0187     |           |           | .0189     | .0187     |
| Max  | .0185     | .0187     | .0187     | .0185     | .0189     | .0187     |
| Min  | .0183     | .0183     | .0183     | .0183     | .0189     | .0183     |
| Avg  | .0184     | .0185     | .0185     | .0184     | .0189     | .0186     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

DEGLOOR (R) S/DN[449] BU 2488

Substation No/ Name :- 174029 / 33 KV S/S MUKRAMABAD

Feeder No / Name : 201 / 11 KV MUKRAMABAD

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .3696     | .3734     | .2987     |           |           |
| 2    |           | .3361     |           | .2987     |           |           |
| 3    |           | .2987     | .3361     | .2987     |           |           |
| 4    |           | .3361     | .3361     | .3361     |           |           |
| 5    |           | .3696     |           | .4024     |           |           |
| 6    |           | .4755     | .4481     | .439      |           |           |
| 7    |           | .5121     | .5601     | .5121     |           |           |
| 8    |           |           | .5281     | .5487     |           |           |
| 9    |           |           | .4904     |           | .5914     | .5121     |
| 10   |           |           | .3982     |           | .6219     | .5121     |
| 11   |           |           | .4344     |           | .5853     | .4805     |
| 12   |           |           | .394      |           | .5853     | .4066     |
| 13   |           |           | .4298     |           | .5014     | .4435     |
| 14   |           |           | .4344     |           | .4656     | .4435     |
| 15   |           |           | .3982     |           | .4706     | .4066     |
| 16   |           |           | .3658     |           | .5068     | .4066     |
| 17   | .4755     |           | .4435     |           |           |           |
| 18   | .4066     |           | .3326     |           |           |           |
| 19   | .5121     |           | .4435     |           |           |           |
| 20   | .5121     |           | .4435     |           |           |           |
| 21   | .4481     |           | .4066     |           |           |           |
| 22   | .4108     |           | .4108     |           |           |           |
| 23   | .4108     |           | .3734     |           |           |           |
| 24   |           | .3734     | .4108     | .3361     |           |           |
| Max  | .5121     | .5121     | .5601     | .5487     | .6219     | .5121     |
| Min  | .4066     | .2987     | .3326     | .2987     | .4656     | .4066     |
| Avg  | .4537     | .3839     | .4178     | .3856     | .5410     | .4514     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

DEGLOOR (R) S/DN[449] BU 2488

Substation No/ Name :- 174029 / 33 KV S/S MUKRAMABAD

Feeder No / Name : 202 / 11 KV GOJEGAON SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .7202     | .8215     | .7468     |           |           |
| 2    |           | .7545     | .7468     | .7468     |           |           |
| 3    |           | .7202     | .8215     | .8589     |           |           |
| 4    |           | .7202     | .8962     | .8962     |           |           |
| 5    |           | .7888     | .9335     | 1.0349    |           |           |
| 6    |           | .8573     | 1.1203    | 1.1088    |           |           |
| 7    |           | .8916     | 1.1576    | 1.2071    |           |           |
| 8    |           |           | 1.2826    | .9877     |           |           |
| 9    |           |           | 1.2071    |           | 1.0974    | .9602     |
| 10   |           |           | 1.086     |           | 1.134     | .9259     |
| 11   |           |           | 1.0498    |           | .8048     | .9259     |
| 12   |           |           | 1.0029    |           | .788      | .9602     |
| 13   |           |           | .9671     |           | .7164     |           |
| 14   |           |           | .9412     |           | .7522     |           |
| 15   |           |           | .905      |           | .7964     | .7888     |
| 16   |           |           | .8573     |           | .7602     | .823      |
| 17   | .7545     |           | .823      |           |           | 1.0456    |
| 18   | .8573     |           | .8573     |           |           | 1.0456    |
| 19   | .9259     |           | .8573     |           |           | 1.0829    |
| 20   | .9945     |           | .924      |           |           | 1.0456    |
| 21   | .9259     |           | .924      |           |           | 1.0082    |
| 22   | .8573     |           | .8962     |           |           | .9335     |
| 23   | .823      |           | .8589     |           |           | .8962     |
| 24   |           | .7888     | .8589     | .7842     |           |           |
| Max  | .9945     | .8916     | 1.2826    | 1.2071    | 1.134     | 1.0829    |
| Min  | .7545     | .7202     | .7468     | .7468     | .7164     | .7888     |
| Avg  | .8769     | .7802     | .9498     | .9302     | .8562     | .9570     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

DEGLOOR (R) S/DN[449] BU 2488

Substation No/ Name :- 174029 / 33 KV S/S MUKRAMABAD

Feeder No / Name : 203 / 11 KV RAVANKOLA SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .6173     | .6348     | .4481     |           |           |
| 2    |           | .583      | .5975     | .4854     |           |           |
| 3    |           | .6173     | .6348     | .4854     |           |           |
| 4    |           | .583      | .6722     | .5228     |           |           |
| 5    |           | .583      | .7468     | .5175     |           |           |
| 6    |           | .7888     | .8962     | .5544     |           |           |
| 7    |           | .8916     | .9335     | .8048     |           |           |
| 8    |           |           | 1.0185    | .8413     |           |           |
| 9    |           |           | .9808     |           | .7682     | .7888     |
| 10   |           |           | .724      |           | .6584     | .7202     |
| 11   |           |           | .6878     |           | .5121     | .6516     |
| 12   |           |           | .6447     |           |           | .6516     |
| 13   |           |           | .6089     |           |           | .6516     |
| 14   |           |           | .5792     |           |           | .6173     |
| 15   |           |           | .5792     |           | .5068     | .6516     |
| 16   |           |           | .5014     |           | .5792     | .6516     |
| 17   | .7545     |           | .6173     |           |           |           |
| 18   | .7888     |           | .6516     |           |           |           |
| 19   | .6516     |           | .5144     |           |           |           |
| 20   | .7202     |           | .5175     |           |           |           |
| 21   | .6859     |           | .4805     |           |           |           |
| 22   | .6173     |           | .4435     |           |           |           |
| 23   | .6173     |           | .4481     |           |           |           |
| 24   |           | .6516     | .6722     | .4481     |           |           |
| Max  | .7888     | .8916     | 1.0185    | .8413     | .7682     | .7888     |
| Min  | .6173     | .583      | .4435     | .4481     | .5068     | .6173     |
| Avg  | .6908     | .6645     | .6577     | .5675     | .6049     | .6730     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

DEGLOOR (R) S/DN[449] BU 2488

Substation No/ Name :- 174035 / 33 KV S/S TAMLOOR

Feeder No / Name : 201 / 11 KV TAMLOOR

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 8    | .2865     | .2507     | .3582     | .3045     | .5121     | .3475     |
| 16   | .4748     | .4298     | .5121     | .5121     | .5121     |           |
| 24   | .2303     | .2172     | .2561     | .2481     | .2195     | .2195     |
| Max  | .4748     | .4298     | .5121     | .5121     | .5121     | .3475     |
| Min  | .2303     | .2172     | .2561     | .2481     | .2195     | .2195     |
| Avg  | .3305     | .2992     | .3755     | .3549     | .4146     | .2835     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

DEGLOOR (R) S/DN[449] BU 2488

Substation No/ Name :- 174035 / 33 KV S/S TAMLOOR

Feeder No / Name : 202 / 11KV NARANGAL

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 7    |           |           |           |           | .2715     | .4163     |
| 8    | .3605     | .4252     |           |           |           |           |
| 16   | .1254     | .1829     | .124      | .1448     | .1448     |           |
| 24   | .2328     | .4024     | .2103     | .2481     | .181      | .362      |
| Max  | .3605     | .4252     | .2103     | .2481     | .2715     | .4163     |
| Min  | .1254     | .1829     | .124      | .1448     | .1448     | .362      |
| Avg  | .2396     | .3368     | .1672     | .1965     | .1991     | .3892     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for **All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

DEGLOOR (R) S/DN[449] BU 2488

Substation No/ Name :- 174035 / 33 KV S/S TAMLOOR

Feeder No / Name : 203 / 11 KV SANGVI

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 8    | .4607     | .4115     | .4207     | .0895     | .4066     | 1.1088    |
| 16   | .1097     | .1646     | .2033     | .9795     | .1848     |           |
| 24   | .3189     | .407      | .4024     | .4656     | .1848     | .7023     |
| Max  | .4607     | .4115     | .4207     | .9795     | .4066     | 1.1088    |
| Min  | .1097     | .1646     | .2033     | .0895     | .1848     | .7023     |
| Avg  | .2964     | .3277     | .3421     | .5115     | .2587     | .9056     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

DEGLOOR (R) S/DN[449] BU 2488

Substation No/ Name :- 174035 / 33 KV S/S TAMLOOR

Feeder No / Name : 204 / 11KV MANDAGI

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 8    | .1029     | .0373     | .0532     | .1227     | .1063     | .1063     |
| 16   | .0549     | .032      | .0526     | .0354     | .0354     |           |
| 24   | .0732     | .1017     | .0686     | .0876     | .0709     | .0709     |
| Max  | .1029     | .1017     | .0686     | .1227     | .1063     | .1063     |
| Min  | .0549     | .032      | .0526     | .0354     | .0354     | .0709     |
| Avg  | .077      | .057      | .0581     | .0819     | .0709     | .0886     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

DEGLOOR (R) S/DN[449] BU 2488

Substation No/ Name :- 174035 / 33 KV S/S TAMLOOR

Feeder No / Name : 205 / 11KV SHELGAON SINGLE PHASING  
Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 7    |           |           |           |           | .2865     |           |
| 8    |           | .3258     | .2629     | .2629     |           | .2865     |
| 16   | .3641     | .4578     | .2835     | .4477     | .3582     |           |
| 24   | .2241     | .2058     | .2328     | .2229     | .2149     | .2507     |
| Max  | .3641     | .4578     | .2835     | .4477     | .3582     | .2865     |
| Min  | .2241     | .2058     | .2328     | .2229     | .2149     | .2507     |
| Avg  | .2941     | .3298     | .2597     | .3112     | .2865     | .2686     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

DEGLOOR (R) S/DN[449] BU 2488

Substation No/ Name :- 174037 / 33 KV S/S HANEGAON

Feeder No / Name : 201 / 11 KV HANEGAON SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 8    | .6036     | .3475     | .543      | .543      |           |           | .3475     |
| 16   | .439      | .5973     | .4755     | .543      | .4572     | .439      |           |
| 22   | .4024     |           |           |           |           | .4706     | .4755     |
| 24   |           |           | .543      | .567      | .4477     |           |           |
| Max  | .6036     | .5973     | .543      | .567      | .4572     | .4706     | .4755     |
| Min  | .4024     | .3475     | .4755     | .543      | .4477     | .439      | .3475     |
| Avg  | .4817     | .4724     | .5205     | .551      | .4525     | .4548     | .4115     |



**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

DEGLOOR (R) S/DN[449] BU 2488

Substation No/ Name :- 174037 / 33 KV S/S HANEGAON

Feeder No / Name : 202 / 11 KV WAZAR

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 8    | .5359     | .4024     | .2328     | .2926     |           |           | .362      |
| 16   | .2926     | .4024     | .3801     | .6036     | .2534     | .439      |           |
| 22   | .3772     |           |           |           |           | .415      | .4024     |
| 24   |           |           | .2149     | .197      | .362      |           |           |
| Max  | .5359     | .4024     | .3801     | .6036     | .362      | .439      | .4024     |
| Min  | .2926     | .4024     | .2149     | .197      | .2534     | .415      | .362      |
| Avg  | .4019     | .4024     | .2759     | .3644     | .3077     | .427      | .3822     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

DEGLOOR (R) S/DN[449] BU 2488

Substation No/ Name :- 174037 / 33 KV S/S HANEGAON

Feeder No / Name : 203 / 11 KV LONI

Feeder KV- 11 / OUTGOING

SINGLE PHASING

| DATE | 08-APR-18 | 09-APR-18 | 13-APR-18 |
|------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) |
| 8    | .4435     | .3439     |           |
| 16   | .3658     |           | .2353     |
| Max  | .4435     | .3439     | .2353     |
| Min  | .3658     | .3439     | .2353     |
| Avg  | .4047     | .3439     | .2353     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

DEGLOOR (R) S/DN[449] BU 2488

Substation No/ Name :- 174053 / 33 KV S/S KARADKHED

Feeder No / Name : 201 / 11 KV KARADKHED

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           |           |           |           | .9808     |           |
| 2    |           |           |           |           |           | .9431     |           |
| 3    |           |           |           |           |           | .9054     |           |
| 4    |           |           |           |           |           | .8676     |           |
| 5    |           |           |           |           |           | .9808     |           |
| 6    |           |           |           |           |           | 1.1317    |           |
| 7    |           |           |           |           |           | 1.1317    |           |
| 8    | 1.1016    | 1.1203    |           | .8316     | .7842     |           | 1.5061    |
| 9    |           | .9335     | 1.7661    |           |           |           |           |
| 11   |           |           |           |           | .9997     |           |           |
| 12   |           |           |           |           | .8859     |           |           |
| 13   |           |           |           |           | .8505     |           |           |
| 14   |           |           |           |           | .815      |           |           |
| 15   |           |           |           |           | .9808     |           |           |
| 16   |           | 1.8427    | 2.0748    | 1.6461    | 1.1517    | 1.6301    |           |
| 17   |           |           |           |           | 1.3289    |           |           |
| 18   |           |           |           |           | .2641     |           |           |
| 19   |           |           |           |           | .7922     |           |           |
| 20   |           |           |           |           | .9054     |           |           |
| 21   |           |           |           |           | 1.094     |           |           |
| 22   |           |           |           |           | 1.0185    |           |           |
| 23   |           |           |           |           | 1.0374    |           |           |
| 24   | 1.1576    |           | .924      | .9709     | .6535     | .9997     | 1.2269    |
| Max  | 1.1576    | 1.8427    | 2.0748    | 1.6461    | 1.3289    | 1.6301    | 1.5061    |
| Min  | 1.1016    | .9335     | .924      | .8316     | .2641     | .8676     | 1.2269    |
| Avg  | 1.1296    | 1.2988    | 1.5883    | 1.1495    | .9041     | 1.0634    | 1.3665    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

DEGLOOR (R) S/DN[449] BU 2488

Substation No/ Name :- 174053 / 33 KV S/S KARADKHED

Feeder No / Name : 202 / 11 KV MARKHEL

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 6    |           |           |           |           |           | .3961     |           |
| 7    |           |           |           |           | .2614     | .415      |           |
| 8    | .3734     | .3734     | .4108     | .3696     |           | .3961     | .9991     |
| 9    |           |           |           |           | .0886     |           |           |
| 10   |           |           |           |           | .8865     |           |           |
| 16   | .9391     | .6836     | .9882     | .8495     |           | .8939     |           |
| 24   | .3734     | .3326     | .3174     | .3174     | .2241     |           | .7442     |
| Max  | .9391     | .6836     | .9882     | .8495     | .8865     | .8939     | .9991     |
| Min  | .3734     | .3326     | .3174     | .3174     | .0886     | .3961     | .7442     |
| Avg  | .5620     | .4632     | .5721     | .5122     | .3652     | .5253     | .8717     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

DEGLOOR (R) S/DN[449] BU 2488

Substation No/ Name :- 174053 / 33 KV S/S KARADKHED

Feeder No / Name : 203 / 11 KV KINI SINGLE PHASING  
Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           |           |           |           | .415      |           |
| 2    |           |           |           |           |           | .3772     |           |
| 3    |           |           |           |           |           | .3395     |           |
| 4    |           |           |           |           |           | .3018     |           |
| 5    |           |           |           |           |           | .2452     |           |
| 6    |           |           |           |           |           | .3206     |           |
| 7    |           |           |           |           |           | .2829     |           |
| 8    | .2987     | .2587     | .2772     |           | .2957     | .1698     | .9465     |
| 9    |           |           |           | .6089     | .4607     |           |           |
| 10   |           |           |           |           | .4784     | .1698     |           |
| 11   |           |           |           |           | .439      |           |           |
| 12   |           |           |           |           | .4338     |           |           |
| 13   |           |           |           |           | .3961     |           |           |
| 14   |           |           |           |           | .4715     |           |           |
| 15   |           |           |           |           | .5487     |           |           |
| 16   | .8063     | .6935     | .7888     | .6024     | .7316     | .7712     |           |
| 17   |           |           |           |           | .124      |           |           |
| 18   |           |           |           |           | .1509     |           |           |
| 19   |           |           |           |           | .2263     |           |           |
| 20   |           |           |           |           | .2641     |           |           |
| 21   |           |           |           |           | .3206     |           |           |
| 22   |           |           |           |           | .2835     |           |           |
| 23   |           |           |           |           | .3584     |           |           |
| 24   | .2957     | .2587     | .2614     | .2614     | .2054     | .3961     | .7087     |
| Max  | .8063     | .6935     | .7888     | .6089     | .7316     | .7712     | .9465     |
| Min  | .2957     | .2587     | .2614     | .2614     | .124      | .1698     | .7087     |
| Avg  | .4669     | .4036     | .4425     | .4909     | .3640     | .3445     | .8276     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

DEGLOOR (R) S/DN[449] BU 2488

Substation No/ Name :- 174053 / 33 KV S/S KARADKHED

Feeder No / Name : 204 / 11 KV DEGLOOR WATER SUPPLY NON SHEDDABLE EXPRESS HV FEEDERS  
Feeder KV- 11 / OUTGOING (CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           |           |           |           | .0934     |           |
| 2    |           |           |           |           |           | .0724     |           |
| 3    |           |           |           |           |           | .0532     |           |
| 4    |           |           |           |           |           | .0537     |           |
| 5    |           |           |           |           |           | .0724     |           |
| 6    |           |           |           |           |           | .1075     |           |
| 7    |           |           |           |           |           | .0739     |           |
| 8    | .1307     | .1294     | .1097     | .1109     | .1294     | .1629     | .1227     |
| 9    |           |           |           |           | .124      |           |           |
| 10   |           |           |           |           | .124      |           |           |
| 11   |           |           |           |           | .0754     |           |           |
| 12   |           |           |           |           | .0754     |           |           |
| 13   |           |           |           |           | .132      |           |           |
| 14   |           |           |           |           | .124      |           |           |
| 15   |           |           |           |           | .0886     |           |           |
| 16   | .1063     | .112      | .128      | .0739     | .1063     | .0867     |           |
| 17   |           |           |           |           | .124      |           |           |
| 18   |           |           |           |           | .1663     |           |           |
| 19   |           |           |           |           | .1417     |           |           |
| 20   |           |           |           |           | .1417     |           |           |
| 21   |           |           |           |           | .1417     |           |           |
| 22   |           |           |           |           | .1417     |           |           |
| 23   |           |           |           |           | .1294     |           |           |
| 24   | .0747     | .0739     | .1294     |           | .128      | .0905     | .0709     |
| Max  | .1307     | .1294     | .1294     | .1109     | .1663     | .1629     | .1227     |
| Min  | .0747     | .0739     | .1097     | .0739     | .0754     | .0532     | .0709     |
| Avg  | .1039     | .1051     | .1224     | .0924     | .1232     | .0867     | .0968     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

DEGLOOR (R) S/DN[449] BU 2488

Substation No/ Name :- 174053 / 33 KV S/S KARADKHED

Feeder No / Name : 205 / 11 KV CHAKUR EXPRESS

NON SHEDDABLE EXPRESS HV FEEDERS

FEEDER Feeder KV- 11 /

(CONTINUOUS PROCESS)(NO STAGGERING)

OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           |           |           | .0934     | .0724     |           |
| 2    |           |           |           |           |           | .0716     |           |
| 3    |           |           |           |           |           | .0867     |           |
| 4    |           |           |           |           |           | .0895     |           |
| 5    |           |           |           |           |           | .0905     |           |
| 6    |           |           |           |           |           | .0709     |           |
| 7    |           |           |           |           |           | .052      |           |
| 8    | .0739     | .056      | .0747     | .0747     | .056      | .0566     | .0526     |
| 9    |           |           |           |           | .0709     |           |           |
| 10   |           |           |           |           | .0886     |           |           |
| 11   |           |           |           |           | .0709     |           |           |
| 12   |           |           |           |           | .0709     |           |           |
| 13   |           |           |           |           | .0709     |           |           |
| 14   |           |           |           |           | .0709     |           |           |
| 15   |           |           |           |           | .0732     |           |           |
| 16   | .0886     | .0747     | .1307     | .0934     | .0914     | .1063     |           |
| 17   |           |           |           |           | .0886     |           |           |
| 18   |           |           |           |           | .1063     |           |           |
| 19   |           |           |           |           | .1063     |           |           |
| 20   |           |           |           |           | .0886     |           |           |
| 21   |           |           |           |           | .0914     |           |           |
| 22   |           |           |           |           | .0943     |           |           |
| 23   |           |           |           |           | .0886     |           |           |
| 24   | .0747     | .0739     | .0739     | .0739     |           | .0905     | .0709     |
| Max  | .0886     | .0747     | .1307     | .0934     | .1063     | .1063     | .0709     |
| Min  | .0739     | .056      | .0739     | .0739     | .056      | .052      | .0526     |
| Avg  | .0791     | .0682     | .0931     | .0807     | .0836     | .0787     | .0618     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

DHARMABAD (R) S/DN[458] BU 2470

Substation No/ Name :- 174043 / 33 KV CHAINAPUR

Feeder No / Name : 201 / 11 KV KUNDALWADI

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 09-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) |
| 8    | .5906     | .6097     |           |
| 17   |           |           | .5901     |
| Max  | .5906     | .6097     | .5901     |
| Min  | .5906     | .6097     | .5901     |
| Avg  | .5906     | .6097     | .5901     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

DHARMABAD (R) S/DN[458] BU 2470

Substation No/ Name :- 174043 / 33 KV CHAINAPUR

Feeder No / Name : 203 / 11 KV GUJARI

Feeder KV- 11 / OUTGOING

GAOTHAN FEEDER

| DATE | 09-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) |
| 8    | .2667     | .3239     |           |
| 17   |           |           | .2398     |
| Max  | .2667     | .3239     | .2398     |
| Min  | .2667     | .3239     | .2398     |
| Avg  | .2667     | .3239     | .2398     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

DHARMABAD (R) S/DN[458] BU 2470

Substation No/ Name :- 174066 / 33 KV KARKHELI

Feeder No / Name : 201 / 11 KV RAO DHANORA

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 2    | .3887     |           | .4287     |           |           | .415      | .3772     |
| 4    | .421      |           | .4458     | .394      |           | .4527     | .4115     |
| 5    |           | .3909     |           |           |           |           |           |
| 6    | .4858     |           | .4801     | .4298     | .2719     | .4904     | .4458     |
| 7    |           | .3059     |           |           | .2889     |           |           |
| 8    |           | .2889     | .4287     | .4298     | .2889     | .4904     | .4287     |
| 9    |           | .5948     |           |           |           |           |           |
| 10   |           | .6288     |           | .5898     | .4419     | .6154     |           |
| 12   | .3739     | .7202     | .6554     | .8327     | .5668     | .6859     | .4877     |
| 14   | .2889     | .7202     |           | .7308     | .583      | .6859     | .6036     |
| 15   |           |           |           |           | .583      |           |           |
| 16   | .3229     | .6859     | .4915     | .8497     | .6154     | .6859     | .7042     |
| 17   | .3399     |           |           |           |           |           |           |
| 18   | .3059     | .4115     | .3658     | .3569     | .415      | .3772     | .394      |
| 20   |           | .4801     | .5121     | .4758     | .4904     | .4458     | .394      |
| 21   | .4419     |           |           |           |           |           |           |
| 22   |           | .4801     | .4755     |           | .4904     | .4458     | .4656     |
| 24   | .3563     | .4079     | .4287     |           | .2889     | .3772     | .4287     |
| Max  | .4858     | .7202     | .6554     | .8497     | .6154     | .6859     | .7042     |
| Min  | .2889     | .2889     | .3658     | .3569     | .2719     | .3772     | .3772     |
| Avg  | .3725     | .5096     | .4712     | .5655     | .4437     | .5140     | .4674     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

DHARMABAD (R) S/DN[458] BU 2470

Substation No/ Name :- 174066 / 33 KV KARKHELI

Feeder No / Name : 202 / 11 KV YETALA

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 2    | 1.1317    |           | 1.3717    |           |           | 1.3765    | 1.2003    |
| 4    | 1.226     |           | 1.4575    | 1.3108    |           | 1.4575    | 1.3717    |
| 5    |           | 1.39      |           |           |           |           |           |
| 6    | 1.226     |           | 1.5775    | 1.4746    | 1.3568    | 1.6194    | 1.4575    |
| 7    |           | 1.668     |           |           | 1.5655    |           |           |
| 8    | 1.3203    | 1.5985    | 1.8861    | 1.1523    | 1.5307    | 1.7004    | 1.8004    |
| 9    |           | .9752     |           |           |           |           |           |
| 10   | 1.6194    | .8166     |           | .8596     | .9567     | 1.3203    |           |
| 12   | 1.668     | .6859     |           | .834      | .9431     | .8573     | .9259     |
| 14   | 1.4769    | .6001     |           | .8523     | .7545     | .6859     | 1.0745    |
| 15   | 1.529     |           |           |           |           |           |           |
| 16   |           | .6001     |           | 1.0437    | .8488     |           | 1.0745    |
| 17   | .781      |           |           |           |           |           |           |
| 18   | .8688     | .6859     | 1.2071    | .973      | 1.1317    | .8573     | .8596     |
| 20   |           | 1.2003    | 1.3146    | 1.1828    | 1.3203    | 1.2003    | 1.3432    |
| 21   | 1.112     |           |           |           |           |           |           |
| 22   |           | 1.2003    | 1.2894    |           | 1.3203    | 1.2003    | 1.2894    |
| 24   | 1.226     | 1.4263    | 1.3717    | 1.3717    | .6262     | 1.0526    | 1.1145    |
| Max  | 1.668     | 1.668     | 1.8861    | 1.4746    | 1.5655    | 1.7004    | 1.8004    |
| Min  | .781      | .6001     | 1.2071    | .834      | .6262     | .6859     | .8596     |
| Avg  | 1.2654    | 1.0706    | 1.4345    | 1.1055    | 1.1231    | 1.2116    | 1.2283    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

DHARMABAD (R) S/DN[458] BU 2470

Substation No/ Name :- 174066 / 33 KV KARKHELI

Feeder No / Name : 203 / 11 KV ELEGAON

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 2    | .9717     |           | .8573     |           |           | .8488     | .7716     |
| 4    | 1.0526    |           | .8916     | .8059     |           | .9054     | .823      |
| 5    |           | .7025     |           |           |           |           |           |
| 6    | 1.2955    |           | .9431     | .9313     | .7025     | .9431     | .8573     |
| 7    |           | .8302     |           |           | .7663     |           |           |
| 8    | 1.2146    | .7823     | .823      | .9313     | .7663     | .9431     | .7716     |
| 9    |           | 1.1974    |           |           |           |           |           |
| 10   | .9431     | 1.2453    |           | 1.1203    | 1.0857    | 1.1336    |           |
| 12   | .6386     | 1.3717    | 1.3413    | 1.2134    | 1.2146    | 1.286     | .9907     |
| 14   | .5748     | 1.406     |           | 1.2453    | 1.2955    | 1.406     | .9755     |
| 15   | .5907     |           |           |           |           |           |           |
| 16   |           | 1.4575    | 1.0669    | 1.2772    | 1.2955    | 1.3717    | 1.0364    |
| 17   | .6546     |           |           |           |           |           |           |
| 18   | .7185     | .7716     | .7522     | .7185     | .7167     | .6001     | .7522     |
| 20   |           | .8916     | 1.0517    | .8302     | .9431     | .8573     | 1.0745    |
| 21   | .8142     |           |           |           |           |           |           |
| 22   |           | .8573     | .8916     |           | .9431     | .8573     | .8954     |
| 24   | .8097     | .7504     | .8573     | .8954     | .5907     | .8488     | .7716     |
| Max  | 1.2955    | 1.4575    | 1.3413    | 1.2772    | 1.2955    | 1.406     | 1.0745    |
| Min  | .5748     | .7025     | .7522     | .7185     | .5907     | .6001     | .7522     |
| Avg  | .8566     | 1.0220    | .9476     | .9969     | .9382     | 1.0001    | .8836     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

DHARMABAD (R) S/DN[458] BU 2470

Substation No/ Name :- 174066 / 33 KV KARKHELI

Feeder No / Name : 204 / Karkheli Gaothan

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 2    | .1619     |           | .5144     |           |           | .4904     | .5144     |
| 4    | .1619     |           | .5144     | .5014     |           | .5658     | .5144     |
| 5    |           | .4536     |           |           |           |           |           |
| 6    | .1619     |           |           | .5853     | .378      | .5658     | .5487     |
| 7    |           | .4725     | .6001     |           | .3969     |           |           |
| 8    | .1296     | .4536     | .5144     | .6089     | .4347     | .5658     | 1.0288    |
| 9    |           | .2079     |           |           |           |           |           |
| 10   |           | .2457     |           | .2865     | .2268     | .1943     |           |
| 12   |           | .3086     | .2743     | .2268     | .1619     | .2743     | .2401     |
| 14   | .4725     | .2572     |           | .2835     | .1619     | .3086     | .2743     |
| 15   | .5103     |           |           |           |           |           |           |
| 16   |           | .2743     | .2743     | .2835     | .1943     | .2743     | .2743     |
| 17   | .4914     |           |           |           |           |           |           |
| 18   | .5103     | .4287     |           | .4158     | .5658     | .4287     | .5487     |
| 20   |           | .5487     | .6447     | .4536     | .6413     | .5487     | .6219     |
| 21   | .4536     |           |           |           |           |           |           |
| 22   |           | .5487     | .6089     |           | .5281     | .5487     | .6219     |
| 24   | .1943     | .4914     |           | .5373     | .4158     | .4904     | .5144     |
| Max  | .5103     | .5487     | .6447     | .6089     | .6413     | .5658     | 1.0288    |
| Min  | .1296     | .2079     | .2743     | .2268     | .1619     | .1943     | .2401     |
| Avg  | .3248     | .3909     | .4932     | .4183     | .3732     | .4380     | .5184     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

MUKHED (R) S/DN[448] BU 2496

Substation No/ Name :- 174067 / 33 KV YEOTI

Feeder No / Name : 201 / 11 KV YEOTI

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 2    |           | .3155     |           | .3429     | .2572     | .2915     | .2915     |
| 4    |           | .3506     |           | .4115     | .3086     | .3258     | .3258     |
| 6    |           | .4161     |           | .4801     | .3944     | .3944     | .4115     |
| 8    |           | .4908     | .5144     | .4115     | .4287     | .4458     | .3772     |
| 10   |           |           | 4.8183    | .4115     | .4458     | .2915     | .4801     |
| 12   | .5434     |           |           |           | .4801     | .463      | .463      |
| 14   | .4908     |           |           | .4115     |           | .2743     | .4801     |
| 16   | .5138     | .5144     |           | .4801     | .463      | .3944     | .4801     |
| 18   | .3544     |           |           | .3258     | .3086     | .3086     | .2743     |
| 20   | .4908     |           |           | .3944     | .4287     | .4115     | .4973     |
| 22   | .4298     |           |           |           | .3772     | .3429     | .4115     |
| 24   |           | .3721     | .3601     |           | .3086     | .3429     | .3429     |
| Max  | .5434     | .5144     | 4.8183    | .4801     | .4801     | .463      | .4973     |
| Min  | .3544     | .3155     | .3601     | .3258     | .2572     | .2743     | .2743     |
| Avg  | .4705     | .4099     | 1.8976    | .4077     | .3819     | .3572     | .4029     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

MUKHED (R) S/DN[448] BU 2496

Substation No/ Name :- 174067 / 33 KV YEOTI

Feeder No / Name : 202 / 11 KV HONWADAJ

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 2    |           | .8413     |           | .8669     |           | .8669     | .8322     |
| 4    |           | .8764     |           | .9362     |           | .9015     | .9015     |
| 6    |           | 1.0576    |           | 1.0749    |           | 1.1789    | .8842     |
| 8    |           | .9816     | 1.3003    | 1.0923    |           | .9189     | 1.1096    |
| 10   |           |           |           | .7888     |           | .8916     | .7373     |
| 12   | .8238     |           |           | .6859     |           | .703      | .7373     |
| 14   | .7537     |           |           | .6173     | .7545     |           | .6516     |
| 16   | .7265     | 1.0288    | .6859     | .6859     | .8059     | .6859     | .703      |
| 18   | .9745     |           |           | .7282     | .7975     | .6588     |           |
| 20   | 1.1919    |           |           | 1.2136    | 1.1963    | 1.0576    | 1.1616    |
| 22   | 1.0208    |           |           |           | .9882     | .9015     | .9362     |
| 24   |           | .9214     | 1.3003    |           |           | .9536     | .8842     |
| Max  | 1.1919    | 1.0576    | 1.3003    | 1.2136    | 1.1963    | 1.1789    | 1.1616    |
| Min  | .7265     | .8413     | .6859     | .6173     | .7545     | .6588     | .6516     |
| Avg  | .9152     | .9512     | 1.0955    | .869      | .9085     | .8835     | .8672     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

NAIGAON (R) S/DN[450] BU 2445

Substation No/ Name :- 174009 / 33 KV NARSI

Feeder No / Name : 201 / 11 KV NARSI GAOTHAN

GAOTHAN FEEDER

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .5487     | .5601     | .6173     | .679      | .5228     | .6173     | .7545     |
| 2    | .5487     | .5601     | .6173     | .6413     | .5228     | .6173     | .7167     |
| 3    | .5487     | .5601     | .6173     | .6413     | .5601     | .6173     | .7167     |
| 4    | .5487     | .6348     | .6516     | .679      | .6348     | .6173     | .7167     |
| 5    | .583      | .6722     | .6516     | .7167     | .6722     | .6516     | .7545     |
| 6    | .6516     | .7468     | .7202     | .7545     | .6722     | .6859     | .7922     |
| 7    | .7545     | .8215     | .7545     | .8215     | .7468     | .7888     | .8589     |
| 8    | .823      | .7468     | .7888     | .8215     | .7468     | .7545     | .7842     |
| 9    | .6516     | .7468     | .7202     | .7392     | .7468     | .6859     | .8413     |
| 10   | .7842     | .6859     | .7964     | .7842     | .6722     | .6173     | .8688     |
| 11   | .6722     | .7545     | .8048     | .7468     | .6173     | .7499     | .905      |
| 12   | .6722     | .8573     | .7499     | .6722     | .583      | .7316     | .8413     |
| 13   | .6348     | .8573     | .7602     | .5975     | .6173     | .7421     | 1.0242    |
| 14   | .5975     | .7202     | .7499     | .5975     | .6516     | .695      | .905      |
| 15   | .5975     | .6516     | .695      | .5601     | .6516     | .6401     | .8326     |
| 16   | .5975     | .6516     | .724      | .5601     | .583      | .6219     | .7602     |
| 17   | .6348     | .6516     | .724      | .6722     | .583      | .7602     | .695      |
| 18   | .6653     | .6173     | .7499     | .6722     | .6859     | .6516     | .724      |
| 19   | .7392     | .7888     | .8779     | .7842     | .7888     | .8048     | .8779     |
| 20   | .6722     | .7888     | .8779     | .7468     | .7888     | .8413     | .8779     |
| 21   | .6722     | .7545     | .8501     | .6653     | .7545     | .8871     | .8413     |
| 22   | .6348     | .7202     | .8316     |           | .7202     | .8589     | .7762     |
| 23   | .5914     | .6859     | .7842     |           | .6859     | .8589     | .7468     |
| 24   | .5487     | .5601     | .6516     | .7545     | .5175     | .6516     | .7842     |
| Max  | .823      | .8573     | .8779     | .8215     | .7888     | .8871     | 1.0242    |
| Min  | .5487     | .5601     | .6173     | .5601     | .5175     | .6173     | .695      |
| Avg  | .6405     | .6998     | .7403     | .6958     | .6552     | .7145     | .8082     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

NAIGAON (R) S/DN[450] BU 2445

Substation No/ Name :- 174009 / 33 KV NARSI

Feeder No / Name : 202 / 11 KV NAIGAON GAOTHAN

GAOTHAN FEEDER

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.3717    | 1.5684    | 1.5089    | 1.5844    | 1.5684    | 1.5089    | 1.5466    |
| 2    | 1.3717    | 1.5684    | 1.5089    | 1.5089    | 1.5684    | 1.5089    | 1.5089    |
| 3    | 1.3717    | 1.6057    | 1.5089    | 1.5089    | 1.6057    | 1.4746    | 1.5089    |
| 4    | 1.406     | 1.643     | 1.5432    | 1.5844    | 1.643     | 1.5089    | 1.5844    |
| 5    | 1.5432    | 1.7177    | 1.6118    | 1.6221    | 1.643     | 1.5775    | 1.7353    |
| 6    | 1.7147    | 1.7924    | 1.6804    | 1.6975    | 1.6804    | 1.6118    | 2.0748    |
| 7    | 1.9547    | 1.9418    | 1.9547    | 1.8671    | 1.7177    | 1.7833    | 2.1285    |
| 8    | 1.7833    | 1.8671    | 1.8519    | 1.7002    | 1.7924    | 1.7833    | 2.2032    |
| 9    | 1.7147    | 1.7177    | 1.7147    | 1.848     | 1.6804    | 1.8861    | 2.1437    |
| 10   |           | 1.5775    | 1.7558    | 1.6804    | 1.5684    | 1.8519    | 2.0119    |
| 11   | 1.6804    | 1.6118    | 1.6827    | 1.6804    | 1.4403    | 1.885     | 1.9589    |
| 12   | 1.643     | 1.7147    | 1.7737    | 1.643     | 1.4746    | 1.9022    | 1.4632    |
| 13   | 1.6057    | 1.7147    | 1.8461    | 1.4937    | 1.4746    | 1.828     | 1.829     |
| 14   | 1.5684    | 1.6804    | 1.7924    | 1.5684    | 1.4403    |           | 1.8099    |
| 15   | 1.5684    | 1.6461    | 1.7558    | 1.4937    | 1.4403    | 1.9387    | 1.7737    |
| 16   | 1.6057    | 1.6461    | 1.7558    | 1.5684    | 1.3717    |           | 1.7924    |
| 17   | 1.643     | 1.6804    | 1.9022    | 1.643     | 1.4403    | .823      | 2.0485    |
| 18   | 1.7924    | 1.7147    | 1.7558    | 1.8671    | 1.5775    | .8501     | 1.9909    |
| 19   | 2.0538    | 2.0576    | 2.0485    | 2.0165    | 1.989     | 2.3411    | 2.0995    |
| 20   | 2.0165    | 2.0233    | 2.0119    | 2.2032    | 1.9547    | 2.3777    | 2.1948    |
| 21   | 1.6804    | 1.8861    | 1.9959    | 1.8671    | 1.7147    | 2.2916    | 2.0119    |
| 22   | 1.643     | 1.7833    | 1.9791    |           | 1.6804    | 2.1658    | 1.885     |
| 23   |           | 1.6118    | 1.8298    | 1.4937    | 1.6118    | 1.9418    | 1.8298    |
| 24   | 1.406     | 1.5684    | 1.5432    | 1.6804    | 1.5684    | 1.5432    | 1.7177    |
| Max  | 2.0538    | 2.0576    | 2.0485    | 2.2032    | 1.989     | 2.3777    | 2.2032    |
| Min  | 1.3717    | 1.5684    | 1.5089    | 1.4937    | 1.3717    | .823      | 1.4632    |
| Avg  | 1.6427    | 1.7225    | 1.7630    | 1.6878    | 1.6103    | 1.7447    | 1.8688    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

NAIGAON (R) S/DN[450] BU 2445

Substation No/ Name :- 174009 / 33 KV NARSI

Feeder No / Name : 203 / 11 KV CANAL AG  
Feeder KV- 11 / OUTGOINGSEPARATED AG FEEDERS HAVING SPECIAL  
DESIGN TRANSFORMER

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .1372     | .1109     | .1029     | .1086     |           | .1029     | .0716     |
| 2    | .1372     | .112      | .1029     | .0724     |           | .1029     | .0724     |
| 3    | .1372     | .112      | .1029     | .0716     |           | .1029     | .0724     |
| 4    | .1372     | .1109     | .1029     | .0724     |           | .1029     | .0724     |
| 5    | .1715     | .1494     | .1029     | .0716     |           | .1029     | .0716     |
| 6    | .2058     | .1494     | .1715     | .1075     |           | .1372     | .1075     |
| 7    | .2401     | .1867     | .1715     | .1772     |           | .1372     | .1254     |
| 8    | .2401     | .1509     | .2058     | .1227     |           | .1372     | .124      |
| 9    |           | .1886     | .2401     | .1928     | .1494     | .2229     | .2804     |
| 10   |           | .1715     | .3224     | .1867     | .1867     | .2401     | .2743     |
| 11   |           | .2058     | .4298     | .1867     | .2058     | .1791     | .3086     |
| 12   |           | .2058     | .4607     | .1494     | .2058     | .2507     | .3856     |
| 13   |           | .2401     | .4557     | .1494     | .2058     | .2103     | .3429     |
| 14   |           | .3086     | .3856     | .1867     | .2058     |           | .3086     |
| 15   | .1132     | .3086     | .394      | .1886     | .2058     | .1753     | .2743     |
| 16   | .1132     | .3086     | .4298     | .1494     | .2058     | .3155     | .2103     |
| 17   | .1509     |           |           |           |           | .2303     |           |
| 18   | .1509     |           |           |           |           |           |           |
| 19   | .1509     |           |           |           |           |           |           |
| 20   | .1886     |           |           |           |           |           |           |
| 21   | .1867     |           |           |           |           |           |           |
| 22   | .1494     |           |           |           |           |           |           |
| 23   | .1478     | .1029     | .1075     |           | .1029     |           | .0895     |
| 24   | .1372     | .1109     | .1029     | .1075     |           | .1029     | .0895     |
| Max  | .2401     | .3086     | .4607     | .1928     | .2058     | .3155     | .3856     |
| Min  | .1132     | .1029     | .1029     | .0716     | .1029     | .1029     | .0716     |
| Avg  | .1608     | .1796     | .2440     | .1354     | .1860     | .1678     | .1823     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

NAIGAON (R) S/DN[450] BU 2445

Substation No/ Name :- 174028 / 33 KV GHUNGRALA

Feeder No / Name : 201 / 11 KV RUI

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|
| HR   | Load (MW) | Load (MW) |
| 1    |           | 1.1203    |
| 2    |           | 1.1203    |
| 3    |           | 1.1203    |
| 4    |           | 1.2803    |
| 5    |           | 1.307     |
| 6    |           | 1.4937    |
| 7    |           | 1.5546    |
| 8    |           | 1.3717    |
| 9    | 2.4691    | 2.6863    |
| 10   | 3.0445    |           |
| 11   | 2.8045    |           |
| 12   | 2.6863    |           |
| 13   | 2.4177    |           |
| 14   | 2.2539    |           |
| 15   | 2.7435    |           |
| 16   | 2.6006    |           |
| 17   | 1.0974    | 2.8959    |
| 18   | 1.2803    | 2.8959    |
| 19   | 1.4003    | 2.1948    |
| 20   | 1.4937    | 1.448     |
| 21   | 1.4937    | 1.267     |
| 22   | 1.307     | 1.267     |
| 23   | 1.1203    | 1.0974    |
| 24   |           | 1.1203    |
| Max  | 3.0445    | 2.8959    |
| Min  | 1.0974    | 1.0974    |
| Avg  | 2.0142    | 1.6024    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

NAIGAON (R) S/DN[450] BU 2445

Substation No/ Name :- 174028 / 33 KV GHUNGRALA

Feeder No / Name : 202 / 11 KV DEGAON

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 09-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           | .3658     |
| 2    |           |           | .3582     |
| 3    |           |           | .3582     |
| 4    |           |           | .3582     |
| 5    |           |           | .3582     |
| 6    |           |           | .5373     |
| 7    |           |           | .5373     |
| 8    |           |           | .6401     |
| 9    |           | .6401     | .9145     |
| 10   |           | .7316     | .9145     |
| 11   |           | .7316     | .8145     |
| 12   |           | .7392     | .724      |
| 13   |           | .7316     | .724      |
| 14   |           | .8145     | .724      |
| 15   |           | 1.8298    | .7316     |
| 16   |           | .8402     | .724      |
| 17   |           | .9335     | .8145     |
| 18   |           | .9335     | .823      |
| 19   |           | .9431     | 1.0059    |
| 20   | .8402     | .9431     | .905      |
| 21   |           | .9431     | .8145     |
| 22   |           | .8488     | .8145     |
| 23   |           | .3658     | .3658     |
| 24   |           |           | .3658     |
| Max  | .8402     | 1.8298    | 1.0059    |
| Min  | .8402     | .3658     | .3582     |
| Avg  | .8402     | .8646     | .6539     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

NAIGAON (R) S/DN[450] BU 2445

Substation No/ Name :- 174028 / 33 KV GHUNGRALA

Feeder No / Name : 204 / 11 KV KAHALA

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|
| HR   | Load (MW) | Load (MW) |
| 1    |           | .5373     |
| 2    |           | .5373     |
| 3    |           | .6805     |
| 4    |           | .6335     |
| 5    |           | .6335     |
| 6    |           | .7888     |
| 7    |           | .7973     |
| 8    |           | .7392     |
| 9    | .823      | 1.0059    |
| 10   | .823      |           |
| 11   | .8316     |           |
| 12   | .823      |           |
| 13   | .9145     |           |
| 14   | .924      |           |
| 15   | .7316     |           |
| 16   | .8402     |           |
| 17   | .7316     | .724      |
| 18   | .9335     | .9955     |
| 19   | 1.0374    |           |
| 20   | 1.1317    | 1.267     |
| 21   | 1.0374    | .9955     |
| 22   | .9431     | .905      |
| 23   | .5487     | .6401     |
| 24   |           | .5487     |
| Max  | 1.1317    | 1.267     |
| Min  | .5487     | .5373     |
| Avg  | .8716     | .7768     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

NAIGAON (R) S/DN[450] BU 2445

Substation No/ Name :- 174028 / 33 KV GHUNGRALA

Feeder No / Name : 205 / TATA Chemicals  
Feeder KV- 11 / OUTGOINGNON SHEDDABLE EXPRESS HV FEEDERS  
(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|
| HR   | Load (MW) | Load (MW) |
| 1    |           | .0137     |
| 2    |           | .0137     |
| 3    |           | .013      |
| 4    |           | .013      |
| 5    |           | .0133     |
| 6    |           | .013      |
| 7    |           | .0114     |
| 8    | .0183     | .0103     |
| 9    | .0183     | .013      |
| 10   | .0183     |           |
| 11   | .0175     |           |
| 12   | .0171     |           |
| 13   | .0175     |           |
| 14   | .0171     |           |
| 15   | .0168     |           |
| 16   | .0171     |           |
| 17   | .0171     | .0181     |
| 18   | .0183     | .0181     |
| 19   | .016      | .0181     |
| 20   | .0158     | .0179     |
| 21   | .0156     | .0181     |
| 22   | .0156     | .0179     |
| 23   | .0152     | .0179     |
| 24   |           | .0149     |
| Max  | .0183     | .0181     |
| Min  | .0152     | .0103     |
| Avg  | .0170     | .0150     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

NAIGAON (R) S/DN[450] BU 2445

Substation No/ Name :- 174054 / 33 KV MANJARAM

Feeder No / Name : 201 / 11 KV GADGA

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .5487     | .3601     | .3772     |           | .2572     | .8573     | .8573     |
| 2    | .5487     | .3601     | .4287     | .3429     | .2572     | .9431     | 1.0288    |
| 3    | .6516     | .3772     | .463      | .3429     | .2572     | .9945     | 1.0631    |
| 4    | .7373     | .3772     | .4973     | .3772     | .2572     | .8916     | 1.1317    |
| 5    | .8059     | .3944     | .5144     | .4115     | .2572     | .9602     | 1.1831    |
| 6    | .8916     | .4973     | .5487     | .4801     | .3601     | 1.0631    | 1.2346    |
| 7    | .823      | .5658     | .5658     | .4801     | .4801     | 1.2517    | 1.3203    |
| 8    | .8745     | .4801     | .4973     | .5144     | .4115     | 1.1145    | .8573     |
| 9    | .6859     | 1.0631    |           | .9088     | .7888     | .3429     | .3944     |
| 10   |           | .3944     | .9431     | .5144     | .8916     | .2915     | .4287     |
| 11   | .6859     | .583      | .9602     | .6859     | .8916     | .2572     | .3429     |
| 12   | .6859     | .5658     | .9602     | .7373     |           | .2915     | .3601     |
| 13   | .7545     | .8402     | .9431     | .8059     | .7888     | .2743     | .3429     |
| 14   | .6001     | .9431     | .8916     | .823      | .8059     | .2915     | .2229     |
| 15   | .7202     | .8916     | .8916     | .823      | .8059     | .2743     | .3086     |
| 16   |           | .6344     | .8916     | .8402     | .7716     | .2229     | .3429     |
| 17   |           | .3601     |           | .2915     | .3258     | .3086     | .3429     |
| 18   | .3772     | .3944     |           | .2743     | .3601     | .3429     | .3258     |
| 19   | .4973     | .4115     |           | .4458     | .3944     | .3772     | .4287     |
| 20   | .5144     | .4287     | .4973     | .4973     | .4973     | .3772     | .5487     |
| 21   | .4287     | .3944     | .4287     | .3944     | .4115     | .3944     | .4458     |
| 22   | .4115     | .3772     | .4287     |           | .3944     | .3944     | .4287     |
| 23   | .4115     | .3772     | .4115     | .2743     | .0686     | .703      | .6001     |
| 24   | .5487     | .3772     | .3772     | .3772     | .2572     | .7716     | .7716     |
| Max  | .8916     | 1.0631    | .9602     | .9088     | .8916     | 1.2517    | 1.3203    |
| Min  | .3772     | .3601     | .3772     | .2743     | .0686     | .2229     | .2229     |
| Avg  | .6287     | .5187     | .6259     | .5292     | .4779     | .5830     | .6380     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

NAIGAON (R) S/DN[450] BU 2445

Substation No/ Name :- 174054 / 33 KV MANJARAM

Feeder No / Name : 202 / 11 KV KOLAMBI

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .5487     | .4801     | .4801     |           |           | .1886     | .1886     |
| 2    | .5487     | .4801     | .4801     | .3086     |           | .2058     | .2058     |
| 3    | .5487     | .5144     | .4801     | .3086     |           | .1886     | .1886     |
| 4    | .703      | .6001     | .5144     | .3429     |           | .1715     | .2058     |
| 5    | .7716     | .6173     | .5144     | .3429     |           | .1886     | .1886     |
| 6    | .823      | 1.0631    | .5487     | .6001     |           | .2058     | .1886     |
| 7    | .6173     | 1.286     | .7545     | .7202     |           | .2058     | .1715     |
| 8    | .823      | .8402     | .8916     | .6859     |           | .2058     | .1543     |
| 9    | .1715     | .1715     | .1715     | .1715     |           | .5144     | .2572     |
| 10   | .1543     | .12       |           | .12       |           | .4115     | .823      |
| 11   | .12       | .12       | .1029     | .12       |           | .3601     | .8059     |
| 12   | .1029     | .1029     | .1029     | .12       |           | .5144     | .823      |
| 13   | .1029     | .1029     | .1029     | .1029     |           |           | .823      |
| 14   | .1029     | .1029     | .12       | .1029     | .4115     | .6344     | .7545     |
| 15   | .1029     |           | .12       | .1029     | .4287     | .3429     | .7373     |
| 16   | .1029     | .12       | .12       | .1029     | .4973     | .4801     | .7373     |
| 17   | .12       | .1029     | .1372     | .12       | .0154     | .12       | .1372     |
| 18   | .12       | .12       | .12       | .12       | .1543     | .1372     | .1372     |
| 19   | .1886     | .2058     | .2229     | .1886     | .2229     | .1715     | .1886     |
| 20   | .2058     | .2058     | .2229     | .2058     | .2401     | .1715     | .1886     |
| 21   | .1886     | .2058     | .1886     | .1715     | .1715     | .1543     | .1543     |
| 22   | .1886     | .1886     | .1886     |           | .1886     | .1715     | .1543     |
| 23   | .4458     | .3601     | .3429     |           | .1715     | .1543     | .1543     |
| 24   | .5487     | .4801     | .4801     | .3429     |           | .1886     | .1715     |
| Max  | .823      | 1.286     | .8916     | .7202     | .4973     | .6344     | .823      |
| Min  | .1029     | .1029     | .1029     | .1029     | .0154     | .12       | .1372     |
| Avg  | .3479     | .3735     | .3221     | .2572     | .2502     | .2647     | .3558     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

NAIGAON (R) S/DN[450] BU 2445

Substation No/ Name :- 174054 / 33 KV MANJARAM

Feeder No / Name : 203 / 11 KV MANJRAM

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .4801     | .463      | .5144     |           | .3086     | .5658     | .6516     |
| 2    | .4801     | .463      | .5144     | .4287     | .3086     | .5658     | .6516     |
| 3    | .4801     | .4801     | .583      | .4287     | .3429     | .6001     | .6687     |
| 4    | .5316     | .4801     | .6173     | .4801     | .4287     | .4115     | .7202     |
| 5    | .583      | .5144     | .6516     | .5144     | .4287     | .6516     | .7373     |
| 6    |           | .6344     | .703      | .6344     | .5144     | .6859     | .7716     |
| 7    | .6344     | .6859     | .6173     | .6344     | .6173     | .8573     | .8916     |
| 8    | .703      | .4801     | .5487     | .6173     | .6001     | .8402     | .5144     |
| 9    | .7716     | .8916     | .6516     | .823      | .8573     | .4458     | .4115     |
| 10   | .823      | .8573     | .823      | .8916     | .6859     | .5144     | .3772     |
| 11   | .7716     |           | .7202     |           | .6001     |           | .2572     |
| 12   | .6859     | .7716     | .7716     | .7716     | .6001     | .3429     |           |
| 13   | .6859     | .7716     | .6859     | .3429     |           |           | .2572     |
| 14   | .6859     | .7202     | .7202     | .5144     | .4801     | .4287     | .3601     |
| 15   | .6859     | .7202     | .7202     | .6859     | .5144     |           | .3601     |
| 16   | .8573     | .703      | .7202     | .7888     | .5487     | .3429     | .3429     |
| 17   | .7716     | .4287     | .3772     |           | .3429     | .3258     | .3772     |
| 18   | .4458     | .463      | .4458     | .4115     | .3944     | .3601     | .4287     |
| 19   | .6516     | .6001     | .6001     | .6001     | .5658     | .5144     | .6001     |
| 20   | .6344     | .6001     | .6173     | .5144     | .6344     | .4801     | .6001     |
| 21   | .5316     | .5144     | .5316     | .5144     | .5144     | .4973     | .6001     |
| 22   | .5144     |           | .463      |           | .463      | .463      | .4458     |
| 23   | .4973     | .5487     | .4287     | .3429     | .5144     | .6001     | .6859     |
| 24   | .4801     | .4801     |           | .4287     | .3086     | .5487     | .6173     |
| Max  | .8573     | .8916     | .823      | .8916     | .8573     | .8573     | .8916     |
| Min  | .4458     | .4287     | .3772     | .3429     | .3086     | .3258     | .2572     |
| Avg  | .6255     | .6033     | .6098     | .5684     | .5032     | .5258     | .5360     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

NAIGAON (R) S/DN[450] BU 2445

Substation No/ Name :- 174054 / 33 KV MANJARAM

Feeder No / Name : 204 / 11 KV POULTRY FARM  
Feeder KV- 11 / OUTGOINGNON SHEDDABLE EXPRESS HV FEEDERS  
(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .0171     | .0171     | .0171     |           | .0171     | .0171     |           |
| 2    | .0171     | .0171     | .0171     |           | .0171     | .0171     | .0171     |
| 3    |           |           | .0171     |           |           |           | .0171     |
| 4    | .0171     |           | .0171     |           |           | .0171     | .0171     |
| 5    | .0171     | .0171     |           |           | .0171     | .0343     | .0343     |
| 6    | .0171     | .0343     | .0171     | .0171     | .0171     | .0514     | .0171     |
| 7    |           | .0343     | .0171     | .0171     | .0171     |           | .0171     |
| 8    | .0171     |           |           | .0171     | .0343     | .0171     | .0343     |
| 9    |           | .0171     |           | .0514     |           | .0171     | .0343     |
| 10   | .0171     | .0171     | .0171     | .0343     |           | .0171     | .0514     |
| 11   | .0514     |           | .0171     | .0171     | .0686     | .0171     | .1886     |
| 12   | .1029     | .2229     | .2401     | .0343     | .12       | .1543     | .2572     |
| 13   | .2229     | .2572     | .2401     | .0857     | .2058     | .2229     | .2572     |
| 14   | .2058     | .2743     | .2401     | .2229     | .2229     | .2229     | .2743     |
| 15   | .1886     | .2572     |           | .2229     | .2058     |           | .2572     |
| 16   | .2058     | .2743     | .2915     | .2572     | .2058     | .2401     | .2572     |
| 17   | .2058     | .2229     | .2229     | .2401     | .2229     | .2229     | .2743     |
| 18   | .2572     | .2229     | .2743     | .2058     | .2229     | .2229     | .2401     |
| 19   | .2572     | .1029     | .2401     | .2401     | .0857     | .2401     | .2572     |
| 20   | .0514     | .0343     | .0514     | .2058     | .2229     | .0343     | .0343     |
| 21   | .0514     | .0343     | .0514     | .0171     | .0171     | .0514     | .0343     |
| 22   | .0514     | .0171     | .0514     |           | .0343     | .0343     | .0343     |
| 23   | .0514     | .0171     | .0343     |           | .0171     | .0343     | .0343     |
| 24   | .0171     | .0343     | .0343     | .0171     | .0171     | .0171     | .0343     |
| Max  | .2572     | .2743     | .2915     | .2572     | .2229     | .2401     | .2743     |
| Min  | .0171     | .0171     | .0171     | .0171     | .0171     | .0171     | .0171     |
| Avg  | .0971     | .1063     | .1054     | .1119     | .0994     | .0906     | .1163     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

NAIGAON (R) S/DN[450] BU 2445

Substation No/ Name :- 174065 / 33 KV KUNTUR

Feeder No / Name : 201 / 11 KV KUNTOOR GAOTHAN  
Feeder KV- 11 / OUTGOING

GAOTHAN FEEDER

| DATE | 08-APR-18 | 09-APR-18 | 11-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .823      |           |           |
| 2    |           | .9145     |           |           |
| 3    |           | .9145     |           |           |
| 4    |           | 1.0974    |           |           |
| 5    |           | 1.0974    |           |           |
| 6    |           | 1.1888    |           |           |
| 7    |           | 1.1888    |           |           |
| 8    |           | .9877     |           |           |
| 9    |           | .8413     |           | .823      |
| 10   | 1.0059    | .6767     |           | .823      |
| 11   | .8413     |           |           | .7316     |
| 12   | .6767     |           |           | .7682     |
| 13   | .6584     |           |           | .7316     |
| 14   | .6401     |           |           |           |
| 15   | .6401     |           | .7316     |           |
| 16   |           |           | .7682     | .7316     |
| 17   | .7316     |           | .823      |           |
| 18   | .8413     |           | .8048     | .823      |
| 19   | .9145     |           | .9145     | .9145     |
| 20   | .5487     |           | 1.0059    | .9511     |
| 21   | .9145     |           |           | .823      |
| 22   | .9145     |           |           | .7316     |
| 23   | .7316     |           |           | .7316     |
| 24   |           | .7316     |           |           |
| Max  | 1.0059    | 1.1888    | 1.0059    | .9511     |
| Min  | .5487     | .6767     | .7316     | .7316     |
| Avg  | .7738     | .9511     | .8413     | .7987     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for **All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

NAIGAON (R) S/DN[450] BU 2445

Substation No/ Name :- 174065 / 33 KV KUNTUR

Feeder No / Name : 202 / 11 KV KUNTUR AG  
Feeder KV- 11 / OUTGOINGSEPARATED AG FEEDERS HAVING SPECIAL  
DESIGN TRANSFORMER

| DATE | 08-APR-18 | 09-APR-18 |
|------|-----------|-----------|
| HR   | Load (MW) | Load (MW) |
| 1    |           | .7316     |
| 2    |           | .7682     |
| 3    |           | .823      |
| 4    |           | .823      |
| 5    |           | .9145     |
| 6    |           | .9145     |
| 7    |           | .9145     |
| 8    |           | .9511     |
| 10   | 1.0059    |           |
| 12   | .7316     |           |
| 13   | .823      |           |
| 14   | .9145     |           |
| 15   | .9145     |           |
| 16   | .9145     |           |
| 23   | .7316     |           |
| 24   |           | .7316     |
| Max  | 1.0059    | .9511     |
| Min  | .7316     | .7316     |
| Avg  | .8622     | .8413     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

NAIGAON (R) S/DN[450] BU 2445

Substation No/ Name :- 174065 / 33 KV KUNTUR

Feeder No / Name : 203 / Koklegaon Ag

Feeder KV- 11 / OUTGOING

FEEDER SEPERATION/PURE AG

| DATE | 09-APR-18 | 11-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) |
| 9    | .7316     |           | .9694     |
| 10   | 1.1888    |           | .9145     |
| 11   |           |           | 1.2254    |
| 12   |           |           | 1.1888    |
| 13   |           |           | 1.0974    |
| 15   |           | .7316     | .9145     |
| 16   |           | 1.2803    | 1.0974    |
| Max  | 1.1888    | 1.2803    | 1.2254    |
| Min  | .7316     | .7316     | .9145     |
| Avg  | .9602     | 1.0060    | 1.0582    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

NAIGAON (R) S/DN[450] BU 2445

Substation No/ Name :- 174065 / 33 KV KUNTUR

Feeder No / Name : 204 / 11 kv New Ambika EX  
Feeder KV- 11 / OUTGOINGNON SHEDDABLE EXPRESS HV FEEDERS  
(NON-CONTINUOUS PROCESS)(NO  
STAGGERING)

| DATE | 08-APR-18 | 09-APR-18 | 11-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .0549     |           |           |
| 2    |           | .0549     |           |           |
| 3    |           | .0366     |           |           |
| 4    |           | .0366     |           |           |
| 5    |           | .0366     |           |           |
| 6    |           | .0366     |           |           |
| 7    |           | .0549     |           |           |
| 8    |           | .0366     |           |           |
| 9    |           | .0549     |           | .0366     |
| 10   | .2561     | .0549     | .1646     | .0366     |
| 11   | .2743     |           | .1646     | .0366     |
| 12   | .2378     |           | .1829     | .128      |
| 13   | .2561     |           | .1463     | .128      |
| 14   | .2561     |           | .1646     | .128      |
| 15   | .2378     |           | .3109     | .1646     |
| 16   | .2012     |           | .2926     | .1646     |
| 17   | .2195     |           | .3109     | .0366     |
| 18   | .1646     |           | .3109     | .1829     |
| 19   | .1829     |           | .4024     | .128      |
| 20   | .1646     |           | .5121     | .0549     |
| 21   | .2378     |           |           | .128      |
| 22   | .2378     |           |           | .1646     |
| 23   | .3109     |           |           | .2561     |
| 24   |           | .3109     |           |           |
| Max  | .3109     | .3109     | .5121     | .2561     |
| Min  | .1646     | .0366     | .1463     | .0366     |
| Avg  | .2313     | .0699     | .2693     | .1183     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

NAIGAON (R) S/DN[450] BU 2445

Substation No/ Name :- 174065 / 33 KV KUNTUR

Feeder No / Name : 205 / 11 KV KOKLEGAON GAOUTHAN

GAOTHAN FEEDER

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 11-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .3658     |           |           |
| 2    |           | .3658     |           |           |
| 3    |           | .3658     |           |           |
| 4    |           | .3658     |           |           |
| 5    |           | .3658     |           |           |
| 6    |           | .3658     |           |           |
| 7    |           | .4207     |           |           |
| 8    |           | .4207     |           |           |
| 9    |           | .4207     |           | .3292     |
| 10   | .2743     | .3475     |           | .3292     |
| 11   | .2926     |           |           | .3292     |
| 12   | .2743     |           |           | .2926     |
| 13   | .2743     |           |           | .2561     |
| 14   | .2561     |           |           | .2561     |
| 15   | .2378     |           | .3658     | .2561     |
| 16   | .2195     |           | .3658     | .2378     |
| 17   | .2561     |           | .3658     | .2926     |
| 18   | .2743     |           | .3658     | .2561     |
| 19   | .3658     |           | .4572     | .3658     |
| 20   | .4755     |           | .5487     | .4024     |
| 21   | .4572     |           |           | .4024     |
| 22   | .4024     |           |           | .4024     |
| 23   | .3841     |           |           | .3841     |
| 24   |           | .3658     |           |           |
| Max  | .4755     | .4207     | .5487     | .4024     |
| Min  | .2195     | .3475     | .3658     | .2378     |
| Avg  | .3175     | .3791     | .4115     | .3195     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

NAIGAON (R) S/DN[450] BU 2445

Substation No/ Name :- 174069 / 33 KV BARBADA

Feeder No / Name : 201 / 11 KV VAZIRGAON

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .362      |           |           | .2715     |
| 2    |           | .362      |           |           | .2801     |
| 3    |           | .362      |           |           | .2715     |
| 4    |           | .4525     |           |           | .2715     |
| 5    |           | .543      |           |           | .2715     |
| 6    |           | .543      |           |           | .2715     |
| 7    |           | .6335     |           |           | .2896     |
| 8    | 1.1203    | .543      | .439      |           | .2715     |
| 9    |           | 1.3717    |           |           | 1.086     |
| 10   |           | 1.5432    |           |           | 1.2346    |
| 11   |           | 1.7147    |           |           | 1.2689    |
| 12   |           | 1.7147    |           |           | 1.2689    |
| 13   |           | 1.7833    |           |           | 1.2689    |
| 14   |           | 1.7833    |           |           | 1.3375    |
| 15   |           |           |           |           | 1.3717    |
| 16   | .3734     | 1.8519    | 1.9022    |           | 1.3717    |
| 17   |           | .4344     |           |           |           |
| 18   |           | .5068     |           |           |           |
| 19   |           | .5792     |           |           |           |
| 20   |           | .6516     |           |           | .5068     |
| 21   |           | .5792     |           |           | .4344     |
| 22   |           | .543      |           |           | .3258     |
| 23   | .3734     | .4706     |           | .2801     | .3258     |
| 24   | .8962     | .362      | .439      |           | .2715     |
| Max  | 1.1203    | 1.8519    | 1.9022    | .2801     | 1.3717    |
| Min  | .3734     | .362      | .439      | .2801     | .2715     |
| Avg  | .6908     | .8561     | .9267     | .2801     | .6796     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

NAIGAON (R) S/DN[450] BU 2445

Substation No/ Name :- 174069 / 33 KV BARBADA

Feeder No / Name : 202 / 11 KV ANTERGAON

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | 1.3413    |           |           |           |
| 2    |           | 1.5089    |           |           |           |
| 3    |           | 1.6766    |           |           |           |
| 4    |           | 2.0119    |           |           |           |
| 5    |           | 2.1795    |           |           |           |
| 6    |           | 2.3472    |           |           |           |
| 7    |           | 2.3472    |           |           |           |
| 8    | .8962     | 2.3472    | 2.5393    | .8215     |           |
| 9    |           | .8764     |           |           |           |
| 10   |           | .8764     |           |           | 1.6766    |
| 11   |           | .8413     |           |           | 1.6766    |
| 12   |           | .8413     |           |           | 1.6766    |
| 13   |           | .7712     |           |           | 1.7101    |
| 14   |           | .7712     |           |           | 1.7101    |
| 15   |           | .7712     |           |           | 1.7101    |
| 16   | 2.6139    | .8063     | .6348     | 1.1203    | 1.7436    |
| 17   |           | .8764     |           |           | .8764     |
| 18   |           | 1.0517    |           |           | 1.0517    |
| 19   |           | .9816     |           |           | 1.4022    |
| 20   |           | .8063     |           |           | 1.262     |
| 21   |           | .7712     |           |           | 1.1218    |
| 22   |           | .7011     |           |           | .8764     |
| 23   | 1.1203    | 1.6766    |           |           | 1.5089    |
| 24   | 1.1203    | 1.3413    | 2.0538    |           |           |
| Max  | 2.6139    | 2.3472    | 2.5393    | 1.1203    | 1.7436    |
| Min  | .8962     | .7011     | .6348     | .8215     | .8764     |
| Avg  | 1.4377    | 1.2717    | 1.7426    | .9709     | 1.4288    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

NAIGAON (R) S/DN[450] BU 2445

Substation No/ Name :- 174069 / 33 KV BARBADA

Feeder No / Name : 203 / 11 KV BARBADA

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .905      |           |           | .724      |
| 2    |           | .905      |           |           | .724      |
| 3    |           | .905      |           |           | .905      |
| 4    |           | 1.086     |           |           | 1.086     |
| 5    |           | 1.267     |           |           | 1.267     |
| 6    |           | 1.448     |           |           | 1.448     |
| 7    |           | 1.6289    | 1.7924    |           | 1.448     |
| 8    | .5975     | 1.448     |           | 1.4937    | 1.267     |
| 9    |           |           |           |           | .7716     |
| 10   |           | .6859     |           |           | .6859     |
| 11   |           | .6859     |           |           | .6859     |
| 12   |           | .7202     |           |           | .6516     |
| 13   |           | .7202     |           |           | .6516     |
| 14   |           | .7545     |           |           | .6173     |
| 15   |           | .7545     |           |           | .6516     |
| 16   | .8402     | .7545     | .8779     | .8402     | .6516     |
| 17   |           |           |           |           | .905      |
| 18   |           |           |           |           | 1.2308    |
| 19   |           | 1.8099    |           |           | 1.448     |
| 20   |           | 1.6651    |           |           | 1.3394    |
| 21   |           | 1.448     |           |           | 1.086     |
| 22   |           | 1.086     |           |           | .9412     |
| 23   | 1.1203    | .9774     |           | .7468     | .905      |
| 24   | .5228     | .905      | .9877     |           | .724      |
| Max  | 1.1203    | 1.8099    | 1.7924    | 1.4937    | 1.448     |
| Min  | .5228     | .6859     | .8779     | .7468     | .6173     |
| Avg  | .7702     | 1.0743    | 1.2193    | 1.0269    | .9506     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

NAIGAON (R) S/DN[450] BU 2445

Substation No/ Name :- 174106 / 33 KV KRUSHNUR

Feeder No / Name : 201 / 11 kv kirti

Feeder KV- 11 / OUTGOING

SHEDDABLE FEEDER HAVING WEEKLY  
STAGGERING (MIDC, EQUIVALENT)

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.8099    | 1.7528    | .7282     | .7023     | .8573     | .7655     | 1.7375    |
| 2    | 1.8099    | 1.7147    | .6722     |           | .8002     | .7842     | 1.7194    |
| 3    | 1.8099    | 1.7147    | .6348     | .6653     | .8002     | .7468     | 1.7194    |
| 4    | 1.8099    | 1.6766    | .6348     | .7392     | .7811     | .8029     | 1.7375    |
| 5    | 1.8099    | 1.6766    | .6722     | .7762     | .7621     | .7842     | 1.7737    |
| 6    | 1.7909    | 1.6194    | .6722     | .8131     | .743      | .8029     | 1.8099    |
| 7    | 1.829     | 1.8099    | .6722     | .8316     | .8002     | .7655     | 1.8461    |
| 8    | 1.6766    | 1.8099    | .6348     | .8131     | .7811     | .7842     | 1.6832    |
| 9    | 1.7147    | 1.7528    | .6535     | .8686     | .8192     | .7842     | 1.647     |
| 10   | 1.8099    | 1.8858    | .7023     | .9526     | .8029     | .8871     | 1.9433    |
| 11   | 2.1529    | 1.8473    | .7392     | 1.0669    | 1.0082    | 1.0974    | 2.0005    |
| 12   | 1.9052    | 1.9605    | .6838     | .9717     | 1.0082    | 1.2986    | 1.9814    |
| 13   | 1.7909    | 2.1845    | .6099     | 1.0479    | .9896     | 1.4083    | 1.9433    |
| 14   | 1.7909    | 1.9231    | .6468     | .9526     | 1.0082    | 1.5565    | 1.9052    |
| 15   | 1.7909    | 1.9044    | .7392     | .8002     | .9896     | 1.7737    | 1.7528    |
| 16   | 1.9624    | 1.9231    | .8686     | .8764     |           | 1.8461    | 2.0767    |
| 17   | 1.9433    | 1.7924    | .8131     | .8573     |           | 1.8099    | 2.0005    |
| 18   | 1.8671    | 1.587     | .7207     | .8573     |           | 1.4661    | 1.9624    |
| 19   | 1.848     | 1.6221    | .7392     | .8573     |           | 1.7556    | 1.9052    |
| 20   | 1.7528    | 1.6409    | .7577     | .8573     |           | 2.0814    | 1.8671    |
| 21   | 1.8671    | 1.6032    | .8131     | .8383     |           | 1.9909    | 1.7528    |
| 22   | 1.7909    | 1.5497    | .8316     |           | .8029     | 1.8461    | 1.3717    |
| 23   | 1.7528    | 1.587     |           | .8573     | .7842     | 1.8099    | 1.8099    |
| 24   | 1.8099    | 1.8099    | 1.531     | .6468     | .8764     | .7842     | 1.7737    |
| Max  | 2.1529    | 2.1845    | 1.531     | 1.0669    | 1.0082    | 2.0814    | 2.0767    |
| Min  | 1.6766    | 1.5497    | .6099     | .6468     | .743      | .7468     | 1.3717    |
| Avg  | 1.8290    | 1.7645    | .7466     | .8477     | .8564     | 1.2680    | 1.8217    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

NAIGAON (R) S/DN[450] BU 2445

Substation No/ Name :- 174106 / 33 KV KRUSHNUR

Feeder No / Name : 202 / 11 kv flemingo  
Feeder KV- 11 / OUTGOINGSHEDDABLE FEEDER HAVING WEEKLY  
STAGGERING (MIDC, EQUIVALENT)

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .1905     | .1905     | .2987     | .2801     | .2286     | .2801     | .3361     |
| 2    | .1905     | .1905     | .3361     |           | .2286     | .2427     | .3696     |
| 3    | .1905     | .1524     | .3547     | .1867     | .2286     | .2801     | .4066     |
| 4    | .1905     | .1524     | .3361     | .1494     | .1905     | .2801     | .4435     |
| 5    | .1334     | .1334     | .3361     | .112      | .1905     | .2427     | .462      |
| 6    | .0953     | .2096     | .2427     | .0934     | .1905     | .2427     | .4251     |
| 7    | .0762     | .0762     | .0934     | .0762     | .0762     | .2241     | .2801     |
| 8    | .0572     | .0953     | .112      | .0934     | .0762     | .2241     | .0934     |
| 9    |           | .1143     | .112      | .1307     | .0762     | .1867     | .2801     |
| 10   | .2096     | .1867     | .2241     | .381      | .0934     | .2241     | .3048     |
| 11   | .3239     | .2241     | .3547     | .4001     | .0934     | .2801     | .3429     |
| 12   | .2858     | .2241     | .3174     | .381      | .056      | .3174     | .3048     |
| 13   | .2667     | .2054     | .2614     | .381      | .056      | .2614     | .2858     |
| 14   | .381      | .1829     | .3361     | .381      | .112      | .2054     | .2667     |
| 15   | .5716     | .2926     | .5359     | .2667     | .0934     | .2614     | .2667     |
| 16   | .7049     | .2743     | .7577     | .362      | .0934     | .3361     | .3239     |
| 17   | .724      | .5601     | .7392     | .3429     | .112      | .2801     | .2858     |
| 18   | .7621     | .6722     | .7023     | .362      | .1307     | .1867     | .1905     |
| 19   | .8002     | .5601     | .462      | .3429     | .1132     | .2241     | .2286     |
| 20   | .8192     | .3772     | .2614     | .1905     | .132      | .2427     | .2858     |
| 21   | .4191     | .4904     | .2987     | .3239     | .2829     | .2427     | .3429     |
| 22   | .4382     | .3547     | .3174     |           | .2427     | .2614     | .3429     |
| 23   | .2858     | .3734     |           | .2858     | .2801     | .2801     | .2667     |
| 24   | .2858     | .2858     | .3361     | .2614     | .2858     | .2801     | .2987     |
| Max  | .8192     | .6722     | .7577     | .4001     | .2858     | .3361     | .462      |
| Min  | .0572     | .0762     | .0934     | .0762     | .056      | .1867     | .0934     |
| Avg  | .3653     | .2741     | .3533     | .2629     | .1526     | .2536     | .3098     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

NAIGAON (R) S/DN[450] BU 2445

Substation No/ Name :- 174106 / 33 KV KRUSHNUR

Feeder No / Name : 203 / 11 kv advance steel  
Feeder KV- 11 / OUTGOINGSHEDDABLE FEEDER HAVING WEEKLY  
STAGGERING (MIDC, EQUIVALENT)

| DATE | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .1307     | .112      | .1307     | .1143     | .0934     | .1867     |
| 2    | .1307     | .0934     |           | .1143     | .112      | .2054     |
| 3    | .1307     | .0934     | .0934     | .1143     | .0934     | .1867     |
| 4    | .1307     | .112      | .1494     | .1143     | .0934     | .1867     |
| 5    | .1307     | .1132     | .168      | .0953     | .056      | .168      |
| 6    | .1494     | .0934     | .1867     | .0953     | .0549     | .1494     |
| 7    | .168      | .056      | .2054     | .1143     | .0934     | .1494     |
| 8    | .168      | .056      | .112      | .0953     | .0934     | .112      |
| 9    | .168      | .0747     | .2987     | .1143     | .0934     | .1307     |
| 10   | .1867     | .1867     | .2858     | .112      | .0934     | .1334     |
| 11   | .2743     | .2614     | .3048     | .112      | .0934     | .0953     |
| 12   | .2801     | .2241     | .362      | .112      | .0934     | .0953     |
| 13   | .128      | .1867     | .362      | .1097     | .112      | .0762     |
| 14   | .1307     | .2054     | .381      | .0934     | .112      | .0953     |
| 15   | .0747     | .2241     | .4572     | .112      | .112      | .0953     |
| 16   | .0934     | .2427     | .381      | .112      | .0934     | .1143     |
| 17   | .0934     | .2241     | .3239     | .112      | .0934     | .1905     |
| 18   | .0566     | .2054     | .3048     | .0934     | .112      | .1905     |
| 19   | .056      | .1867     | .2858     | .112      | .1307     | .1334     |
| 20   | .0934     | .168      | .2286     | .1132     | .1307     | .1334     |
| 21   | .0754     | .168      | .0953     | .0943     | .1494     | .1143     |
| 22   | .0934     | .1494     |           | .0934     | .1494     | .0953     |
| 23   | .112      |           | .1143     | .112      | .168      | .1143     |
| 24   | .1307     | .112      | .112      | .1334     | .112      | .1867     |
| Max  | .2801     | .2614     | .4572     | .1334     | .168      | .2054     |
| Min  | .056      | .056      | .0934     | .0934     | .0549     | .0762     |
| Avg  | .1327     | .1543     | .2429     | .1083     | .1058     | .1391     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

NAIGAON (R) S/DN[450] BU 2445

Substation No/ Name :- 174106 / 33 KV KRUSHNUR

Feeder No / Name : 205 / 33 KV Venkys Express  
Feeder Feeder KV- 33 /  
OUTGOINGNON SHEDDABLE EXPRESS HV FEEDERS  
(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 4.1724    | 4.401     | 4.425     | 3.8409    | 3.7723    | 4.5931    | 4.6696    |
| 2    | 4.1724    | 4.5153    | 4.369     |           | 3.8866    | 4.481     |           |
| 3    | 4.2295    | 4.5725    | 4.425     | 2.7435    | 4.0009    | 4.5931    | 4.561     |
| 4    | 4.2867    | 4.5725    | 4.257     | 3.0178    |           | 4.5931    | 4.4525    |
| 5    | 4.2867    | 4.6868    | 4.481     | 3.4019    | 4.1152    | 4.5931    | 4.3439    |
| 6    | 4.4582    | 4.9154    | 4.481     | 3.7311    | 4.4582    | 4.425     | 4.3982    |
| 7    | 4.5153    | 4.5153    | 4.313     | 4.0604    | 4.6296    | 4.0889    | 4.561     |
| 8    | 4.0581    | 4.4582    | 4.5931    | 3.5117    | 4.3439    | 4.257     | 4.561     |
| 9    | 4.0009    | 4.2867    | 3.8089    | 3.4019    | 4.1724    | 4.313     | 3.9506    |
| 10   | 4.401     | 4.369     | 4.1152    | 4.0009    | 4.369     | 4.2798    | 4.1724    |
| 11   | 4.9154    | 4.0889    | 4.6696    | 4.4582    |           | 4.3439    | 4.2295    |
| 12   | 4.8583    | 4.0055    | 4.3439    | 4.6296    | 4.8171    | 3.6214    | 4.1152    |
| 13   | 4.8583    | 4.3347    | 3.9506    | 4.2867    | 4.313     | 4.1152    | 2.9721    |
| 14   | 4.6868    | 4.5931    | 4.1152    | 4.2867    | 3.4728    | 4.5068    | 2.9721    |
| 15   | 4.6296    | 4.5931    | 4.2798    | 4.1724    | 4.313     | 4.561     | 3.6008    |
| 16   | 5.144     | 4.481     | 4.3439    | 4.2867    | 4.313     | 4.6696    | 3.9438    |
| 17   | 4.8583    | 4.5931    | 4.1701    | 4.0581    | 4.425     | 4.3439    | 4.0009    |
| 18   | 4.2867    | 4.145     | 3.9506    | 3.8295    | 4.313     | 4.0604    | 4.3439    |
| 19   | 4.3439    | 4.2438    | 3.8958    | 3.7151    | 4.3004    | 3.9506    | 4.2867    |
| 20   | 4.5153    | 4.5931    | 3.9506    | 2.2862    | 4.357     | 3.8409    | 4.1152    |
| 21   | 4.1152    | 4.145     | 2.7435    | 2.0005    | 3.4728    | 4.1152    | 4.1152    |
| 22   | 4.4582    | 4.4702    | 3.5665    |           | 4.257     | 4.5068    | 3.8295    |
| 23   | 4.3439    | 4.5931    | 3.8958    | 3.5437    | 4.425     | 4.561     | 3.9438    |
| 24   | 4.1152    | 4.2867    | 4.481     | 3.7311    | 3.7151    | 4.425     | 4.6153    |
| Max  | 5.144     | 4.9154    | 4.6696    | 4.6296    | 4.8171    | 4.6696    | 4.6696    |
| Min  | 4.0009    | 4.0055    | 2.7435    | 2.0005    | 3.4728    | 3.6214    | 2.9721    |
| Avg  | 4.4463    | 4.4358    | 4.1510    | 3.6816    | 4.1928    | 4.3266    | 4.1197    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

NAIGAON (R) S/DN[450] BU 2445

Substation No/ Name :- 174106 / 33 KV KRUSHNUR

Feeder No / Name : 207 / 11 KV India Mega Agro  
Feeder KV- 11 / OUTGOINGSHEDDABLE FEEDER HAVING WEEKLY  
STAGGERING (MIDC, EQUIVALENT)

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .4191     | .5716     | .4572     | .4066     | .6097     | .5121     | .462      |
| 2    | .4191     | .5716     | .4481     |           | .5716     | .5487     | .4805     |
| 3    | .381      | .5716     | .3841     | .3361     | .5716     | .5415     | .5175     |
| 4    | .381      | .5716     | .4024     | .3696     | .4954     | .4938     | .5359     |
| 5    | .381      | .5906     | .3841     | .3881     | .4954     | .4938     | .5175     |
| 6    | .381      | .4954     | .4024     | .4066     | .4572     | .4755     | .4805     |
| 7    | .381      | .4191     | .3841     | .3696     | .2667     | .4572     | .462      |
| 8    | .381      | .4763     | .4024     | .3696     | .2858     | .4668     | .4435     |
| 9    | .6287     | .5525     | .4755     | .5359     | .5716     | .5601     | .5729     |
| 10   | .6287     | .6348     | .5544     | .6097     | .567      | .6283     | .5906     |
| 11   | .6097     | .6348     | .6099     | .7049     | .6584     | .7023     | .6668     |
| 12   | .5906     | .6348     | .5914     | .7049     | .6767     | .4435     | .6668     |
| 13   | .6097     | .5487     | .5729     | .5525     | .6584     | .5544     | .6478     |
| 14   | .6478     | .6401     | .6283     | .5716     | .6722     | .7207     | .6668     |
| 15   | .6859     | .6401     | .6838     | .6287     | .7316     | .7392     | .6668     |
| 16   | .7811     | .5601     | .7207     | .6478     | .6767     | .7762     | .6287     |
| 17   | .7621     | .6219     | .6468     | .6478     | .6584     | .6838     | .6097     |
| 18   | .743      | .6401     | .5175     | .6287     | .6401     | .5544     | .5906     |
| 19   | .6287     | .567      | .462      | .6478     | .5487     | .462      | .5144     |
| 20   | .5906     | .4294     | .4066     | .6287     | .5788     | .3881     | .4763     |
| 21   | .5906     | .4668     | .3881     | .6287     | .5601     | .4066     | .4382     |
| 22   | .5906     | .4668     | .3881     |           | .5487     | .4066     | .5144     |
| 23   | .5906     | .439      |           | .6478     | .5121     | .4435     | .2667     |
| 24   | .4191     | .5716     | .4481     | .3696     | .6478     | .5601     | .4435     |
| Max  | .7811     | .6401     | .7207     | .7049     | .7316     | .7762     | .6668     |
| Min  | .381      | .4191     | .3841     | .3361     | .2667     | .3881     | .2667     |
| Avg  | .5509     | .5548     | .4939     | .5364     | .5692     | .5425     | .5359     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

NAIGAON (R) S/DN[450] BU 2445

Substation No/ Name :- 174111 / 33 KV NAIGAON

Feeder No / Name : 101 / Lalwandi feeder

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .4527     | .4904     |           | .2641     | .4904     | .4904     |
| 2    |           | .4527     | .4904     |           | .2641     | .4904     | .4904     |
| 3    |           | .415      | .5658     |           | .2641     | .5281     | .4527     |
| 4    |           | .415      | .6602     |           | .2641     | .5658     | .4527     |
| 5    |           | .679      | .7356     |           | .3018     | .5658     | .5658     |
| 6    |           | .7545     | .7922     |           | .3018     | .5847     | .7545     |
| 7    |           | .7545     | .8299     |           | .3018     | .6224     | .7545     |
| 8    | .7922     | .679      | .8488     |           | .3018     | .6413     | .7167     |
| 9    | 1.0185    | .6224     | .5658     |           | .4904     | .4904     | .7545     |
| 10   | .679      | .6602     | .8488     |           | .415      | .4338     | .7545     |
| 11   | .5658     | .679      | .7922     |           | .6036     | .5281     | .7545     |
| 12   | .5658     | .7167     | .7545     |           | .6224     | .679      | .8299     |
| 13   | .5658     | .7356     | .7922     |           | .6602     | .679      | .8299     |
| 14   | .4904     | .6979     | .811      |           | .679      | .679      | .679      |
| 15   | .4904     | .7356     | .7545     | .5658     | .6979     | .6413     | .5658     |
| 16   | .415      | .8299     | .7545     | .6036     | .6413     | .6413     | .5658     |
| 17   | .415      | .415      | .6602     | .6602     | .4715     | .415      | .5658     |
| 18   | .4527     | .4338     | .6602     | .6602     | .5281     | .5658     | .547      |
| 19   | .679      | .5093     | .6602     | .6602     | .6413     | .7356     | .6036     |
| 20   | .6413     | .5658     | .6602     | .5658     | .6602     | .7356     | .5658     |
| 21   | .5658     | .5658     | .5658     | .4715     | .6224     | .6413     | .5281     |
| 22   | .5281     | .5281     | .4715     |           | .5658     |           | .5093     |
| 23   | .4904     | .4904     | .4715     |           | .5281     | .5658     | .547      |
| 24   |           | .4904     | .4904     | .4715     | .3772     | .4904     | .5658     |
| Max  | 1.0185    | .8299     | .8488     | .6602     | .6979     | .7356     | .8299     |
| Min  | .415      | .415      | .4715     | .4715     | .2641     | .415      | .4527     |
| Avg  | .5847     | .5949     | .6720     | .5824     | .4778     | .5831     | .6185     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

DEGLOOR DIVSION[691]

NAIGAON (R) S/DN[450] BU 2445

Substation No/ Name :- 174111 / 33 KV NAIGAON

Feeder No / Name : 103 / 11 kv Degaon

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .1886     | .1509     |           | .1509     | .1886     | .2263     |
| 2    |           | .1886     | .1509     |           | .1509     | .2263     | .2263     |
| 3    |           | .017      | .1886     |           | .1509     | .2641     | .1886     |
| 4    |           | .1698     | .2263     |           | .1509     | .3018     |           |
| 5    |           | .3018     | .2641     |           | .1698     | .3395     | .3772     |
| 6    |           | .3772     | .2829     |           | .1886     | .3772     | .3772     |
| 7    |           | .3772     | .3018     |           | .2263     | .3961     | .415      |
| 8    |           | .3395     | .3018     |           | .1886     | .3395     | .3584     |
| 9    |           | .2263     | .3018     |           | .2263     | .1886     | .3772     |
| 10   |           | .2641     | .3206     |           | .2452     | .2075     | .3772     |
| 11   |           | .2829     | .3018     |           | .2641     | .1886     | .3772     |
| 12   |           | .2829     | .3018     |           | .2829     | .2829     | .3772     |
| 13   |           | .2829     | .3018     |           | .3018     | .2829     | .3772     |
| 14   |           | .2829     | .2829     |           | .2829     | .2829     | .3772     |
| 15   |           | .2641     | .2829     | .3018     | .3018     | .2829     | .3018     |
| 16   |           | .2641     | .2829     | .3018     | .3206     | .2829     | .2641     |
| 17   | .3018     | .1886     | .2641     | .3395     | .2263     | .2263     | .2263     |
| 18   | .3018     | .2075     | .2641     | .3395     | .2641     | .2263     | .2263     |
| 19   | .3395     | .2075     | .2263     | .3018     | .2829     | .3018     | .3584     |
| 20   | .3206     | .2263     | .2263     | .3018     | .3018     | .3018     | .3395     |
| 21   | .3018     | .2075     | .2263     | .1886     | .2829     | .3018     | .3018     |
| 22   | .5281     | .1886     | .2263     |           | .2452     | .2641     | .2829     |
| 23   | .2263     | .1509     | .1886     | .1509     | .2263     | .2641     | .2641     |
| 24   |           | .1886     | .1509     | .1886     | .1509     | .1886     | .2263     |
| Max  | .5281     | .3772     | .3206     | .3395     | .3206     | .3961     | .415      |
| Min  | .2263     | .017      | .1509     | .1509     | .1509     | .1886     | .1886     |
| Avg  | .3314     | .2365     | .2507     | .2683     | .2326     | .2711     | .3141     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) S/DN-I[442] BU 2411

Substation No/ Name :- 174042 / 33 kV NTC

Feeder No / Name : 201 / 11 KV WATER WORKS

Feeder KV- 11 / OUTGOING

NON SHEDDABLE WATER SUPPLY AND  
UTILITY

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           | .4344     |           | .3658     | .5792     |           |
| 2    |           | .543      | .4344     |           | .3658     | .5792     | .543      |
| 3    | .3658     |           | .4344     | .181      | .3658     | .5792     |           |
| 4    | .5487     | .543      | .5792     |           | .3658     | .5792     | .543      |
| 5    | .5487     |           | .5792     |           | .3658     | .724      |           |
| 6    | .5487     | .543      | .5853     | .181      | .3658     | .724      | .543      |
| 7    | .5487     | .543      | .5792     | .362      | .5487     | .724      | .362      |
| 8    | .5487     | .543      | .5792     | .181      | .5487     | .7316     | .362      |
| 9    | .5487     | .543      | .724      | .362      | .181      | .9145     | .3723     |
| 10   | .5487     | .362      | .7316     | .362      | .181      | .9145     | .3723     |
| 11   | .5487     | .362      | .7602     | .3658     | .543      | .9145     | .1814     |
| 12   | .7316     | .543      | .7602     | .5068     | .543      | .9145     | .3628     |
| 13   | .7316     | .543      | .7316     | .362      | .543      | .9145     | .3628     |
| 14   | .7316     | .724      | .5068     | .2172     | .543      | .9145     | .4534     |
| 15   | .7316     | .905      | .5121     | .3658     | .362      | .7316     | .4534     |
| 16   | .7316     | .9412     | .9511     | .3658     | .543      | .9145     | .4563     |
| 17   | .5487     | .7842     | .724      | .5487     | .3658     | .543      | .3715     |
| 18   | .5487     | .7602     | .724      | .5487     | .724      | .543      | .3658     |
| 19   | .5487     | .9412     | .724      | .5487     | .724      | .543      | .3658     |
| 20   | .5487     | .2172     | .543      | .5487     | .724      | .543      | .5487     |
| 21   | .5487     | .362      |           |           | .4344     | .543      | .5487     |
| 22   | .362      | .7602     |           | .5487     | .4344     | .543      | .5487     |
| 23   |           | .7602     | .362      | .5487     | .4344     | .5487     | .5487     |
| 24   |           | .362      | .7602     | .362      | .5487     | .4344     | .543      |
| Max  | .7316     | .9412     | .9511     | .5487     | .724      | .9145     | .5487     |
| Min  | .362      | .2172     | .362      | .181      | .181      | .4344     | .1814     |
| Avg  | .5759     | .5993     | .6236     | .3930     | .4634     | .6914     | .4385     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) S/DN-I[442] BU 2411

Substation No/ Name :- 174042 / 33 kV NTC

Feeder No / Name : 202 / 11 KV GURUDWARA

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           | .7316     |           | .4572     | .5853     |           |
| 2    |           | .7316     | .7316     |           | .3658     | .5853     | .6401     |
| 3    | .823      |           | .7316     | .5487     | .3658     | .5853     |           |
| 4    | .7316     | .7316     | .7316     |           | .3658     | .5792     | .6401     |
| 5    | .7316     |           | .823      |           | .4572     | .7316     |           |
| 6    | .7316     | .7316     | .8413     | .5487     | .5487     | .7316     | .7316     |
| 7    | .7316     | .7316     | .823      | .6401     | .5487     | .7316     | .7316     |
| 8    | .823      | .823      | .8145     | .6401     | .7316     | .7316     | .7316     |
| 9    | .9145     | .7316     | .7316     | .543      | .5487     | .7316     | .6557     |
| 10   | .9145     | .7316     | .7682     | .5487     |           | .823      | .7285     |
| 11   | .823      | .7316     | .823      | .4344     |           | .5487     | .765      |
| 12   | .823      | .7316     | .8326     | .4755     |           | .7316     | .8014     |
| 13   | .7316     | .7316     | .823      |           | .543      | .7316     | .8196     |
| 14   | .7316     | .7316     | .7682     | .4755     | .543      | .9145     | .8196     |
| 15   | .7316     | .823      | .8413     | .5121     | .724      | .9145     | .9107     |
| 16   | .7316     | .8048     | .8779     | .5487     | .4572     | .9145     | .9107     |
| 17   | .9145     | .7964     | .9145     | .5487     | .5121     | .823      | .8196     |
| 18   | .9145     | .823      | 1.0059    | .5487     | .5487     |           | .7316     |
| 19   | .9145     | 1.0974    | 1.0974    | .7316     | .439      | 1.0974    | .9145     |
| 20   | .823      | 1.0498    | 1.0059    | .9145     | .6584     | 1.0974    | .9145     |
| 21   | .7316     | .823      |           |           | .6401     | 1.0059    | .9145     |
| 22   | .823      | .8779     |           | .5487     | .6154     | .9145     | .823      |
| 23   |           | .823      | .6401     | .5487     | .6154     | .9145     | .7316     |
| 24   |           | .7316     | .7316     | .5487     | .5487     | .5792     | .823      |
| Max  | .9145     | 1.0974    | 1.0974    | .9145     | .7316     | 1.0974    | .9145     |
| Min  | .7316     | .7316     | .6401     | .4344     | .3658     | .5487     | .6401     |
| Avg  | .8047     | .7995     | .8222     | .5725     | .5350     | .7828     | .7885     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) S/DN-I[442] BU 2411

Substation No/ Name :- 174042 / 33 kV NTC

Feeder No / Name : 203 / 11 KV SOMESH COLONEY

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           | 1.448     |           | 1.3717    | 1.3575    |           |
| 2    |           | 1.4784    | 1.4632    |           | 1.2803    | 1.3575    | 1.5708    |
| 3    | 1.6461    |           | 1.4632    | 1.386     | 1.0974    | 1.3575    |           |
| 4    | 1.5546    | 1.4784    | 1.4632    |           | 1.0974    | 1.3575    | 1.5708    |
| 5    | 1.4632    |           | 1.5546    |           | 1.0974    | 1.448     |           |
| 6    | 1.4632    | 1.5708    | 1.7375    | 1.4784    | 1.2803    | 1.7194    | 1.5708    |
| 7    | 1.4632    | 1.6632    | 1.9204    | 1.7556    | 1.2803    | 1.7194    | 1.5708    |
| 8    | 1.6461    | 1.6632    | 1.9204    | 1.8099    | 1.6461    | 1.7194    | 1.5708    |
| 9    | 1.829     | 1.2936    | 1.829     | 1.829     | 1.4784    | 1.6461    | 1.6564    |
| 10   | 1.829     | 1.9404    | 1.9605    | 1.8099    | 1.829     | 1.2803    | 1.7484    |
| 11   | 2.0119    | 2.1253    | 1.448     | 1.9909    | 2.1253    | 1.4632    | 1.9424    |
| 12   | 1.6461    | 2.2177    | 2.1033    | 2.1719    | 2.0328    | 2.3777    | 2.0349    |
| 13   | 1.6461    | 2.2177    | 1.9909    |           | 2.0328    | 2.5606    | 2.0349    |
| 14   | 1.4632    | 2.1948    | 2.0119    |           | 1.9404    | 2.5606    | 1.8499    |
| 15   | 1.4632    | 2.2177    | 2.1033    | 2.4691    | 2.1253    | 2.5606    | 1.8499    |
| 16   | 1.2803    | 2.1719    | 2.1948    | 2.5606    | 2.0328    | 2.5606    | 1.7575    |
| 17   | 1.6461    | 2.1719    | 2.5873    | 2.7435    | 1.9909    | 2.2177    | 1.8499    |
| 18   | 2.0119    | 2.2624    | 2.6797    | 3.1093    | 2.0814    | 2.3101    | 1.829     |
| 19   | 2.1948    | 2.4434    | 2.7721    | 3.4751    | 2.3529    | 2.5873    | 2.0119    |
| 20   | 1.829     | 2.3529    | 2.4949    | 3.1093    | 2.1719    | 2.3101    | 1.829     |
| 21   |           | 1.9204    |           |           | 2.0814    | 2.3101    | 1.829     |
| 22   | 1.848     | 1.829     |           | .5487     | 1.9004    | 1.7375    | 1.6461    |
| 23   |           | 1.7194    | 1.9404    | 1.6461    | 1.9004    | 2.0328    | 1.4632    |
| 24   |           | 1.5708    | 1.4632    | 1.848     | 1.4632    | 1.7194    | 1.848     |
| Max  | 2.1948    | 2.4434    | 2.7721    | 3.4751    | 2.3529    | 2.5873    | 2.0349    |
| Min  | 1.2803    | 1.2936    | 1.448     | .5487     | 1.0974    | 1.2803    | 1.4632    |
| Avg  | 1.6808    | 1.9287    | 1.9341    | 2.1024    | 1.7371    | 1.9280    | 1.7635    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) S/DN-I[442] BU 2411

Substation No/ Name :- 174042 / 33 kV NTC

Feeder No / Name : 204 / 11 KV VAZIRABAD

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           | .9145     |           | 1.0059    | .905      |           |
| 2    |           | 1.0059    | .9145     |           | .9145     | .905      | 1.0974    |
| 3    | 1.2803    |           | .9145     | 1.0974    | .9145     | .905      |           |
| 4    | 1.1888    | 1.0059    | .9145     |           |           | .905      | 1.0974    |
| 5    | 1.0974    |           | 1.0059    |           | .9145     | .9955     |           |
| 6    | 1.0974    | 1.0059    | 1.3535    | 1.0059    | 1.0059    | 1.086     | 1.0974    |
| 7    | 1.0974    | 1.0974    | 1.2803    | 1.0974    | 1.0974    | 1.4998    | 1.1888    |
| 8    | 1.4632    | 1.1888    | 1.1888    | 1.0974    | 1.2803    | 1.448     | 1.1888    |
| 9    | 1.4632    | 1.1888    | 1.1946    | 1.2437    | 1.3717    | 1.4632    | 1.283     |
| 10   | 1.2803    | 1.2803    | 1.3394    | 1.3394    | 1.5546    | 1.4632    | 1.5029    |
| 11   | 1.4632    | 1.5546    | 1.5546    | 1.6461    | 1.7375    | 1.6461    | 1.6495    |
| 12   | 1.6461    | 1.7375    | 1.829     | 1.829     | 2.1948    | 1.6461    | 1.6495    |
| 13   | 1.4632    | 1.829     | 1.9004    | 1.829     | 2.2862    | 1.829     | 1.8695    |
| 14   | 1.4632    | 1.829     | 1.9022    | 2.0119    | 2.3777    | 1.829     | 1.8328    |
| 15   | 1.4632    | 1.9204    | 1.9387    | 1.9387    | 2.4025    | 2.0119    | 1.8947    |
| 16   | 1.4632    | 1.8461    | 2.0119    | 2.0119    | 2.3777    | 1.829     | 1.8947    |
| 17   | 1.6461    | 1.9547    | 2.1033    | 2.0119    | 2.3777    | 2.1033    | 1.709     |
| 18   | 1.829     | 1.9909    |           | 2.1948    | 1.7193    | 2.1948    | 1.6461    |
| 19   | 1.829     | 1.9909    | 2.2862    | 2.1948    | 2.6703    | 2.3101    | 1.6461    |
| 20   | 1.829     | 2.0633    | 2.1948    | 2.0119    | 2.4253    | 2.2177    | 1.6461    |
| 21   | 1.6461    | 1.7194    |           |           | 2.0814    | 2.0119    | 1.2803    |
| 22   | 1.3717    | 1.4632    |           | 1.2803    | 1.8823    | 1.7375    | 1.2803    |
| 23   |           | 1.4632    | 1.3717    | 1.0974    | 1.9204    | 1.5546    | 1.0974    |
| 24   |           | 1.0974    | 1.2803    | 1.1888    | 1.0974    | 1.7194    | 1.4632    |
| Max  | 1.829     | 2.0633    | 2.2862    | 2.1948    | 2.6703    | 2.3101    | 1.8947    |
| Min  | 1.0974    | 1.0059    | .9145     | 1.0059    | .9145     | .905      | 1.0974    |
| Avg  | 1.4541    | 1.5349    | 1.4949    | 1.5857    | 1.7222    | 1.5923    | 1.4769    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) S/DN-I[442] BU 2411

Substation No/ Name :- 174042 / 33 kV NTC

Feeder No / Name : 205 / 11 KV Khadakpura

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           | 1.267     |           | 1.1888    | 1.5384    |           |
| 2    |           | 1.2936    | 1.2803    |           | 1.0974    | 1.5384    | 1.2936    |
| 3    | 1.2803    |           | 1.2803    | 1.2936    | 1.0974    | 1.6289    |           |
| 4    | 1.1888    | 1.2936    | 1.3717    |           | 1.0974    | 1.7194    | 1.386     |
| 5    | 1.0974    |           | 1.4632    |           | 1.2803    | 1.9004    |           |
| 6    | 1.4632    | 1.6632    | 1.829     | 1.5708    | 1.4632    | 1.9909    | 1.5708    |
| 7    | 1.829     | 1.9404    | 1.9204    | 1.9404    | 1.829     | 2.1719    | 1.9404    |
| 8    | 1.829     | 2.2177    | 2.2081    | 2.1719    | 2.0119    | 2.0814    | 2.1253    |
| 9    | 2.0119    | 2.1033    | 2.2081    | 2.2081    | 2.1253    | 2.3777    | 2.1472    |
| 10   | 2.0119    | 1.7556    | 1.8823    | 1.4118    | 1.5708    | 2.1948    | 1.8074    |
| 11   | 2.0119    | 1.4784    | 1.7013    | 1.448     | 1.5708    |           | 1.677     |
| 12   | 1.6461    | 1.4784    | 1.6095    | 1.3394    | 1.4784    |           | 1.5652    |
| 13   | 1.4632    | 1.386     | 1.4632    | 1.2308    |           | 2.1948    | 1.6024    |
| 14   | 1.4632    | 1.386     | 1.4118    | 1.2308    |           | 1.829     | 1.4906    |
| 15   | 1.2803    | 1.386     | 1.1888    | 1.0974    |           | 1.6461    | 1.4161    |
| 16   | 1.2803    | 1.3032    | 1.1888    | 1.1706    |           | 1.0974    | 1.4534    |
| 17   | 1.6461    | 1.6289    | 1.4784    | 1.6461    | 1.3032    | 1.2936    | 1.7888    |
| 18   | 2.1948    | 1.6289    | 1.9404    | 1.829     | 2.2081    | 1.9404    | 1.6461    |
| 19   | 2.0119    | 2.0633    | 2.3101    | 2.0119    | 2.4615    | 2.2177    | 2.1948    |
| 20   | 1.6461    | 1.8823    | 1.9404    | 1.6461    | 1.9909    | 1.9404    | 2.0119    |
| 21   | 1.4632    | 1.6289    |           |           | 1.7013    | 1.6632    | 1.6461    |
| 22   | 1.5708    | 1.5565    |           | 1.4632    | 1.7194    |           | 1.6461    |
| 23   |           | 1.5546    | 1.5708    | 1.4632    | 1.6289    |           | 1.4632    |
| 24   |           | 1.4784    | 1.5546    | 1.2936    | 1.2803    | 1.5384    | 1.4784    |
| Max  | 2.1948    | 2.2177    | 2.3101    | 2.2081    | 2.4615    | 2.3777    | 2.1948    |
| Min  | 1.0974    | 1.2936    | 1.1888    | 1.0974    | 1.0974    | 1.0974    | 1.2936    |
| Avg  | 1.6195    | 1.6242    | 1.6395    | 1.5509    | 1.6052    | 1.8252    | 1.6834    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) S/DN-I[442] BU 2411

Substation No/ Name :- 174074 / 33 kV GURUDAWARA

Feeder No / Name : 201 / 11 KV COLLECTOR OFFICE  
Feeder KV- 11 / OUTGOINGNON SHEDDABLE EXPRESS HV FEEDERS  
(NON-CONTINUOUS PROCESS)(NO  
STAGGERING)

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 12-APR-18 | 13-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 7    |           |           | .3155     |           |           |
| 8    | .3155     |           | .3086     |           | .0895     |
| 10   | .3429     |           |           | .1052     |           |
| 12   | .3429     |           |           |           |           |
| 15   |           |           |           | .1029     |           |
| 16   | .4161     |           |           | .1402     |           |
| 17   |           | .631      |           |           | .7011     |
| 19   |           | .3772     |           |           | .4458     |
| 20   |           | .3506     |           |           |           |
| 22   |           | .3982     |           |           | .4207     |
| Max  | .4161     | .631      | .3155     | .1402     | .7011     |
| Min  | .3155     | .3506     | .3086     | .1029     | .0895     |
| Avg  | .3544     | .4393     | .3121     | .1161     | .4143     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for **All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) S/DN-I[442] BU 2411

Substation No/ Name :- 174074 / 33 kV GURUDAWARA

Feeder No / Name : 202 / 11 KV CHIKHALWADI

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE       | 08-APR-18     | 09-APR-18     | 10-APR-18    | 12-APR-18     | 13-APR-18     |
|------------|---------------|---------------|--------------|---------------|---------------|
| HR         | Load (MW)     | Load (MW)     | Load (MW)    | Load (MW)     | Load (MW)     |
| 7          |               |               | .9816        |               |               |
| 8          | .8413         |               | .8916        |               | 1.1641        |
| 10         | .8573         |               |              | 1.0517        |               |
| 12         | 1.0288        |               |              |               |               |
| 15         |               |               |              | 2.0576        |               |
| 16         | 1.1096        |               |              | 2.1033        |               |
| 17         |               | 1.4022        |              |               | 1.5424        |
| 19         |               | 1.6118        |              |               | 1.6461        |
| 20         |               | 1.6651        |              |               |               |
| 22         |               | 1.3032        |              |               | 1.2971        |
| <b>Max</b> | <b>1.1096</b> | <b>1.6651</b> | <b>.9816</b> | <b>2.1033</b> | <b>1.6461</b> |
| <b>Min</b> | <b>.8413</b>  | <b>1.3032</b> | <b>.8916</b> | <b>1.0517</b> | <b>1.1641</b> |
| <b>Avg</b> | <b>.9593</b>  | <b>1.4956</b> | <b>.9366</b> | <b>1.7375</b> | <b>1.4124</b> |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for **All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) S/DN-I[442] BU 2411

Substation No/ Name :- 174074 / 33 kV GURUDAWARA

Feeder No / Name : 203 / 11 KV GRANTH BHAVAN

Feeder KV- 11 / OUTGOING

NON SHEDDABLE EXPRESS HV FEEDERS

(NON-CONTINUOUS PROCESS)(NO

STAGGERING)

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 12-APR-18 | 13-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 7    |           |           | .0351     |           |           |
| 8    | .0526     |           | .0343     |           | .0537     |
| 10   | .0514     |           |           | .0351     |           |
| 12   | .0343     |           |           |           |           |
| 15   |           |           |           | .0343     |           |
| 16   | .0347     |           |           | .0351     |           |
| 17   |           | .0351     |           |           | .0351     |
| 19   |           | .0514     |           |           | .0514     |
| 20   |           | .0526     |           |           |           |
| 22   |           | .0543     |           |           | .0526     |
| Max  | .0526     | .0543     | .0351     | .0351     | .0537     |
| Min  | .0343     | .0351     | .0343     | .0343     | .0351     |
| Avg  | .0433     | .0484     | .0347     | .0348     | .0482     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) S/DN-I[442] BU 2411

Substation No/ Name :- 174074 / 33 kV GURUDAWARA

Feeder No / Name : 204 / 11 KV BAFNA

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE       | 08-APR-18     | 09-APR-18     | 10-APR-18     | 12-APR-18     | 13-APR-18     |
|------------|---------------|---------------|---------------|---------------|---------------|
| HR         | Load (MW)     | Load (MW)     | Load (MW)     | Load (MW)     | Load (MW)     |
| 7          |               |               | 1.6476        |               |               |
| 8          | 1.5424        |               | 1.7147        |               | 1.7909        |
| 10         | 1.749         |               |               | 1.7528        |               |
| 12         | .6173         |               |               |               |               |
| 15         |               |               |               | 2.3663        |               |
| 16         | 1.8724        |               |               | 2.2085        |               |
| 17         |               | 2.0332        |               |               |               |
| 19         |               | 2.3148        |               |               | 2.4691        |
| 20         |               | 2.2786        |               |               |               |
| 22         |               | 2.1719        |               |               | 2.1735        |
| <b>Max</b> | <b>1.8724</b> | <b>2.3148</b> | <b>1.7147</b> | <b>2.3663</b> | <b>2.4691</b> |
| <b>Min</b> | <b>.6173</b>  | <b>2.0332</b> | <b>1.6476</b> | <b>1.7528</b> | <b>1.7909</b> |
| <b>Avg</b> | <b>1.4453</b> | <b>2.1996</b> | <b>1.6812</b> | <b>2.1092</b> | <b>2.1445</b> |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for **All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) S/DN-I[442] BU 2411

Substation No/ Name :- 174074 / 33 kV GURUDAWARA

Feeder No / Name : 205 / 11 KV OLD MONDHA

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE       | 08-APR-18     | 09-APR-18     | 10-APR-18     | 12-APR-18     | 13-APR-18     |
|------------|---------------|---------------|---------------|---------------|---------------|
| HR         | Load (MW)     | Load (MW)     | Load (MW)     | Load (MW)     | Load (MW)     |
| 7          |               |               | 1.4022        |               |               |
| 8          | 1.3321        |               | 1.2346        |               | 1.3969        |
| 10         | 1.2003        |               |               | 1.1919        |               |
| 12         | 1.0631        |               |               |               |               |
| 15         |               |               |               | 1.7147        |               |
| 16         | 1.3176        |               |               | 1.6827        |               |
| 17         |               | 1.262         |               |               | 1.4373        |
| 19         |               | 1.5775        |               |               | 1.5775        |
| 20         |               | 1.7528        |               |               |               |
| 22         |               | 1.9909        |               |               | 1.9281        |
| <b>Max</b> | <b>1.3321</b> | <b>1.9909</b> | <b>1.4022</b> | <b>1.7147</b> | <b>1.9281</b> |
| <b>Min</b> | <b>1.0631</b> | <b>1.262</b>  | <b>1.2346</b> | <b>1.1919</b> | <b>1.3969</b> |
| <b>Avg</b> | <b>1.2283</b> | <b>1.6458</b> | <b>1.3184</b> | <b>1.5298</b> | <b>1.5850</b> |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) S/DN-I[442] BU 2411

Substation No/ Name :- 174074 / 33 kV GURUDAWARA

Feeder No / Name : 206 / 11 KV SACHKHAND

Feeder KV- 11 / OUTGOING

NON SHEDDABLE EXPRESS HV FEEDERS  
(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 12-APR-18 | 13-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 7    |           |           | .2804     |           |           |
| 8    | .2804     |           | .2401     |           | .2507     |
| 10   | .2401     |           |           | .2103     |           |
| 12   | .2058     |           |           |           |           |
| 15   |           |           |           | .2743     |           |
| 16   | .2774     |           |           | .2804     |           |
| 17   |           | .2804     |           |           | .3506     |
| 19   |           | .2743     |           |           | .3429     |
| 20   |           | .2804     |           |           |           |
| 22   |           | .5068     |           |           | .5609     |
| Max  | .2804     | .5068     | .2804     | .2804     | .5609     |
| Min  | .2058     | .2743     | .2401     | .2103     | .2507     |
| Avg  | .2509     | .3355     | .2603     | .255      | .3763     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) S/DN-I[442] BU 2411

Substation No/ Name :- 174074 / 33 kV GURUDAWARA

Feeder No / Name : 207 / 11 KV RAILWAY HOSPITAL  
Feeder KV- 11 / OUTGOINGNON SHEDDABLE EXPRESS HV FEEDERS  
(NON-CONTINUOUS PROCESS)(NO  
STAGGERING)

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 12-APR-18 | 13-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 7    |           |           | .1052     |           |           |
| 8    | .0876     |           | .1029     |           | .1254     |
| 10   | .0857     |           |           | .1052     |           |
| 12   | .1029     |           |           |           |           |
| 15   |           |           |           | .0686     |           |
| 16   | .104      |           |           | .0701     |           |
| 17   |           | .1052     |           |           | .1052     |
| 19   |           | .1029     |           |           | .1029     |
| 20   |           | .1052     |           |           |           |
| 22   |           | .1267     |           |           | .1227     |
| Max  | .104      | .1267     | .1052     | .1052     | .1254     |
| Min  | .0857     | .1029     | .1029     | .0686     | .1029     |
| Avg  | .0951     | .11       | .1041     | .0813     | .1141     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) S/DN-I[442] BU 2411

Substation No/ Name :- 174077 / 33 kV CHOUPHALA

Feeder No / Name : 201 / 11 KV BILAL NAGAR

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.2936    | 1.4784    | 1.2936    | 1.1088    | 1.1088    | 1.2936    | 1.386     |
| 2    | 1.2936    | 1.2936    | 1.2936    | 1.1088    | 1.1088    | 1.2936    | 1.2936    |
| 3    | 1.2936    | 1.2936    | 1.2936    | 1.1088    | 1.1088    | 1.2936    | 1.2936    |
| 4    | 1.2936    | 1.2936    | 1.2936    | 1.1088    | 1.1088    | 1.2936    | 1.2936    |
| 5    | 1.4784    | 1.2936    | 1.386     | 1.2936    | 1.1088    | 1.2936    | 1.2936    |
| 6    | 1.4784    | 1.2936    | 1.386     | 1.2936    | 1.2936    | 1.4784    | 1.4003    |
| 7    | 1.5708    | 1.4784    | 1.587     | 1.386     | 1.2936    | 1.6632    | 1.6804    |
| 8    | 1.848     | 1.4784    | 1.6804    | 1.2936    | 1.2936    | 1.6632    | 1.7737    |
| 9    |           | 1.5708    | 1.6632    | 1.7926    | 1.2936    |           | 1.587     |
| 10   |           | 1.386     | 1.2936    | 1.1088    | 1.2936    | 1.5708    | 1.4937    |
| 11   |           | 1.386     | 1.2936    | 1.2012    | 1.2936    | 1.5708    | 1.4784    |
| 12   |           | 1.4784    | 1.2936    |           | 1.2803    | 1.6632    | 1.4784    |
| 13   |           | 1.386     | 1.2936    |           | 1.3717    | 1.6632    | 1.4784    |
| 14   |           | 1.2012    | 1.2936    | 1.1088    | 1.2936    | 1.6632    | 1.2936    |
| 15   |           | 1.4784    | 1.4784    | 1.1088    | 1.1088    | 1.6632    | 1.307     |
| 16   | 1.7556    | 1.386     | 1.4784    | 1.2012    | 1.1088    | 1.2012    | 1.4784    |
| 17   | 1.6632    | 1.4632    | 1.6632    | 1.5708    | 1.2936    | 1.2803    | 1.5708    |
| 18   | 1.6632    | 1.5708    | 1.848     | 1.9404    | 1.4784    | 1.6632    | 1.848     |
| 19   | 1.6632    | 1.6632    | 2.1253    | 1.9404    | 1.6632    | 1.848     | 2.0328    |
| 20   | 1.4784    | 1.6632    | 1.7556    | 1.6632    | 1.6632    | 1.6632    | 2.1253    |
| 21   | 1.4784    | 1.4784    | 1.4784    | 1.4784    | 1.4784    | 1.4784    | 1.6632    |
| 22   | 1.4784    |           | 1.2936    | 1.2936    | 1.2936    | 1.4784    | 1.6632    |
| 23   | 1.4784    |           | 1.2936    | 1.1088    | 1.2936    | 1.4784    | 1.6632    |
| 24   | 1.2936    | 1.4784    | 1.1088    | 1.1088    | 1.1088    | 1.2936    | 1.4784    |
| Max  | 1.848     | 1.6632    | 2.1253    | 1.9404    | 1.6632    | 1.848     | 2.1253    |
| Min  | 1.2936    | 1.2012    | 1.1088    | 1.1088    | 1.1088    | 1.2012    | 1.2936    |
| Avg  | 1.5001    | 1.4315    | 1.4528    | 1.3331    | 1.2809    | 1.4979    | 1.5439    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) S/DN-I[442] BU 2411

Substation No/ Name :- 174077 / 33 kV CHOUPHALA

Feeder No / Name : 202 / 11 KV RLY TRACK

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.848     | 2.2177    | 2.0328    | 2.0328    | 2.0328    | 2.2177    | 2.0328    |
| 2    | 1.848     | 2.0328    | 2.0328    | 1.848     | 2.0328    | 2.0328    | 2.0328    |
| 3    | 1.848     | 2.0328    | 1.848     | 1.848     | 1.848     | 2.0328    | 2.0328    |
| 4    | 1.848     | 1.848     | 1.848     | 1.848     | 1.848     | 1.97      | 2.0328    |
| 5    | 1.848     | 1.848     | 1.848     | 1.848     | 1.848     | 2.0328    | 2.0328    |
| 6    | 2.0328    | 1.848     | 1.848     | 2.0328    | 1.6632    | 2.2177    | 2.0538    |
| 7    | 2.0328    | 2.0328    | 2.0538    | 1.9404    | 1.6632    | 2.2177    | 2.0538    |
| 8    | 2.0328    | 2.2177    | 2.0538    | 2.0328    | 1.848     | 2.4025    | 2.0538    |
| 9    | 2.0328    | 2.1253    | 2.0328    | 2.0328    | 1.6632    |           | 2.0538    |
| 10   | 2.0328    | 2.0328    | 2.0328    | 2.0328    | 1.6632    | 2.4025    | 2.2405    |
| 11   | 1.9404    | 1.9404    | 2.0328    | 2.0328    | 2.0328    | 2.5873    | 2.0328    |
| 12   | 2.0328    | 2.1253    | 1.9404    | 2.0328    | 2.0119    | 2.5873    | 2.0328    |
| 13   | 2.0328    | 2.0328    | 1.9404    | 1.9404    | 2.0119    | 2.4025    | 2.0328    |
| 14   | 1.848     | 1.848     | 1.848     | 1.848     | 1.848     | 2.0328    | 2.0328    |
| 15   | 1.6461    | 1.6632    | 1.848     | 1.7556    | 1.848     | 1.848     | 2.0328    |
| 16   | 1.6632    | 1.7556    | 1.848     | 1.848     | 1.7556    | 1.848     | 2.0328    |
| 17   | 1.848     | 1.829     | 1.848     | 1.848     | 1.848     | 1.829     | 2.0328    |
| 18   | 2.0328    | 2.0119    |           | 2.2177    | 2.0328    | 1.9404    | 2.0328    |
| 19   | 2.2177    | 2.1253    | 2.3101    | 2.4025    | 2.2177    | 2.4949    | 2.4025    |
| 20   | 2.2177    | 2.2177    | 2.5873    | 2.4025    | 2.4025    | 2.5873    | 2.4949    |
| 21   | 2.2177    | 2.2177    | 2.4025    | 2.2177    | 2.4025    | 2.5873    | 2.2177    |
| 22   | 2.2177    |           | 2.2177    | 2.2177    | 2.2177    | 2.2177    | 2.0328    |
| 23   | 2.2177    | 2.2177    | 2.0328    | 2.0328    | 2.2177    | 2.4025    | 2.0328    |
| 24   | 2.0328    | 2.2177    | 2.0328    | 2.0328    | 2.0328    | 2.2177    | 2.2177    |
| Max  | 2.2177    | 2.2177    | 2.5873    | 2.4025    | 2.4025    | 2.5873    | 2.4949    |
| Min  | 1.6461    | 1.6632    | 1.848     | 1.7556    | 1.6632    | 1.829     | 2.0328    |
| Avg  | 1.9821    | 2.0191    | 2.0226    | 2.0136    | 1.9579    | 2.2221    | 2.0950    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) S/DN-I[442] BU 2411

Substation No/ Name :- 174077 / 33 kV CHOUPHALA

Feeder No / Name : 203 / 11 KV DEGLOOR NAKA

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.5873    | 2.7721    | 2.7721    | 2.9569    | 2.9569    | 2.7721    | 2.7721    |
| 2    | 2.5873    | 2.5873    | 2.5873    | 2.7721    | 2.9569    | 2.7721    | 2.5873    |
| 3    | 2.5873    | 2.5873    | 2.5873    | 2.7721    | 2.7721    | 2.7721    | 2.5873    |
| 4    | 2.5873    | 2.5873    | 2.5873    | 2.9569    | 2.7721    | 2.7721    | 2.5873    |
| 5    | 2.5873    | 2.5873    | 2.5873    | 2.9569    | 2.7721    | 2.7721    | 2.5873    |
| 6    | 2.5873    | 2.5873    | 2.5873    | 2.9569    | 2.5873    | 2.7721    | 2.7721    |
| 7    | 2.5873    | 2.5873    | 2.6139    | 2.9569    | 2.5873    | 2.9569    | 2.6139    |
| 8    | 2.5873    | 2.9569    | 2.6139    | 3.3265    | 2.7721    | 3.3265    | 2.9874    |
| 9    | 2.7721    |           | 2.5873    | 2.7721    | 2.5873    | 3.3265    | 2.8006    |
| 10   | 3.3265    |           | 2.7721    | 2.7721    | 2.5873    | 3.3265    | 2.6139    |
| 11   | 3.1417    |           | 2.7721    | 2.7721    | 2.5606    | 3.3265    | 2.9569    |
| 12   | 2.9569    |           | 2.7721    | 2.5873    | 2.5606    | 3.3265    | 2.9569    |
| 13   | 2.9569    |           | 2.7721    | 2.7721    | 2.5606    | 2.7721    | 2.7721    |
| 14   | 2.7721    |           | 2.7721    | 2.7721    | 2.5873    | 2.6797    | 2.7721    |
| 15   | 2.5606    |           | 2.5873    | 2.7721    | 2.4025    | 2.5873    | 2.7721    |
| 16   | 2.5873    | 3.5113    | 2.5873    | 2.5873    | 2.5873    | 2.5873    | 2.9569    |
| 17   | 2.5873    | 2.9264    | 2.5873    | 2.5873    | 2.5873    | 2.5606    | 2.9569    |
| 18   | 2.5873    | 3.1093    | 2.9569    | 2.9569    | 2.5873    | 2.7721    | 3.1417    |
| 19   | 2.9569    | 3.2341    | 3.3265    | 3.3265    | 2.9569    | 3.1417    | 3.3265    |
| 20   | 3.3265    | 3.3265    | 3.3265    | 3.2341    | 3.3265    | 2.9569    | 3.3265    |
| 21   | 2.9569    | 2.9569    | 3.3265    | 2.9569    | 3.3265    | 2.9569    | 2.9569    |
| 22   | 2.9569    |           |           | 2.9569    | 3.1417    | 2.9569    | 2.9569    |
| 23   | 2.9569    | 3.1417    |           | 2.9569    | 2.9569    | 2.9569    | 2.9569    |
| 24   | 2.5873    | 2.7721    | 2.9569    | 2.9569    | 2.9569    | 2.9569    | 2.9569    |
| Max  | 3.3265    | 3.5113    | 3.3265    | 3.3265    | 3.3265    | 3.3265    | 3.3265    |
| Min  | 2.5606    | 2.5873    | 2.5873    | 2.5873    | 2.4025    | 2.5606    | 2.5873    |
| Avg  | 2.7787    | 2.8894    | 2.7745    | 2.8915    | 2.7688    | 2.9211    | 2.8615    |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) S/DN-I[442] BU 2411

Substation No/ Name :- 174077 / 33 kV CHOUPHALA

Feeder No / Name : 204 / 11 KV KHUDWAI NAGAR

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.6632    | 1.848     | 1.848     | 1.2936    | 1.6632    | 1.6632    | 1.848     |
| 2    | 1.4784    | 1.848     | 1.848     | 1.2936    | 1.6632    | 1.6632    | 1.848     |
| 3    | 1.4784    | 1.848     | 1.848     | 1.4784    | 1.6632    | 1.6632    | 1.848     |
| 4    | 1.4784    | 1.6632    | 1.848     | 1.4784    | 1.6632    | 1.6632    | 1.848     |
| 5    | 1.4784    | 1.6632    | 1.848     | 1.6632    | 1.6632    | 1.6632    | 1.848     |
| 6    | 1.6632    | 1.6632    | 1.848     | 1.848     | 1.6632    | 1.848     | 2.0538    |
| 7    | 1.6632    | 1.97      | 2.0538    | 1.9404    | 1.848     | 2.2177    | 2.0538    |
| 8    | 1.9404    | 2.2177    | 2.1472    | 2.1253    | 2.2177    | 2.4025    | 2.4272    |
| 9    | 2.0328    | 2.1253    | 2.2177    | 2.2177    | 2.1253    | 2.4949    | 2.1472    |
| 10   | 2.1253    | 1.848     |           | 1.848     | 2.0328    | 2.4025    | 2.0538    |
| 11   | 2.0328    | 1.848     |           | 1.848     | 2.0328    | 2.4025    | 2.0328    |
| 12   | 1.9404    | 1.848     |           | 1.7556    | 1.829     | 2.2177    | 1.848     |
| 13   | 1.6632    | 1.6632    | 2.1253    | 1.7556    | 1.829     | 2.0328    | 1.848     |
| 14   | 1.6632    | 1.6632    | 2.0328    | 1.6632    | 1.6632    | 1.7556    | 1.6632    |
| 15   | 1.6461    | 1.4784    | 1.848     | 1.4784    | 1.4784    | 1.6632    | 1.848     |
| 16   | 1.6632    | 1.5708    | 1.6632    | 1.5708    | 1.5708    | 1.5708    | 1.848     |
| 17   | 1.848     | 1.6461    | 1.848     | 1.848     | 1.6632    | 1.6461    | 1.848     |
| 18   | 2.2177    | 2.0119    | 2.1253    | 2.0328    | 1.848     | 1.9404    | 2.2177    |
| 19   | 2.2177    | 2.0328    | 2.4949    | 2.2177    | 2.2177    | 2.4025    |           |
| 20   | 2.0328    | 2.0328    | 2.0328    | 2.0328    | 2.0328    | 2.0328    | 2.4025    |
| 21   | 1.848     | 1.848     | 2.0328    | 2.0328    | 2.0328    | 2.0328    | 2.0328    |
| 22   | 1.848     |           |           | 1.848     | 1.848     | 2.0328    | 1.848     |
| 23   | 1.9959    | 1.848     |           | 1.6632    | 1.848     | 1.848     | 1.848     |
| 24   | 1.6632    | 1.848     | 1.2936    | 1.2936    | 1.6632    | 1.6632    | 1.848     |
| Max  | 2.2177    | 2.2177    | 2.4949    | 2.2177    | 2.2177    | 2.4949    | 2.4272    |
| Min  | 1.4784    | 1.4784    | 1.2936    | 1.2936    | 1.4784    | 1.5708    | 1.6632    |
| Avg  | 1.8034    | 1.8276    | 1.9475    | 1.7595    | 1.8233    | 1.9551    | 1.9613    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) MIDC SDN.[724] BU 4724

Substation No/ Name :- 174023 / 33 kV MIDC

Feeder No / Name : 203 / 11 KV BHAGYLAXMI  
Feeder KV- 11 / OUTGOINGSHEDDABLE FEEDER HAVING WEEKLY  
STAGGERING (MIDC, EQUIVALENT)

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 2    | .0373     | .0377     |           | .0373     | .0377     |           | .0373     |
| 4    | .0373     | .0377     | .0373     | .0373     | .0377     | .056      | .0373     |
| 6    | .0373     | .0373     | .0373     | .0373     |           | .056      | .0373     |
| 7    |           | .056      |           |           | .0373     |           |           |
| 8    | .0373     | .056      |           | .0373     |           | .056      | .0373     |
| 9    |           |           | .0373     |           | .056      |           |           |
| 10   | .0373     | .0747     | .0373     | .056      | .056      | .056      | .0373     |
| 12   | .0373     | .0747     | .0373     | .056      | .056      | .056      | .0373     |
| 14   | .0373     | .0747     | .0373     |           |           | .056      | .056      |
| 15   |           |           | .0373     |           |           |           |           |
| 16   | .0373     | .0747     | .0373     | .056      | .056      | .056      | .056      |
| 18   | .0373     | .037      | .056      | .056      | .056      | .056      |           |
| 19   | .0373     |           | .056      |           |           |           |           |
| 20   |           | .037      |           | .0373     | .056      | .056      | .0377     |
| 21   | .0377     |           | .0373     |           |           |           |           |
| 22   | .0377     | .037      |           |           | .056      | .0373     |           |
| 23   | .0377     |           | .0373     |           |           | .0373     | .0566     |
| 24   | .0373     | .0377     | .0373     | .0373     | .0377     | .056      | .0373     |
| Max  | .0377     | .0747     | .056      | .056      | .056      | .056      | .0566     |
| Min  | .0373     | .037      | .0373     | .0373     | .0373     | .0373     | .0373     |
| Avg  | .0374     | .0517     | .0402     | .0448     | .0493     | .0529     | .0425     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) MIDC SDN.[724] BU 4724

Substation No/ Name :- 174023 / 33 kV MIDC

Feeder No / Name : 204 / 11 KV CHOUPHALA

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 2    | 1.0269    | 1.1317    |           | 1.1203    | 1.5089    |           | 1.307     |
| 4    | .9335     | 1.2826    | 1.4937    | 1.1203    | 1.4712    | 1.9044    | 1.4937    |
| 6    | 1.307     | 1.6804    | 1.531     | 1.4937    |           | 1.9418    | 1.8671    |
| 7    | 1.1203    | 1.9418    |           |           | 1.0456    |           |           |
| 8    | 1.0269    | 1.8671    |           | 1.4937    |           | 1.9605    | 1.8671    |
| 9    |           |           | 1.0082    |           | 1.3817    |           |           |
| 10   | 1.4937    | 1.6804    | .9709     | 1.307     | 1.307     | 1.4937    | 1.4937    |
| 12   | 1.2136    | 1.1203    | 1.1203    | 1.2323    |           | 1.2136    | 1.307     |
| 14   | .9335     | .8859     | 1.1203    |           | .9335     | 1.1203    | 1.1203    |
| 15   |           |           | 1.0269    | 1.1203    |           |           |           |
| 16   | 1.0269    | .8871     | 1.1203    |           | 1.0456    | 1.0269    | 1.1203    |
| 18   | 1.1203    | 1.2567    | 1.4003    | 1.4937    | 1.2696    | 1.307     | 1.3203    |
| 19   | 1.587     |           | 1.4937    |           |           |           |           |
| 20   |           | 1.423     |           | 1.6975    | 1.4937    | 1.6804    | 1.5089    |
| 21   | 1.3203    |           | 1.4937    |           |           |           |           |
| 22   | 1.2449    | 1.2936    |           |           | 1.4563    | 1.4937    |           |
| 23   | 1.2449    |           | 1.2136    |           |           | 1.307     | 1.2071    |
| 24   | 1.0269    | 1.1317    | 1.1949    | 1.1203    | 1.5089    | 1.1203    | 1.307     |
| Max  | 1.587     | 1.9418    | 1.531     | 1.6975    | 1.5089    | 1.9605    | 1.8671    |
| Min  | .9335     | .8859     | .9709     | 1.1203    | .9335     | 1.0269    | 1.1203    |
| Avg  | 1.1751    | 1.3525    | 1.2452    | 1.3199    | 1.3111    | 1.4641    | 1.4100    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) MIDC SDN.[724] BU 4724

Substation No/ Name :- 174073 / 33 kV VISHNUPURI

Feeder No / Name : 201 / 11 KV NANAKSAR GAUTHAN  
Feeder KV- 11 / OUTGOING

GAOTHAN FEEDER

| DATE | 08-APR-18 | 09-APR-18 | 11-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 24   | .1402     | .1402     | .1578     | .2804     |
| Max  | .1402     | .1402     | .1578     | .2804     |
| Min  | .1402     | .1402     | .1578     | .2804     |
| Avg  | .1402     | .1402     | .1578     | .2804     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) MIDC SDN.[724] BU 4724

Substation No/ Name :- 174073 / 33 kV VISHNUPURI

Feeder No / Name : 202 / 11 KV VIDYAPEETH

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 11-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 24   | .3506     | .4207     | .3506     | .3506     |
| Max  | .3506     | .4207     | .3506     | .3506     |
| Min  | .3506     | .4207     | .3506     | .3506     |
| Avg  | .3506     | .4207     | .3506     | .3506     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) MIDC SDN.[724] BU 4724

Substation No/ Name :- 174073 / 33 kV VISHNUPURI

Feeder No / Name : 203 / 11 KV GANGABET

GAOTHAN FEEDER

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 11-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 6    |           |           | .3506     |           |
| 24   | .2629     | .3506     |           | .2629     |
| Max  | .2629     | .3506     | .3506     | .2629     |
| Min  | .2629     | .3506     | .3506     | .2629     |
| Avg  | .2629     | .3506     | .3506     | .2629     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) MIDC SDN.[724] BU 4724

Substation No/ Name :- 174073 / 33 kV VISHNUPURI

Feeder No / Name : 204 / 11 KV PIMPALGAON

Feeder KV- 11 / OUTGOING

FEEDER SEPERATION/PURE AG

| DATE | 08-APR-18 |
|------|-----------|
| HR   | Load (MW) |
| 24   | .5258     |
| Max  | .5258     |
| Min  | .5258     |
| Avg  | .5258     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) MIDC SDN.[724] BU 4724

Substation No/ Name :- 174073 / 33 kV VISHNUPURI

Feeder No / Name : 205 / 11 KV KALESHWAR AG

Feeder KV- 11 / OUTGOING

FEEDER SEPERATION/PURE AG

| DATE | 08-APR-18 |
|------|-----------|
| HR   | Load (MW) |
| 24   | .1753     |
| Max  | .1753     |
| Min  | .1753     |
| Avg  | .1753     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) MIDC SDN.[724] BU 4724

Substation No/ Name :- 174073 / 33 kV VISHNUPURI

Feeder No / Name : 206 / 11 KV PANGRA AG

Feeder KV- 11 / OUTGOING

FEEDER SEPERATION/PURE AG

| DATE | 14-APR-18 |
|------|-----------|
| HR   | Load (MW) |
| 24   | .1227     |
| Max  | .1227     |
| Min  | .1227     |
| Avg  | .1227     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) MIDC SDN.[724] BU 4724

Substation No/ Name :- 174073 / 33 kV VISHNUPURI

Feeder No / Name : 208 / 11 KV GODAWARI AG  
Feeder KV- 11 / OUTGOING

FEEDER SEPERATION/PURE AG

| DATE | 08-APR-18 |
|------|-----------|
| HR   | Load (MW) |
| 24   | .1753     |
| Max  | .1753     |
| Min  | .1753     |
| Avg  | .1753     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) MIDC SDN.[724] BU 4724

Substation No/ Name :- 174073 / 33 kV VISHNUPURI

Feeder No / Name : 209 / 11 KV VISHNUPURI GAOTHAN

GAOTHAN FEEDER

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 11-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 24   | .6135     | .631      | .5609     | .6135     |
| Max  | .6135     | .631      | .5609     | .6135     |
| Min  | .6135     | .631      | .5609     | .6135     |
| Avg  | .6135     | .631      | .5609     | .6135     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) MIDC SDN.[724] BU 4724

Substation No/ Name :- 174096 / 33 kV TUPPA (DHANEGAON)

Feeder No / Name : 201 / 11 kV NAGAPUR G

GAOTHAN FEEDER

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           | .6348     |           |           | .6667     |           |
| 2    |           |           | .6335     |           |           | .743      |           |
| 3    |           |           | .6316     |           |           | .743      |           |
| 4    |           |           | .7052     |           |           | .8962     |           |
| 5    |           |           | .8215     |           |           | .9709     |           |
| 6    |           |           | 1.2386    |           |           | .9709     |           |
| 7    |           |           | 1.315     |           |           | .9335     |           |
| 8    |           |           | 1.315     |           | .9335     | .9335     | 1.3457    |
| 9    | 1.1203    |           | 1.2323    | .9335     |           |           |           |
| 10   | .9709     |           | 1.1317    | .9335     |           |           |           |
| 11   | .8944     |           |           | .7778     |           |           |           |
| 12   | .7407     |           |           | .5889     |           |           |           |
| 13   | .6653     |           |           | .5865     |           |           |           |
| 14   | .5902     |           |           | .6232     |           |           |           |
| 15   | .6639     |           |           | .6626     |           |           |           |
| 16   | .7392     |           | 1.0562    | .5889     |           |           |           |
| 17   |           | 1.0829    |           |           | .8165     |           |           |
| 18   |           | 1.0082    |           |           |           |           |           |
| 19   |           | 1.1203    |           |           | 1.0829    |           |           |
| 20   |           | 1.0082    |           |           | 1.0829    |           |           |
| 21   |           | .8944     |           |           | .8519     |           |           |
| 22   |           | .8916     |           |           | .7392     |           |           |
| 23   |           | .8519     |           |           | .6639     |           |           |
| 24   |           |           | .7023     |           | .439      | .6626     | .6667     |
| Max  | 1.1203    | 1.1203    | 1.315     | .9335     | 1.0829    | .9709     | 1.3457    |
| Min  | .5902     | .8519     | .6316     | .5865     | .439      | .6626     | .6667     |
| Avg  | .7981     | .9796     | .9515     | .7119     | .8262     | .8356     | 1.0062    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) MIDC SDN.[724] BU 4724

Substation No/ Name :- 174096 / 33 kV TUPPA (DHANEGAON)

Feeder No / Name : 202 / 11 kV PUNEGAON AG  
Feeder KV- 11 / OUTGOINGSEPARATED AG FEEDERS HAVING SPECIAL  
DESIGN TRANSFORMER

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 11   | 1.957     |           |           |           |           |
| 12   | 2.0364    |           |           | 1.1701    |           |
| 13   | 2.1498    |           |           | 1.1728    |           |
| 14   | 2.2926    |           |           | 1.2481    |           |
| 15   | 2.2594    |           |           | 1.3859    |           |
| 16   | 2.2081    |           | 2.5606    | 1.4519    |           |
| 17   |           | 2.5947    |           |           | 1.3373    |
| 18   |           | 2.5434    |           |           | 1.2539    |
| 19   |           | 2.3792    |           |           |           |
| Max  | 2.2926    | 2.5947    | 2.5606    | 1.4519    | 1.3373    |
| Min  | 1.957     | 2.3792    | 2.5606    | 1.1701    | 1.2539    |
| Avg  | 2.1506    | 2.5058    | 2.5606    | 1.2858    | 1.2956    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for **All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) MIDC SDN.[724] BU 4724

Substation No/ Name :- 174096 / 33 kV TUPPA (DHANEGAON)

Feeder No / Name : 203 / 11 kV TUPPA AG SEPARATED AG FEEDERS HAVING SPECIAL  
Feeder KV- 11 / OUTGOING DESIGN TRANSFORMER

| DATE | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3117     |           |           | .1253     |           |
| 2    | .374      |           |           | .125      |           |
| 3    | .3759     |           |           | .1566     |           |
| 4    | .4072     |           |           | .1879     |           |
| 5    | .4406     |           |           | .1879     |           |
| 6    | .506      |           |           | .2198     |           |
| 7    | .5389     |           |           | .3144     |           |
| 8    | .5389     |           | .2743     | .3458     | .3804     |
| 9    |           | .4102     |           |           |           |
| 10   | .583      |           |           |           |           |
| 24   | .1551     |           | .0671     | .094      | .0914     |
| Max  | .583      | .4102     | .2743     | .3458     | .3804     |
| Min  | .1551     | .4102     | .0671     | .094      | .0914     |
| Avg  | .4231     | .4102     | .1707     | .1952     | .2359     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) MIDC SDN.[724] BU 4724

Substation No/ Name :- 174096 / 33 kV TUPPA (DHANEGAON)

Feeder No / Name : 204 / 11 kv New Wajegaon

GAOTHAN FEEDER

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           | 1.0082    |           |           | .963      |
| 2    |           |           | 1.0082    |           |           | .963      |
| 3    |           |           | 1.0082    |           |           | 1.0434    |
| 4    |           |           | .9709     |           |           | 1.2696    |
| 5    |           |           | 1.1203    |           |           | 1.3096    |
| 6    |           |           | 1.3136    |           |           | 1.3096    |
| 7    |           |           | 1.3887    |           |           | 1.5812    |
| 8    |           |           | 1.4653    |           | 1.3443    | 1.6975    |
| 9    | 1.315     |           | 1.4712    | 1.3096    |           |           |
| 10   | 1.201     |           | 1.3203    | 1.3512    |           |           |
| 11   | 1.1203    |           |           | 1.1203    |           |           |
| 12   | 1.1203    |           |           | 1.0456    |           |           |
| 13   |           |           |           | 1.0456    |           |           |
| 14   | 1.0829    |           |           | 1.0082    |           |           |
| 15   | 1.0807    |           |           | .9709     |           |           |
| 16   | 1.0434    |           | 1.2826    | .9689     |           |           |
| 17   |           | 1.3845    |           |           | 1.1203    |           |
| 18   |           | 1.6598    |           |           | 1.3471    |           |
| 19   |           | 1.6975    |           |           | 1.6139    |           |
| 20   |           | 1.3096    |           |           | 1.5013    |           |
| 21   |           | 1.2323    |           |           | 1.2722    |           |
| 22   |           | 1.2696    |           |           | 1.1203    |           |
| 23   |           | 1.1203    |           |           | .9689     |           |
| 24   |           |           | 1.0829    |           | .695      | .963      |
| Max  | 1.315     | 1.6975    | 1.4712    | 1.3512    | 1.6139    | 1.6975    |
| Min  | 1.0434    | 1.1203    | .9709     | .9689     | .695      | .963      |
| Avg  | 1.1377    | 1.3819    | 1.2034    | 1.1025    | 1.2204    | 1.2333    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for **All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) MIDC SDN.[724] BU 4724

Substation No/ Name :- 174096 / 33 kV TUPPA (DHANEGAON)

Feeder No / Name : 205 / 11 kv Injegaon AG  
Feeder KV- 11 / OUTGOING

FEEDER SEPERATION/PURE AG

| DATE       | 08-APR-18     | 09-APR-18     | 10-APR-18     | 11-APR-18     | 12-APR-18    |
|------------|---------------|---------------|---------------|---------------|--------------|
| HR         | Load (MW)     | Load (MW)     | Load (MW)     | Load (MW)     | Load (MW)    |
| 11         |               |               |               | 1.2541        |              |
| 12         |               |               |               | 1.2567        |              |
| 13         |               |               |               | 1.2567        |              |
| 14         | 1.9083        |               |               | 1.2172        |              |
| 15         | 1.9912        |               |               | 1.2147        |              |
| 16         | 2.0288        |               | 2.2257        | 1.3306        |              |
| 17         |               | 2.0911        |               |               | 1.037        |
| 18         |               | 2.1703        |               |               | 1.037        |
| <b>Max</b> | <b>2.0288</b> | <b>2.1703</b> | <b>2.2257</b> | <b>1.3306</b> | <b>1.037</b> |
| <b>Min</b> | <b>1.9083</b> | <b>2.0911</b> | <b>2.2257</b> | <b>1.2147</b> | <b>1.037</b> |
| <b>Avg</b> | <b>1.9761</b> | <b>2.1307</b> | <b>2.2257</b> | <b>1.255</b>  | <b>1.037</b> |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) MIDC SDN.[724] BU 4724

Substation No/ Name :- 174096 / 33 kV TUPPA (DHANEGAON)

Feeder No / Name : 206 / 11Kv MARATHWADA EXPRESS SHEDDABLE FEEDER HAVING WEEKLY  
Feeder KV- 11 / OUTGOING STAGGERING (MIDC, EQUIVALENT)

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           | .5304     |           |           | .4567     |
| 2    |           |           | .5304     |           |           | .4557     |
| 3    |           |           | .5304     |           |           | .4567     |
| 4    |           |           | .5304     |           |           | .4567     |
| 5    |           |           | .5304     |           |           | .4567     |
| 6    |           |           | .5682     |           |           | .4557     |
| 7    |           |           | .6037     |           |           | .4567     |
| 8    |           |           | .6037     |           | .5258     | .494      |
| 9    | .4552     |           | .6584     | .5304     |           |           |
| 10   | .5682     |           | .695      | .5304     |           |           |
| 11   | .5682     |           |           | .5304     |           |           |
| 12   | .5316     |           |           | .6776     |           |           |
| 13   | .5304     |           |           | .6392     |           |           |
| 14   | .495      |           |           | .567      |           |           |
| 15   | .5316     |           |           | .567      |           |           |
| 16   | .5316     |           | .6219     | .5316     |           |           |
| 17   |           |           |           |           | .494      |           |
| 18   |           | .5327     |           |           | .494      |           |
| 19   |           | .6392     |           |           | .642      |           |
| 20   |           | .6392     |           |           | .642      |           |
| 21   |           | .6024     |           |           | .5304     |           |
| 22   |           | .5316     |           |           | .495      |           |
| 23   |           | .5316     |           |           | .4567     |           |
| 24   |           |           | .5304     |           | .3688     | .4567     |
| Max  | .5682     | .6392     | .695      | .6776     | .642      | .494      |
| Min  | .4552     | .5316     | .5304     | .5304     | .3688     | .4557     |
| Avg  | .5265     | .5795     | .5778     | .5717     | .5165     | .4606     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) MIDC SDN.[724] BU 4724

Substation No/ Name :- 174097 / 33 kV MIDC II

Feeder No / Name : 201 / 11 KV R.T.O.

Feeder KV- 11 / OUTGOING

SHEDDABLE FEEDER HAVING WEEKLY  
STAGGERING (MIDC, EQUIVALENT)

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .6478     | .8002     | .9526     | .6859     | .724      | .724      | .6859     |
| 2    | .6478     | .8002     | .9526     | .5335     | .724      | .724      | .5716     |
| 3    | .6478     | .8002     | .9526     | .5335     | .6859     | .724      | .5335     |
| 4    | .6478     | .8002     | .8764     | .5335     | .6097     | .724      | .5335     |
| 5    | .6478     | .8002     | .8764     | .5335     | .6097     | .724      | .5335     |
| 6    | .6859     | .7621     | .7621     | .5335     | .6097     | .5716     | .5335     |
| 7    | .7621     | .6859     | .7621     | .5335     | .6097     | .6097     | .5335     |
| 8    | .724      | .743      | .7621     | .5335     | .6097     | .5716     | .381      |
| 9    | .8383     | .9717     | 1.105     | .9907     | .4572     | .8192     | .6097     |
| 10   | 1.105     | 1.2955    | 1.3146    | 1.1431    | .7621     | 1.4335    | .8573     |
| 11   | 1.3717    |           | 1.6004    | 1.3717    | .7621     | 1.6975    | 1.105     |
| 12   | 1.6004    | 1.5089    | 1.829     | 1.6766    | .7621     | 1.6598    | 1.105     |
| 13   | 1.3336    | 1.2193    | 1.829     | 1.6004    | .7621     | 1.4289    | 1.105     |
| 14   | 1.0669    | 1.2574    | 1.7147    | 1.2193    | .3048     | 1.1812    | 1.0669    |
| 15   | 1.2193    | 1.3336    | 1.7909    | 1.3717    | .4572     | 1.3957    | .9907     |
| 16   | 1.2193    | 1.4712    | 1.9814    | 1.6004    |           | 1.3769    | .9526     |
| 17   | 1.2955    | 1.6032    | 1.7528    | 1.5655    |           | 1.6766    | 1.0669    |
| 18   | 1.2193    | 1.4712    | 1.6004    | 1.3769    |           | 1.448     | .5335     |
| 19   | 1.1431    | 1.5844    | 1.6004    | 1.1883    | .724      | 1.2193    | .6097     |
| 20   | .9526     | 1.0669    | 1.1431    | .8383     | .724      | .9526     | .6859     |
| 21   | .8764     | .8764     | .8383     | .8002     | .724      | .6859     | .6859     |
| 22   | .8002     | .9145     | .8764     | .5716     | .724      | .7621     | .4191     |
| 23   | .8002     | .9526     | .7621     | .6478     | .724      | .9145     | .6859     |
| 24   | .6859     | .8002     |           | .7621     | .724      | .724      | .9907     |
| Max  | 1.6004    | 1.6032    | 1.9814    | 1.6766    | .7621     | 1.6975    | 1.105     |
| Min  | .6478     | .6859     | .7621     | .5335     | .3048     | .5716     | .381      |
| Avg  | .9558     | 1.0660    | 1.2450    | .9644     | .6569     | 1.0312    | .7407     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) MIDC SDN.[724] BU 4724

Substation No/ Name :- 174097 / 33 kV MIDC II

Feeder No / Name : 202 / 11 KV NANDED FLOOR MILL  
Feeder KV- 11 / OUTGOINGSHEDDABLE FEEDER HAVING WEEKLY  
STAGGERING (MIDC, EQUIVALENT)

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .4001     | .3429     | .3048     | .3048     | .381      | .5716     | .381      |
| 2    | .4001     | .3429     | .3048     | .3048     | .381      | .5716     | .381      |
| 3    | .4001     | .3429     | .3048     | .3048     | .381      | .5716     | .381      |
| 4    | .4191     | .3429     | .3048     | .3048     | .381      | .5716     | .381      |
| 5    | .4191     | .4763     | .3048     | .3048     | .4572     | .5716     | .381      |
| 6    | .6287     | .5906     | .381      | .6097     | .5335     | .724      | .6097     |
| 7    | .6287     | .6859     | .4763     | .6097     | .5906     | .8383     | .6097     |
| 8    | .724      | .5906     | .4191     | .6097     | .6668     | .7811     | .4572     |
| 9    | .6097     | .5716     | .5335     | .6859     | .6097     | .7621     | .4763     |
| 10   | .6097     | .8002     | .5335     | .7621     | .5335     | .7621     | .5335     |
| 11   | .6097     |           | .6097     | .7621     | .5144     | 1.0098    | .5525     |
| 12   | .5335     | .4763     | .5525     | .7621     | .5335     | .8192     | .5716     |
| 13   | .381      | .7621     | .6097     | .7621     |           | .8764     | .5716     |
| 14   | .381      | .8002     | .6287     | .8383     |           | .6097     | .5716     |
| 15   | .6097     | .8573     | .6287     | .6859     |           | .8192     | .6097     |
| 16   | .381      | .9145     | .6668     | .6097     |           | .7049     | .724      |
| 17   | .5144     | .4763     | .381      | .6859     |           | .4572     | .7049     |
| 18   | .4191     | .4763     | .4572     | .381      |           | .5335     | .381      |
| 19   | .381      | .3239     | .381      | .3429     | .6097     | .381      | .381      |
| 20   | .3429     | .3429     | .381      | .381      | .6097     | .381      | .362      |
| 21   | .3429     | .3048     | .381      | .381      | .6097     | .381      | .362      |
| 22   | .3429     | .3048     | .381      | .3429     | .5716     | .381      | .381      |
| 23   | .3429     | .3048     | .381      | .362      | .5716     | .381      | .381      |
| 24   | .4001     | .3429     |           | .3048     | .381      | .5716     | .381      |
| Max  | .724      | .9145     | .6668     | .8383     | .6668     | 1.0098    | .724      |
| Min  | .3429     | .3048     | .3048     | .3048     | .381      | .381      | .362      |
| Avg  | .4676     | .5119     | .4481     | .5168     | .5176     | .6263     | .4803     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) MIDC SDN.[724] BU 4724

Substation No/ Name :- 174097 / 33 kV MIDC II

Feeder No / Name : 203 / 11 KV GODAWARI DRUG  
Feeder KV- 11 / OUTGOINGNON SHEDDABLE EXPRESS HV FEEDERS  
(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .7842     | .7468     | .6584     | .679      | .3149     | .2915     | .2743     |
| 2    | .7577     | .7468     | .6653     | .679      | .3391     | .2915     | .2743     |
| 3    | .7577     | .7392     | .6584     | .679      | .3391     | .3086     | .2743     |
| 4    | .7577     | .7468     | .6584     | .679      | .3429     | .3086     | .2743     |
| 5    | .7499     | .7468     | .6584     | .679      | .4024     | .3086     | .2743     |
| 6    | .7316     | .7392     | .6653     | .5914     | .439      | .3429     | .2743     |
| 7    | .7922     | .6584     | .6584     | .5121     | .3681     | .3277     | .2743     |
| 8    | .7207     | .6584     | .6653     | .4344     | .3429     | .2949     | .2743     |
| 9    | .6722     | .7095     | .6468     | .362      | .2743     | .3077     | .3048     |
| 10   | .6722     | .7468     | .6468     | .362      | .3582     | .2778     | .2743     |
| 11   | .6722     |           | .5658     | .362      | .3429     | .3391     | .2743     |
| 12   | .6722     | .7842     | .6859     | .2743     | .3429     | .3353     | .2743     |
| 13   | .6722     | .7733     | .695      | .2743     | .3429     | .3864     | .2743     |
| 14   | .6722     | .6697     | .7023     | .2743     | .2743     | .2572     | .3048     |
| 15   | .5853     | .823      | .7133     | .2743     | .2743     | .3005     | .2667     |
| 16   | .6584     | .6697     | .6722     | .362      |           | .3048     | .2134     |
| 17   | .7468     | .6697     | .6859     | .4066     |           | .2591     | .2801     |
| 18   | .724      | .7023     | .6859     | .3315     |           | .2591     | .2934     |
| 19   | .7316     | .7133     | .6859     | .3429     | .2915     | .3429     | .3155     |
| 20   | .7468     | .6697     | .6859     | .3429     | .3315     | .2743     | .2534     |
| 21   | .7095     | .6516     | .6859     | .3429     | .3239     | .2743     | .3018     |
| 22   | .6584     | .6626     | .6859     | .2229     | .2743     | .2743     | .3018     |
| 23   | .6584     | .6584     | .6859     | .2641     | .2915     | .2743     | .3018     |
| 24   | .7842     | .6584     |           | .6722     | .2968     | .2915     | .2743     |
| Max  | .7922     | .823      | .7133     | .679      | .439      | .3864     | .3155     |
| Min  | .5853     | .6516     | .5658     | .2229     | .2743     | .2572     | .2134     |
| Avg  | .7120     | .7106     | .6703     | .4335     | .3289     | .3014     | .2793     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) MIDC SDN.[724] BU 4724

Substation No/ Name :- 174098 / 33 kV KAUTHA (ASARJAN)

Feeder No / Name : 201 / 11 KV ASARJAN GAUTHAN

GAOTHAN FEEDER

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 4    |           | .2743     |           |           | .2378     |           |
| 7    |           | .4024     |           |           | .3475     |           |
| 9    |           |           | .2743     | .2658     |           |           |
| 10   |           |           | .2658     |           |           |           |
| 11   |           |           | .2454     |           |           | .2378     |
| 12   |           |           | .2454     |           |           | .2561     |
| 13   |           |           |           | .2103     |           | .2303     |
| 14   |           |           |           |           |           | .2303     |
| 15   |           | .2279     |           | .2279     |           | .2481     |
| 16   |           | .2481     |           | .2601     | .2481     |           |
| 17   |           |           |           | .2658     |           | .2229     |
| 18   | .3292     |           |           |           |           | .2572     |
| 19   | .3841     |           |           | .3292     |           |           |
| 20   |           |           |           |           |           | .3086     |
| 21   | .3292     |           |           |           |           |           |
| 22   | .3292     |           |           |           |           | .2915     |
| 23   | .3109     |           |           | .3109     |           |           |
| 24   |           | .2743     |           |           | .2743     |           |
| Max  | .3841     | .4024     | .2743     | .3292     | .3475     | .3086     |
| Min  | .3109     | .2279     | .2454     | .2103     | .2378     | .2229     |
| Avg  | .3365     | .2854     | .2577     | .2671     | .2769     | .2536     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) MIDC SDN.[724] BU 4724

Substation No/ Name :- 174098 / 33 kV KAUTHA (ASARJAN)

Feeder No / Name : 202 / 11 KV KOUTH GAUTHAN

GAOTHAN FEEDER

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 4    |           | 1.2071    |           |           | 1.0974    |           |
| 7    |           | 1.5729    |           |           | 1.2803    |           |
| 9    |           |           | 1.2437    | 1.2757    |           |           |
| 10   |           |           | 1.2803    |           |           |           |
| 11   |           |           | 1.1694    |           |           |           |
| 12   |           |           | 1.0985    |           |           |           |
| 13   |           |           |           | 1.134     |           |           |
| 15   |           | 1.2048    |           | 1.1568    |           | 1.6461    |
| 16   |           | 1.2894    |           | 1.1789    | .9816     |           |
| 17   |           |           |           | 1.2803    |           | 1.262     |
| 18   | 1.2803    |           |           |           |           | 1.3321    |
| 19   | 1.3535    |           |           | 1.4998    |           |           |
| 20   |           |           |           |           |           | 1.4723    |
| 21   | 1.39      |           |           |           |           |           |
| 22   | 1.4266    |           |           |           |           | 1.4723    |
| 23   | 1.39      |           |           | 1.4632    |           |           |
| 24   |           | 1.39      |           |           | 1.2803    |           |
| Max  | 1.4266    | 1.5729    | 1.2803    | 1.4998    | 1.2803    | 1.6461    |
| Min  | 1.2803    | 1.2048    | 1.0985    | 1.134     | .9816     | 1.262     |
| Avg  | 1.3681    | 1.3328    | 1.1980    | 1.2841    | 1.1599    | 1.4370    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) MIDC SDN.[724] BU 4724

Substation No/ Name :- 174098 / 33 kV KAUTHA (ASARJAN)

Feeder No / Name : 203 / 11 KV AG FEEDER

FEEDER SEPERATION/PURE AG

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 4    |           | .0732     |           |           | .0549     |           |
| 11   |           |           | .4607     | .3544     |           | .4572     |
| 12   |           |           | .5316     |           |           | .4572     |
| 13   |           |           |           | .4031     |           | .4607     |
| 14   |           |           |           |           |           | .4784     |
| 15   |           | .4607     |           | .4207     |           | .4607     |
| 16   |           | .3898     |           | .4161     | .4557     |           |
| 17   |           |           |           | .4252     |           | .4287     |
| 18   | .0732     |           |           |           |           | .4458     |
| 19   | .0549     |           |           | .0914     |           |           |
| 20   |           |           |           |           |           | .0686     |
| 21   | .0732     |           |           |           |           |           |
| 22   | .0732     |           |           |           |           | .0686     |
| 23   | .0549     |           |           | .0366     |           |           |
| 24   |           | .0549     |           |           | .0366     |           |
| Max  | .0732     | .4607     | .5316     | .4252     | .4557     | .4784     |
| Min  | .0549     | .0549     | .4607     | .0366     | .0366     | .0686     |
| Avg  | .0659     | .2447     | .4962     | .3068     | .1824     | .3695     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) MIDC SDN.[724] BU 4724

Substation No/ Name :- 174098 / 33 kV KAUTHA (ASARJAN)

Feeder No / Name : 204 / Sahayog G.

GAOTHAN FEEDER

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 4    |           | .5487     |           |           | .3658     |           |
| 7    |           | .2926     |           |           | .3658     |           |
| 9    |           |           | .3658     |           |           |           |
| 10   |           |           | .4024     | .3898     |           |           |
| 11   |           |           | .3898     |           |           | .4024     |
| 12   |           |           | .3898     |           |           | .4024     |
| 13   |           |           |           | .4075     |           | .3898     |
| 14   |           |           |           |           |           | .3544     |
| 15   |           | .4557     |           | .4207     |           | .3898     |
| 16   |           | .4607     |           | .104      | .4207     |           |
| 17   |           |           |           | .4207     |           | .3772     |
| 18   | .439      |           |           |           |           | .5487     |
| 19   | .5853     |           |           | .4024     |           |           |
| 20   |           |           |           |           |           | .3772     |
| 21   | .5121     |           |           |           |           |           |
| 22   | .5121     |           |           |           |           | .3772     |
| 23   | .5121     |           |           | .4024     |           |           |
| 24   |           | .5121     |           |           | .1463     |           |
| Max  | .5853     | .5487     | .4024     | .4207     | .4207     | .5487     |
| Min  | .439      | .2926     | .3658     | .104      | .1463     | .3544     |
| Avg  | .5121     | .4540     | .3870     | .3639     | .3247     | .4021     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) MIDC SDN.[724] BU 4724

Substation No/ Name :- 174131 / 33kv kakandi s/s

Feeder No / Name : 201 / 11 KV JAMRUN AG

FEEDER SEPERATION/PURE AG

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .1296     | .1296     | .1296     |           | .1075     | .1134     | .0972     |
| 2    | .1296     | .1619     | .1296     |           | .1075     | .1134     | .0972     |
| 3    | .1296     | .1619     | .1296     |           | .1075     | .1134     | .1134     |
| 4    | .1296     | .1619     | .1619     |           | .1075     | .1134     | .1296     |
| 5    | .1296     | .1619     | .1619     |           | .1075     | .1296     | .1619     |
| 6    | .1457     | .1943     | .1781     | .0914     | .1075     | .1296     | .1619     |
| 7    | .1943     | .2591     | .1943     | .1524     | .1753     | .1619     |           |
| 8    | .1943     | .2591     | .2591     | .1829     | .1753     | .1943     |           |
| 9    | .1943     | .2753     | .2591     | .1829     |           | .1943     |           |
| 19   |           |           |           |           |           |           | .1524     |
| 20   |           |           |           |           |           |           | .1829     |
| 21   |           |           |           |           |           |           | .1524     |
| 22   |           |           |           |           |           |           | .1524     |
| 24   | .1296     | .1296     | .1296     |           | .1075     | .1134     | .0972     |
| Max  | .1943     | .2753     | .2591     | .1829     | .1753     | .1943     | .1829     |
| Min  | .1296     | .1296     | .1296     | .0914     | .1075     | .1134     | .0972     |
| Avg  | .1506     | .1895     | .1733     | .1524     | .1226     | .1377     | .1362     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) MIDC SDN.[724] BU 4724

Substation No/ Name :- 174131 / 33kv kakandi s/s

Feeder No / Name : 202 / 11 KV KAKANDI AG

FEEDER SEPERATION/PURE AG

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .8383     | 1.2308    | .9724     | .823      | 1.0288    | .9724     | 1.2955    |
| 2    | .9054     | 1.2955    | 1.0059    |           | 1.0288    | 1.0059    | 1.3927    |
| 3    | 1.0059    | 1.3927    | 1.0059    |           | 1.0288    | 1.0059    | 1.4575    |
| 4    | 1.1401    | 1.3927    | 1.2407    |           | 1.0288    | 1.073     | 1.4899    |
| 5    | 1.1736    | 1.4575    | 1.643     |           | 1.0631    | 1.1736    | 1.5546    |
| 6    | 1.2407    | 1.5546    | 1.7436    |           | 1.1488    | 1.3748    | 1.5546    |
| 7    | 1.6095    | 1.8138    |           |           | 1.3717    | 1.6766    |           |
| 8    | 1.643     | 1.6518    | 1.9113    |           | 1.5261    | 1.7436    |           |
| 9    |           | 1.2742    | 1.8778    |           |           | 1.6518    |           |
| 10   | 1.587     |           |           |           |           |           |           |
| 19   |           |           |           |           |           |           | .9755     |
| 20   |           |           |           |           |           |           | 1.0974    |
| 21   |           |           |           |           |           |           | 1.1584    |
| 22   |           |           |           |           |           |           | 1.1584    |
| 24   |           | .9717     | .8048     | .823      | .9259     | .9389     | .8097     |
| Max  | 1.643     | 1.8138    | 1.9113    | .823      | 1.5261    | 1.7436    | 1.5546    |
| Min  | .8383     | .9717     | .8048     | .823      | .9259     | .9389     | .8097     |
| Avg  | 1.2382    | 1.4035    | 1.3562    | .823      | 1.1279    | 1.2617    | 1.2677    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) S/DN-II[445] BU 4445

Substation No/ Name :- 174050 / 33 kV VIDYUT BHAVAN

Feeder No / Name : 201 / 11 KV REST HOUSE

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.7147    | 1.8671    | 1.8671    | 1.8671    | 1.8671    | 2.0538    | 2.1472    |
| 2    | 1.8671    | 1.8671    | 1.8671    | 1.6804    | 1.6804    | 1.8671    | 2.0538    |
| 3    | 1.6804    | 1.7737    | 1.6804    | 1.6804    | 1.6804    | 1.8671    | 1.6804    |
| 4    | 1.6804    | 1.7737    | 1.6804    | 1.4937    | 1.6804    | 1.7737    | 1.4937    |
| 5    | 1.6804    | 1.6804    | 1.6804    | 1.587     | 1.6804    | 1.6804    | 1.587     |
| 6    | 1.6804    | 1.6804    | 1.6804    | 1.6804    | 1.6804    | 1.6804    | 1.6804    |
| 7    | 1.6804    | 1.6804    | 1.7737    | 1.7737    | 1.8671    | 1.6804    | 1.7737    |
| 8    | 1.8671    | 1.6804    | 1.6804    | 1.8671    | 1.6804    | 1.7737    | 1.8671    |
| 9    | 1.6804    | 1.6804    | 1.7737    | 1.8671    | 1.6804    | 1.7737    | 1.7737    |
| 10   | 1.4937    | 1.5432    | 1.7737    |           | 1.6804    | 1.6804    | 1.6804    |
| 11   | 1.4937    | 1.6804    | 1.7737    |           |           | 1.6804    | 1.6804    |
| 12   | 1.4937    | 1.6804    | 1.7737    |           |           | 1.6804    | 1.6804    |
| 13   | 1.4937    | 1.6804    | 1.8671    |           |           | 1.6804    | 1.7737    |
| 14   | 1.4937    | 1.6804    | 1.8671    | 2.0538    |           | 1.6804    | 1.848     |
| 15   | 1.6804    | 1.7737    | 1.8671    | 2.0538    | 2.4272    | 1.1203    | 1.848     |
| 16   | 1.7737    | 1.7737    | 1.9404    | 2.0538    | 2.0538    | 1.1203    | 1.8671    |
| 17   | 1.6804    | 1.8671    | 1.9605    | 2.0538    | 2.2405    | 1.1203    | 1.8671    |
| 18   | 1.587     | 2.0538    | 1.9605    | 2.0538    | 2.2405    | 1.4937    | 1.6804    |
| 19   | 1.7737    | 2.1472    | 2.0538    | 2.2405    | 2.3339    | 2.0538    | 1.8671    |
| 20   | 1.8671    | 2.2405    | 2.0538    | 2.2405    | 2.3339    | 2.2405    | 1.8671    |
| 21   | 1.848     | 2.3339    | 2.0538    | 2.2405    | 2.3339    | 2.2405    | 2.0538    |
| 22   | 2.0538    | 2.3339    | 2.0538    |           | 2.2405    | 2.2405    | 2.2405    |
| 23   | 2.1472    | 2.2405    | 2.0538    | 2.2405    | 2.2405    | 2.3339    | 2.0538    |
| 24   | 1.8671    | 2.0538    | 2.0538    | 1.8671    |           | 2.1472    | 2.2405    |
| Max  | 2.1472    | 2.3339    | 2.0538    | 2.2405    | 2.4272    | 2.3339    | 2.2405    |
| Min  | 1.4937    | 1.5432    | 1.6804    | 1.4937    | 1.6804    | 1.1203    | 1.4937    |
| Avg  | 1.7199    | 1.8653    | 1.8663    | 1.9261    | 1.9801    | 1.7776    | 1.8461    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) S/DN-II[445] BU 4445

Substation No/ Name :- 174050 / 33 kV VIDYUT BHAVAN

Feeder No / Name : 202 / 11 KV STADIUM

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.1203    | 1.1203    | 1.1203    | 1.0269    | .9335     | 1.2136    | 1.1203    |
| 2    | 1.1203    | 1.0269    | 1.0269    | .9335     | .9335     | 1.1203    | 1.1203    |
| 3    | .9335     | 1.0164    | .9335     | .9335     | .9335     | 1.1203    | 1.1203    |
| 4    | .9335     | .9335     | .9335     | .9335     | .9335     | 1.1203    | 1.1203    |
| 5    | .9335     | .924      | .9335     | 1.0269    | .9335     | 1.0269    | 1.0269    |
| 6    | .9335     | 1.0269    | 1.0269    | 1.1203    | .9335     | 1.1203    | 1.0269    |
| 7    | .9335     | 1.0269    | 1.0269    | 1.1203    |           | 1.1203    | 1.0269    |
| 8    | 1.307     | 1.0269    | 1.0269    | 1.307     | 1.1203    | 1.1203    | 1.2136    |
| 9    | 1.1203    | .9335     | 1.0269    | 1.2136    | .9335     | 1.0269    | 1.1203    |
| 10   | .9335     | .9335     |           | 1.2136    | .9335     | .9335     | 1.0269    |
| 11   | .9335     | .9335     |           | 1.1203    |           |           | 1.0269    |
| 12   |           | .9335     |           | 1.1203    |           |           | 1.1203    |
| 13   | .8402     | .9335     |           | 1.1203    |           |           | 1.1203    |
| 14   | .8402     | 1.1203    | 1.4937    | 1.1203    |           | 1.1203    | 1.1088    |
| 15   | .9335     | .9335     | 1.4003    | 1.2136    | 1.307     | 1.307     | 1.1088    |
| 16   | .9335     | .9335     | 1.307     | 1.2136    | 1.307     | 1.307     | 1.1203    |
| 17   | 1.1203    | 1.0269    | 1.307     | 1.1203    | 1.307     | 1.307     | 1.2136    |
| 18   | 1.1203    | 1.1203    | 1.307     | 1.0269    | 1.4003    | 1.307     | 1.307     |
| 19   | 1.2012    | 1.307     | 1.4003    | 1.307     | 1.4937    | 1.4003    | 1.1203    |
| 20   | 1.2136    | 1.307     | 1.4003    | 1.4003    | 1.4937    | 1.4937    | 1.307     |
| 21   | 1.1203    | 1.2136    |           | 1.307     | 1.4003    | 1.4937    | 1.307     |
| 22   | 1.1203    | 1.2136    | 1.307     |           | 1.307     | 1.307     | 1.307     |
| 23   | 1.1203    | 1.1203    | 1.2136    | 1.307     | 1.307     | 1.307     | 1.1203    |
| 24   | 1.1203    | 1.1203    | 1.1203    | 1.1203    | 1.1203    | 1.2136    | 1.1203    |
| Max  | 1.307     | 1.307     | 1.4937    | 1.4003    | 1.4937    | 1.4937    | 1.307     |
| Min  | .8402     | .924      | .9335     | .9335     | .9335     | .9335     | 1.0269    |
| Avg  | 1.0385    | 1.0494    | 1.1743    | 1.1446    | 1.1596    | 1.2136    | 1.1388    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) S/DN-II[445] BU 4445

Substation No/ Name :- 174050 / 33 kV VIDYUT BHAVAN

Feeder No / Name : 203 / 11 KV MGM

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.0538    | 2.2405    | 2.2405    | 2.2405    | 2.0538    | 2.3339    | 2.2405    |
| 2    | 2.0538    | 2.1472    | 2.0538    | 2.0538    | 2.0538    | 2.2405    | 2.2405    |
| 3    | 1.8671    | 2.0328    | 1.9605    | 1.8671    | 1.8671    | 2.2405    | 2.1472    |
| 4    | 1.8671    | 2.0328    | 1.8671    | 1.6804    | 1.8671    | 2.1472    | 1.8671    |
| 5    | 1.8671    | 1.9404    | 1.8671    | 1.7737    | 1.8671    | 2.0538    | 2.0538    |
| 6    | 2.0538    | 1.9404    | 2.0538    | 1.9605    | 2.0538    | 2.1472    | 2.0538    |
| 7    | 2.0538    | 1.9605    | 2.1472    | 2.0538    | 2.0538    | 2.1472    | 2.0538    |
| 8    | 2.0538    | 1.9605    | 2.1472    | 1.8671    | 2.0538    | 2.1472    | 2.0538    |
| 9    | 1.8671    | 1.8671    | 2.0538    | 1.8671    | 1.8671    | 2.0538    | 1.9605    |
| 10   | 1.7737    | 2.0538    | 1.8671    | 1.8671    | 2.0538    | 2.0538    | 1.8671    |
| 11   | 1.6804    | 1.8861    | 1.9605    | 1.8671    |           | 2.0538    | 1.8671    |
| 12   | 1.6804    | 2.0538    | 1.9404    | 1.9605    |           | 2.0538    | 1.8671    |
| 13   | 1.587     | 2.0538    | 1.9605    | 1.9605    |           | 2.0538    | 1.8671    |
| 14   | 1.587     | 2.0538    | 1.9605    | 2.0538    |           | 2.2405    | 1.9404    |
| 15   | 1.6804    | 2.2405    | 1.9605    | 2.0538    | 2.3339    | 2.2405    | 1.9605    |
| 16   | 1.6804    | 2.2405    | 1.9605    | 2.0538    | 2.2405    | 2.2405    | 2.0538    |
| 17   | 1.8671    | 2.2405    | 1.9605    | 2.0538    | 2.2405    | 2.0538    | 1.8671    |
| 18   | 1.9605    | 2.2405    | 2.0538    | 2.1472    | 2.3339    | 2.2405    | 2.0538    |
| 19   | 2.1472    | 2.4272    | 2.1472    | 2.4272    | 2.4272    | 2.2405    | 2.4272    |
| 20   | 2.2405    | 2.4272    | 2.2405    | 2.4272    | 2.6139    | 2.3339    | 2.4272    |
| 21   | 2.2405    | 2.4272    | 2.2405    | 2.6139    | 2.6139    | 2.4272    | 2.4272    |
| 22   | 2.3339    | 2.6139    | 2.2405    |           | 2.6139    | 2.5206    | 2.4272    |
| 23   | 2.4272    | 2.4272    | 2.2405    | 2.4272    | 2.6139    | 2.5206    | 2.2405    |
| 24   | 2.1472    | 2.3339    | 2.2405    | 2.2405    |           | 2.4272    | 2.4272    |
| Max  | 2.4272    | 2.6139    | 2.2405    | 2.6139    | 2.6139    | 2.5206    | 2.4272    |
| Min  | 1.587     | 1.8671    | 1.8671    | 1.6804    | 1.8671    | 2.0538    | 1.8671    |
| Avg  | 1.9488    | 2.1601    | 2.0569    | 2.0660    | 2.2012    | 2.2172    | 2.0996    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) S/DN-II[445] BU 4445

Substation No/ Name :- 174050 / 33 kV VIDYUT BHAVAN

Feeder No / Name : 204 / 11 KV DATTA NAGAR

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .6859     | .7468     | .8402     | .7468     | .6535     | .8402     | .8402     |
| 2    | .7468     | .7468     | .7468     | .6535     | .6535     | .7468     | .6535     |
| 3    | .7468     | .7392     | .7468     | .5601     | .6535     | .7468     | .6535     |
| 4    | .6535     | .7468     | .7468     | .5601     | .5601     | .7468     | .6535     |
| 5    | .6535     | .7468     | .6535     | .5601     | .6535     | .7468     | .7468     |
| 6    | .6535     | .7468     | .6535     | .6535     | .6535     | .7468     | .7468     |
| 7    | .6535     | .7468     | .7468     | .6535     | .6535     | .6535     | .7468     |
| 8    | .6859     | .6535     | .6535     | .7468     | .5601     | .6535     | .7468     |
| 9    | .6535     | .5601     | .6535     | .7468     | .5601     | .6535     | .7468     |
| 10   | .6535     | .5601     | .6535     | .6535     | .5601     | .5601     | .6535     |
| 11   | .6535     | .5601     | .6535     | .6535     |           | .6535     | .6535     |
| 12   | .5601     | .4668     | .6535     | .6535     |           | .6535     | .6535     |
| 13   | .5601     | .4668     | .6535     | .6535     |           | .6535     | .6535     |
| 14   | .5601     | .5601     | .6535     | .6535     |           | .6535     | .7468     |
| 15   | .5601     | .6535     | .6535     | .7468     | .8402     | .6535     | .7468     |
| 16   | .5601     | .6535     | .6535     | .7468     | .7468     | .7468     | .8402     |
| 17   | .7468     | .6535     | .6535     | .7468     | .7468     |           |           |
| 18   | .8402     | .7468     | .7468     | .7468     | .7468     | .6535     | .7468     |
| 19   | .7468     | .8402     | .8402     | .8402     | .8402     | .7468     | .8402     |
| 20   | .8402     | .8402     | .8402     | .8402     | .8402     | .8402     | .8402     |
| 21   | .8402     | .9335     | .8402     |           | .8402     | .8402     | .8402     |
| 22   | .8402     | .9335     | .8402     |           | .9335     | .8402     | .8402     |
| 23   | .8402     | .9335     | .8402     | .7468     | .9335     | .8402     | .7468     |
| 24   | .7468     | .8402     | .8402     | .8402     | .7468     | .8402     | .8402     |
| Max  | .8402     | .9335     | .8402     | .8402     | .9335     | .8402     | .8402     |
| Min  | .5601     | .4668     | .6535     | .5601     | .5601     | .5601     | .6535     |
| Avg  | .6951     | .7115     | .7274     | .7002     | .7188     | .7265     | .7468     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) S/DN-II[445] BU 4445

Substation No/ Name :- 174050 / 33 kV VIDYUT BHAVAN

Feeder No / Name : 205 / 11KV NAGARJUNA

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.6804    | 1.7737    | 1.8671    | 1.6804    | 1.4937    | 1.7737    | 1.6804    |
| 2    | 1.6804    | 1.7737    | 1.6804    | 1.6804    | 1.4937    | 1.6804    | 1.6804    |
| 3    | 1.4937    | 1.6632    | 1.6804    | 1.4937    | 1.4937    | 1.6804    | 1.4937    |
| 4    | 1.4937    | 1.6632    | 1.4937    | 1.4937    | 1.4937    | 1.7737    | 1.4937    |
| 5    | 1.6804    | 1.7737    | 1.4937    | 1.7737    | 1.4937    | 1.8671    | 1.4003    |
| 6    | 1.7737    | 1.9605    | 1.8671    | 1.8671    | 1.6804    | 1.9605    | 1.7737    |
| 7    | 1.8671    | 1.9605    | 2.1472    | 1.9605    | 1.8671    | 2.0538    | 1.9605    |
| 8    | 1.9605    | 1.9605    | 2.0538    | 1.9605    | 1.7737    | 2.1472    | 1.9605    |
| 9    | 1.8671    | 1.8671    | 1.7737    | 1.8671    | 1.587     | 1.8671    | 1.8671    |
| 10   | 1.587     | 1.4937    | 1.587     | 1.6804    | 1.4003    |           | 1.7737    |
| 11   | 1.4937    | 1.307     | 1.4937    | 1.4937    |           | 1.6804    | 1.6804    |
| 12   | 1.4937    | 1.307     | 1.4003    | 1.4003    |           | 1.4937    | 1.587     |
| 13   | 1.4003    | 1.307     | 1.4003    | 1.4937    |           | 1.4937    | 1.587     |
| 14   | 1.4003    | 1.2136    | 1.4003    | 1.6804    |           | 1.307     | 1.4937    |
| 15   | 1.4003    | 1.307     | 1.4003    | 1.6804    | 1.587     | 1.307     | 1.4937    |
| 16   | 1.4003    | 1.307     | 1.4003    | 1.587     | 1.587     | 1.307     | 1.6804    |
| 17   | 1.7737    | 1.4937    | 1.4003    | 1.4937    | 1.587     | 1.307     | 1.8671    |
| 18   | 1.9605    | 1.6804    | 1.587     | 1.9605    | 1.7737    | 1.4937    | 2.0538    |
| 19   | 2.1472    | 1.8671    | 1.8671    | 2.1472    | 2.0538    | 1.6804    | 2.0538    |
| 20   | 2.0538    | 2.0538    | 1.9605    | 2.1472    | 2.0538    | 1.9605    | 1.9605    |
| 21   | 1.9605    | 2.0538    | 1.9605    | 1.8671    | 1.9605    | 1.9605    | 1.8671    |
| 22   | 1.9605    |           | 1.7737    |           | 1.9605    | 1.9605    | 1.8671    |
| 23   | 1.8671    |           | 1.7737    | 1.6804    | 1.9605    | 1.9605    | 1.8671    |
| 24   | 1.4937    | 1.8671    | 1.8671    | 1.7737    | 1.4937    | 1.7737    | 1.8671    |
| Max  | 2.1472    | 2.0538    | 2.1472    | 2.1472    | 2.0538    | 2.1472    | 2.0538    |
| Min  | 1.4003    | 1.2136    | 1.4003    | 1.4003    | 1.4003    | 1.307     | 1.4003    |
| Avg  | 1.7037    | 1.6661    | 1.6804    | 1.7332    | 1.6897    | 1.7169    | 1.7504    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) S/DN-II[445] BU 4445

Substation No/ Name :- 174072 / 33 kV SANGVI

Feeder No / Name : 201 / 11 KV RLY DIVISION  
Feeder KV- 11 / OUTGOINGNON SHEDDABLE EXPRESS HV FEEDERS  
(NON-CONTINUOUS PROCESS)(NO  
STAGGERING)

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .0914     | .1132     | .1097     | .112      | .132      | .1132     | .112      |
| 2    | .0914     | .1132     |           | .0934     | .132      | .1132     | .112      |
| 3    | .0914     | .1132     | .1097     | .0934     | .1132     | .0943     | .0934     |
| 4    | .0914     | .0943     | .1097     | .0934     | .1132     | .0943     | .0934     |
| 5    | .0914     | .0943     | .1097     | .0934     | .1132     |           | .0747     |
| 6    | .0914     | .0943     | .1097     | .0934     | .1132     | .0943     | .0747     |
| 7    | .0914     | .0943     | .1463     | .112      | .132      | .0943     | .0934     |
| 8    | .1097     | .0943     | .1463     | .112      | .0943     | .1132     | .0747     |
| 9    | .1097     | .0566     | .1463     | .0934     | .0934     | .0754     |           |
| 10   | .056      | .0943     | .1132     | .0914     | .0747     | .0754     | .0566     |
| 11   | .056      | .0943     | .1132     | .0914     | .0934     | .0943     | .0566     |
| 12   | .0373     | .0943     | .1132     | .0914     | .0934     | .0943     | .0377     |
| 13   | .056      | .1132     | .1132     | .0914     | .0747     | .1132     | .1132     |
| 14   | .056      | .1132     | .1132     | .0914     | .0747     | .1698     | .132      |
| 15   | .0747     | .1509     | .1509     | .0914     | .0747     | .1886     | .132      |
| 16   | .0934     | .1509     | .1698     |           | .112      | .1886     | .1509     |
| 17   | .0943     | .1463     | .1494     | .1698     | .1509     | .1494     | .132      |
| 18   | .0943     | .1463     | .1494     | .1509     | .1509     | .1307     | .0943     |
| 19   | .1132     | .1463     | .1307     | .1509     | .1509     | .1307     | .1132     |
| 20   | .1132     | .1463     | .1307     | .1509     |           | .1307     | .1132     |
| 21   | .1132     |           | .1307     | .1509     |           | .1307     | .1509     |
| 22   |           |           | .1307     | .1509     | .1132     | .1494     | .1509     |
| 23   |           | .1463     | .112      | .132      | .1132     | .1494     | .132      |
| 24   | .0914     | .132      | .1097     | .112      | .132      |           | .1494     |
| Max  | .1132     | .1509     | .1698     | .1698     | .1509     | .1886     | .1509     |
| Min  | .0373     | .0566     | .1097     | .0914     | .0747     | .0754     | .0377     |
| Avg  | .0867     | .1156     | .1268     | .1136     | .1111     | .1222     | .1062     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) S/DN-II[445] BU 4445

Substation No/ Name :- 174072 / 33 kV SANGVI

Feeder No / Name : 202 / 11 KV CHAITNYA NAGAR

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.829     | 1.7814    | 1.9204    | 1.7604    | 2.1052    | 1.9433    | 2.4006    |
| 2    | 1.829     | 1.7004    | 1.9204    | 1.6004    | 2.0405    | 1.9109    | 2.2405    |
| 3    | 1.829     | 1.6194    | 1.9204    | 1.6004    | 2.0405    | 1.8623    | 2.1125    |
| 4    | 1.829     |           | 1.9204    | 1.6004    | 1.7814    | 1.7814    | 2.0805    |
| 5    | 1.829     | 1.6194    | 1.9204    | 1.6964    | 1.7814    | 1.7814    | 2.0805    |
| 6    |           | 1.8623    | 1.9204    | 1.9524    | 1.9433    | 1.9109    | 2.2405    |
| 7    | 2.1033    | 1.9757    | 2.3777    | 2.3365    | 2.0081    | 2.0729    | 2.4006    |
| 8    | 2.1948    | 2.0243    | 2.3777    | 2.1445    | 1.9757    | 2.0729    | 2.2885    |
| 9    | 2.1948    | 1.8623    | 2.0119    | 2.0165    | 1.8564    | 1.9433    |           |
| 10   | 1.9433    | 1.749     | 1.7004    | 1.9204    | 1.587     | 1.9433    | 1.9757    |
| 11   | 1.8623    | 1.7166    | 1.6518    | 1.7375    | 1.6804    | 1.8138    | 1.7814    |
| 12   | 1.4723    | 1.6842    | 1.6194    | 1.7375    | 1.6004    | 1.749     | 1.7004    |
| 13   | 1.5844    | 1.6518    | 1.5546    |           | 1.6004    | 1.9109    | 1.7004    |
| 14   | 1.6484    | 1.6518    | 1.587     |           | 1.5043    | 1.6518    | 1.7814    |
| 15   | 1.6804    | 1.7166    | 1.587     |           | 1.6804    | 1.6518    | 1.8623    |
| 16   | 1.6842    | 1.6518    | 1.8861    |           | 1.6484    | 1.7166    | 1.7004    |
| 17   | 1.6518    | 1.829     | 1.7924    | 1.6518    | 1.6194    | 1.6324    | 1.7814    |
| 18   | 1.7814    | 1.829     | 2.1845    | 1.6518    | 1.587     | 1.9685    | 1.749     |
| 19   | 2.0243    | 2.2862    | 2.6513    | 1.7814    | 2.0243    | 2.3365    | 2.3045    |
| 20   | 2.0729    | 2.2862    | 2.7073    | 1.9433    |           | 2.4326    | 2.1052    |
| 21   | 2.0243    |           | 2.1605    | 2.2348    |           | 2.4006    | 2.1052    |
| 22   |           |           | 2.1125    | 2.2348    | 2.2996    | 2.4966    | 2.2024    |
| 23   |           | 2.3777    | 2.1285    | 2.2024    | 2.1862    | 2.4806    | 2.3482    |
| 24   | 1.9204    | 1.9433    | 2.1948    | 2.0325    | 2.1052    |           | 2.4006    |
| Max  | 2.1948    | 2.3777    | 2.7073    | 2.3365    | 2.2996    | 2.4966    | 2.4006    |
| Min  | 1.4723    | 1.6194    | 1.5546    | 1.6004    | 1.5043    | 1.6324    | 1.7004    |
| Avg  | 1.8566    | 1.8485    | 1.9920    | 1.8918    | 1.8480    | 1.9767    | 2.0584    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) S/DN-II[445] BU 4445

Substation No/ Name :- 174072 / 33 kV SANGVI

Feeder No / Name : 203 / 11 KV MAHALAJ - SANGVI  
Feeder KV- 11 / OUTGOING

SHEDDABLE URBAN

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .9145     | 1.0059    | 1.0059    | .9145     | .9145     | 1.0974    | 1.086     |
| 2    | .9145     | 1.0059    | 1.0059    | .9145     | .9145     | 1.0059    | .9955     |
| 3    | .9145     | 1.0059    | 1.0059    | .9145     | .9145     | 1.0059    | .905      |
| 4    | .9145     | 1.0059    | 1.0059    | 1.0164    | .9877     | 1.0059    | .905      |
| 5    | .9145     | 1.1888    | 1.2803    | 1.1088    | 1.1694    | 1.0974    | 1.0791    |
| 6    | 1.1888    | 1.3717    | 1.4632    | 1.4415    | 1.3169    | 1.5546    | 1.2803    |
| 7    | 1.1888    | 1.5729    | 1.4632    | 1.3169    | 1.6095    | 1.6461    | 1.4083    |
| 8    | 1.1888    | 1.4632    | 1.4632    | 1.3352    | 1.39      | 1.3717    | 1.3717    |
| 9    | 1.1888    | 1.2437    | 1.2803    | 1.2254    | 1.3575    | 1.3717    |           |
| 10   | 1.1157    | 1.134     | 1.134     | 1.1888    | 1.2986    | 1.3717    | 1.2071    |
| 11   | .9877     | 1.1888    | 1.0974    | .9145     | 1.0059    | 1.3169    | 1.2254    |
| 12   | .9145     | 1.0974    | 1.0242    | .823      | 1.1946    |           | 1.2437    |
| 13   | 1.0059    | 1.134     | 1.0059    | .823      | 1.134     | 1.2803    | 1.1888    |
| 14   | 1.0425    | 1.134     | .9877     | 1.0974    | .9328     | 1.2071    |           |
| 15   | 1.0608    | 1.0242    | 1.0059    | 1.0974    | 1.134     | 1.2071    | 1.0059    |
| 16   | .8779     | .9511     | 1.0059    |           | 1.2437    | 1.2803    | 1.0608    |
| 17   | 1.2437    | .9145     | 1.0974    | 1.1888    | 1.134     | 1.1706    | 1.2437    |
| 18   | 1.1888    | 1.0059    | 1.2803    | 1.39      | 1.2071    | 1.134     | 1.2437    |
| 19   | 1.4998    | 1.3717    | 1.4266    | 1.39      | 1.4998    | 1.5364    | 1.2803    |
| 20   | 1.39      | 1.3717    | 1.5912    | 1.1706    | 1.5546    | 1.4118    | 1.2803    |
| 21   | 1.2803    |           | 1.3717    | 1.0608    | 1.4632    | 1.5203    | 1.4998    |
| 22   |           |           | 1.0059    | .9511     | 1.4266    | 1.3394    | 1.39      |
| 23   |           | 1.2803    | .9694     | .9511     | 1.0974    | 1.2071    | 1.2071    |
| 24   | .9145     | 1.134     | 1.0059    | .9145     | .9145     |           | 1.1765    |
| Max  | 1.4998    | 1.5729    | 1.5912    | 1.4415    | 1.6095    | 1.6461    | 1.4998    |
| Min  | .8779     | .9145     | .9694     | .823      | .9145     | 1.0059    | .905      |
| Avg  | 1.0841    | 1.1639    | 1.1660    | 1.0934    | 1.2006    | 1.2791    | 1.1947    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) S/DN-II[445] BU 4445

Substation No/ Name :- 174072 / 33 kV SANGVI

Feeder No / Name : 205 / 11 KV AIRPORT

Feeder KV- 11 / OUTGOING

NON SHEDDABLE EXPRESS HV FEEDERS

(NON-CONTINUOUS PROCESS)(NO  
STAGGERING)

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .0366     | .0305     | .0366     | .0366     | .0343     | .0305     | .0366     |
| 2    | .0366     | .0305     | .0366     | .0366     | .0343     | .0305     | .0366     |
| 3    | .0366     | .0305     | .0366     | .0366     | .0343     | .0305     | .0366     |
| 4    | .0366     | .0305     | .0366     | .0366     | .0343     | .0305     | .0366     |
| 5    | .0366     | .0305     | .0366     | .0366     | .0343     | .0305     | .0366     |
| 6    |           | .0305     | .0366     | .0366     | .0343     | .0305     | .0366     |
| 7    | .0366     | .0305     | .0366     | .0366     | .0343     | .0305     | .0366     |
| 8    | .0366     | .0305     | .0367     | .0366     | .0343     | .0305     | .0366     |
| 9    | .0732     | .061      | .0366     | .0914     | .0549     | .0457     |           |
| 10   | .0732     | .0686     | .0457     | .0914     | .0732     | .0686     | .061      |
| 11   | .0732     | .0343     | .0305     | .0914     | .0732     | .0686     | .0457     |
| 12   | .0732     | .0343     | .0305     | .0366     | .0732     | .0514     | .0457     |
| 13   | .0732     | .0343     | .0305     | .0914     | .0732     | .0514     | .061      |
| 14   | .0732     | .0343     | .0305     | .0914     | .0732     | .0514     | .061      |
| 15   | .0366     | .0343     | .0305     | .0549     | .0914     | .0514     | .061      |
| 16   | .0366     | .0343     | .0305     |           | .0732     | .0343     | .0305     |
| 17   | .0305     | .0366     | .0366     | .0343     | .061      | .0366     | .0343     |
| 18   | .0305     | .0366     | .0366     | .0343     | .0457     | .0366     | .0343     |
| 19   | .0305     | .0366     | .0366     | .0343     | .0305     | .0366     | .0343     |
| 20   | .0305     | .0366     | .0366     | .0343     |           | .0366     | .0343     |
| 21   | .0305     |           | .0366     | .0343     |           | .0366     | .0343     |
| 22   |           |           | .0366     | .0343     | .0305     | .0366     | .0343     |
| 23   |           | .0366     | .0366     | .0343     | .0305     | .0366     | .0343     |
| 24   | .0366     |           | .0366     | .0366     | .0343     |           | .0366     |
| Max  | .0732     | .0686     | .0457     | .0914     | .0914     | .0686     | .061      |
| Min  | .0305     | .0305     | .0305     | .0343     | .0305     | .0305     | .0305     |
| Avg  | .0456     | .0363     | .0355     | .0486     | .0497     | .0401     | .0407     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) S/DN-II[445] BU 4445

Substation No/ Name :- 174072 / 33 kV SANGVI

Feeder No / Name : 206 / 11KV GADEGAON

FEEDER SEPERATION/PURE AG

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .1097     |           |           |           |           |           |           |
| 2    | .1097     |           |           |           |           |           |           |
| 3    | .1097     |           |           |           |           |           |           |
| 4    | .1097     |           |           |           |           |           |           |
| 5    | .1829     |           |           |           |           |           |           |
| 6    | .1829     |           |           |           |           |           |           |
| 7    | .1829     |           |           |           |           |           |           |
| 8    | .1829     |           |           |           |           |           |           |
| 9    | .1829     |           |           |           |           |           |           |
| 11   |           | .0747     | .1698     | .2743     | .208      | .3734     | .2075     |
| 12   |           | .0747     | .2075     | .2743     | .208      | .3921     | .2452     |
| 13   |           | .112      | .2829     | .2743     | .2378     | .2801     | .2829     |
| 14   |           | .112      | .2829     | .2743     | .3418     | .2801     | .2829     |
| 15   |           | .112      | .1886     | .2743     | .3437     | .2987     | .2829     |
| 16   |           | .112      |           |           | .3269     | .2987     | .2829     |
| 17   |           | .2195     | .2372     | .2801     | .2829     | .1635     | .2987     |
| 18   |           | .2195     | .2214     | .2614     | .2641     | .1486     | .2614     |
| 24   | .1097     |           |           |           |           |           |           |
| Max  | .1829     | .2195     | .2829     | .2801     | .3437     | .3921     | .2987     |
| Min  | .1097     | .0747     | .1698     | .2614     | .208      | .1486     | .2075     |
| Avg  | .1463     | .1296     | .2272     | .2733     | .2767     | .2794     | .2681     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) S/DN-II[445] BU 4445

Substation No/ Name :- 174072 / 33 kV SANGVI

Feeder No / Name : 207 / 11Kv Asana River Express NON SHEDDABLE WATER SUPPLY AND  
Feeder KV- 11 / OUTGOING UTILITY

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .2926     |           | .0732     | .1097     | .1629     | .0754     |           |
| 2    | .2926     |           | .0732     | .1097     | .1629     | .0754     |           |
| 3    | .2926     |           | .0732     | .1097     | .1267     | .0754     |           |
| 4    | .1463     |           | .0732     | .1097     | .1267     | .0754     | .1097     |
| 5    | .1463     |           | .0732     | .1097     | .1267     | .0754     | .1463     |
| 6    | .1463     |           | .0732     | .1463     | .1267     | .0754     | .1463     |
| 7    | .1463     |           | .0732     | .1463     | .1267     | .0754     | .1463     |
| 8    | .1463     |           | .0732     | .1463     | .1267     | .1433     | .1463     |
| 9    | .1463     |           | .0732     | .1463     | .128      | .0716     |           |
| 10   | .1463     |           | .1132     | .1463     | .1097     | .1267     | .1433     |
| 11   | .1463     |           | .1132     | .1463     | .0732     | .1267     | .0358     |
| 12   | .1463     |           | .0754     | .1463     | .0732     |           |           |
| 13   | .1463     | .1086     | .0754     | .1006     | .0732     | .2896     | .128      |
| 14   | .1463     | .1086     | .0754     | .2926     | .0732     | .2896     | .128      |
| 15   | .1463     | .1448     | .0754     | .2926     | .0732     | .2896     | .128      |
| 16   | .1463     | .1448     | .0754     |           | .0366     | .2896     | .128      |
| 17   | .1509     | .0732     | .1097     | .2715     |           | .1463     | .1448     |
| 18   | .1509     | .0732     | .1097     |           | .0377     | .1463     | .1448     |
| 19   | .1509     | .0732     | .0914     |           | .0754     | .1463     | .1448     |
| 20   | .1509     | .0732     | .1097     | .1629     |           | .1463     | .1629     |
| 21   | .1509     |           | .128      | .1629     |           |           | .1629     |
| 22   |           |           | .1646     | .1629     | .0754     |           | .1629     |
| 23   |           | .0732     | .1463     | .1629     | .0754     |           | .1448     |
| 24   | .2926     | .132      | .0732     | .1463     | .1629     |           |           |
| Max  | .2926     | .1448     | .1646     | .2926     | .1629     | .2896     | .1629     |
| Min  | .1463     | .0732     | .0732     | .1006     | .0366     | .0716     | .0358     |
| Avg  | .1739     | .1005     | .0915     | .1585     | .1025     | .1442     | .1363     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) S/DN-II[445] BU 4445

Substation No/ Name :- 174084 / 33 kV INDUSTRIAL AREA

Feeder No / Name : 201 / 11 KV MAHAVEER SOCIETY

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3696     | .3734     | .3734     | .3696     | .3696     | .3734     | .3696     |
| 2    | .3696     | .3734     | .3734     | .3696     | .3696     | .3734     | .3696     |
| 3    | .3696     | .3734     | .3734     | .3696     | .3696     | .3734     | .3696     |
| 4    | .3696     | .3734     | .3734     | .3696     | .3696     | .3734     | .3696     |
| 5    | .3734     | .3734     | .3734     | .3696     | .3696     | .3734     | .3696     |
| 6    | .3734     | .4668     | .3734     | .3734     | .4668     | .3734     | .3696     |
| 7    | .3734     | .6535     | .4668     | .4715     | .5658     | .5601     | .4668     |
| 8    | .4668     | .6535     | .5601     | .5658     | .5658     | .5601     | .5658     |
| 9    | .5601     | .5601     | .6535     | .5658     | .5658     | .6535     | .5658     |
| 10   | .5601     | .5601     | .5658     | .5658     | .5601     | .5658     | .5601     |
| 11   | .5601     | .4668     | .4715     | .3772     |           | .6602     | .5601     |
| 12   | .4668     | .3734     | .4668     | .3734     |           | .5658     | .5601     |
| 13   | .4668     | .3734     | .4668     | .3734     |           | .5658     | .4668     |
| 14   | .4668     | .3734     | .3734     | .3734     |           | .4668     | .4668     |
| 15   | .4668     | .3734     | .3734     | .3734     | .4668     | .4668     | .4668     |
| 16   | .4668     | .3734     | .3734     | .3734     | .4668     | .3734     | .4668     |
| 17   | .5601     | .4668     | .4668     | .5601     | .5601     | .4668     | .5601     |
| 18   | .5601     | .5658     | .5601     | .6602     | .5601     | .5601     | .5601     |
| 19   | .5601     | .5658     | .6535     | .6602     | .5601     | .6535     | .6535     |
| 20   | .5601     | .5658     | .5601     | .5658     | .5601     | .5601     | .5601     |
| 21   | .5601     | .4668     | .4668     | .4715     | .4668     | .5601     | .4668     |
| 22   | .4668     | .3734     | .4668     | .3734     | .3734     | .4668     | .4668     |
| 23   | .3734     | .3734     |           | .3734     | .3734     | .4668     | .3734     |
| 24   |           | .3734     | .3734     | .3696     | .3696     | .3734     | .3696     |
| Max  | .5601     | .6535     | .6535     | .6602     | .5658     | .6602     | .6535     |
| Min  | .3696     | .3734     | .3734     | .3696     | .3696     | .3734     | .3696     |
| Avg  | .4661     | .4519     | .4591     | .4445     | .4665     | .4911     | .4739     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) S/DN-II[445] BU 4445

Substation No/ Name :- 174084 / 33 kV INDUSTRIAL AREA

Feeder No / Name : 202 / 11 KV SHIVAJI NAGAR ROAD

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.307     | 1.0374    | 1.1317    | 1.226     | 1.0269    | 1.1317    | 1.1317    |
| 2    | 1.1203    | 1.0374    | 1.0374    | 1.1317    | 1.0269    | .1132     | 1.1317    |
| 3    | 1.1203    | 1.0374    | 1.0374    | 1.1317    | 1.0269    | 1.1317    | 1.1317    |
| 4    | 1.1203    | 1.0374    | 1.0374    | 1.1317    | 1.0269    | 1.1317    | 1.1317    |
| 5    | 1.0374    | 1.0374    | 1.0374    | 1.0374    | 1.0269    | 1.1317    | 1.0374    |
| 6    | 1.0374    | 1.1317    | 1.0374    | 1.1317    | 1.226     | 1.1317    | 1.0374    |
| 7    | 1.0374    | 1.3203    | 1.0269    | 1.1317    | 1.1317    | 1.1317    | 1.0374    |
| 8    | 1.0374    | 1.3203    | 1.0374    | 1.1317    | 1.1317    | 1.1317    | 1.1317    |
| 9    | 1.1317    | 1.1317    | 1.1317    | 1.1317    | 1.0374    | 1.1317    | 1.226     |
| 10   | 1.0374    | 1.1317    | 1.1317    | 1.0374    |           |           | 1.1317    |
| 11   | 1.0374    | 1.1317    | 1.226     | 1.1317    |           |           | 1.1317    |
| 12   | 1.1317    | 1.1317    | 1.226     | 1.1317    |           |           | 1.226     |
| 13   | 1.1317    | 1.226     | 1.226     | 1.1317    |           |           | 1.3203    |
| 14   | 1.1317    | 1.226     | 1.3203    | 1.226     |           | 1.6032    | 1.3203    |
| 15   | 1.1317    | 1.226     | 1.3203    | 1.1317    |           | 1.5089    | 1.3203    |
| 16   | 1.1317    | 1.226     | 1.3203    | 1.3203    |           | 1.5089    | 1.3203    |
| 17   | 1.1317    | 1.226     | 1.3203    | 1.4146    | 1.6975    | 1.5089    | 1.3203    |
| 18   | 1.226     | 1.3203    | 1.4146    | 1.4146    | 1.6975    | 1.5089    | 1.3203    |
| 19   | 1.4146    | 1.5089    | 1.6032    | 1.5089    | 1.7918    | 1.6975    | 1.3203    |
| 20   | 1.4146    | 1.5089    | 1.5089    | 1.5089    | 1.7918    | 1.6032    | 1.4146    |
| 21   | 1.3203    | 1.5089    | 1.4146    | 1.5089    | 1.6975    | 1.6032    | 1.4146    |
| 22   | 1.3203    | 1.5089    | 1.3203    | 1.2136    | 1.587     | 1.6032    | 1.4146    |
| 23   | 1.1317    | 1.4146    |           | 1.2136    | 1.587     | 1.6032    | 1.6032    |
| 24   |           | 1.1317    | 1.3203    | 1.3203    | 1.2136    |           | 1.3203    |
| Max  | 1.4146    | 1.5089    | 1.6032    | 1.5089    | 1.7918    | 1.6975    | 1.6032    |
| Min  | 1.0374    | 1.0374    | 1.0269    | 1.0374    | 1.0269    | .1132     | 1.0374    |
| Avg  | 1.1583    | 1.2299    | 1.2255    | 1.2250    | 1.3368    | 1.3114    | 1.2456    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) S/DN-II[445] BU 4445

Substation No/ Name :- 174084 / 33 kV INDUSTRIAL AREA

Feeder No / Name : 203 / 11 KV INDUSTRIAL AREA

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .543      | .543      | .5316     | .5487     | .5144     | .543      | .543      |
| 2    | .5373     | .5258     | .5258     | .5487     | .5144     | .543      | .5316     |
| 3    | .5258     | .5258     | .5258     | .543      | .5144     | .5258     | .5316     |
| 4    | .5258     | .5258     | .5144     | .5373     | .503      | .5258     | .5258     |
| 5    | .5258     | .5258     | .5144     | .5373     | .503      | .5258     | .5201     |
| 6    | .5316     | .5258     | .5144     | .5316     | .503      | .5258     | .4334     |
| 7    | .5373     | .543      | .5201     | .543      | .5144     | .543      | .5258     |
| 8    | .543      | .5601     | .5316     | .5544     | .5316     | .5601     | .543      |
| 9    | .5487     | .5601     | .6468     | .5544     | .6468     | .5601     | .5487     |
| 10   | .7545     | .7545     | .8488     |           |           | .7545     | .9431     |
| 11   | .7545     | .9431     | 1.1317    | 1.0374    |           | .9431     | .9431     |
| 12   | .7545     | .9431     | 1.1317    | 1.0374    |           |           | .9431     |
| 13   | .7545     | 1.0374    | 1.1317    | 1.1317    |           | .9431     | .7545     |
| 14   | .7545     | .9431     | .9431     | 1.0374    |           | 1.0374    | .7545     |
| 15   | .7545     | .8488     |           | 1.0374    |           | 1.0374    | .7545     |
| 16   | .7545     | .8488     |           | 1.1317    |           | 1.0374    | .7545     |
| 17   | .7545     | 1.1317    |           | 1.1317    | 1.0374    | 1.0374    | .7545     |
| 18   | .8488     | 1.0374    | 1.0374    | 1.1317    | 1.0374    | .8488     | .7545     |
| 19   | .7545     | 1.0374    | 1.1317    | 1.1317    | .9431     | 1.0374    | .6602     |
| 20   | .7545     | .9431     | .9431     | .8488     | .9431     | .9431     | .6535     |
| 21   | .5601     | .7545     | .7545     | .7468     | .9335     | .7545     | .5487     |
| 22   | .5601     | .6535     | .6602     | .3696     | .7468     | .7545     | .5487     |
| 23   | .5601     | .5544     |           | .543      | .7468     | .6602     | .6401     |
| 24   |           | .543      | .543      | .5544     | .5258     | .6335     | .5544     |
| Max  | .8488     | 1.1317    | 1.1317    | 1.1317    | 1.0374    | 1.0374    | .9431     |
| Min  | .5258     | .5258     | .5144     | .3696     | .503      | .5258     | .4334     |
| Avg  | .6475     | .7420     | .7541     | .7726     | .6858     | .7511     | .6527     |



**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) S/DN-II[445] BU 4445

Substation No/ Name :- 174084 / 33 kV INDUSTRIAL AREA

Feeder No / Name : 204 / I.T.M. Feeder

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .6535     | .5658     | .5658     | .6535     | .5601     | .5601     | .6602     |
| 2    | .6468     | .5658     | .5658     | .5601     | .5601     | .5601     | .5658     |
| 3    | .6468     | .5658     | .5658     | .5601     | .5658     | .5601     | .5658     |
| 4    | .5544     | .5658     | .5658     | .5601     | .5658     | .5601     | .5658     |
| 5    | .5544     | .5658     | .5658     | .5601     | .5658     | .5601     | .5658     |
| 6    | .5601     | .5658     | .5658     | .5601     | .5658     | .5601     | .5658     |
| 7    | .5601     | .5658     | .5658     | .5601     | .6602     | .5601     | .5658     |
| 8    | .5601     | .5658     | .5658     | .6535     | .6602     | .5601     | .5658     |
| 9    | .5601     | .6602     | .6602     | .7545     | .6602     | .6535     | .5658     |
| 10   | .7468     | .6602     | .7468     | .7545     | .6602     | .6468     | .7545     |
| 11   | .7468     | .8488     | .8402     | .9431     |           | .8402     | .7545     |
| 12   | .7545     | .9431     | .8402     | 1.0374    |           | .9335     | .7545     |
| 13   | .7545     | .9431     | .9335     | 1.1317    |           | 1.0269    | .7545     |
| 14   | .7545     | .9431     | .9431     | 1.1317    |           | 1.0269    | .7545     |
| 15   | .7545     | .9431     | 1.0374    | 1.1317    | 1.1317    | 1.0269    | .7545     |
| 16   | .7545     | .9431     | 1.0374    | 1.1317    | 1.1317    | 1.0269    | .7545     |
| 17   | .7468     | .9431     | 1.0374    | 1.0374    | 1.0374    | 1.0269    | .7545     |
| 18   | .8402     | .9431     | 1.0374    | 1.0374    | 1.0269    | .9431     | .7545     |
| 19   | .8488     | 1.0374    | 1.0374    | 1.0374    | 1.0269    | .9431     | .7545     |
| 20   | .8488     | .9431     | .9431     | 1.0374    | 1.0269    | .9431     | .7545     |
| 21   | .7545     | .9431     | .8488     | .9431     | .9335     | .9431     | .7545     |
| 22   | .7545     | .8488     | .7468     | .8488     | .7468     | .8488     | .7545     |
| 23   | .7545     | .7545     |           | .6535     | .7468     | .8488     | .7392     |
| 24   |           | .5658     | .6602     | .7392     | .5601     | .7468     | .7545     |
| Max  | .8488     | 1.0374    | 1.0374    | 1.1317    | 1.1317    | 1.0269    | .7545     |
| Min  | .5544     | .5658     | .5658     | .5601     | .5601     | .5601     | .5658     |
| Avg  | .7005     | .7663     | .7772     | .8341     | .7696     | .7878     | .6870     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) S/DN-II[445] BU 4445

Substation No/ Name :- 174104 / 33 kV PAWDEWADI

Feeder No / Name : 201 / 11 KV Yashwant Nagar  
Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3361     | .3361     | .5792     | .5914     | .3734     | .3658     | .6104     |
| 2    | .4854     | .3361     | .3982     | .5601     | .3734     | .3582     | .583      |
| 3    | .4854     | .3361     | .3439     | .5601     | .3734     | .5373     | .5792     |
| 4    | .4854     | .3361     | .3258     | .4481     | .4481     | .5487     | .5792     |
| 5    | .4854     | .3734     | .2896     | .4481     | .4854     | .543      | .5316     |
| 6    | .4854     | .4108     | .2715     | .6283     | .6722     | .5731     | .5256     |
| 7    | .4481     | .4481     | .6335     | .8131     | .6535     | .5731     | .6783     |
| 8    | .4854     | .4854     | .5426     | .7392     | .7095     | .5373     | .6203     |
| 9    | .4854     | .4108     | .4409     | .7023     | .5041     | .5373     | .431      |
| 10   | .5228     | .5228     | .4854     | .4854     | .4854     | .4656     | .12       |
| 11   | .5228     | .373      | .4481     | .5228     |           | .4287     | .1494     |
| 12   | .5601     | .3086     | .4481     | .4854     | .4656     |           | .4481     |
| 13   | .5601     |           | .4481     | .4481     | .4298     | .407      | .5601     |
| 14   | .7282     | .6516     | .4481     | .4108     |           | .4458     | .3361     |
| 15   | .5975     | .6859     | .4481     | .4108     |           | .463      | .4481     |
| 16   | .5601     | .3086     | .4481     | .3734     |           | .4801     | .4854     |
| 17   | .5041     | .3052     | .4481     | .3734     |           | .463      | .4854     |
| 18   | .4854     | .6173     | .4481     | .3734     |           | .4578     | .4854     |
| 19   | .5975     | .6697     | .7392     | .3361     | .3582     | .583      | .2987     |
| 20   | .6722     |           | .7023     | .3361     | .3224     | .6173     | .5601     |
| 21   | .6348     | .3944     |           | .3361     | .3224     | .5765     | .6653     |
| 22   | .3361     | .4801     | .1867     | .3361     | .3224     | .3052     | .5601     |
| 23   | .3734     | .5426     | .5228     | .3734     | .3224     | .6104     | .4854     |
| 24   |           | .3734     | .6001     | .5914     | .3734     | .3258     | .6344     |
| Max  | .7282     | .6859     | .7392     | .8131     | .7095     | .6173     | .6783     |
| Min  | .3361     | .3052     | .1867     | .3361     | .3224     | .3052     | .12       |
| Avg  | .5147     | .4412     | .4629     | .4868     | .4442     | .4871     | .4942     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) S/DN-II[445] BU 4445

Substation No/ Name :- 174104 / 33 kV PAWDEWADI

Feeder No / Name : 202 / 11 KV NASARADPURA

FEEDER SEPERATION/PURE AG

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .2987     | .3734     | .543      | .3734     | .3361     | .3582     | .3982     |
| 2    | .2987     | .3734     | .4887     | .3734     | .3361     | .3224     | .3982     |
| 3    | .2987     | .3734     | .4938     | .3361     | .3361     | .3224     | .3801     |
| 4    | .2987     | .3734     | .5068     | .2987     | .3361     | .4298     | .4344     |
| 5    | .2987     | .3734     | .5068     | .3361     | .3734     | .4656     | .4525     |
| 6    | .2987     | .4481     | .4755     | .4108     | .4481     | .5373     | .5249     |
| 7    | .5228     | .5228     | .6154     | .5601     | .5228     | .5731     | .6335     |
| 8    | .4481     | .6722     | .6878     | .5914     | .5228     | .5731     | .6878     |
| 9    | .4854     | .5975     | .7059     | .4854     | .4854     | .5731     | .7059     |
| 10   | .5228     | .5228     | .6283     | .5601     | .4656     | .5731     | .6767     |
| 11   | .5228     | .4887     | .5914     | .5228     | .4706     | .7059     | .6653     |
| 12   | .4854     | .439      | .5914     | .4854     | .4656     | .6878     | .6283     |
| 13   | .4668     | .362      | .5914     | .4481     | .5014     | .6584     | .5601     |
| 14   | .4668     | .4344     | .5601     | .4481     |           | .6154     | .5601     |
| 15   | .4854     | .4887     | .5601     | .4854     |           | .5792     | .5914     |
| 16   | .5228     | .543      | .5975     | .4854     |           | .5973     | .5914     |
| 17   | .5601     | .543      | .5914     | .4481     |           | .6584     | .5601     |
| 18   |           | .6154     | .7023     | .4854     |           | .6584     | .6283     |
| 19   | .5975     | .7421     | .5914     | .5601     | .5373     | .6878     | .6283     |
| 20   | .5975     | .7421     | .5914     | .5601     | .5731     | .6516     | .5601     |
| 21   | .5601     | .4525     |           | .4854     | .5373     | .4887     | .5228     |
| 22   | .4854     | .5792     | .2987     | .4481     | .5014     | .4525     | .4854     |
| 23   | .4481     | .6335     | .3734     | .4108     | .4656     | .4525     | .4481     |
| 24   | .2987     | .3734     | .6335     | .3734     | .3734     | .3582     | .4163     |
| Max  | .5975     | .7421     | .7059     | .5914     | .5731     | .7059     | .7059     |
| Min  | .2987     | .362      | .2987     | .2987     | .3361     | .3224     | .3801     |
| Avg  | .4465     | .5028     | .562      | .4572     | .4520     | .5408     | .5474     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) S/DN-II[445] BU 4445

Substation No/ Name :- 174104 / 33 kV PAWDEWADI

Feeder No / Name : 203 / 11 KV Dnyaneshwar Wadi  
Feeder KV- 11 / OUTGOING

SHEDDABLE URBAN

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.4937    | 1.6804    | 1.7737    | 1.448     | 1.4937    | 1.5223    | 1.7375    |
| 2    | 1.4937    | 1.6804    | 1.6651    | 1.3394    | 1.4937    | 1.5043    | 1.6832    |
| 3    | 1.4937    | 1.6804    | 1.6108    | 1.3394    | 1.4937    | 1.5043    | 1.6108    |
| 4    | 1.4937    | 1.6804    | 1.5746    | 1.267     | 1.4937    | 1.7013    | 1.6289    |
| 5    | 1.4937    | 1.6804    | 1.5565    | 1.448     | 1.4937    | 1.8804    | 1.7013    |
| 6    | 1.4937    | 1.8298    | 1.7013    | 1.7013    | 1.6804    | 1.97      | 1.7556    |
| 7    | 1.6804    | 2.0165    | 1.9366    | 1.8983    | 1.7924    | 2.0058    | 1.9366    |
| 8    | 1.7924    | 2.1658    | 2.0271    | 1.8267    | 1.7551    | 2.0416    | 2.0271    |
| 9    | 1.5684    | 1.8671    | 1.8099    | 1.6289    | 1.4937    | 1.97      | 1.9547    |
| 10   |           | 1.7551    | 1.6289    | 1.5203    | 1.8298    | 1.4685    | 1.6832    |
| 11   | 1.4563    | 1.6108    | 1.5203    | 1.531     | 1.5402    | 1.4661    | 1.6289    |
| 12   | 1.419     | 1.4842    | 1.5203    | 1.4937    | 1.5043    | 1.4842    | 1.5927    |
| 13   | 1.4563    | 1.2851    | 1.448     | 1.419     | 1.5043    | 1.5203    | 1.5565    |
| 14   | 1.531     | 1.3394    | 1.4842    | 1.3817    |           | 1.5384    | 1.5565    |
| 15   | 1.6804    | 1.4842    | 1.4842    | 1.3443    |           | 1.647     | 1.6289    |
| 16   | 1.7177    | 1.5746    | 1.5203    | 1.4563    |           | .7602     | 1.7013    |
| 17   |           | 1.6108    | 1.5927    | 1.6057    |           | .8869     | 1.7909    |
| 18   |           | 1.7013    | 1.6651    | 1.7924    |           | .9412     | 1.7375    |
| 19   | 2.0538    | 2.0271    | 1.7909    | 1.8298    | 1.6118    | 1.9547    | 1.7909    |
| 20   | 1.7924    |           | 1.7909    | 1.7551    | 1.97      | 1.9004    | 1.97      |
| 21   | 2.0538    | 2.1357    |           | 1.7177    | 1.9342    | 1.8461    | 1.8267    |
| 22   | 1.9605    | 2.1176    | 1.6289    | 1.6804    | 1.97      | 1.7918    | 1.97      |
| 23   | 1.7924    | 1.8823    | 1.5927    | 1.643     | 1.7909    | 1.7737    | 1.8983    |
| 24   | 1.643     | 1.6804    | 1.8461    | 1.5203    | 1.5684    | 1.6118    | 1.7737    |
| Max  | 2.0538    | 2.1658    | 2.0271    | 1.8983    | 1.97      | 2.0416    | 2.0271    |
| Min  | 1.419     | 1.2851    | 1.448     | 1.267     | 1.4937    | .7602     | 1.5565    |
| Avg  | 1.6457    | 1.7378    | 1.6595    | 1.5662    | 1.6534    | 1.6121    | 1.7559    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) S/DN-II[445] BU 4445

Substation No/ Name :- 174104 / 33 kV PAWDEWADI

Feeder No / Name : 204 / 11 KV FARANDE NAGAR - II

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .8589     | .8402     | .8869     |           | .6535     | .6447     | .9694     |
| 2    | .8402     | .8402     | .8688     |           | .6535     | .6447     | .905      |
| 3    | .8402     | .8402     | .8326     |           | .6535     | .6447     | .8688     |
| 4    | .8402     | .8402     | .8413     |           | .6535     | .7522     | .8326     |
| 5    | .8402     | .8402     | .8688     |           | .6535     | .8596     | .7964     |
| 6    | .9335     | .8402     | .8507     |           | .8402     | .8954     | .7964     |
| 7    | 1.0456    | .9335     | .8507     |           | .8029     | .985      | .8962     |
| 8    | 1.0082    | .9709     | .8688     |           | .7468     | .985      | .9412     |
| 9    | .9335     | .7468     | .8869     |           | .6535     | .8954     | .8145     |
| 10   | .8589     | .6908     |           |           | .5792     | .7522     | .7602     |
| 11   | .7842     | .6335     |           | .6348     | .6089     | .724      |           |
| 12   | .7468     | .6154     |           | .6722     | .6447     | .6878     |           |
| 13   | .7095     | .6219     |           | .5975     |           | .7059     |           |
| 14   | .6348     | .6516     |           | .5601     |           | .7602     |           |
| 15   | .6722     | .7059     |           | .5228     |           | .7602     |           |
| 16   | .6348     | .7059     |           | .4854     |           | .7602     |           |
| 17   | .7095     | .6401     |           | .5228     |           | .7865     |           |
| 18   |           | .7602     |           | .7095     |           | .8326     |           |
| 19   | .8962     | .8688     |           | .8215     | .6805     | .9412     |           |
| 20   | .9709     |           |           | .9335     | .7164     | .8869     |           |
| 21   | 1.0456    | 1.2308    |           | .8589     | .7164     | .9231     |           |
| 22   | 1.0829    | 1.1584    |           | .8215     | .6805     | 1.0136    |           |
| 23   | 1.0082    | .9955     |           | .7468     | .6805     | 1.0136    |           |
| 24   | .9335     | .9335     | .9593     |           | .7095     | .6447     | .9774     |
| Max  | 1.0829    | 1.2308    | .9593     | .9335     | .8402     | 1.0136    | .9774     |
| Min  | .6348     | .6154     | .8326     | .4854     | .5792     | .6447     | .7602     |
| Avg  | .8621     | .8219     | .8715     | .6836     | .6849     | .8125     | .8689     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED (U) S/DN-II[445] BU 4445

Substation No/ Name :- 174104 / 33 kV PAWDEWADI

Feeder No / Name : 205 / 11 KV Vijay Nagar

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.2136    | 1.307     | 1.3032    | 1.1584    | 1.1203    | 1.1641    | 1.3575    |
| 2    | 1.2136    | 1.307     | 1.262     | 1.086     | 1.1203    | 1.1104    | 1.3394    |
| 3    | 1.2136    | 1.307     | 1.2308    | 1.086     | 1.1203    | 1.1104    | 1.3394    |
| 4    | 1.2136    | 1.307     | 1.2489    | 1.0242    | 1.2696    | 1.3432    | 1.2489    |
| 5    | 1.2136    | 1.307     | 1.267     | 1.267     | 1.1203    | 1.4327    | 1.3032    |
| 6    | 1.2136    | 1.3203    | 1.3213    | 1.267     | 1.4003    | 1.6118    | 1.3394    |
| 7    | 1.419     | 1.419     | 1.4661    | 1.3756    | 1.4563    | 1.6118    | 1.7375    |
| 8    | 1.587     | 1.643     | 1.4299    | 1.4842    | 1.4937    | 1.6118    | 1.7013    |
| 9    | 1.643     | 1.4937    | 1.4299    | 1.4118    | 1.4563    | 1.576     | 1.5384    |
| 10   | 1.6804    | 1.307     | 1.267     | 1.267     | 1.2536    | 1.4685    | 1.448     |
| 11   | 1.6057    | 1.1041    | 1.1946    | 1.2323    | 1.2536    | 1.2489    | 1.3756    |
| 12   | 1.531     | 1.0498    | 1.1584    | .1494     | 1.2536    | 1.2127    | 1.3032    |
| 13   | 1.4563    | .9955     | 1.1222    | 1.1949    | 1.1641    | 1.1946    | 1.3394    |
| 14   | 1.1203    | 1.0679    | 1.1222    | 1.1203    |           | 1.1584    | 1.3394    |
| 15   | 1.1203    | 1.0498    | 1.1584    | 1.0829    |           | 1.1403    | 1.267     |
| 16   | 1.1389    | 1.0608    | 1.1584    | 1.0456    |           | 1.1584    | 1.267     |
| 17   | 1.1763    | 1.0679    | 1.1946    | 1.1203    |           | 1.1584    | 1.1584    |
| 18   |           | 1.4118    | 1.267     | 1.2136    |           | 1.1222    | 1.1584    |
| 19   | 1.4937    | 1.7194    | 1.4842    | 1.4563    | 1.4327    | 1.5203    | 1.1222    |
| 20   | 1.5684    |           | 1.5565    | 1.531     | 1.576     | 1.6095    | 1.267     |
| 21   | 1.5684    | 1.6651    |           | 1.4937    | 1.7013    | 1.5384    | 1.267     |
| 22   | 1.531     | 1.6832    | 1.3032    | 1.4563    | 1.6118    | 1.5203    | 1.3756    |
| 23   | 1.4563    | 1.5927    | 1.267     | 1.3817    | 1.4327    | 1.4815    | 1.4118    |
| 24   | 1.2323    | 1.307     | 1.3756    | 1.1946    | 1.1576    | 1.2536    | 1.4118    |
| Max  | 1.6804    | 1.7194    | 1.5565    | 1.531     | 1.7013    | 1.6118    | 1.7375    |
| Min  | 1.1203    | .9955     | 1.1222    | .1494     | 1.1203    | 1.1104    | 1.1222    |
| Avg  | 1.3743    | 1.3258    | 1.2865    | 1.2125    | 1.3365    | 1.3483    | 1.3507    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED RURAL-I S/DN[443] BU 2429

Substation No/ Name :- 174025 / 33 kV LIMBGAON

Feeder No / Name : 201 / 11 KV LIMBGAON AG  
Feeder KV- 11 / OUTGOINGSEPARATED AG FEEDERS HAVING SPECIAL  
DESIGN TRANSFORMER

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .0373     | .0373     |           | .0366     |           | .0373     |
| 2    |           | .0373     | .0373     |           | .0366     | .0373     | .0373     |
| 3    |           | .0373     | .0373     |           | .0373     | .5201     | .0373     |
| 4    |           | .0373     |           |           | .0373     | .0373     | .0373     |
| 6    | .2029     |           |           |           |           |           |           |
| 7    | .2058     |           |           |           |           |           |           |
| 8    | .5135     |           |           |           |           |           |           |
| 9    | .6602     |           |           |           |           |           |           |
| 10   | .4287     | .4287     | .381      | .2229     |           | .3715     | .2972     |
| 11   | .4458     | .4801     | .4401     | .4401     | .3894     | .3715     | .2972     |
| 12   | .4458     | .423      | .5268     | .4572     | .4287     | .5268     | .4458     |
| 13   | .4458     | .423      | .4572     | .4572     | .3525     | .4344     | .4515     |
| 14   |           | .423      | .2315     | .463      |           | .4344     | .0753     |
| 15   |           | .5001     | .4572     | .4687     |           | .5201     | .4515     |
| 16   |           | .5001     | .5335     | .463      | .2972     | .5068     | .4515     |
| 17   |           | .5001     | .4458     | .4401     |           | .5268     | .602      |
| 18   |           | .4401     |           | .4287     | .3048     | .5201     | .5201     |
| 19   |           | .0373     | .0373     | .0373     | .0373     | .0373     | .0373     |
| 20   | .0377     | .0373     | .0373     | .0373     | .0373     | .0373     | .0373     |
| 21   | .0377     | .0373     |           |           | .0373     |           | .0373     |
| 22   | .0373     |           |           | .0373     | .0373     | .0373     | .0373     |
| 23   | .0373     | .0373     |           | .0373     |           | .0373     | .0373     |
| 24   |           | .0373     | .0373     |           | .0366     | .0373     | .0373     |
| Max  | .6602     | .5001     | .5335     | .4687     | .4287     | .5268     | .602      |
| Min  | .0373     | .0373     | .0373     | .0373     | .0366     | .0373     | .0373     |
| Avg  | .2915     | .2474     | .2641     | .3069     | .1504     | .2937     | .2087     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED RURAL-I S/DN[443] BU 2429

Substation No/ Name :- 174025 / 33 kV LIMBGAON

Feeder No / Name : 202 / 11 KV CHUDAWA AG  
Feeder KV- 11 / OUTGOINGSEPARATED AG FEEDERS HAVING SPECIAL  
DESIGN TRANSFORMER

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3429     | .0554     | .056      |           | .0358     | .0373     |           |
| 2    | .3525     | .037      | .056      |           | .0358     | .0373     |           |
| 3    | .362      | .0554     | .056      |           | .0358     | .0373     | .0373     |
| 4    | .3429     | .037      |           |           | .0358     | .0373     | .0373     |
| 5    | .3944     |           |           |           |           |           |           |
| 6    | .5487     |           |           |           |           |           |           |
| 7    | .5487     |           |           |           |           |           | .4001     |
| 8    | .6259     |           |           |           |           |           |           |
| 9    | .7145     |           |           |           |           |           |           |
| 10   |           | .5639     | .423      | .2058     |           |           | .4344     |
| 11   |           | .6602     | .5068     | .423      | .3944     | .4344     | .423      |
| 12   |           | .5868     | .4287     | .4344     | .4058     | .4344     | .4868     |
| 13   |           | .5868     | .4172     | .4287     | .4001     | .4458     | .4058     |
| 14   |           | .5068     | .4058     | .4287     |           | .3334     | .3334     |
| 15   |           | .5001     | .4172     | .423      |           | .4934     | .2        |
| 16   |           | .5944     | .4172     | .4287     | .2782     | .5944     | .4058     |
| 17   |           | .5944     | .4115     | .3944     | .2705     | .6097     | .4734     |
| 18   |           | .5335     |           | .3829     | .2705     | .5201     | .4401     |
| 19   | .037      | .0373     | .056      | .0554     | .0373     | .0373     | .037      |
| 20   | .037      | .0373     | .056      | .0358     | .0373     | .0373     | .037      |
| 21   | .0554     |           |           |           | .0373     | .0373     | .037      |
| 22   | .0554     |           |           | .037      | .0373     | .0373     | .0373     |
| 23   | .0554     | .0373     |           | .0366     | .0373     | .0373     | .0373     |
| 24   | .301      | .0554     | .0373     |           | .0358     | .0373     | .0373     |
| Max  | .7145     | .6602     | .5068     | .4344     | .4058     | .6097     | .4868     |
| Min  | .037      | .037      | .0373     | .0358     | .0358     | .0373     | .037      |
| Avg  | .3182     | .3223     | .2675     | .2857     | .1491     | .2355     | .2389     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED RURAL-I S/DN[443] BU 2429

Substation No/ Name :- 174025 / 33 kV LIMBGAON

Feeder No / Name : 204 / 11 KV TALNI AG  
Feeder KV- 11 / OUTGOINGSEPARATED AG FEEDERS HAVING SPECIAL  
DESIGN TRANSFORMER

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | 1.0002    | .8345     |           | .3944     | .2934     |           |
| 2    |           | 1.0288    | .8916     |           | .4001     | .2934     |           |
| 3    |           | 1.0574    | .9469     |           | .4115     | .2972     | .3286     |
| 4    |           | 1.2793    | 1.0536    |           | .4115     | .2972     | .4001     |
| 5    |           | 1.5242    | 1.1288    |           | .423      | .301      | .4058     |
| 6    |           | 1.5242    | 1.1288    |           | .5716     | .4572     | .602      |
| 7    |           | 1.6556    | 1.1288    |           | .7145     | .7526     | .743      |
| 8    |           | 1.6556    | .9659     |           |           | .743      | 1.0269    |
| 9    |           | 1.1126    |           |           | 1.0136    | .743      | .9412     |
| 10   | 1.1888    |           |           | .4868     |           |           |           |
| 11   | 1.6975    |           |           |           |           |           |           |
| 12   | 1.6766    |           |           |           |           |           |           |
| 13   | 1.6766    |           |           |           |           |           |           |
| 14   | 1.6766    |           |           |           |           |           |           |
| 15   | 1.6556    |           |           |           |           |           |           |
| 16   | 1.829     |           |           |           |           |           |           |
| 17   | 1.8061    |           |           |           |           |           |           |
| 18   | 1.6871    |           |           |           |           |           |           |
| 19   | .056      | .056      |           | .0716     | .0549     | .056      | .037      |
| 20   | .056      | .056      | .037      | .0747     | .0554     | .0373     | .037      |
| 21   | .056      | .056      | .0366     |           | .0554     | .0747     | .037      |
| 22   | .056      | .056      |           | .056      | .0554     | .0747     | .037      |
| 23   |           | .056      |           | .056      | .0554     | .0747     | .037      |
| 24   |           | .5335     | .056      |           | .2591     | .2858     | .2972     |
| Max  | 1.829     | 1.6556    | 1.1288    | .4868     | 1.0136    | .7526     | 1.0269    |
| Min  | .056      | .056      | .0366     | .056      | .0549     | .0373     | .037      |
| Avg  | 1.1629    | .8434     | .7462     | .1490     | .3483     | .3187     | .3792     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED RURAL-I S/DN[443] BU 2429

Substation No/ Name :- 174025 / 33 kV LIMBGAON

Feeder No / Name : 205 / 11 KV LIMBGAON GAOTHAN  
Feeder KV- 11 / OUTGOING

GAOTHAN FEEDER

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3734     | .3658     | .3734     | .3734     | .3734     | .3734     | .3734     |
| 2    | .3734     | .3696     | .3734     | .3734     | .3734     | .3734     | .3734     |
| 3    | .3734     | .3696     | .3734     | .3734     | .3734     | .3734     | .3734     |
| 4    | .4668     | .462      | .4668     | .5601     | .3734     | .4668     | .4668     |
| 5    | .5601     | .5601     |           | .6535     | .4715     | .5601     | .7468     |
| 6    | .7468     | .7468     | .8402     | .8402     | .7545     | .7545     | .7468     |
| 7    | .8402     | .8402     | .9335     | .8402     | .8488     | .8488     | .8402     |
| 8    | .9335     | .8402     | .9335     | .7468     | .8402     | .8402     | .5601     |
| 9    | .7468     | .6535     | .7468     | .5601     | .056      | .5601     | .6401     |
| 10   | .5601     |           | .462      | .4668     | .5601     | .4668     | .5601     |
| 11   | .3734     |           | .2772     | .3734     | .3696     | .4668     |           |
| 12   | .3734     | .4668     | .3696     | .2772     | .2772     | .3734     |           |
| 13   | .3696     | .3734     | .2772     | .3696     | .1848     | .3734     |           |
| 14   | .3696     |           | .2772     | .3734     |           | .3734     |           |
| 15   | .3696     | .3734     | .2743     | .3696     |           |           |           |
| 16   | .462      | .3734     | .3658     |           | .2801     | .3734     |           |
| 17   | .462      |           | .462      | .5601     |           | .3734     |           |
| 18   | .6468     |           | .5544     | .5601     | .5601     | .5601     |           |
| 19   | .6468     | .6535     | .7392     | .7468     | .7545     | .7468     |           |
| 20   | .6468     | .6468     | .5544     | .6535     | .5658     | .5601     |           |
| 21   | .5544     | .5601     | .462      |           | .4668     | .5601     |           |
| 22   | .5544     | .5601     |           | .3734     | .3734     | .3734     |           |
| 23   | .4572     | .4668     |           | .3734     | .3734     | .3734     |           |
| 24   | .3734     | .3658     | .4668     | .3734     | .3734     | .3734     | .3734     |
| Max  | .9335     | .8402     | .9335     | .8402     | .8488     | .8488     | .8402     |
| Min  | .3696     | .3658     | .2743     | .2772     | .056      | .3734     | .3734     |
| Avg  | .5264     | .5288     | .5040     | .5087     | .4573     | .4999     | .5504     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED RURAL-I S/DN[443] BU 2429

Substation No/ Name :- 174048 / 33 KV DEGAON

Feeder No / Name : 202 / 11 KV SUGAR FACTORY  
Feeder KV- 11 / OUTGOINGNON SHEDDABLE EXPRESS HV FEEDERS  
(NON-CONTINUOUS PROCESS)(NO  
STAGGERING)

| DATE | 11-APR-18 | 12-APR-18 | 13-APR-18 |
|------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .0457     | .0514     |
| 2    |           | .0457     | .0514     |
| 3    |           | .0457     | .0514     |
| 4    |           | .0457     | .0514     |
| 5    |           | .0457     | .0023     |
| 6    |           | .0457     | .0023     |
| 7    |           | .0457     | .0023     |
| 8    |           | .0457     | .0023     |
| 9    | .3429     |           |           |
| 10   | .3429     |           |           |
| 11   | .0514     |           |           |
| 12   | .0514     |           |           |
| 13   | .0514     |           |           |
| 14   | .0514     |           |           |
| 15   | .0514     |           |           |
| 16   | .0514     |           |           |
| 17   | .0514     | .0514     |           |
| 18   | .0514     | .0514     |           |
| 19   | .0514     | .0514     |           |
| 20   | .0514     | .0514     |           |
| 21   | .0514     | .0514     |           |
| 22   | .0514     | .0514     |           |
| 23   | .0514     | .0514     |           |
| 24   |           | .0514     | .0514     |
| Max  | .3429     | .0514     | .0514     |
| Min  | .0514     | .0457     | .0023     |
| Avg  | .0903     | .0486     | .0296     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED RURAL-I S/DN[443] BU 2429

Substation No/ Name :- 174048 / 33 KV DEGAON

Feeder No / Name : 203 / 11 KV SHELGAON AG  
Feeder KV- 11 / OUTGOINGSEPARATED AG FEEDERS HAVING SPECIAL  
DESIGN TRANSFORMER

| DATE | 11-APR-18 |
|------|-----------|
| HR   | Load (MW) |
| 21   | .8573     |
| Max  | .8573     |
| Min  | .8573     |
| Avg  | .8573     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED RURAL-I S/DN[443] BU 2429

Substation No/ Name :- 174048 / 33 KV DEGAON

Feeder No / Name : 205 / 11KV PIMPALGAON GOVTHAN

GAOTHAN FEEDER

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .7545     |           | .6173     | .823      |           |
| 2    |           | .823      |           | .5487     | .823      |           |
| 3    |           | .8573     |           | .5144     | .9431     |           |
| 4    |           | 1.2003    |           | .6859     | 1.1145    |           |
| 5    |           | 1.4403    |           | .9602     | 1.2003    |           |
| 6    |           | 1.4403    |           | 1.2003    | 1.3203    |           |
| 9    |           |           | .6859     |           |           | .8573     |
| 10   | 1.0974    |           | .6859     |           |           | 1.0288    |
| 11   | 1.0288    |           | .6173     |           |           | .9259     |
| 12   | 1.0288    |           | .6516     |           |           | .8573     |
| 13   | .9259     |           | .6859     |           |           | .8573     |
| 14   | .8573     |           | .7202     |           |           | .823      |
| 15   | .8573     |           | .7202     |           |           | .7202     |
| 16   | .7888     |           | .7545     |           |           | .6859     |
| 17   | .9259     |           | .8916     |           |           | .7545     |
| 18   | .9602     |           | .9945     | 1.0288    |           | 1.0288    |
| 19   | 1.0288    |           | 1.1317    | 1.2517    |           | 1.2346    |
| 20   | 1.0288    |           | 1.0288    | 1.2346    |           | 1.2003    |
| 21   | .9945     |           | .9259     |           |           | 1.0288    |
| 22   | .9259     |           |           | .8573     |           | .8573     |
| 23   | .8573     |           | .6859     | .823      |           | .7888     |
| 24   |           | .7545     |           | .6173     | .823      |           |
| Max  | 1.0974    | 1.4403    | 1.1317    | 1.2517    | 1.3203    | 1.2346    |
| Min  | .7888     | .7545     | .6173     | .5144     | .823      | .6859     |
| Avg  | .9504     | 1.0386    | .7986     | .8616     | 1.0067    | .9099     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED RURAL-I S/DN[443] BU 2429

Substation No/ Name :- 174057 / 33 kV NALESHWAR

Feeder No / Name : 202 / 11 KV JAITAPUR AG  
Feeder KV- 11 / OUTGOINGSEPARATED AG FEEDERS HAVING SPECIAL  
DESIGN TRANSFORMER

| DATE | 08-APR-18 | 09-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .0373     |           | .0373     | .0373     | .0373     |
| 2    |           | .0373     |           | .0373     |           | .0373     |
| 3    |           | .0373     |           | .0373     |           | .0373     |
| 4    |           | .0373     |           | .0373     |           | .0373     |
| 9    |           | .0373     |           |           |           |           |
| 10   | .5228     |           |           |           |           |           |
| 11   | .5228     |           | .4668     |           | .4668     |           |
| 12   | .4668     |           | .4668     |           | .5601     |           |
| 13   | .4108     |           | .5228     |           | .6535     |           |
| 14   |           |           | .5601     |           | .5975     |           |
| 15   |           |           | .5601     |           | .6535     |           |
| 16   |           |           | .5601     |           | .6348     |           |
| 17   | .0373     |           | .6535     | .3734     | .6535     |           |
| 18   | .0373     |           | .5975     | .4668     | .5975     |           |
| 19   | .0373     |           | .0373     | .4668     | .0377     |           |
| 20   | .0373     |           | .0373     |           | .0373     |           |
| 21   | .0373     |           |           |           | .0373     |           |
| 22   | .0373     |           | .0373     |           | .0373     |           |
| 23   | .0373     |           | .0377     | .0373     | .0373     | .0373     |
| 24   |           |           |           | .0373     |           | .0373     |
| Max  | .5228     | .0373     | .6535     | .4668     | .6535     | .0373     |
| Min  | .0373     | .0373     | .0373     | .0373     | .0373     | .0373     |
| Avg  | .1986     | .0373     | .3781     | .1701     | .3601     | .0373     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED RURAL-I S/DN[443] BU 2429

Substation No/ Name :- 174057 / 33 kV NALESHWAR

Feeder No / Name : 203 / 11 KV PIMPALGAON AG  
Feeder KV- 11 / OUTGOINGSEPARATED AG FEEDERS HAVING SPECIAL  
DESIGN TRANSFORMER

| DATE | 08-APR-18 | 09-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .4108     |           | .4108     | .4108     | .4108     |
| 2    |           | .4668     |           | .4481     |           | .4668     |
| 3    |           | .5601     |           | .4668     | .4668     | .4668     |
| 4    |           | .5601     |           | .4668     |           | .5228     |
| 5    |           | .6535     |           | .5228     | .4668     | .5601     |
| 6    |           | .7095     |           | .5601     |           | .5601     |
| 7    |           | .7468     |           | .5975     | .5601     | .7468     |
| 8    |           | .6535     |           |           |           | .7095     |
| 9    |           | .7468     |           |           | .7468     | .6535     |
| 13   | .5975     |           |           |           |           |           |
| 14   | .7095     |           |           |           |           |           |
| 15   | .8402     |           |           |           |           |           |
| 16   | .7842     |           |           |           |           |           |
| 17   | .7095     |           | .0377     |           | .0373     |           |
| 18   | .6535     |           | .0373     |           | .0373     |           |
| 19   | .6535     |           | .0373     |           | .0373     |           |
| 20   | .0373     |           | .0373     |           | .0373     |           |
| 21   | .0373     |           |           |           | .0373     |           |
| 22   | .0373     |           | .0373     |           | .0373     |           |
| 23   | .0373     |           | .0373     | .0373     | .0373     | .0373     |
| 24   |           | .2801     |           | .4108     |           | .3734     |
| Max  | .8402     | .7468     | .0377     | .5975     | .7468     | .7468     |
| Min  | .0373     | .2801     | .0373     | .0373     | .0373     | .0373     |
| Avg  | .4634     | .5788     | .0374     | .4357     | .2427     | .5007     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED RURAL-I S/DN[443] BU 2429

Substation No/ Name :- 174057 / 33 kV NALESHWAR

Feeder No / Name : 204 / 11 KV SUGAON AG  
Feeder KV- 11 / OUTGOINGSEPARATED AG FEEDERS HAVING SPECIAL  
DESIGN TRANSFORMER

| DATE | 08-APR-18 | 09-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .0373     |           | .0373     | .0373     | .0373     |
| 2    |           | .0373     |           | .0373     |           | .0373     |
| 3    |           | .0373     |           | .0373     |           | .0373     |
| 4    |           | .0373     |           | .0373     |           | .0373     |
| 9    | .6535     |           |           |           |           |           |
| 10   | 1.2696    |           |           |           |           |           |
| 11   | 1.2136    |           | .8962     |           | 1.307     |           |
| 12   | .9335     |           | 1.0269    |           | 1.363     |           |
| 13   | 1.0829    |           | 1.0269    |           | 1.4003    |           |
| 14   |           |           | 1.2136    |           | 1.307     |           |
| 15   |           |           | 1.2136    |           | 1.2136    |           |
| 16   |           |           | 1.2696    |           | 1.2696    |           |
| 17   | .0373     |           | 1.307     |           | 1.4003    |           |
| 18   | .0373     |           | 1.3443    |           | 1.307     |           |
| 19   | .0373     |           | .0373     |           | .0373     |           |
| 20   | .0373     |           | .0373     |           | .0373     |           |
| 21   | .0373     |           |           |           | .0373     |           |
| 22   | .0373     |           | .0373     |           | .0373     |           |
| 23   | .0373     |           | .0373     | .0373     | .0373     | .0373     |
| 24   |           | .0373     |           | .0373     |           | .0373     |
| Max  | 1.2696    | .0373     | 1.3443    | .0373     | 1.4003    | .0373     |
| Min  | .0373     | .0373     | .0373     | .0373     | .0373     | .0373     |
| Avg  | .4512     | .0373     | .7873     | .0373     | .7708     | .0373     |



**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED RURAL-I S/DN[443] BU 2429

Substation No/ Name :- 174057 / 33 kV NALESHWAR

Feeder No / Name : 205 / 11 KV NALESHWAR GAOTHAN  
Feeder KV- 11 / OUTGOING

GAOTHAN FEEDER

| DATE | 08-APR-18 | 09-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .7468     |           | .7468     | .7468     | .9335     |
| 2    | .7095     | .9335     |           | .8402     |           | 1.0269    |
| 3    |           | 1.0269    |           | .8962     | .8215     | 1.1203    |
| 4    | .9709     | 1.2696    |           | .9709     |           | 1.4003    |
| 5    |           | 1.4003    |           | 1.2136    |           | 1.587     |
| 6    | 1.307     | 1.587     |           | 1.4563    | 1.307     | 1.7177    |
| 7    |           | 1.531     |           | 1.4003    |           | 1.587     |
| 8    | 1.1203    | 1.4937    |           |           |           | 1.643     |
| 9    | 1.2136    | 1.587     |           | 1.4937    | 1.4937    | 1.587     |
| 10   | 1.1203    |           | 1.2136    | 1.1576    |           |           |
| 11   | .7842     |           | .9709     |           | .7095     |           |
| 12   | .6535     |           | .8402     |           | .6535     |           |
| 13   | .5975     |           | .7842     |           | .6348     |           |
| 14   | .8402     |           | .7468     |           | .8402     |           |
| 15   | .9709     |           | .7468     |           | .7468     |           |
| 16   | 1.1203    |           | .7095     | .7468     | .7468     |           |
| 17   | 1.1576    |           | 1.0829    |           | 1.0269    |           |
| 18   | 1.2136    |           | 1.2136    | 1.3443    | 1.4563    |           |
| 19   | 1.4563    |           | 1.3443    |           | 1.587     |           |
| 20   | 1.4003    |           | 1.307     | 1.0082    | 1.3443    |           |
| 21   | 1.2136    |           |           |           | 1.1203    |           |
| 22   | 1.0269    |           | 1.1203    | .7468     | 1.0269    |           |
| 23   | .8402     |           | .9335     | .7095     | .8962     | .7468     |
| 24   | .6722     | .7468     |           | .8402     | .7095     | .8402     |
| Max  | 1.4563    | 1.587     | 1.3443    | 1.4937    | 1.587     | 1.7177    |
| Min  | .5975     | .7468     | .7095     | .7095     | .6348     | .7468     |
| Avg  | 1.0194    | 1.2323    | 1.0010    | 1.0381    | .9927     | 1.2900    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED RURAL-I S/DN[443] BU 2429

Substation No/ Name :- 174062 / 33KV AMDURA

Feeder No / Name : 201 / 11KV MUGAT GAOTHAN

GAOTHAN FEEDER

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .6173     | .7392     | .7468     | .6722     | .362      | .2743     | .7842     |
| 2    | .6173     | .7392     | .7468     | .6722     | .362      | .2743     | .7842     |
| 3    | .6859     | .7762     | .7468     | .6722     | .362      | .2743     | .8402     |
| 4    | .7377     | .961      | .9335     | .7468     | .362      | .5487     | .9335     |
| 5    | 1.2346    | 1.2936    | 1.2136    | .9709     | .4344     | .6173     | 1.1203    |
| 6    | 1.3717    | 1.7002    | 1.5684    | 1.4563    | .6584     | .6173     | 1.475     |
| 7    | 1.5775    | 1.5524    | 1.6057    | 1.4937    | .8962     | .6173     | 1.531     |
| 8    | 1.358     | 1.4045    | 1.4563    | 1.3443    | .8215     |           | 1.475     |
| 9    | 1.3306    | 1.1949    | 1.4003    | 1.2696    |           | .5228     | 1.2174    |
| 10   | 1.3306    | 1.1203    | 1.2323    | .3353     |           |           | 1.0974    |
| 11   | 1.0719    | .8962     | 1.0829    | .3391     |           | .3734     | .5487     |
| 12   | .8131     | .7095     | .8962     | .3391     |           | .2241     | .6859     |
| 13   | .6653     | .5975     | .8871     | .6348     |           | .2241     | .6859     |
| 14   | .7392     | .5975     | .7762     | .6722     |           | .7468     | .3429     |
| 15   | .7392     | .7095     | .7762     | .7468     |           | 1.0082    | .6859     |
| 16   | .8871     | .7842     | .8962     | .8215     | .8916     | .8402     | .8916     |
| 17   | 1.0349    | 1.0269    | 1.1203    | .9602     | 1.0974    | 1.1949    | 1.0974    |
| 18   | 1.2567    | 1.2323    | 1.2696    | 1.2346    | 1.166     | 1.3256    | 1.3032    |
| 19   | 1.4784    | 1.4563    | 1.5684    | 1.2003    | .6173     | 1.4937    | .12       |
| 20   | 1.3306    | 1.3817    | 1.2696    | 1.0974    | .5487     | 1.3443    | 1.166     |
| 21   | .961      | 1.0269    | 1.0829    | .9945     |           | 1.1203    | .8916     |
| 22   | .8131     | .8775     |           |           | .3429     | .8962     | .823      |
| 23   | .7392     | .7842     |           |           |           | .7842     | .6859     |
| 24   | .6173     | .7392     | .7655     | .6722     | .362      | .2743     | .7842     |
| Max  | 1.5775    | 1.7002    | 1.6057    | 1.4937    | 1.166     | 1.4937    | 1.531     |
| Min  | .6173     | .5975     | .7468     | .3353     | .3429     | .2241     | .12       |
| Avg  | 1.0003    | 1.0125    | 1.0928    | .8794     | .6190     | .7089     | .9154     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED RURAL-I S/DN[443] BU 2429

Substation No/ Name :- 174062 / 33KV AMDURA

Feeder No / Name : 202 / 11 KV MATASAB AG  
Feeder KV- 11 / OUTGOINGSEPARATED AG FEEDERS HAVING SPECIAL  
DESIGN TRANSFORMER

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .5175     | .4268     |           | .3696     | .4115     | .3353     |
| 2    |           | .5175     | .4572     |           | .3696     | .4115     | .3353     |
| 3    |           | .5175     | .4572     |           | .3696     | .4115     | .3353     |
| 4    |           | .5175     | .4572     |           | .3696     | .4115     | .3353     |
| 5    |           | .5914     | .4572     |           | .4066     | .4115     | .3353     |
| 6    |           | .5914     | .5182     |           | .4435     | .4115     | .381      |
| 7    |           | .6283     | .6249     |           | .4435     | .4115     | .5335     |
| 8    |           | .5914     | .4572     |           | .5175     |           | .5182     |
| 9    |           | .5487     | .6653     | .4435     | .4805     | .4268     | .4458     |
| 10   |           |           |           | .5175     |           |           |           |
| 11   | .7392     |           |           | .4805     |           |           |           |
| 12   | .7762     |           |           | .4435     |           |           |           |
| 13   | .7762     |           |           | .3696     |           |           |           |
| 14   | .7762     |           |           |           |           |           |           |
| 15   | .7392     |           |           |           |           |           |           |
| 16   | .7392     |           |           |           |           |           |           |
| 17   | .6653     |           |           |           |           |           |           |
| 18   | .6653     |           |           |           |           |           |           |
| 24   |           | .5175     | .4268     |           | .3696     | .4115     | .3353     |
| Max  | .7762     | .6283     | .6653     | .5175     | .5175     | .4268     | .5335     |
| Min  | .6653     | .5175     | .4268     | .3696     | .3696     | .4115     | .3353     |
| Avg  | .7346     | .5539     | .4948     | .4509     | .4140     | .4132     | .3890     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED RURAL-I S/DN[443] BU 2429

Substation No/ Name :- 174062 / 33KV AMDURA

Feeder No / Name : 203 / 11 KV AMDURA AG  
Feeder KV- 11 / OUTGOINGSEPARATED AG FEEDERS HAVING SPECIAL  
DESIGN TRANSFORMER

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .823      | .2218     | .1524     | .1341     |           | .1372     | .1524     |
| 2    | .8916     | .2218     | .1524     | .1357     |           | .1372     | .1524     |
| 3    | .8916     | .2218     | .1524     | .1357     |           | .1715     | .1677     |
| 4    | .8718     | .2218     | .1829     | .1696     |           | .2058     | .1829     |
| 5    | 1.5432    | .2218     | .1829     | .2035     |           | .2058     | .1981     |
| 6    | 1.9204    | .2218     | .2286     | .2347     |           | .2743     | .2286     |
| 7    | 1.9204    |           |           |           |           | .2743     |           |
| 8    | 1.5089    |           |           |           |           |           |           |
| 9    | 1.848     |           |           |           |           |           |           |
| 11   |           | 1.8595    | 2.2405    | 1.7924    |           | 1.6766    |           |
| 12   |           | 2.0576    | 2.6029    | 1.7924    |           | 1.8595    |           |
| 13   |           | 2.0576    | 2.7161    | 1.8861    |           | 1.9052    |           |
| 14   |           | 2.0119    | 2.7161    | 1.9239    |           | 1.9052    |           |
| 15   |           | 1.9814    | 2.7161    | 1.9616    |           | 1.89      |           |
| 16   | .1478     | 2.0271    | 2.7161    | 2.037     | 1.4403    | 1.9052    | .3429     |
| 17   | .2218     | 2.0576    | 2.7161    | 1.9204    | 1.4403    | 1.8595    |           |
| 18   | .2218     | 1.9509    | 2.7161    | 1.4403    | 1.7833    | 1.9204    | 1.9204    |
| 19   | .2218     |           |           |           | 1.5089    |           | 2.0576    |
| 20   | .2218     |           |           |           | 1.4403    |           | 1.9204    |
| 21   | .2218     | .1829     | .1341     |           | .2058     | .1829     | .2401     |
| 22   | .2218     | .1524     |           |           | .2058     | .1677     | .1886     |
| 23   | .2218     | .1524     |           |           | .1715     | .1524     | .1715     |
| 24   | .4801     | .2218     | .1524     | .1341     |           | .1372     | .1524     |
| Max  | 1.9204    | 2.0576    | 2.7161    | 2.037     | 1.7833    | 1.9204    | 2.0576    |
| Min  | .1478     | .1524     | .1341     | .1341     | .1715     | .1372     | .1524     |
| Avg  | .8000     | 1.0024    | 1.4049    | 1.0601    | 1.0245    | .8930     | .5769     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED RURAL-I S/DN[443] BU 2429

Substation No/ Name :- 174082 / 33 kV MAATASAB

Feeder No / Name : 201 / 11 KV TRIKUT AG  
Feeder KV- 11 / OUTGOINGSEPARATED AG FEEDERS HAVING SPECIAL  
DESIGN TRANSFORMER

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .7621     |           |           |           |           |           |           |
| 2    | .7926     |           |           |           |           |           |           |
| 3    | .8535     |           |           |           |           |           |           |
| 4    | .884      |           |           |           |           |           |           |
| 5    | .9145     |           |           |           |           |           |           |
| 6    | .9602     |           |           |           |           |           |           |
| 7    | 1.0517    |           |           |           |           |           |           |
| 8    | 1.0974    |           |           |           |           |           |           |
| 9    | 1.286     |           |           |           |           |           |           |
| 11   |           | 1.5089    | 1.3413    | .8573     | .823      | .9145     | 1.0974    |
| 12   |           | 1.6461    | 1.3717    | .8573     | 1.0631    | .9755     | 1.2346    |
| 13   |           | 1.6461    | 1.4632    | .8573     | 1.0974    | 1.0059    | 1.0288    |
| 14   |           | .2058     | 1.4022    | .9431     | 1.0288    | 1.0059    | 1.2689    |
| 15   |           | .2401     | 1.3717    | 1.0288    | 1.0288    | 1.0364    | 1.2689    |
| 16   |           | 1.3717    | 1.3108    | 1.1145    | 1.0288    |           | 1.2346    |
| 17   |           | 1.3717    | 1.3413    | 1.2003    | 1.0974    | 1.0669    | 1.3032    |
| 18   |           | 1.3717    | 1.3108    | 1.2003    | 1.0974    | 1.1279    | 1.1317    |
| 24   | .7621     |           |           |           |           |           |           |
| Max  | 1.286     | 1.6461    | 1.4632    | 1.2003    | 1.0974    | 1.1279    | 1.3032    |
| Min  | .7621     | .2058     | 1.3108    | .8573     | .823      | .9145     | 1.0288    |
| Avg  | .9364     | 1.1703    | 1.3641    | 1.0074    | 1.0331    | 1.019     | 1.1960    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED RURAL-I S/DN[443] BU 2429

Substation No/ Name :- 174082 / 33 kV MAATASAB

Feeder No / Name : 202 / 11 KV MATASAB GAOTHAN  
Feeder KV- 11 / OUTGOING

GAOTHAN FEEDER

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .2926     | .2829     | .2572     | .2401     | .2534     | .2572     | .2561     |
| 2    | .2926     | .2772     | .2572     | .2743     | .2572     | .2572     | .2561     |
| 3    | .3292     | .2715     | .2743     | .3086     | .2572     | .2743     | .3658     |
| 4    | .4024     | .3429     | .3437     | .3429     | .362      | .3429     | .4755     |
| 5    | .4801     | .3429     | .4458     | .583      | .4287     | .3772     | .5487     |
| 6    | .6001     | .724      | .6516     | .6859     | .6173     | .6173     | .5853     |
| 7    | .6516     | .6859     | .6859     | .703      | .6859     | .583      | .6767     |
| 8    | .583      | .6173     | .6173     | .7202     | .6173     | .5144     | .6767     |
| 9    | .5144     | .4287     | .5144     | .6001     | .5144     | .4801     | .4801     |
| 10   | .3429     | .3429     | .3772     | .3429     | .3772     | .4115     | .4458     |
| 11   | .2743     | .2401     | .2743     | .2743     | .2743     | .3292     | .3086     |
| 12   |           | .2058     | .2401     | .2743     | .2401     | .2195     | .2743     |
| 13   | .2572     | .1715     | .2058     | .2572     | .1715     | .2561     | .2058     |
| 14   | .2572     | .2058     | .2058     | .2572     | .1886     | .2926     | .2572     |
| 15   | .2572     | .2401     | .2401     | .2572     | .2401     | .2926     | .3086     |
| 16   | .3429     | .2743     | .2743     | .2743     | .2743     |           | .3086     |
| 17   | .4287     |           | .3772     | .3429     | .3772     | .3658     | .4115     |
| 18   | .4801     | .5144     | .4801     | .4287     | .3772     | .4207     | .4458     |
| 19   | .4458     | .5487     | .5144     | .2058     |           | .4755     | .5144     |
| 20   | .4458     | .4458     | .4801     | .4287     | .5144     | .5304     | .4801     |
| 21   | .3772     | .3772     | .3772     | .3772     | .4115     | .4207     | .3772     |
| 22   | .3429     | .3429     |           |           | .3086     | .3292     | .3086     |
| 23   | .1715     | .3086     | .2743     | .2229     | .2743     | .3109     | .2743     |
| 24   | .2926     | .2896     | .2743     | .2401     | .2229     | .2743     | .2926     |
| Max  | .6516     | .724      | .6859     | .7202     | .6859     | .6173     | .6767     |
| Min  | .1715     | .1715     | .2058     | .2058     | .1715     | .2195     | .2058     |
| Avg  | .3853     | .3687     | .3758     | .3757     | .3585     | .3753     | .3973     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED RURAL-I S/DN[443] BU 2429

Substation No/ Name :- 174082 / 33 kV MAATASAB

Feeder No / Name : 203 / 11 KV MUGHAT RLY STN  
Feeder KV- 11 / OUTGOINGSEPARATED AG FEEDERS HAVING SPECIAL  
DESIGN TRANSFORMER

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .2378     | .6859     | .6859     |           | .4115     | .4115     | .7545     |
| 2    | .2378     | .6859     | .7545     |           | .4115     | .4115     | .9602     |
| 3    | .2378     | .6859     | .8573     |           | .4115     | .4458     | 1.0631    |
| 4    | .2378     | .7716     | .8916     |           | .4287     | .4801     | 1.2003    |
| 5    | .2378     | .8573     | 1.0288    |           | .4287     | .5487     | 1.3032    |
| 6    | .2378     | .9431     | 1.166     |           | .4458     | .7202     | 1.3717    |
| 7    |           | 1.4403    | 1.406     |           | .7202     | .6173     | 1.4403    |
| 8    |           | 1.406     | 1.5089    |           | .7716     | 1.2003    | 1.406     |
| 9    |           | 1.286     | 1.4403    |           | .6859     | 1.3032    | 1.0802    |
| 13   | .9431     |           |           |           |           |           |           |
| 14   | 1.3717    |           |           | .4287     |           |           |           |
| 15   | 1.286     |           |           | .6173     |           |           |           |
| 16   | 1.286     | .2229     | .2427     | .2058     | .2229     | .2195     | .2229     |
| 17   | 1.286     | .2229     | .2427     |           | .2229     | .2427     | .2229     |
| 18   | 1.286     | .2229     | .2427     |           | .2229     | .2427     | .2229     |
| 19   |           | .2229     | .2427     | .2058     | .2229     | .2427     | .2229     |
| 20   |           | .2229     | .2427     | .2572     | .2229     | .2427     | .2229     |
| 21   | .2229     | .2229     | .2427     | .2058     | .2229     | .2427     | .2229     |
| 22   | .2229     | .2229     |           |           | .0686     | .2427     | .2229     |
| 23   | .2229     |           | .2427     |           | .2229     | .2427     | .2229     |
| 24   | .2378     | .6859     | .5144     |           | .4115     | .3772     | .6173     |
| Max  | 1.3717    | 1.4403    | 1.5089    | .6173     | .7716     | 1.3032    | 1.4403    |
| Min  | .2229     | .2229     | .2427     | .2058     | .0686     | .2195     | .2229     |
| Avg  | .6120     | .6475     | .7031     | .3201     | .3753     | .4686     | .7211     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED RURAL-I S/DN[443] BU 2429

Substation No/ Name :- 174082 / 33 kV MAATASAB

Feeder No / Name : 204 / 11 KV DHANAJ AG

FEEDER SEPERATION/PURE AG

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .945      |           |           |           |           |           |           |
| 2    | .9755     |           |           |           |           |           |           |
| 3    | 1.0364    |           |           |           |           |           |           |
| 4    | 1.0669    |           |           |           |           |           |           |
| 5    | 1.0669    |           |           |           |           |           |           |
| 6    | 1.0974    |           |           |           |           |           |           |
| 7    | 1.3717    |           |           |           |           |           |           |
| 8    | 1.4022    |           |           |           |           |           |           |
| 11   |           | 1.749     | 1.5242    |           | 1.4746    | 1.4022    | 1.749     |
| 12   |           | 1.749     | 1.5546    | 1.0288    | 1.5775    | 1.5851    | 1.7833    |
| 13   |           | 1.8176    | 1.6004    | 1.2003    | 1.5775    | 1.6004    | 1.4746    |
| 14   |           | 1.7147    | 1.5242    | 1.5432    | 1.5775    | 1.6461    | 1.7833    |
| 15   |           | 1.406     | 1.5242    | 1.7147    | 1.6461    | 1.4022    | 1.7833    |
| 16   |           | 1.6461    | 1.4632    | 1.5432    | 1.5432    | 1.4022    | 1.3032    |
| 17   |           | 1.6461    | 1.4022    | 1.5432    | 1.5432    | 1.3717    | 1.6804    |
| 18   |           | 1.7147    | 1.3717    | 1.5432    | 1.4746    | 1.2955    | 1.4403    |
| 24   | .9145     |           |           |           |           |           |           |
| Max  | 1.4022    | 1.8176    | 1.6004    | 1.7147    | 1.6461    | 1.6461    | 1.7833    |
| Min  | .9145     | 1.406     | 1.3717    | 1.0288    | 1.4746    | 1.2955    | 1.3032    |
| Avg  | 1.0974    | 1.6804    | 1.4956    | 1.4452    | 1.5518    | 1.4632    | 1.6247    |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED RURAL-I S/DN[443] BU 2429

Substation No/ Name :- 174082 / 33 kV MAATASAB

Feeder No / Name : 205 / 11 KV GURUDWARA GAOTHAN

SEPARATED GAOTHAN FEEDERS

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .1029     | .0857     | .0857     | .0514     | .0514     | .0686     | .0686     |
| 2    | .1029     | .0857     | .0857     | .0514     | .0514     | .0686     | .0686     |
| 3    | .1029     | .0857     | .0857     | .0514     | .0514     | .0686     | .0686     |
| 4    | .1029     | .0857     | .0857     | .0514     | .0514     | .0686     | .0514     |
| 5    | .1029     | .0857     | .1029     | .0514     | .0514     | .0686     | .0514     |
| 6    | .1029     | .0857     | .1029     | .0514     | .0514     | .0686     | .0514     |
| 7    | .0857     | .12       | .1029     | .0686     | .0514     | .0514     | .0514     |
| 8    | .1029     | .1029     | .0686     | .0514     | .0514     | .0343     | .0686     |
| 9    | .12       | .0857     | .1029     | .0514     | .0514     | .0686     | .0857     |
| 10   | .1029     | .0857     | .1029     | .0514     | .0686     | .0686     | .0686     |
| 11   | .0857     | .0686     | .0686     | .0514     | .0686     | .0686     | .0514     |
| 12   | .1029     | .0686     | .0857     | .0514     | .0686     | .0686     | .0686     |
| 13   | .1029     | .1029     | .1029     | .0514     | .0686     | .0686     | .0686     |
| 14   | .1029     | .1029     | .1029     | .0514     | .0686     | .0514     | .0686     |
| 15   | .1029     | .1029     | .1029     | .0514     | .0686     | .0514     | .0857     |
| 16   | .1029     | .1029     | .1029     | .0514     | .0686     | .0514     | .0686     |
| 17   | .1029     | .1029     | .1029     | .0514     | .0686     | .0514     | .0686     |
| 18   | .1029     | .1029     | .1029     | .0514     | .0514     | .0686     | .0686     |
| 19   | .12       | .1029     | .1029     | .0686     | .0514     | .0686     | .0686     |
| 20   | .12       | .1029     | .0686     | .0514     | .0686     | .0514     | .0857     |
| 21   | .1029     | .1029     | .0686     | .0686     | .0686     | .0686     | .0686     |
| 22   | .0857     | .1029     |           |           | .0686     | .0686     | .0686     |
| 23   | .0857     | .1029     | .0514     | .0514     | .0686     | .0686     | .0686     |
| 24   | .1029     | .0857     |           | .0514     | .0514     | .0686     | .0686     |
| Max  | .12       | .12       | .1029     | .0686     | .0686     | .0686     | .0857     |
| Min  | .0857     | .0686     | .0514     | .0514     | .0514     | .0343     | .0514     |
| Avg  | .1022     | .0943     | .0904     | .0536     | .06       | .0629     | .0672     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED RURAL-I S/DN[443] BU 2429

Substation No/ Name :- 174083 / 33 kV NEELA

Feeder No / Name : 201 / 11 KV NEELA GAOTHAN

GAOTHAN FEEDER

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .7468     | 1.307     | 1.1949    | .9335     | 1.1203    | 1.2696    | 1.1203    |
| 2    | .7468     | 1.307     | 1.1949    | .9335     | 1.1203    | 1.307     | 1.1203    |
| 3    | .7468     | 1.307     | 1.3443    | 1.0269    | 1.1203    | 1.4563    | 1.1576    |
| 4    | .8402     | 1.4937    | 1.643     | 1.307     | 1.2323    | 1.7177    | 1.4937    |
| 5    | .9335     | 1.8671    | 1.7924    | 1.7737    | 1.5684    | 2.0538    | 1.8671    |
| 10   | 1.0288    | 1.307     | 1.4003    | 1.4003    | 1.4937    | 1.4937    | 1.3443    |
| 11   | .8402     | 1.1203    | 1.2136    | 1.2696    | 1.1949    | 1.307     | 1.2696    |
| 12   | .7468     | .9709     | 1.1203    | 1.1203    | 1.0456    | .9709     | 1.0456    |
| 13   | .7468     | 1.0456    | 1.0456    | 1.0269    | .6161     | 1.0082    | .9709     |
| 14   | .7468     | .9709     | .9709     | 1.0269    | .8962     | 1.0456    | .9709     |
| 15   | .8589     | .9709     | 1.1203    | 1.0269    |           | 1.0829    | 1.0456    |
| 16   | 1.1203    | 1.2696    | 1.1949    | 1.0269    | 1.2696    | 1.1203    | 1.3443    |
| 17   | 1.3443    | 1.587     | 1.307     | 1.4003    | 1.2696    | 1.2136    | 1.4937    |
| 18   | 1.4937    | 1.587     | 1.643     | 1.587     | 1.5684    | 1.4003    | 1.5684    |
| 19   | 1.6804    | 1.8671    | 1.9605    | 1.8671    | 2.0165    | 1.8671    | 1.8298    |
| 20   | 1.6804    | 1.6991    | 1.8671    | 1.4937    | 1.7924    | 1.6804    | 1.6804    |
| 21   | 1.4937    | 1.5684    | 1.4937    | 1.307     | 1.5684    | 1.4937    | 1.4937    |
| 22   | 1.419     | 1.4003    |           | 1.1203    | 1.3443    | 1.3443    | 1.3443    |
| 23   | 1.307     | 1.1949    | .9335     | 1.1203    | 1.3443    | 1.1576    | 1.3443    |
| 24   | .7468     | 1.307     | 1.1949    | .9335     | 1.1203    | 1.2696    | 1.1203    |
| Max  | 1.6804    | 1.8671    | 1.9605    | 1.8671    | 2.0165    | 2.0538    | 1.8671    |
| Min  | .7468     | .9709     | .9335     | .9335     | .6161     | .9709     | .9709     |
| Avg  | 1.0634    | 1.3574    | 1.3492    | 1.2351    | 1.3001    | 1.3630    | 1.3313    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED RURAL-I S/DN[443] BU 2429

Substation No/ Name :- 174083 / 33 kV NEELA

Feeder No / Name : 202 / 11 KV CHIKHALI AG  
Feeder KV- 11 / OUTGOINGSEPARATED AG FEEDERS HAVING SPECIAL  
DESIGN TRANSFORMER

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .7754     | .9709     | .8387     | .5792     | .5182     | .7169     | .7964     |
| 2    | .8688     | .9709     | .8387     | .6516     | .5182     | .7407     | .7964     |
| 3    | 1.0136    | .8383     | .8657     | .7335     | .6097     | .7407     | .8802     |
| 4    | 1.1888    | .9145     | .9054     | .8069     | .7011     | .7545     | .8802     |
| 5    | 1.4861    | .9907     | .9328     | .8916     | .7621     | .7545     | .8916     |
| 6    | 1.5455    | 1.2193    | 1.2163    | .9659     | .8535     | 1.2029    | .9659     |
| 7    | 1.6255    | 1.2193    | 1.5257    | 1.0536    |           | 1.4861    | 1.0536    |
| 8    |           | 1.1431    | 1.438     | 1.0536    |           | 1.3289    | .7827     |
| 9    |           | 1.6766    | 1.5699    | 1.4632    | 1.829     | 1.6667    | 1.6156    |
| 10   | 1.3717    | 1.448     | 1.6766    | 1.6004    | 2.1643    | 1.7071    | 1.7375    |
| 11   | 1.448     | 1.6512    | 1.6204    | 1.4022    | 1.0562    | 1.6766    | 1.1294    |
| 12   | 1.448     | 1.4198    | 1.5432    | 1.3717    | 1.2186    | 1.6309    | 1.5432    |
| 13   | 1.3717    | 1.5741    | 1.3592    | 1.3717    | 1.1294    | 1.5432    | 1.2342    |
| 14   | 1.3413    | 1.4937    | 1.406     | 1.3413    | 1.5348    |           | 1.278     |
| 15   | 1.3413    | 1.4632    | 1.4685    | 1.3413    |           | 1.3279    | 1.3696    |
| 16   | 1.2955    | 1.3847    | 1.531     | 1.2955    | 1.3094    | 1.2967    | 1.5051    |
| 23   | .7316     | .8484     | .5716     | .4572     | .7169     | .7145     | .6358     |
| 24   | .7049     | .9709     | .8505     | .5716     | .5182     | .7169     | .7859     |
| Max  | 1.6255    | 1.6766    | 1.6766    | 1.6004    | 2.1643    | 1.7071    | 1.7375    |
| Min  | .7049     | .8383     | .5716     | .4572     | .5182     | .7145     | .6358     |
| Avg  | 1.2224    | 1.2332    | 1.2310    | 1.0529    | 1.0293    | 1.1768    | 1.1045    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED RURAL-I S/DN[443] BU 2429

Substation No/ Name :- 174128 / 33 KV RAHATI

Feeder No / Name : 201 / 11 KV RAHATI GAOTHAN  
Feeder KV- 11 / OUTGOING

GAOTHAN FEEDER

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .2801     | .2614     | .2801     | .2801     | .3018     | .2614     | .3018     |
| 2    | .2801     | .2241     | .2614     | .2987     | .2829     | .2241     | .3018     |
| 3    | .2801     | .2241     | .2614     | .2987     | .3018     | .1867     | .3018     |
| 4    | .3361     | .2683     | .2987     | .3361     | .3584     | .2241     | .3772     |
| 5    | .5228     | .3734     | .4108     | .4854     | .4527     | .4481     | .4527     |
| 6    | .6653     | .7468     | .7023     | .7023     | .7922     | .7842     | .7545     |
| 7    | .7392     | .7682     | .7392     | .7392     | .7545     | .8215     | .7545     |
| 8    | .7392     | .7316     | .6653     | .6468     | .7545     | .7122     | .7167     |
| 9    | .6468     | .6219     | .5544     | .6099     | .6036     | .5975     | .5658     |
| 10   | .5359     | .439      | .5175     | .4805     | .4409     | .4108     | .4904     |
| 11   | .2987     | .3361     | .2987     | .2829     |           | .3018     | .3361     |
| 12   | .2614     | .2614     | .2427     | .2075     |           | .2452     | .2614     |
| 13   | .2241     | .2614     | .2241     | .1886     |           | .3018     | .2614     |
| 14   | .1867     |           | .2241     | .2075     |           | .2263     | .2614     |
| 15   | .2241     | .2241     | .2241     | .2263     |           | .2641     | .2614     |
| 16   | .3361     | .2614     | .2801     | .3584     |           | .3018     | .2987     |
| 17   | .4481     | .3361     | .3734     | .4338     | .4024     | .3772     | .4108     |
| 18   | .5975     | .462      | .4854     | .4527     | .5121     | .4527     | .4805     |
| 19   | .5426     | .5544     | .6283     | .6036     | .6219     | .6036     | .5914     |
| 20   | .5121     | .462      | .462      | .5281     | .5121     | .4904     | .4805     |
| 21   | .4024     | .3696     | .3881     | .3584     | .362      | .3772     | .3696     |
| 22   | .3475     | .3361     | .3361     | .3206     | .3734     | .3395     | .3547     |
| 23   | .3475     | .3174     | .2987     | .3206     | .2987     | .3018     | .3174     |
| 24   | .2801     | .2926     | .2801     | .2987     | .3018     | .2614     | .3018     |
| Max  | .7392     | .7682     | .7392     | .7392     | .7922     | .8215     | .7545     |
| Min  | .1867     | .2241     | .2241     | .1886     | .2829     | .1867     | .2614     |
| Avg  | .4181     | .3971     | .3932     | .4027     | .4682     | .3965     | .4168     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED RURAL-I S/DN[443] BU 2429

Substation No/ Name :- 174128 / 33 KV RAHATI

Feeder No / Name : 202 / 11 KV SOMESHWAR AG

FEEDER SEPERATION/PURE AG

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .0747     | .128      | .0924     | .0754     | .112      | .132      |
| 2    |           |           | .128      | .0924     | .0457     | .112      | .132      |
| 3    |           | .0747     | .128      | .1109     | .0566     | .112      | .132      |
| 4    |           | .0747     | .128      | .1109     | .0566     | .112      | .132      |
| 5    |           |           | .128      |           |           |           |           |
| 11   |           |           | 1.8823    | 1.8595    |           | 1.768     | 1.9738    |
| 12   |           |           | 1.9692    | 2.0424    |           | 2.0119    | 2.0584    |
| 13   |           | 1.7833    | 2.0866    | 2.0119    |           | 2.1033    | 2.1007    |
| 14   |           |           | 2.0443    | 1.9509    |           | 2.3777    |           |
| 15   |           | 1.9547    | 1.9738    | 1.89      |           | 2.2558    | 2.1712    |
| 16   |           | 1.9547    | 2.0005    | 1.7528    |           | 2.3167    | 2.1712    |
| 17   | .0934     | 1.9719    | 2.0005    | 1.6766    | 1.704     | 1.9814    | 2.1148    |
| 18   | .112      | 1.9719    | 1.7833    |           | 2.2024    | 2.1033    | 2.1434    |
| 19   | .1017     | .128      | .1463     | .0943     | 1.9662    | .1509     | .1646     |
| 20   | .1097     | .1097     | .1097     | .0943     | 1.8138    | .132      | .1646     |
| 21   | .1097     | .128      | .1097     |           | .1097     | .0943     | .1463     |
| 22   | .112      | .128      | .0914     | .132      | .1097     | .0943     | .1463     |
| 23   | .112      | .128      | .0914     | .0754     | .1132     | .1132     | .1463     |
| 24   |           | .0747     | .128      | .0914     | .0754     | .112      | .132      |
| Max  | .112      | 1.9719    | 2.0866    | 2.0424    | 2.2024    | 2.3777    | 2.1712    |
| Min  | .0934     | .0747     | .0914     | .0754     | .0457     | .0943     | .132      |
| Avg  | .1072     | .7541     | .8977     | .8799     | .6941     | 1.0035    | .9507     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED RURAL-I S/DN[443] BU 2429

Substation No/ Name :- 174128 / 33 KV RAHATI

Feeder No / Name : 203 / 11 KV GODAWARI RAHATI AG FEEDER SEPERATION/PURE AG  
Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | 1.56      | 1.3969    | 1.3717    | 1.2193    | .9149     | 1.0669    |
| 2    |           | 1.5261    | 1.3969    | 1.3717    | 1.2498    | 1.1022    | 1.2193    |
| 3    |           | 1.4746    | 1.3969    | 1.3717    | 1.2498    | 1.1012    | 1.2193    |
| 4    |           | 1.4746    | 1.4415    | 1.4022    | 1.2803    | 1.1174    | 1.4022    |
| 5    |           | 1.3108    | 1.467     |           | 1.2955    | 1.166     | 1.4327    |
| 6    |           | 1.3108    | 1.5059    | 1.4861    | 1.3108    | 1.3108    | 1.5242    |
| 7    |           | 1.6194    | 1.3523    | 1.5158    | 1.3413    | 1.4746    | 1.7071    |
| 8    |           | 1.704     | 1.5455    | 1.4861    | 1.4175    | 1.829     | 1.7985    |
| 9    |           | 1.704     | 1.6347    | 1.5158    | 1.5546    | 1.704     | 1.7528    |
| 11   | 1.6194    |           |           |           |           |           |           |
| 12   | 2.1658    |           |           |           |           |           |           |
| 13   | 2.2405    |           |           |           |           |           |           |
| 14   | 1.8679    |           |           |           |           |           |           |
| 15   | 1.9433    |           |           |           |           |           |           |
| 16   | 1.9662    |           |           |           |           |           |           |
| 17   | 1.9662    |           |           |           |           |           |           |
| 24   |           | 1.5074    | 1.3523    | 1.3717    | 1.2193    | .3391     |           |
| Max  | 2.2405    | 1.704     | 1.6347    | 1.5158    | 1.5546    | 1.829     | 1.7985    |
| Min  | 1.6194    | 1.3108    | 1.3523    | 1.3717    | 1.2193    | .3391     | 1.0669    |
| Avg  | 1.9670    | 1.5192    | 1.4490    | 1.4325    | 1.3138    | 1.2059    | 1.4581    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED RURAL-I S/DN[443] BU 2429

Substation No/ Name :- 174130 / 33 KV TALANI

Feeder No / Name : 201 / 11 KV TALANI GAOTHAN

GAOTHAN FEEDER

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3024     | .2263     | .2454     | .2619     | .2641     | .2279     | .3024     |
| 2    | .3024     | .2641     | .2427     | .2646     | .3018     | .2601     | .3024     |
| 3    | .3402     | .3395     | .3121     | .3402     | .3395     | .3121     | .3368     |
| 4    | .4158     | .4854     | .4161     | .4864     | .4435     | .4207     | .4536     |
| 5    | .6804     | .6838     | .6241     | .7484     | .5853     | .6241     | .6804     |
| 6    | .7741     | .7865     | .7011     | .756      | .7133     | .7011     | .756      |
| 7    | .8793     | .8316     | .8063     | .8505     | .8413     | .7362     | .7938     |
| 8    | .898      | .7762     |           | .7749     | .7207     | .6762     | .7938     |
| 9    | .6804     | .6348     |           | .6615     | .5601     |           | .6653     |
| 10   | .567      | .3772     | .5426     | .4677     | .4338     | .3969     | .5544     |
| 11   | .3696     | .2774     | .2268     | .2772     | .2279     | .2835     | .3292     |
| 12   | .2772     | .2279     | .2079     | .2378     |           | .2457     | .2561     |
| 13   | .2218     | .208      | .2268     | .1646     | .1734     | .2275     | .2378     |
| 14   | .2587     | .2427     | .189      | .2195     |           | .2268     | .2587     |
| 15   | .3174     | .3121     | .3021     | .2378     |           | .2646     | .2587     |
| 16   | .3734     | .3467     | .3587     | .3142     |           |           | .3696     |
| 17   | .4108     | .4207     | .4536     | .4805     |           | .3969     | .4066     |
| 18   | .547      | .6068     | .5239     | .5914     |           | .5292     | .4481     |
| 19   | .6979     | .6485     | .6735     | .2957     | .7011     | .6048     | .5847     |
| 20   | .5281     | .4908     | .5046     | .3395     | .5721     | .5481     | .2829     |
| 21   | .3772     | .3856     | .3555     | .3961     | .3641     | .3591     | .3772     |
| 22   | .3018     | .3258     | .3402     | .3395     | .3121     | .3412     | .3395     |
| 23   | .2829     | .2804     | .2993     | .3018     | .2774     | .3402     | .3018     |
| 24   | .3024     | .2452     | .2774     | .2993     | .2641     | .2427     | .3024     |
| Max  | .898      | .8316     | .8063     | .8505     | .8413     | .7362     | .7938     |
| Min  | .2218     | .208      | .189      | .1646     | .1734     | .2268     | .2378     |
| Avg  | .4628     | .4343     | .4014     | .4211     | .4498     | .4075     | .4330     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED DIVSION[241]

NANDED RURAL-I S/DN[443] BU 2429

Substation No/ Name :- 174130 / 33 KV TALANI

Feeder No / Name : 203 / 11 KV VADVANA AG

FEEDER SEPERATION/PURE AG

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .1268     |           |           |           |           |           |           |
| 2    | .1512     |           |           |           |           |           |           |
| 3    | .1814     |           |           |           |           |           |           |
| 4    | .2174     |           |           |           |           |           |           |
| 5    | .3261     |           |           |           |           |           |           |
| 6    | .3437     |           |           |           |           |           |           |
| 7    | .515      |           |           |           |           |           |           |
| 8    | .5487     |           |           |           |           |           |           |
| 11   |           | .3856     | .4348     | .3109     | .333      | .4711     | .2218     |
| 12   |           | .5375     | .543      | .3292     | .3294     |           | .3109     |
| 13   |           | .5548     | .4711     | .3511     | .3121     | .399      | .2926     |
| 14   |           | .5201     | .4706     | .3475     |           | .4353     | .2402     |
| 15   |           | .4854     | .4463     | .2218     |           | .3624     | .2218     |
| 16   |           | .4854     | .3982     | .3326     |           | .3265     | .2218     |
| 17   |           | .4557     |           | .3109     |           | .3261     | .2195     |
| 18   |           | .4334     |           | .2957     |           | .2899     | .2218     |
| 24   | .0378     |           |           |           |           |           |           |
| Max  | .5487     | .5548     | .543      | .3511     | .333      | .4711     | .3109     |
| Min  | .0378     | .3856     | .3982     | .2218     | .3121     | .2899     | .2195     |
| Avg  | .2720     | .4822     | .4607     | .3125     | .3248     | .3729     | .2438     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

KANDHAR (R) S/DN[447] BU 2461

Substation No/ Name :- 174026 / 33 KV KANDHAR

Feeder No / Name : 201 / 11 KV KANDHAR

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | 1.5242    |           |           | 1.5708    |           |
| 2    |           | 1.5242    |           |           | 1.6244    |           |
| 3    |           | 1.6385    |           |           | 1.6244    |           |
| 4    |           | 1.7147    |           |           | 1.587     |           |
| 5    |           | 1.7528    |           |           | 1.5546    |           |
| 6    |           | 1.829     |           |           | 1.7737    |           |
| 7    |           | 1.9814    |           |           | 1.8671    |           |
| 8    |           | 1.9814    | 1.6461    |           | 1.9418    | 1.8671    |
| 9    |           | 1.829     |           |           | 1.8671    |           |
| 10   |           | 1.7528    |           |           | 1.6804    |           |
| 11   |           | 1.829     |           |           | 1.587     |           |
| 12   |           | 1.829     |           |           | 1.4937    |           |
| 13   |           | 1.9052    |           |           | 1.7737    |           |
| 14   |           | 1.9052    |           |           | 1.643     |           |
| 15   |           | 1.9052    |           |           |           |           |
| 16   | 1.6804    | 2.0195    |           |           | 1.6804    |           |
| 17   |           |           |           |           |           | 1.7924    |
| 18   |           |           |           | 2.2257    |           | 2.0538    |
| 19   |           |           |           |           |           | 2.1472    |
| 20   |           |           |           | 2.2405    |           | 2.1472    |
| 21   |           |           |           | 2.1472    |           | 2.0911    |
| 22   |           |           |           | 1.9418    |           | 1.9978    |
| 23   |           |           |           | 1.7737    |           | 1.9231    |
| 24   |           | 1.5242    |           |           | 1.6804    |           |
| Max  | 1.6804    | 2.0195    | 1.6461    | 2.2405    | 1.9418    | 2.1472    |
| Min  | 1.6804    | 1.5242    | 1.6461    | 1.7737    | 1.4937    | 1.7924    |
| Avg  | 1.6804    | 1.7909    | 1.6461    | 2.0658    | 1.6843    | 2.0025    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

KANDHAR (R) S/DN[447] BU 2461

Substation No/ Name :- 174026 / 33 KV KANDHAR

Feeder No / Name : 202 / 11 KV AMBULGA

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .3429     |           |           | .3429     |           |
| 2    |           | .3429     |           |           | .3429     |           |
| 3    |           | .4458     |           |           | .3429     |           |
| 4    |           | .4458     |           |           | .3429     |           |
| 5    |           | .4801     |           |           | .3429     |           |
| 6    |           | .5144     |           |           | .4287     |           |
| 7    |           | 2.1948    |           |           | 1.4937    |           |
| 8    |           | 2.3777    | 2.2405    |           | 1.4003    | 2.2405    |
| 9    |           | 2.9874    | 2.2405    |           | 1.4003    |           |
| 10   |           |           |           |           | 1.2936    |           |
| 11   |           | 2.8006    |           |           |           |           |
| 12   |           | 2.8006    |           |           |           |           |
| 13   |           | 2.8006    |           |           | 1.1203    |           |
| 14   |           | 2.6139    |           |           | 1.4003    |           |
| 15   |           | .2058     |           |           |           |           |
| 16   | 1.4937    | .2401     |           |           |           |           |
| 18   |           |           |           | 1.1203    |           | .3429     |
| 19   |           |           |           |           |           | .4287     |
| 20   |           |           |           |           |           | .5144     |
| 21   |           |           |           |           |           | .4287     |
| 22   |           |           |           | .3429     |           | .3429     |
| 23   |           |           |           | .3429     |           | .3429     |
| 24   |           | .3429     |           |           | .3429     |           |
| Max  | 1.4937    | 2.9874    | 2.2405    | 1.1203    | 1.4937    | 2.2405    |
| Min  | 1.4937    | .2058     | 2.2405    | .3429     | .3429     | .3429     |
| Avg  | 1.4937    | 1.3710    | 2.2405    | .6020     | .8150     | .663      |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

KANDHAR (R) S/DN[447] BU 2461

Substation No/ Name :- 174026 / 33 KV KANDHAR

Feeder No / Name : 203 / 11 KV PANBHOSI

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .1715     |           |           | .2572     |           |
| 2    |           | .2401     |           |           | .2575     |           |
| 3    |           | .2743     |           |           | .2572     |           |
| 4    |           | .2743     |           |           | .2915     |           |
| 5    |           | .3429     |           |           | .3429     |           |
| 6    |           | .3429     |           |           | .3429     |           |
| 8    |           |           | .3734     |           |           | .3734     |
| 11   |           | .1715     |           |           | .1715     |           |
| 12   |           | .1715     |           |           | .2572     |           |
| 13   |           | .1715     |           |           | .2572     |           |
| 14   |           | .1715     |           |           | .2572     |           |
| 15   |           | 1.4632    |           |           |           |           |
| 16   | .3734     | 1.7558    |           |           | 1.0269    |           |
| 17   |           |           |           |           |           | 1.4045    |
| 18   |           |           |           | .5601     |           | 1.386     |
| 19   |           |           |           |           |           | 1.4937    |
| 20   |           |           |           | .924      |           | 1.4003    |
| 21   |           |           |           | 1.0164    |           | 1.2936    |
| 22   |           |           |           | 1.1088    |           | 1.2136    |
| 23   |           |           |           | .3429     |           | .2572     |
| 24   |           | .2058     |           |           | .3429     |           |
| Max  | .3734     | 1.7558    | .3734     | 1.1088    | 1.0269    | 1.4937    |
| Min  | .3734     | .1715     | .3734     | .3429     | .1715     | .2572     |
| Avg  | .3734     | .4428     | .3734     | .7904     | .3385     | 1.1028    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

KANDHAR (R) S/DN[447] BU 2461

Substation No/ Name :- 174026 / 33 KV KANDHAR

Feeder No / Name : 204 / 11 KV KURULA

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | 1.2803    |           | 1.0269    |           |
| 2    |           | 1.2803    |           | 1.0269    |           |
| 3    |           | 1.39      |           | 1.1203    |           |
| 4    |           | 1.2803    |           | 1.1203    |           |
| 5    |           | 1.0974    |           | 1.2136    |           |
| 6    |           | 1.0974    |           | 1.2136    |           |
| 7    |           | .3429     |           | .3429     |           |
| 8    |           | .4458     |           | .3429     | .3734     |
| 9    |           | .1715     |           | .3429     |           |
| 10   |           | .2743     |           |           |           |
| 11   |           | .1715     |           | .2572     |           |
| 12   |           | .1715     |           | .2572     |           |
| 13   |           | .1715     |           | .2572     |           |
| 14   |           | .1715     |           | .1715     |           |
| 15   |           | .1715     |           |           |           |
| 16   | 1.6804    | .1715     |           | .2229     |           |
| 17   |           |           |           |           | .1715     |
| 18   |           |           | .2229     |           | .3429     |
| 19   |           |           |           |           | .3429     |
| 20   |           |           | .3429     |           | .3772     |
| 21   |           |           | .3429     |           | .3429     |
| 22   |           |           | .5144     |           | .2572     |
| 23   |           |           | 1.1088    |           | 1.1203    |
| 24   |           | 1.2803    |           | 1.0164    |           |
| Max  | 1.6804    | 1.39      | 1.1088    | 1.2136    | 1.1203    |
| Min  | 1.6804    | .1715     | .2229     | .1715     | .1715     |
| Avg  | 1.6804    | .6453     | .5064     | .6622     | .4160     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

KANDHAR (R) S/DN[447] BU 2461

Substation No/ Name :- 174026 / 33 KV KANDHAR

Feeder No / Name : 205 / KANDHAR HOSPITAL  
Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .0191     |           |           |
| 2    |           | .0762     |           |           |
| 3    |           | .0191     |           |           |
| 4    |           | .0191     |           |           |
| 5    |           | .0191     |           |           |
| 6    |           | .0191     |           |           |
| 7    |           | .0191     |           |           |
| 8    |           | .0191     |           | .0187     |
| 9    |           | .0191     | .0191     |           |
| 10   |           | .0191     | .0191     |           |
| 11   |           | .0191     | .0191     |           |
| 12   |           | .0191     | .0191     |           |
| 13   |           | .0191     | .0191     |           |
| 14   |           | .0191     | .0191     |           |
| 15   |           | .0191     |           |           |
| 16   | .0187     | .0191     | .0191     |           |
| 17   |           |           |           | .0191     |
| 18   |           |           |           | .0191     |
| 19   |           |           |           | .0191     |
| 20   |           |           |           | .0191     |
| 24   |           | .0191     |           |           |
| Max  | .0187     | .0762     | .0191     | .0191     |
| Min  | .0187     | .0191     | .0191     | .0187     |
| Avg  | .0187     | .0225     | .0191     | .0190     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

KANDHAR (R) S/DN[447] BU 2461

Substation No/ Name :- 174033 / 33 KV BARUL

Feeder No / Name : 201 / 11 KV BARUL

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.3443    | 1.0269    | 1.0829    |           | .9431     | 1.0185    | 1.0374    |
| 2    | 1.3817    | .9709     | 1.0562    |           | .9054     | .9808     | 1.0374    |
| 3    | 1.419     | .9709     | 1.0185    |           | .9054     | .9808     | 1.0751    |
| 4    | 1.419     | 1.0269    | 1.0642    |           | 1.0751    | 1.0751    | 1.1317    |
| 5    | 1.4937    | 1.1949    | 1.1317    |           | 1.1317    | 1.2071    | 1.2071    |
| 6    | 1.587     | 1.4563    | 1.358     |           | 1.2826    | 1.419     | 1.2449    |
| 7    | 1.7924    | 1.419     | 1.4523    |           | 1.2323    | 1.4003    | 1.3014    |
| 8    | 1.8111    | 1.3443    | 1.2826    | .4668     | .9709     |           | 1.251     |
| 9    | 2.726     | 1.251     | 1.1949    | .9335     | .9335     | 1.2696    | 1.1949    |
| 10   | 2.5206    | 2.3152    | 2.5393    |           | 2.1098    | 2.4579    | 2.7351    |
| 11   | 1.2136    | 2.4646    | 2.9127    | 2.7633    | 2.5019    |           | 3.4189    |
| 12   | 1.1389    | 2.95      | 2.726     | 2.5953    | 3.062     | 3.1417    | 2.7069    |
| 13   | 1.0456    |           |           | 3.0434    |           | 3.2526    | 2.9995    |
| 14   | .9709     | 2.838     | 2.8006    | 2.9127    | 2.9874    | 3.2156    | 2.8715    |
| 15   | 1.0082    | 2.9127    | 3.0247    |           | 2.838     |           | 3.0727    |
| 16   | 1.0829    | 2.95      | 3.2341    | 2.2965    |           |           | 3.0544    |
| 17   | .9709     |           | 3.0994    | 2.6886    |           | 3.0178    | 2.7069    |
| 18   | 1.0829    | 1.0829    | 1.1949    |           |           | 3.1276    | .9979     |
| 19   | 1.419     | 1.3817    | 1.4003    | 1.419     | 2.9127    | 1.475     | 1.2382    |
| 20   | 1.307     | 1.419     | 1.4937    | 1.4937    | 1.4563    | 1.419     | 1.3306    |
| 21   | 1.307     | 1.3443    | 1.3817    |           |           | 1.307     | 1.307     |
| 22   | 1.2696    | 1.2637    | .6602     |           | 1.2323    | 1.2323    | 1.2696    |
| 23   | 1.2323    | 1.2071    |           | 1.0562    | 1.2071    | 1.1694    | 1.2449    |
| 24   |           | 1.1949    | 1.1506    |           | 1.0185    | 1.094     | 1.1128    |
| Max  | 2.726     | 2.95      | 3.2341    | 3.0434    | 3.062     | 3.2526    | 3.4189    |
| Min  | .9709     | .9709     | .6602     | .4668     | .9054     | .9808     | .9979     |
| Avg  | 1.4149    | 1.6357    | 1.7391    | 1.9699    | 1.6161    | 1.7631    | 1.7728    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

KANDHAR (R) S/DN[447] BU 2461

Substation No/ Name :- 174033 / 33 KV BARUL

Feeder No / Name : 202 / 11 KV PETHWADAJ

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .5975     | .1307     | .1132     |           | .132      | .1132     | .1132     |
| 2    | .5975     | .1307     | .0943     | .1132     | .1132     | .1132     | .1132     |
| 3    | .5975     | .1307     | .0943     | .1132     | .132      | .132      | .132      |
| 4    | .6348     | .1494     | .0943     | .1132     | .1509     | .1509     | .132      |
| 5    | .7095     | .1494     | .1509     | .1509     | .1886     | .1886     | .1307     |
| 6    | .7468     | .2241     | .2263     | .2075     | .2054     | .2427     | .1867     |
| 7    | 1.0082    | .2241     | .2614     | .2427     | .2241     | .2241     | .2241     |
| 8    | 1.0829    | .168      | .2241     | .2427     | .2054     | .168      | .2427     |
| 9    | .1867     | .2241     | .2241     | .2241     | .1867     | .1867     | .2241     |
| 10   | .168      | .9709     | .8215     | .9522     | .7842     | .8402     | .8501     |
| 11   | .1307     | .9709     | 1.2323    | 1.1458    | .6535     | 1.0456    | 1.134     |
| 12   | .112      | .9522     | 1.1016    | 1.2197    | 1.0269    | 1.2883    | 1.0974    |
| 13   | .0934     | 1.0829    | 1.2696    | 1.1273    | 1.1016    | 1.307     | 1.134     |
| 14   | .0747     | 1.2883    | 1.251     | 1.1088    | 1.2323    | 1.2012    | 1.2382    |
| 15   | .056      | 1.3817    | 1.2696    | 1.0719    | .8402     |           | 1.1706    |
| 16   | .0747     | 1.4415    | 1.2323    | 1.1088    |           |           | 1.1088    |
| 17   | .112      | 1.3817    | 1.1203    | 1.1203    |           | 1.1273    | 1.0164    |
| 18   | .1307     | .1494     | .1494     | .1307     | .7655     | 1.0642    | .1478     |
| 19   | .168      | .2054     | .168      | .1867     | .2054     | .168      | .2033     |
| 20   | .168      | .2427     | .2241     | .2241     | .2241     | .2241     | .2241     |
| 21   | .168      | .168      | .1867     |           | .2054     | .1867     | .2241     |
| 22   | .1494     | .1698     | .1509     |           | .1494     | .1509     | .2054     |
| 23   | .1307     | .1509     | .1132     | .132      | .132      | .132      | .1698     |
| 24   | .5601     | .1307     | .132      |           | .132      | .1132     | .132      |
| Max  | 1.0829    | 1.4415    | 1.2696    | 1.2197    | 1.2323    | 1.307     | 1.2382    |
| Min  | .056      | .1307     | .0943     | .1132     | .1132     | .1132     | .1132     |
| Avg  | .3524     | .5091     | .4961     | .5468     | .4087     | .4713     | .4814     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

KANDHAR (R) S/DN[447] BU 2461

Substation No/ Name :- 174033 / 33 KV BARUL

Feeder No / Name : 203 / 11 KV KAWTHA

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .9335     | 1.1694    |           | .7545     | .8676     | .7922     |
| 2    |           | .9709     | 1.2071    | .6224     | .7545     | .9054     | .7922     |
| 3    |           | 1.0082    | 1.2637    | .6602     | .8299     | 1.0185    | .9054     |
| 4    |           | 1.0269    | 1.3014    | .7922     | .8865     | 1.1317    | .9431     |
| 5    |           | 1.0829    | 1.3957    | .9431     | 1.0185    | 1.2071    | .8676     |
| 6    |           | 1.3817    | 1.587     | 1.1506    | 1.1576    | 1.3443    | 1.2883    |
| 7    |           | 1.6057    | 1.7737    | 1.5089    | 1.2883    |           | 1.6244    |
| 8    | .2427     | 1.6804    | 1.643     | 1.6975    | 1.2136    | 1.5123    | 1.5684    |
| 9    | 1.363     | 1.0829    | 1.1576    | 1.0456    | 1.0456    |           | 1.0082    |
| 10   | 1.0456    | .9335     | 1.0829    | .9335     | 1.0829    | 1.0082    | 1.0534    |
| 11   | 1.307     |           | .8029     | .7468     |           | .9335     | .8871     |
| 12   |           | .8215     | .8215     | .8589     | .8029     | .8402     | .9145     |
| 13   | 1.4377    | .7842     | .8029     | .7842     |           | .8131     |           |
| 14   | 1.419     | .7655     | .7655     | .7468     | .8029     | .7842     | .8413     |
| 15   | 1.3817    |           | .7842     | .7392     | .7842     |           |           |
| 16   | 1.4003    | .8131     | .8589     | .7842     |           |           | .8131     |
| 17   | 1.419     | .9709     | .8962     | .9335     |           | .9979     | .9511     |
| 18   | .9335     | 1.0829    | 1.0829    | 1.0082    | 1.0642    | 1.0269    | 1.0608    |
| 19   | 1.2696    | 1.1949    | 1.4377    | 1.1203    | 1.4937    | 1.4937    | 1.1706    |
| 20   | 1.2323    | 1.307     | 1.307     | 1.3817    | 1.6057    | 1.4563    | 1.2567    |
| 21   | 1.1203    | 1.2323    | 1.2136    |           | 1.2883    | 1.2936    | 1.3306    |
| 22   | 1.0082    | 1.094     | 1.1883    |           | 1.2136    | 1.1576    | 1.2254    |
| 23   | .7468     | .8299     | 1.094     | .9054     | .7733     | .6535     | .8131     |
| 24   |           | .8775     | 1.0562    |           | .8029     | .8676     | .8299     |
| Max  | 1.4377    | 1.6804    | 1.7737    | 1.6975    | 1.6057    | 1.5123    | 1.6244    |
| Min  | .2427     | .7655     | .7655     | .6224     | .7545     | .6535     | .7922     |
| Avg  | 1.1551    | 1.0673    | 1.1539    | .9682     | 1.0332    | 1.0657    | 1.0426    |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

KANDHAR (R) S/DN[447] BU 2461

Substation No/ Name :- 174045 / 33 KV KURULA

Feeder No / Name : 201 / 11 KV KURULA AG

FEEDER SEPERATION/PURE AG

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .1429     | .1429     | .1429     |           | .1486     |
| 2    |           | .1429     | .1429     | .1429     |           | .1486     |
| 3    |           | .1715     | .1429     | .1429     |           | .1783     |
| 4    |           | .2        | .1715     | .1715     |           | .1783     |
| 5    |           | .2143     | .2143     | .1715     |           | .208      |
| 6    |           | .2317     | .2572     | .1858     |           | .208      |
| 7    |           | .2286     | .3041     | .1858     |           | .2378     |
| 8    |           | .2429     | .282      |           |           | .2498     |
| 10   | .1738     |           |           |           |           |           |
| 11   | .2256     |           |           |           |           |           |
| 12   | .2256     |           |           |           |           |           |
| 13   | .2286     |           |           |           |           |           |
| 14   | .2143     |           |           |           |           |           |
| 15   | .1429     |           |           |           |           |           |
| 16   | .2143     |           |           |           | .1614     |           |
| 17   | .2143     |           |           |           | .1907     |           |
| 22   |           |           | .1128     |           |           |           |
| 23   |           |           | .1429     |           | .088      |           |
| 24   |           | .1429     | .1429     | .1429     |           | .1189     |
| Max  | .2286     | .2429     | .3041     | .1858     | .1907     | .2498     |
| Min  | .1429     | .1429     | .1128     | .1429     | .088      | .1189     |
| Avg  | .2049     | .1909     | .1869     | .1608     | .1467     | .1863     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

KANDHAR (R) S/DN[447] BU 2461

Substation No/ Name :- 174045 / 33 KV KURULA

Feeder No / Name : 203 / 11 KV DIGRAS AG

FEEDER SEPERATION/PURE AG

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 7    | .4904     |           |           |           |           |           |
| 8    | .6401     |           |           |           |           |           |
| 10   |           | .381      | .4218     | .4001     |           |           |
| 11   |           | .5121     | .4858     | .4054     |           | .3841     |
| 12   |           |           | .5182     | .4572     |           | .4001     |
| 13   |           | .6401     | .4572     | .4572     |           |           |
| 14   |           | .6081     | .4572     | .4877     |           |           |
| 15   |           | .5601     | .4572     | .4572     |           | .583      |
| 16   |           | .5441     | .4287     | .4572     | .0934     | .583      |
| 17   |           | .5761     | .4287     | .4572     |           | .5506     |
| Max  | .6401     | .6401     | .5182     | .4877     | .0934     | .583      |
| Min  | .4904     | .381      | .4218     | .4001     | .0934     | .3841     |
| Avg  | .5653     | .5459     | .4569     | .4474     | .0934     | .5002     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

KANDHAR (R) S/DN[447] BU 2461

Substation No/ Name :- 174070 / 33 KV PHULWAL

Feeder No / Name : 201 / 11 KV JANGAMWADI

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .6935     | .7602     | .6283     | .4641     |           | .6154     |
| 2    |           | .6935     | .724      | .6878     | .4973     |           | .6154     |
| 3    |           | .7362     | .8688     | .7602     | .503      |           | .7011     |
| 4    |           | .7537     | .8688     | .7442     | .5487     |           | .7011     |
| 5    |           | .7973     | .8326     | .037      | .6001     |           | .7442     |
| 6    |           | .8505     | .905      | .0373     | .6935     |           | .7442     |
| 7    |           | .9492     | .9313     | .823      | .8063     | .8764     | .8859     |
| 8    |           | .9536     | .9774     | .8886     | .8495     | .9015     | .8669     |
| 9    | .1928     | .1698     | .1227     |           | .2075     | .104      | .1867     |
| 10   | .9709     | .104      | .1029     | .1791     | .1791     | .1387     | .1715     |
| 11   | .9389     | .1254     | .1372     | .1372     | .1075     | .1372     | .1543     |
| 12   | .9556     | .1052     | .1357     | .0848     | .0895     | .1187     | .1357     |
| 13   | .9389     | .0895     | .1174     | .12       | .0895     | .0848     | .1357     |
| 14   | .9221     | .0895     | .1006     | .1017     | .0716     | .0848     | .1341     |
| 15   | .8886     | .0876     |           | .1187     | .0905     |           | .1341     |
| 16   | .8383     | .1052     | .1174     | .1174     |           |           | .1341     |
| 17   | .9221     | .0895     | .1174     | .1187     |           | .1341     | .1174     |
| 18   | .1663     | .1254     | .168      | .1663     | .0895     | .1478     | .1478     |
| 19   | .2452     | .1254     | .1867     | .2054     | .1052     | .2054     | .2054     |
| 20   | .2829     | .1433     | .1867     | .2452     | .1227     | .2241     | .2614     |
| 21   | .2452     | .1433     | .2241     |           | .1433     | .2241     | .2241     |
| 22   | .2241     | .1254     | .1867     |           | .1227     | .1494     | .2054     |
| 23   | .6241     | .1254     | .1494     | .3563     | .1227     | .5601     | .57       |
| 24   |           | .6588     | .6447     |           | .4475     |           | .5668     |
| Max  | .9709     | .9536     | .9774     | .8886     | .8495     | .9015     | .8859     |
| Min  | .1663     | .0876     | .1006     | .037      | .0716     | .0848     | .1174     |
| Avg  | .6237     | .3683     | .4159     | .3279     | .3160     | .2727     | .3899     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

KANDHAR (R) S/DN[447] BU 2461

Substation No/ Name :- 174070 / 33 KV PHULWAL

Feeder No / Name : 202 / 11 KV HARBAL

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .6661     | .2601     | .2865     | .2587     | .2321     | .2401     | .2591     |
| 2    |           | .2601     | .2896     | .2172     | .2321     | .2149     | .2429     |
| 3    | .7011     | .2629     | .2534     | .2172     | .2347     | .2103     | .2454     |
| 4    |           | .2804     | .2896     | .2658     | .2572     | .2507     | .2103     |
| 5    | .7628     | .2835     |           | .3142     | .2743     | .2865     | .2658     |
| 6    |           | .3189     | .2896     | .3734     | .3121     |           | .3544     |
| 7    | .9015     | .3582     | .3258     | .3772     | .3681     | .2743     | .3544     |
| 8    | 1.1022    | .3294     | .3155     | .3521     | .3467     | .2865     | .2601     |
| 9    | 1.2269    | .3018     | .3506     | .4108     | .3772     | .4161     | .2987     |
| 10   | .2774     | .7975     | .8573     | .6447     | .6626     | .7802     | .8573     |
| 11   | .2347     | 1.0029    | 1.0288    | .7545     | .7362     | .9431     | 1.0288    |
| 12   | .218      | 1.2536    | 1.0174    | .7969     | .7712     | .9835     | 1.0513    |
| 13   | .2012     | 1.1393    | 1.0059    | .7545     | .8063     | 1.0174    | 1.0343    |
| 14   | .218      | .8954     | 1.0395    | .7291     | .8413     | .9835     | 1.0395    |
| 15   | .218      | .9313     | 1.073     | .7122     | .9313     |           | 1.0059    |
| 16   | .2012     | .9671     | 1.0395    | .8215     |           |           | .9724     |
| 17   | .2347     | 1.0029    | 1.0059    | .7461     |           | .8383     | .9389     |
| 18   | .2587     | .2896     | .2614     | .2772     | .1578     | .2772     | .3326     |
| 19   | .4338     | .2896     | .2987     | .4294     | .394      | .3921     | .3734     |
| 20   | .4338     | .2896     | .3734     |           | .3506     |           | .4294     |
| 21   | .3772     | .3258     | .4108     |           | .3582     | .4294     | .3734     |
| 22   | .3547     | .3258     | .3734     |           | .3086     | .3734     | .3547     |
| 23   | .2947     | .2896     | .3361     |           | .6344     | .2881     | .3018     |
| 24   | .6661     | .2774     | .2896     | .2987     | .2321     | .2865     | .2591     |
| Max  | 1.2269    | 1.2536    | 1.073     | .8215     | .9313     | 1.0174    | 1.0513    |
| Min  | .2012     | .2601     | .2534     | .2172     | .1578     | .2103     | .2103     |
| Avg  | .4754     | .5305     | .5570     | .4876     | .4463     | .4886     | .5352     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

KANDHAR (R) S/DN[447] BU 2461

Substation No/ Name :- 174070 / 33 KV PHULWAL

Feeder No / Name : 203 / 11 KV PANSHEWADI

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .104      | .1086     |           |           | .0895     | .0972     |
| 2    |           | .104      | .0905     |           |           | .0905     | .081      |
| 3    |           | .1052     | .0905     |           |           | .1075     | .0876     |
| 4    |           | .1052     | .0905     |           |           | .1109     | .0876     |
| 5    |           | .124      | .1086     |           |           | .1254     | .124      |
| 6    |           | .124      | .1086     |           |           | .1448     | .1417     |
| 7    |           | .1433     | .1267     |           |           | .1254     | .1595     |
| 8    |           | .1214     | .1267     |           |           | .1075     | .1387     |
| 9    |           | .1132     | .1052     | .112      |           | .1734     | .112      |
| 10   |           | .2774     | .2058     | .2686     |           | .3121     | .3086     |
| 11   |           | .3224     |           | .2743     |           | .3772     | .3772     |
| 12   | .3688     |           | .2374     | .2713     |           | .373      | .407      |
| 13   | .4024     |           | .3018     |           |           |           | .373      |
| 14   | .3688     |           | .4359     | .3222     |           | .3391     | .3688     |
| 15   | .0671     | .3582     | .4694     | .3391     |           |           | .4024     |
| 16   | .0671     | .3761     | .4694     | .4024     |           |           | .4359     |
| 17   | .0838     | .3982     | .4359     | .4239     |           | .3521     | .4191     |
| 18   | .1109     | .1086     | .1307     | .0924     | .4557     | .1109     | .0924     |
| 19   | .1509     | .1267     | .1494     | .1307     | .3582     | .1867     | .112      |
| 20   | .1509     | .1267     | .1867     | .1509     | .3155     | .1867     | .1494     |
| 21   | .1509     | .1402     | .1307     |           | .2804     | .1867     | .1307     |
| 22   | .1494     | .1448     | .0934     |           | .1254     | .1494     | .1307     |
| 23   | .1214     | .1267     | .0934     |           | .1075     | .112      | .1006     |
| 24   |           | .104      | .1086     |           |           | .0895     | .0972     |
| Max  | .4024     | .3982     | .4694     | .4239     | .4557     | .3772     | .4359     |
| Min  | .0671     | .104      | .0905     | .0924     | .1075     | .0895     | .081      |
| Avg  | .1827     | .1740     | .1915     | .2534     | .2738     | .1833     | .2056     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

KANDHAR (R) S/DN[447] BU 2461

Substation No/ Name :- 174085 / 33 KV PETHWADAJ

Feeder No / Name : 201 / 11 KV PETHWADAJ

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .9431     | .6135     | .6935     | .6535     | .5601     | .6135     | .7011     |
| 2    | .8488     | .6135     | .6935     | .6401     | .5601     | .6135     | .7011     |
| 3    | .8488     | .6935     | .7802     | .7316     | .5487     | .7011     | .7888     |
| 4    | .9431     | .7011     | .7802     | .8059     | .5487     | .7888     | .7888     |
| 5    | .9431     | .7888     | .8573     | .964      | .5487     | .7802     | .8764     |
| 6    | 1.0374    | .8764     | .8573     | 1.0517    | .5487     | .8669     | .8764     |
| 7    | 1.1317    | 1.1145    | 1.0288    | 1.0288    | .6268     | 1.2003    | 1.1022    |
| 8    | 1.1317    | 1.1145    | .9724     | .9431     | .5373     | 1.1145    | .9945     |
| 9    | 1.0374    | .9335     | 1.0374    | 1.0374    | .9431     | .9431     | .8488     |
| 10   | .7973     | .8488     | .8488     | .8488     |           | .7545     | .9335     |
| 11   | .9326     | .7545     | .7545     | .7545     | .9431     | .8488     | .9335     |
| 12   |           | .7545     | .7545     | .4715     | .7545     |           | .9335     |
| 13   |           | .6602     | .7545     | .5658     | .8488     | .9431     | 1.0374    |
| 14   | .9536     | .6602     | .7545     | .5658     | .7545     | .9431     | .9431     |
| 15   | .9431     | .6602     |           | .5658     | .7545     |           | .9335     |
| 16   | .9326     | .6602     | .7545     | .5658     |           | .7545     | .9335     |
| 17   | .9116     | .6602     | .5658     | .6602     |           | .9431     | .9335     |
| 18   | .8402     | .9431     | .8488     | .7545     | 1.0269    | 1.1203    | .9335     |
| 19   | 1.1317    | 1.226     | 1.1317    | 1.0374    | 1.1317    | 1.2696    | 1.226     |
| 20   | 1.1317    | 1.3203    | 1.226     | 1.0374    | 1.3203    | 1.3203    | 1.3203    |
| 21   | 1.0374    | 1.3203    | 1.226     |           | 1.3203    | 1.226     | 1.226     |
| 22   | 1.0374    | 1.1317    | 1.1317    |           | 1.226     | 1.226     | 1.226     |
| 23   | .5373     | .6935     | .5658     | .5658     | .5373     | 1.1317    | .5373     |
| 24   | .9431     | .6201     | .6935     | .7468     | .5601     | .6135     | .5258     |
| Max  | 1.1317    | 1.3203    | 1.226     | 1.0517    | 1.3203    | 1.3203    | 1.3203    |
| Min  | .5373     | .6135     | .5658     | .4715     | .5373     | .6135     | .5258     |
| Avg  | .9543     | .8485     | .8570     | .7726     | .7905     | .9417     | .9273     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

KANDHAR (R) S/DN[447] BU 2461

Substation No/ Name :- 174085 / 33 KV PETHWADAJ

Feeder No / Name : 202 / 11 KV WARWANT

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3582     | .7545     | .9431     | .9431     | .7545     | .8488     | .8488     |
| 2    | .362      | .6602     | .9431     | .8488     | .7545     | .8488     | .8488     |
| 3    | .362      | .6602     | .8488     | .8488     | .7545     | .8488     | .8488     |
| 4    | .3696     | .7545     | .8488     | .8488     | .8488     | .8488     | .9431     |
| 5    | .3696     | .8488     | .9431     | .9431     | .9431     | 1.0374    | .9808     |
| 6    | .462      | .9431     | 1.0374    | 1.0374    | 1.0374    | 1.1317    | 1.0374    |
| 7    | .5658     | 1.0374    | .9808     | 1.0374    | 1.0374    | 1.1317    | 1.0374    |
| 8    | .7087     | 1.0269    | .9431     | 1.0374    | 1.0374    | 1.1317    | .9431     |
| 9    | .8764     | .8402     | .9431     | .9431     | 1.0374    | 1.094     | .9335     |
| 10   | .7973     | .9945     | 1.0517    | .964      | 1.0269    | 1.0898    | .8669     |
| 11   | .8669     | .9945     | 1.0517    | .9431     |           |           | 1.0288    |
| 12   | .7716     | .9945     | 1.0288    | .9431     | .9335     | 1.0059    | .9431     |
| 13   | .5601     | .9116     | .9431     | .9431     | .8478     | 1.0059    | .9326     |
| 14   | .5658     | .9116     | .9431     | .9431     | .8478     | .8383     | .9326     |
| 15   | .5658     | .9116     | .9431     | .9431     | .8478     |           | .9326     |
| 16   | .5601     | .9945     | .9431     | .9431     |           | .763      | .9431     |
| 17   | .6535     | .9945     | .9431     | .9431     |           | .8478     | .9431     |
| 18   | .8316     | .9431     | .8488     | .7545     | .8402     | 1.0374    | .7392     |
| 19   | 1.0269    | 1.0269    | 1.0374    | .9431     | 1.0269    | 1.1203    | 1.1203    |
| 20   | 1.1203    | 1.2136    | 1.226     | .9431     | 1.1203    | 1.1203    | 1.2136    |
| 21   | .9335     | 1.2136    | 1.226     |           | 1.1203    | 1.0269    | 1.0269    |
| 22   | .8488     | 1.1203    | 1.1317    |           |           | 1.0374    | .9335     |
| 23   | .7545     | 1.0517    | .9431     | .8488     | .9431     | .9431     | .8488     |
| 24   | .3734     | .7545     | 1.0374    | .9431     | .8488     | .9431     | .9431     |
| Max  | 1.1203    | 1.2136    | 1.226     | 1.0374    | 1.1203    | 1.1317    | 1.2136    |
| Min  | .3582     | .6602     | .8488     | .7545     | .7545     | .763      | .7392     |
| Avg  | .6527     | .9399     | .9887     | .9312     | .9304     | .9864     | .9487     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

KANDHAR (R) S/DN[447] BU 2461

Substation No/ Name :- 174086 / 33 KV BACHOTI

Feeder No / Name : 201 / 11 KV BACHOTI

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .9307     | 1.2657    | 1.326     |           | .7378     | 1.4327    | 1.2689    |
| 2    | .9121     | 1.3402    | 1.2376    |           | .7729     | 1.5223    | 1.3746    |
| 3    | 1.0424    | 1.4519    | 1.2336    |           | .808      | 1.6118    | 1.4803    |
| 4    | 1.1168    | 1.5639    | 1.3217    |           | .8792     | 1.7013    | 1.5139    |
| 5    | 1.2099    | 1.6752    | 1.4068    |           | .9144     | 1.7909    | 1.7252    |
| 6    | 1.303     | 1.8614    | 1.7623    |           | .9496     | 1.9342    | 1.866     |
| 7    | 1.4146    | 2.1592    | 2.15      |           | 1.021     | 1.97      | 1.9717    |
| 8    | 1.4519    | 1.4891    | 1.4451    | 1.6834    | 1.0915    | 1.182     | 1.4083    |
| 9    | 1.5724    | 1.2844    | 1.3365    | 1.1641    | 1.1267    | 1.2894    | 1.2675    |
| 10   | 1.9218    | 1.1168    | 1.1631    | 1.2178    | .7754     | 1.2894    | 1.0562    |
| 11   | 1.8868    | .7378     |           | .9837     |           | 1.2689    | 1.1203    |
| 12   | 1.9731    | .7362     |           | .9134     |           | 1.1984    | 1.1576    |
| 13   | 1.88      | .8459     |           | .8432     |           | 1.1619    | 1.1763    |
| 14   | 2.0475    | .8812     |           | .8432     |           | 1.1267    | 1.1203    |
| 15   | 1.9358    | .9693     |           | .9486     |           |           | 1.0829    |
| 16   | 1.0424    | 1.0221    | 1.0387    | 1.0188    |           |           | 1.0642    |
| 17   | 1.1168    | 1.1594    |           | 1.2323    |           | 1.0915    | 1.2136    |
| 18   | 1.2285    | 1.2689    |           | 1.2323    |           | 1.1971    | 1.3443    |
| 19   | 1.2844    | 1.2865    |           | 1.3379    |           | 1.4435    | 1.3817    |
| 20   | 1.3402    | 1.5107    |           | 1.4787    |           | 1.4083    | 1.4563    |
| 21   | 1.303     | 1.1945    |           |           |           | 1.3731    | 1.307     |
| 22   | 1.0424    | 1.2336    |           |           |           | .9154     | 1.1203    |
| 23   | 1.1168    | 1.4098    | 1.4327    | .6317     | 1.4327    | 1.021     | 1.2136    |
| 24   | .9679     | 1.2099    | 1.4098    |           | .6668     | 1.4327    | 1.1631    |
| Max  | 2.0475    | 2.1592    | 2.15      | 1.6834    | 1.4327    | 1.97      | 1.9717    |
| Min  | .9121     | .7362     | 1.0387    | .6317     | .6668     | .9154     | 1.0562    |
| Avg  | 1.3767    | 1.2781    | 1.4049    | 1.1092    | .9313     | 1.3801    | 1.3273    |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

KANDHAR (R) S/DN[447] BU 2461

Substation No/ Name :- 174086 / 33 KV BACHOTI

Feeder No / Name : 202 / 11 KV CHINCHOLI

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .7906     | .716      | .6365     |           | .5621     | .5731     | .5816     |
| 2    | .8847     | .6972     | .6188     |           | .5972     |           | .5816     |
| 3    | .9412     | .6783     | .6168     |           | .6148     | .6447     | .5992     |
| 4    | .9788     | .7537     | .7402     |           | .6675     | .6805     | .669      |
| 5    | 1.1294    | .8479     | .8089     |           | .8089     | .8238     | .8098     |
| 6    | 1.28      | 1.0175    | 1.0574    |           | .9672     | .985      | .9506     |
| 7    | 1.3929    | 1.2624    | 1.1455    |           | 1.021     | 1.1283    | 1.1443    |
| 8    | 1.2612    | 1.2059    | 1.1103    | 1.0745    | 1.0562    |           | 1.0738    |
| 9    | 1.0552    | 1.0929    | 1.1958    | 1.2536    | .845      | 1.3253    | 1.2147    |
| 10   | .961      | 1.4509    | 1.3394    | 1.3432    | .7754     | 1.3253    | 1.4435    |
| 11   | .8291     | 1.2472    |           | 1.335     |           | 1.2689    | 1.1727    |
| 12   | .7537     | 1.2971    |           | 1.3701    |           | 1.2689    | 1.3774    |
| 13   | .6406     | 1.216     |           | 1.335     |           | 1.2323    | 1.4705    |
| 14   | .5653     | 1.2865    |           | 1.335     |           | 1.1619    | 1.5077    |
| 15   | .5087     | 1.2336    |           | 1.3174    |           |           | 1.4519    |
| 16   | .6595     | 1.1807    | 1.1999    | 1.3174    |           |           | 1.4891    |
| 17   | .6972     | .6324     |           | .6513     |           |           | .6887     |
| 18   | .7914     | .7754     |           | .757      |           |           | .7818     |
| 19   | 1.0552    | .793      |           | .845      |           | 1.1091    | .8935     |
| 20   | .9421     | .9661     |           | .9506     |           | .9858     | .9307     |
| 21   | .8291     | .7553     |           |           |           | .8274     | .8004     |
| 22   | .7914     | .7049     |           |           |           | .7394     | .7818     |
| 23   | .7537     | .6697     | .6805     | .5966     | .6805     | .669      | .7446     |
| 24   | .7914     | .716      | .6521     |           | .579      | .6626     | .6344     |
| Max  | 1.3929    | 1.4509    | 1.3394    | 1.3701    | 1.0562    | 1.3253    | 1.5077    |
| Min  | .5087     | .6324     | .6168     | .5966     | .5621     | .5731     | .5816     |
| Avg  | .8868     | .9665     | .9079     | 1.1058    | .7646     | .9673     | .9914     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

KANDHAR (R) S/DN[447] BU 2461

Substation No/ Name :- 174086 / 33 KV BACHOTI

Feeder No / Name : 203 / 11 KV BAMNI

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .2103     | .7011     | .6718     |           | .6148     | .6447     | .7049     |
| 2    | .2454     | .6836     | .6365     |           | .6324     |           | .7049     |
| 3    | .2629     | .6661     | .6168     |           | .6675     | .6805     | .7402     |
| 4    | .3155     | .7362     | .7402     |           | .808      | .8238     | .845      |
| 5    | .3681     | .8063     | .7913     |           | .8792     | .8954     | .8802     |
| 6    | .4382     | .9114     | 1.0045    |           | .9496     | .9671     | .9682     |
| 7    | .4733     | .9991     | 1.0221    |           | 1.021     | 1.0745    | 1.0386    |
| 8    | .7186     | .9816     |           | 1.0029    | 1.1267    | 1.0745    | .845      |
| 9    | .5959     |           | 1.0023    | 1.1104    | .9154     | 1.1104    | 1.021     |
| 10   | .7011     |           | 1.1455    | 1.1641    | 1.0221    | 1.1641    | 1.3203    |
| 11   | .7888     | .7378     |           | 1.0013    |           | 1.1279    | 1.1279    |
| 12   | .7072     |           |           | 1.0188    |           | 1.0926    | 1.0045    |
| 13   | .6542     | 1.2308    |           | 1.0891    |           | 1.0562    | 1.0574    |
| 14   | .5834     | 1.2689    |           | 1.054     |           | 1.0386    | 1.1091    |
| 15   | .4597     | 1.2336    |           | 1.054     |           |           | 1.0386    |
| 16   | .5258     | 1.0398    | 1.0566    | 1.0364    |           |           | 1.0915    |
| 17   | .631      | .5797     |           | .5809     |           | .5281     | .6161     |
| 18   | .7186     | .7049     |           | .7746     |           | .757      | .6513     |
| 19   | .9465     | .7402     |           | .8626     |           | 1.0738    | .7922     |
| 20   | .8959     | 1.0013    |           | .9154     |           | .9506     | .8274     |
| 21   | .8432     | .8607     |           |           |           | .845      | .845      |
| 22   | .7888     | .7754     |           |           |           | .8098     | .8098     |
| 23   | .7712     | .7602     | .7522     | .7019     | .7522     | .7922     | .7746     |
| 24   | .2103     | .7362     | .7049     |           | .6317     | .6268     | .7402     |
| Max  | .9465     | 1.2689    | 1.1455    | 1.1641    | 1.1267    | 1.1641    | 1.3203    |
| Min  | .2103     | .5797     | .6168     | .5809     | .6148     | .5281     | .6161     |
| Avg  | .5772     | .8645     | .8454     | .9547     | .8351     | .9111     | .8981     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

KANDHAR (R) S/DN[447] BU 2461

Substation No/ Name :- 174101 / 33 KV DIGRAS

Feeder No / Name : 201 / 11 KV DIGRAS GAOTHAN  
Feeder KV- 11 / OUTGOING

GAOTHAN FEEDER

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           | .3734     | .3395     | .3395     |           | .3361     |
| 2    |           |           | .3361     | .3395     | .3395     |           | .3361     |
| 3    |           |           | .3361     | .3206     | .3018     |           | .3361     |
| 4    |           |           | .3734     | .3772     | .3584     |           | .3734     |
| 5    |           |           | .4481     | .4527     | .4715     |           | .4481     |
| 6    |           | .5281     | .5975     | .6036     | .547      | .5601     | .5601     |
| 7    | .4904     | .6722     | .6722     | .679      | .6602     | .5975     | .5975     |
| 8    | .5658     | .5914     | .5975     | .5281     | .6722     | .5175     | .6348     |
| 9    | .5281     | .5914     | .5228     | .4668     | .5975     | .3696     | .5601     |
| 10   | .4481     | .4108     | .4481     | .3921     | .4108     | .4854     | .4854     |
| 11   | .3395     | .3734     | .3734     | .3361     | .3361     | .4481     | .4108     |
| 12   | .2957     | .3734     | .3174     | .3174     | .2987     | .4108     | .3734     |
| 13   | .2957     | .3361     | .3142     | .3511     | .2987     | .4108     | .3361     |
| 14   | .3326     | .3361     | .3326     | .3511     | .2957     | .3734     | .3361     |
| 15   | .2987     | .2987     | .3696     | .3326     | .2957     |           | .3361     |
| 16   | .2957     | .2801     | .3292     | .3511     |           | .3361     | .3361     |
| 17   | .2926     | .2801     | .3142     | .3734     |           | .3734     | .3734     |
| 18   | .3292     | .4481     | .3696     | .3921     | .3326     | .4481     | .4108     |
| 19   | .5544     | .5975     | .5975     | .6161     | .6283     | .5601     | .5975     |
| 20   | .5914     | .6348     | .6161     |           | .7207     | .5975     | .6722     |
| 21   | .4854     | .5228     | .5041     |           | .5601     | .5601     | .5601     |
| 22   | .4481     | .4294     | .4481     |           |           | .4481     | .4108     |
| 23   | .4108     | .3734     | .3921     | .3547     |           | .4481     | .3734     |
| 24   |           | .3772     | .3734     | .3772     | .3772     |           | .3734     |
| Max  | .5914     | .6722     | .6722     | .679      | .7207     | .5975     | .6722     |
| Min  | .2926     | .2801     | .3142     | .3174     | .2957     | .3361     | .3361     |
| Avg  | .4119     | .445      | .4315     | .412      | .4421     | .4673     | .4403     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

KANDHAR (R) S/DN[447] BU 2461

Substation No/ Name :- 174101 / 33 KV DIGRAS

Feeder No / Name : 202 / 11 KV DIGRAS AG

FEEDER SEPERATION/PURE AG

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 7    | .4572     |           |           |           |           |           |           |
| 8    | .4938     |           |           |           |           |           |           |
| 10   |           | .6706     | .7811     |           | .5155     | .5937     | .703      |
| 11   |           | .8436     | .828      | .381      | .6562     | .703      | .8124     |
| 12   |           | .8124     | .8025     | .6562     | .679      | 1.3435    | .7499     |
| 13   |           | .8436     | .7811     | .759      | .6874     | 1.2811    | .7499     |
| 14   |           | .8436     | .7748     | .8029     | .6874     | 1.0311    | .7186     |
| 15   |           |           |           | .8223     | .5624     |           | .6874     |
| 16   |           |           | .104      | .7968     |           | .7499     | .7186     |
| 17   |           | .7499     | .1204     | .7811     |           | .703      | .6874     |
| Max  | .4938     | .8436     | .828      | .8223     | .6874     | 1.3435    | .8124     |
| Min  | .4572     | .6706     | .104      | .381      | .5155     | .5937     | .6874     |
| Avg  | .4755     | .7940     | .5988     | .7142     | .6313     | .9150     | .7284     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174008 / 33 KV LOHA

Feeder No / Name : 201 / DEULGAON (OLD SAWARGAON) SINGLE PHASING  
Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3734     | 1.0288    | 1.0288    | 1.0288    | 1.0288    | 1.0288    | .8573     |
| 2    | .3734     | 1.0288    | 1.0288    | 1.0288    | 1.0288    | 1.0288    | .8573     |
| 3    | .3734     | 1.0288    | 1.0288    | 1.0288    | 1.0288    |           | .8573     |
| 4    | .3734     | 1.2003    | 1.0288    | 1.0288    | 1.2003    | 1.2003    | .8573     |
| 5    | .3734     | 1.2003    | 1.2003    | 1.1203    | 1.3717    |           | .8573     |
| 6    | .3734     | 1.3717    | 1.3717    | 1.0288    | 1.3717    | 1.2003    | 1.0288    |
| 7    | .3734     | 1.3717    | 1.3717    | 1.2003    | 1.3717    |           | 1.0288    |
| 8    | .3734     | 1.2003    |           | 1.0288    | 1.2003    | 1.2003    | .6859     |
| 9    | .3174     | .3174     | .9831     | 1.0288    | .3174     |           | .9831     |
| 10   | .8573     | .3429     | .9831     |           | .2614     | .8192     | .9831     |
| 11   | 1.0288    | .3734     |           |           | .2715     |           | .7373     |
| 12   | 1.0288    | .3174     | .8192     | .8192     | .2801     | .8192     | .7373     |
| 13   | 1.0288    | .3174     | .8192     | .6554     | .3174     |           | .7373     |
| 14   | 1.0288    | .3174     | .8192     | .6554     | .3174     | .8192     | .4915     |
| 15   | 1.0288    | .3174     | .8478     |           |           |           | .4915     |
| 16   | 1.2003    | .3174     | .8192     |           |           |           | .763      |
| 17   | 1.2003    | .8192     | 1.3565    | .6554     |           | .8192     | .2801     |
| 18   | .8192     | .8192     | .3734     | .8192     | .8478     | .7373     | .3734     |
| 19   | .9831     | .9831     | .3734     | 1.0174    | .9831     |           | .3734     |
| 20   | .8192     | .9831     | .3734     | .9831     | .9831     | .9831     | .3734     |
| 21   | .8573     | .9831     | .3734     |           | .9831     |           | .3734     |
| 22   | .6554     | .8192     | .3734     |           | .8192     | .7865     | .3734     |
| 23   | 1.0593    | .8573     | .3734     |           | .8573     | .6859     | 1.0288    |
| 24   | .3734     | 1.0288    | 1.0288    |           | 1.0288    | 1.0288    | .8573     |
| Max  | 1.2003    | 1.3717    | 1.3717    | 1.2003    | 1.3717    | 1.2003    | 1.0288    |
| Min  | .3174     | .3174     | .3734     | .6554     | .2614     | .6859     | .2801     |
| Avg  | .7197     | .8060     | .8534     | .9455     | .8509     | .9398     | .7078     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174008 / 33 KV LOHA

Feeder No / Name : 202 / SAWARGAON (OLD SUNEGAON) SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .2801     | .6554     | .6554     | .2801     | .6554     | .6554     | .4915     |
| 2    | .2801     | .6554     | .6554     | .2801     | .6554     | .6554     | .4915     |
| 3    | .2801     | .6554     | .6554     | .2801     | .6554     |           | .4915     |
| 4    | .2801     | .8192     | .6554     | .3734     | .8192     | .6554     | .4915     |
| 5    | .2801     | .9831     | .8192     | .3734     | .9831     |           | .4915     |
| 6    | .3174     | .9831     | .8192     | .3734     | .9831     | .8192     | .4915     |
| 7    | .3174     | .9831     | .8192     | .3982     | .9831     |           | .9831     |
| 8    | .2801     | .8192     |           | .3734     | 1.0174    | .8192     | .9831     |
| 9    | .2801     | .3174     |           | .9012     | .3174     |           | .7373     |
| 10   | .6554     | .7716     |           |           | .8573     | .8573     | .8573     |
| 11   |           | .8402     |           |           | .8573     |           | .8573     |
| 12   | .4915     |           | .8573     | .8573     | .6859     | 1.0288    |           |
| 13   | .4915     |           | 1.0288    | .8573     | .6859     |           | .8573     |
| 14   | .4915     |           | 1.0288    | .8573     | .6001     | .8573     | .8573     |
| 15   | .8573     | .7716     | 1.0288    |           |           |           | .6859     |
| 16   | .8573     | .7716     | 1.0288    |           |           |           | .8573     |
| 17   | .6554     | .8573     | 1.0288    | .8573     |           | .8573     | .8573     |
| 18   | .8192     | .8192     | .2427     | .9831     | .6554     | .763      | .2614     |
| 19   | .9831     | .8192     | .2801     | 1.1469    | .8192     |           | .2614     |
| 20   | .9831     | .8192     | .2801     | .9831     | .8478     | .9831     | .2801     |
| 21   | .9831     | .8192     | .2915     |           | .8192     |           | .2801     |
| 22   | .763      | .6554     | .3174     |           | .6554     | .7373     | .3174     |
| 23   | .7373     | 1.3108    | .2801     | .6554     | .6554     | .4915     | .2801     |
| 24   | .2801     | .6554     | .6554     |           | .6554     | .6554     | .4915     |
| Max  | .9831     | 1.3108    | 1.0288    | 1.1469    | 1.0174    | 1.0288    | .9831     |
| Min  | .2801     | .3174     | .2427     | .2801     | .3174     | .4915     | .2614     |
| Avg  | .5498     | .7991     | .6714     | .6371     | .7554     | .7740     | .5937     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174008 / 33 KV LOHA

Feeder No / Name : 203 / RAIWADI (OLD KAREGAON) SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .2801     | .6783     | .8192     | .2801     | .6554     | .8192     | .7373     |
| 2    | .2801     | .6554     | .8192     | .2801     | .6554     | .8478     | .7373     |
| 3    | .2801     |           | .8192     | .3734     | .6554     |           | .7373     |
| 4    | .2801     | .7373     | .8192     | .3734     | .7373     | .8192     | .7373     |
| 5    | .2801     | .8192     | .8192     | .3734     | .8192     |           | .7373     |
| 6    | .8573     | .8192     | .9831     | .3734     | .9831     | .9831     | .9831     |
| 7    | 1.0288    | .9831     | .9831     | .3174     | .9831     |           | 1.278     |
| 8    | 1.2003    | .8192     | .9831     | .3734     | .9831     | 1.1469    | .9831     |
| 9    | 1.2003    | .3174     | .8478     | .8192     | .3174     |           | .9831     |
| 10   | .8192     | 1.2003    | .8573     |           | .8573     | .9145     | .8573     |
| 11   | .8192     |           | 1.0288    |           | 1.0288    |           | .8573     |
| 12   | .8192     | 1.3717    | 1.3717    | .8573     | 1.2003    | 1.3717    | 1.0288    |
| 13   | .8192     | 1.3717    | 1.2003    | .8573     | 1.3717    |           | .8573     |
| 14   | .8192     | 1.3717    | 1.0288    | 1.0288    | 1.2003    | 1.3717    | 1.0288    |
| 15   | .8192     | 1.3717    | 1.0288    |           |           |           | 1.0288    |
| 16   | .8192     | 1.3717    | 1.0288    |           |           |           | 1.0288    |
| 17   | .9831     | 1.2003    | 1.0288    | 1.0288    |           | 1.0288    | 1.2003    |
| 18   | .9831     | .9831     | .3174     | .9831     | .8192     | .7373     | .3174     |
| 19   | 1.1469    | .9831     | .3174     | 1.1469    | .9831     |           | .3174     |
| 20   | .9831     | .9831     | .3174     | 1.1869    | .9831     | 1.0174    | .3734     |
| 21   | .9831     | .9831     | .3174     |           | .9831     |           | .3734     |
| 22   | .8192     | .8192     | .3174     |           | .8192     | .7373     | .3734     |
| 23   | .7373     | .8192     | .2801     | .6783     | .8192     | .7373     | .2801     |
| 24   | .8573     | .6554     | .8478     |           | .6554     | .8192     | .7373     |
| Max  | 1.2003    | 1.3717    | 1.3717    | 1.1869    | 1.3717    | 1.3717    | 1.278     |
| Min  | .2801     | .3174     | .2801     | .2801     | .3174     | .7373     | .2801     |
| Avg  | .7881     | .9688     | .7992     | .6665     | .8814     | .9537     | .7739     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174008 / 33 KV LOHA

Feeder No / Name : 204 / LOHA URBAN

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.5432    | 1.8861    | 1.7147    | 1.7147    | 1.7147    | 1.7147    | 2.0576    |
| 2    | 1.7147    | 1.8861    | 1.7147    | 1.8861    | 1.7147    | 1.7147    | 2.0576    |
| 3    | 2.0576    |           | 1.7147    | 1.8861    | 1.7147    |           | 2.0576    |
| 4    | 2.2291    | 2.2291    | 1.8861    | 1.9719    | 2.0576    | 2.0576    | 2.0576    |
| 5    | 2.4006    | 2.915     | 2.4006    | 1.9719    | 2.4006    |           | 2.0576    |
| 6    | 2.572     | 3.0864    | 2.7435    | 1.9719    | 2.572     | 2.7435    | 3.0864    |
| 7    | 2.572     | 3.0864    | 2.915     | 3.0007    | 2.572     |           | 3.0864    |
| 8    | 2.7435    | 2.7435    |           | 3.2579    | 2.572     | 2.915     | 2.915     |
| 9    | 2.6578    | 2.572     |           | 2.8292    | 2.4006    |           | 2.572     |
| 10   | 2.572     | 2.4006    |           |           | 2.4006    | 2.4006    | 2.572     |
| 11   |           | 2.2291    |           |           | 2.4006    |           | 2.7435    |
| 12   | 2.572     | 2.0576    | 2.915     | 2.7435    | 2.4006    | 2.4006    | 2.2291    |
| 13   | 2.572     | 2.0576    | 2.7435    | 2.572     | 2.4006    |           | 2.2291    |
| 14   | 1.2003    | 2.2291    | 2.572     | 2.4006    | 2.2291    | 2.4006    | 2.2291    |
| 15   | 1.2003    | 2.4006    | 1.7147    |           |           |           | 2.0576    |
| 16   | 2.4006    | 2.4006    | 1.7147    |           |           |           |           |
| 17   | 2.572     | 2.4006    | 2.572     | 2.4006    |           | 2.7435    | 2.7435    |
| 18   |           | 2.572     | 3.0007    | 2.7435    | 2.7435    | 1.0288    | 2.7435    |
| 19   | 2.7435    | 2.7435    | 2.7435    | 3.1722    | 3.2579    |           | 2.572     |
| 20   | 2.572     | 2.7435    | 2.572     | 2.7435    | 2.915     | 2.572     | 2.572     |
| 21   | 2.4006    | 2.572     | 2.4006    |           | 2.572     |           | 2.4863    |
| 22   | 2.2291    | 2.0576    | 2.3148    |           | 2.2291    | 2.0576    | 2.4863    |
| 23   | 2.1434    | 1.8861    | 2.0576    | 1.7147    | 2.2291    | 2.2291    | 2.3148    |
| 24   | 1.7147    | 1.8861    | 1.7147    |           | 1.7147    | 1.7147    | 2.0576    |
| Max  | 2.7435    | 3.0864    | 3.0007    | 3.2579    | 3.2579    | 2.915     | 3.0864    |
| Min  | 1.2003    | 1.8861    | 1.7147    | 1.7147    | 1.7147    | 1.0288    | 2.0576    |
| Avg  | 2.2447    | 2.3931    | 2.3063    | 2.4106    | 2.3434    | 2.1924    | 2.4341    |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174008 / 33 KV LOHA

Feeder No / Name : 206 / Karegaon New

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3734     | .763      | .7373     | .2801     | .763      | .8192     | .7373     |
| 2    | .3734     | .7373     | .7537     | .2801     | .7373     | .8478     | .7537     |
| 3    | .3734     | .763      | .7537     | .3734     | .7373     |           | .7373     |
| 4    | .2801     | .8192     | .8192     | .3734     | .9831     | .8478     | .7373     |
| 5    | .2801     | 1.0174    | .9831     | .4668     | .9831     |           | .7373     |
| 6    | 1.0288    | .9831     | 1.1469    | .4668     | 1.1869    | 1.1469    | .9831     |
| 7    | 1.0288    | .9831     | 1.1469    | .4481     | 1.1469    |           | 1.2289    |
| 8    | .8573     | .9831     | 1.2803    | .4108     | 1.1469    | 1.1469    |           |
| 9    | 1.1317    | .3734     | .9831     | .9831     | .4108     |           | .9831     |
| 10   | .8192     | 1.1317    | 1.286     |           | .8573     | .6859     |           |
| 11   | .6554     | 1.2003    | 1.4575    |           | 1.0288    |           |           |
| 12   | .6554     | 1.3717    | 1.3717    | 1.3717    | 1.0288    | 1.2003    | .6859     |
| 13   |           | 1.4575    | 1.2003    | 1.2003    | 1.1317    |           | 1.3717    |
| 14   | .6554     | 1.3717    | 1.0288    | 1.2003    |           | 1.2003    | .8573     |
| 15   | .6554     | 1.3717    | 1.0288    |           |           |           | .7545     |
| 16   | .6554     | 1.3717    | 1.286     |           |           |           | .6859     |
| 17   | .7373     | 1.3717    | 1.0288    | 1.2003    |           | 1.1145    | .8573     |
| 18   | .9831     | .6783     | .3734     | .9831     | .9831     | .9831     | .1867     |
| 19   | 1.1431    | 1.3108    | .3429     | 1.1469    | 1.2003    |           | .2801     |
| 20   | 1.1469    | 1.1469    | .3734     | 1.1869    | 1.1469    | 1.2289    | .2801     |
| 21   | .9831     | 1.0174    | .3734     |           | 1.1469    |           | .2801     |
| 22   | .9012     | .8192     | .3734     |           | .9831     | .9831     | .2801     |
| 23   | .9012     | .8192     | .2801     | .7373     | .9831     | .7373     | .7373     |
| 24   | .8573     | .7373     | .7537     |           |           | .8192     | .7373     |
| Max  | 1.1469    | 1.4575    | 1.4575    | 1.3717    | 1.2003    | 1.2289    | 1.3717    |
| Min  | .2801     | .3734     | .2801     | .2801     | .4108     | .6859     | .1867     |
| Avg  | .7598     | 1.0250    | .8818     | .7711     | .9782     | .9829     | .7092     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174008 / 33 KV LOHA

Feeder No / Name : 207 / SUNEGAON NEW

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .2801     | 1.3717    | 1.2003    | .2801     | 1.0288    | 1.5432    | 1.3717    |
| 2    | .2801     | 1.3717    | 1.2003    | .2801     | 1.0288    | 1.8861    | 1.3717    |
| 3    | .3734     | 1.3717    | 1.3717    | .3734     | 1.2003    |           | 1.7147    |
| 4    | .3734     | 2.0233    | 1.3717    | .3734     | 2.1948    | 2.2291    | 1.7147    |
| 5    | .4668     | 2.2291    | 1.5432    | .4668     | 2.2291    |           | 1.7147    |
| 6    | .4668     | 2.4006    | 1.5432    | .5601     | 2.4006    | 2.572     | 2.2291    |
| 7    | .4668     | 2.4006    |           | 2.3148    | 2.4006    |           | 2.2291    |
| 8    | .5041     | 2.0576    |           | 2.1434    | 2.0576    | 2.4006    | 2.4006    |
| 9    | 1.2003    | .5041     | 2.5377    | 2.0576    | .4481     | 1.3565    | 1.0174    |
| 10   | 1.2003    | .3734     | .9012     |           | .3734     |           | .9831     |
| 11   | 1.3717    | .3734     | .8192     |           | .3734     | 1.1469    | .7373     |
| 12   | 1.3717    | .3734     |           | 1.2003    | .2801     | .8192     | .7373     |
| 13   |           | .2801     | 1.0174    | 1.2003    | .2801     |           | .4915     |
| 14   | 1.7147    | .2572     | 1.0174    | .8192     | .2801     | .8192     | .4915     |
| 15   | 1.7147    | .2801     | .8192     |           |           |           | .4915     |
| 16   | 2.0576    | .7373     | .8192     |           |           |           | .4915     |
| 17   | 2.0576    | .6554     | .3734     | .8192     |           | .9831     | .2801     |
| 18   | 1.1469    | .8192     | .3734     | 1.1469    | .9831     | .9831     | .3734     |
| 19   |           | 1.1469    | .3734     | 1.3108    | 1.4746    |           | .3734     |
| 20   | 1.4746    |           | .3734     | 1.3108    | 1.3108    | 1.2289    | .3734     |
| 21   | 1.3108    | 1.1469    | .3734     |           | 1.1469    |           | .4108     |
| 22   | 1.1469    | .9831     |           |           | 1.1469    | .8139     | .4108     |
| 23   | 1.2003    | 1.2003    | .2801     |           | 1.3717    | 1.2003    | 1.3717    |
| 24   | .2801     | 1.3717    | 1.2003    |           | 1.0288    | 1.3717    | 1.3717    |
| Max  | 2.0576    | 2.4006    | 2.5377    | 2.3148    | 2.4006    | 2.572     | 2.4006    |
| Min  | .2801     | .2572     | .2801     | .2801     | .2801     | .8139     | .2801     |
| Avg  | 1.0209    | 1.1186    | .9755     | 1.0411    | 1.1923    | 1.4236    | 1.0480    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174017 / 33 KV KALAMBAR

Feeder No / Name : 201 / KALAMBAR

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .5658     | .362      | .3353     | .2534     |           | .2686     | .362      |
| 2    | .6036     | .362      | .3353     | .2715     |           | .2686     | .362      |
| 3    | .6036     | .362      | .4239     | .2715     |           | .2686     | .362      |
| 4    | .6036     | .543      | .4973     | .2629     |           | .2686     | .3429     |
| 5    | .6036     | .7164     | .5735     | .543      |           | .3582     | .3429     |
| 6    | .679      | .8328     | .7045     | .631      |           | .394      | .503      |
| 7    | .9431     | .9465     | .8907     | .631      |           | .5121     | .6371     |
| 8    | .8488     | .8916     | .9448     | .6173     |           | .5373     | .6371     |
| 9    | .7922     | .7167     | .7167     | .7167     |           | .6602     | .7922     |
| 10   | .631      | .6224     | .679      | .5281     |           | .6036     | .6602     |
| 11   | .8122     | .5658     | .5658     | .4904     |           | .5658     | .5847     |
| 12   | .7293     | .5093     | .5658     | .4854     |           | .5281     | .5281     |
| 13   | .7362     | .4904     | .4904     | .4527     |           | .5281     | .5281     |
| 14   | .7773     | .4904     | .4527     | .415      |           | .5281     | .5281     |
| 15   | .7773     | .4904     | .4527     |           |           |           | .5281     |
| 16   | .8029     | .5281     | .4904     | .3772     | .3582     |           | .5093     |
| 17   | .7865     | .6036     | .5281     | .4715     | .3841     | .6602     | .5281     |
| 18   | .6036     | .679      | .6036     | .7356     | .4481     | .7167     | .7167     |
| 19   | .811      | .811      | .9054     | .8676     | .4748     | .8676     | .8676     |
| 20   | .811      | .811      | .7922     | .811      | .443      | .8488     | .811      |
| 21   | .679      | .7545     | .679      |           | .8488     | .7545     | .6979     |
| 22   | .6602     | .6602     | .679      |           | .7545     | .679      | .6602     |
| 23   | .2743     | .362      | .2715     |           | .2481     | .3258     | .2534     |
| 24   | .6036     | .362      | .3391     |           |           | .2686     | .362      |
| Max  | .9431     | .9465     | .9448     | .8676     | .8488     | .8676     | .8676     |
| Min  | .2743     | .362      | .2715     | .2534     | .2481     | .2686     | .2534     |
| Avg  | .6974     | .6030     | .5799     | .5175     | .4950     | .5187     | .5460     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174017 / 33 KV KALAMBAR

Feeder No / Name : 202 / PANGRA

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3292     | .8097     | .6706     | .8145     | .462      | .8097     | 1.0974    |
| 2    | .6335     | .8097     | .8288     | .8145     | .4572     | .8097     | 1.0364    |
| 3    | .6135     | .8097     | .8288     | .8145     | .4572     | .8097     | 1.0364    |
| 4    | .6135     | .9717     | .9012     | .8145     | .543      | .8097     | 1.0364    |
| 5    | .6135     | 1.1336    | 1.065     | 1.0288    | .6268     | .9717     | 1.186     |
| 6    | 1.0059    | 1.2955    |           |           | .8322     | 1.1336    | 1.186     |
| 7    | 1.1736    | 1.4737    | .5788     |           | .905      | 1.3117    | 1.2193    |
| 8    | 1.2742    | 1.4089    | .3395     | 1.3603    | .9877     | 1.3765    | 1.2803    |
| 9    | .4527     | .4527     | .6036     | .4904     |           | .4904     | .4904     |
| 10   | 1.0364    | 1.1012    | .7716     | .8288     |           |           |           |
| 11   | 1.2146    | .9945     | .4115     | 1.0111    |           | .7125     | .9717     |
| 12   | 1.085     | .8848     | .8383     | .9175     |           | .7773     | 1.0202    |
| 13   | .9069     | .852      | .9054     | .852      | .664      | .8097     | .9393     |
| 14   | 1.0364    | .8288     | .9717     | .5079     | .583      | .8745     | .9393     |
| 15   | 1.0526    | .9945     | .9717     | .7865     | .664      | .9069     | .9231     |
| 16   | 1.0202    | 1.0774    | 1.166     | .7935     | .8097     | .9717     | .9717     |
| 17   | 1.0526    | 1.2125    | 1.1336    | .9175     | 1.004     | .9717     | .7935     |
| 18   | .4715     | .4527     | .4527     | .4527     | .4527     | .4527     |           |
| 19   | .6224     | .6036     | .7545     | .679      | .6602     | .6224     | .679      |
| 20   | .6036     | .6036     | .679      | .6413     | .6413     | .6224     | .6413     |
| 21   | .6036     | .5658     | .5658     |           | .6413     | .6036     | .6036     |
| 22   | .5281     | .5658     | .5658     |           | .5658     | .5281     | .5658     |
| 23   | .7773     | .543      | .543      | .3772     | .7125     | .7964     | .7611     |
| 24   |           | .8097     | .6706     |           | .462      | .8097     | 1.0974    |
| Max  | 1.2742    | 1.4737    | 1.166     | 1.3603    | 1.004     | 1.3765    | 1.2803    |
| Min  | .3292     | .4527     | .3395     | .3772     | .4527     | .4527     | .4904     |
| Avg  | .8139     | .8856     | .7486     | .7843     | .6566     | .8253     | .9307     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174017 / 33 KV KALAMBAR

Feeder No / Name : 203 / TELKI

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .362      | .6602     | .6602     | .6036     |           | .7545     | .679      |
| 2    | .4525     | .6602     | .6602     | .6036     |           | .7545     | .679      |
| 3    | .4525     | .6602     | .6602     | .6036     |           | .7545     | .679      |
| 4    | .4525     | .7545     | .7545     | .6036     |           | .7545     | .6602     |
| 5    | .4525     | .8488     | .8488     | .7167     |           | .8488     | .7167     |
| 6    | .7716     | .9431     | 1.1203    | .9431     |           | .9431     | .7922     |
| 7    | 1.286     | .9997     | 1.1576    | 1.0562    |           | 1.0562    | .9054     |
| 8    | 1.286     | 1.0751    | .9242     | 1.0185    |           | .7922     | .9808     |
| 9    | .8676     | .9431     | .811      | .7545     |           | .679      | .9808     |
| 10   | .679      | .9116     | .9054     | .7956     |           | .5868     | .8048     |
| 11   | .5658     | 1.1603    | 1.1736    | .9995     |           | .7287     | .8215     |
| 12   | .5658     | 1.21      | 1.0898    | .9831     |           | .7773     | .9339     |
| 13   | .4904     |           | 1.0898    | .0131     |           | .7545     | .8886     |
| 14   | .4904     | .9503     | 1.1336    | 1.0322    |           | .7042     |           |
| 15   | .4904     | 1.065     | 1.1336    | 1.0486    |           | .7287     |           |
| 16   | .4527     | 1.2289    | 1.166     | 1.0814    |           |           | .8745     |
| 17   | .5847     | 1.3441    | 1.1012    | .9339     | .7956     | .8907     | .8745     |
| 18   | .6979     | .7922     | .8488     | .9431     | .8619     | .7167     | .9054     |
| 19   | .8488     | .9431     | 1.094     | 1.0374    | .5144     | 1.0374    | 1.0185    |
| 20   | .9619     | .9054     | 1.0562    | .9808     | .5487     | .9054     | 1.0374    |
| 21   | .9431     | .8488     | .7167     |           | .9431     | .8488     | .8676     |
| 22   | .7922     | .7545     | .7167     |           | .8676     | .7167     | .811      |
| 23   | .7167     | .6602     | .6602     |           | .7545     | .7167     | .7167     |
| 24   | .6413     | .6602     | .6602     | .6602     |           | .7545     | .679      |
| Max  | 1.286     | 1.3441    | 1.1736    | 1.0814    | .9431     | 1.0562    | 1.0374    |
| Min  | .362      | .6602     | .6602     | .0131     | .5144     | .5868     | .6602     |
| Avg  | .6793     | .9122     | .9226     | .8292     | .7551     | .7915     | .8321     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174017 / 33 KV KALAMBAR

Feeder No / Name : 204 / ALEGAON

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .5281     | .4915     | .503      | .3258     | .3506     | .3239     | .543      |
| 2    | .5281     | .4915     | .4973     | .3258     | .3506     | .3239     | .5144     |
| 3    | .5281     | .4915     | .4973     | .3258     | .3391     | .3239     | .5144     |
| 4    | .5281     | .6554     | .6554     | .3258     | .3391     | .4049     | .5144     |
| 5    | .5281     | .7287     | .8192     | .6068     | .3688     | .4858     | .7545     |
| 6    | .5658     | .8802     | 1.0526    | .823      | .4239     | .5668     | .7287     |
| 7    | .7545     | .9922     | 1.166     | .9259     | .5853     | .7274     | .9717     |
| 8    | .7922     | 1.1633    | 1.0978    | 1.0059    | .6697     | .9945     | 1.004     |
| 9    | .7167     | .7167     | .7356     | .7545     |           | .7356     | .8299     |
| 10   | .9282     | .5281     | .5658     | .4668     |           | .6036     | .7545     |
| 11   | 1.0343    | .4668     | .4527     | .4294     |           | .5281     | .5847     |
| 12   | .9835     | .4338     | .4527     | .4338     | .2881     | .4527     | .4527     |
| 13   | .8987     | .415      | .4527     | .4108     | .4748     | .4527     | .4338     |
| 14   | .9054     | .3605     | .4527     | .3921     | .415      | .4715     | .4338     |
| 15   | .8886     | .415      | .4527     | .415      | .3018     |           | .4338     |
| 16   | 1.0227    | .4338     | .4527     | .4527     |           | .4715     | .4904     |
| 17   | 1.0774    | .4527     | .5658     | .5281     |           | .5658     | .5658     |
| 18   | .6036     | .679      | .6036     | .6602     |           | .6413     | .5281     |
| 19   | .7922     | .7922     | .8488     | .8488     | .7167     | .7922     | .9054     |
| 20   | .6979     | .7167     | .7922     | .7545     | .7167     | .7545     | .811      |
| 21   | .6036     | .6224     | .6036     |           | .7167     | .679      | .6224     |
| 22   | .6036     | .5658     | .5658     |           | .5093     | .5658     | .6036     |
| 23   | .426      | .4525     | .362      |           | .2915     | .3982     | .3841     |
| 24   | .5281     | .4915     | .503      |           | .3506     | .3239     | .543      |
| Max  | 1.0774    | 1.1633    | 1.166     | 1.0059    | .7167     | .9945     | 1.004     |
| Min  | .426      | .3605     | .362      | .3258     | .2881     | .3239     | .3841     |
| Avg  | .7276     | .6015     | .6313     | .5606     | .4560     | .5473     | .6218     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174039 / 33 KV KAPSI

Feeder No / Name : 201 / KAPSI

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .4744     | .9335     |           | .6325     | .6325     | .7907     |
| 2    | .6325     | .4744     | .9335     |           | .6325     | .6325     | .7907     |
| 3    | .7116     | .4744     | .9335     |           | .6325     | .6325     | .6325     |
| 4    | .7907     | .6325     | .9335     | .6325     | .7907     | .7116     | .6325     |
| 5    | .8697     | .7907     | 1.0269    | .7116     | .9488     | .7907     | .6325     |
| 6    | 1.186     | .9488     | 1.2136    | .7907     | .9488     | .9488     | .7907     |
| 7    | 1.2651    | 1.1069    | 1.4003    | .7907     | 1.1069    | .9488     |           |
| 8    |           | 1.1069    | 1.4003    | .7116     | 1.2651    | .7907     |           |
| 9    | .7907     | 1.1069    | .7468     |           | .9488     | .7907     |           |
| 10   | .7907     | 1.307     | 1.2651    | .7907     | 1.1069    | 1.1069    |           |
| 11   | .6325     | 1.286     |           | .7907     |           | 1.1069    |           |
| 12   | .4744     | 1.4003    | 1.4232    | .9488     | 1.1069    |           |           |
| 13   | .4744     | 1.5432    |           | 1.1069    |           |           |           |
| 14   | .4744     | 1.5432    | 1.3441    | 1.2651    |           |           |           |
| 15   | .4744     | 1.5432    |           | 1.2651    |           |           |           |
| 16   | .6325     | 1.3717    | 1.4232    | 1.4232    |           |           |           |
| 17   | .7907     | 1.4784    |           | 1.2651    |           |           |           |
| 18   | .9488     | .7316     |           | .9488     |           |           |           |
| 19   | .9488     | .8402     |           |           |           |           | .9335     |
| 20   | .7907     | 1.1203    | .9488     | .9488     |           |           | .9335     |
| 21   | .6325     | 1.1203    | 1.0279    |           |           |           | 1.2136    |
| 22   | .4744     | .9335     | .9488     |           |           |           | 1.1765    |
| 23   | .4744     | .9335     |           | .7907     |           | .7907     | .9335     |
| 24   | .4744     |           | .9335     | .7907     |           | .7907     |           |
| Max  | 1.2651    | 1.5432    | 1.4232    | 1.4232    | 1.2651    | 1.1069    | 1.2136    |
| Min  | .4744     | .4744     | .7468     | .6325     | .6325     | .6325     | .6325     |
| Avg  | .7152     | 1.0551    | 1.1080    | .9395     | .9200     | .8211     | .8600     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174039 / 33 KV KAPSI

Feeder No / Name : 202 / MARTALA

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.1203    | 2.2405    | 2.2786    |           | 1.307     | 2.9874    | .9335     |
| 2    | 1.1203    | 2.2405    | 2.2291    |           | 1.8671    | 2.9874    | 1.1203    |
| 3    | 1.1203    | 2.4272    | 2.2291    |           | 2.0538    | 3.1741    | 2.9874    |
| 4    | 1.2136    | 2.5206    | 2.4863    |           | 2.0538    | 3.1741    | 3.1741    |
| 5    | 1.307     | 2.8006    | 2.8292    | 1.4937    | 2.2405    |           | 3.1741    |
| 6    | 1.6804    | 2.9874    | 2.915     | 1.8671    | 2.4272    |           | 3.1741    |
| 7    | 1.6804    | 3.1741    | 2.4539    | 2.0538    | 2.8006    |           |           |
| 8    |           | 3.1741    |           | 2.0538    | 2.9874    | 2.0538    |           |
| 9    | 1.307     | 3.3608    | .9335     |           | 1.307     | 1.4937    |           |
| 10   | 2.8006    | 1.307     |           | 2.2405    | 1.1203    | 1.307     |           |
| 11   | 2.9874    |           |           | 2.4272    |           | 1.1203    |           |
| 12   | 2.9874    | .9335     | 1.307     | 2.4272    | 1.1203    |           |           |
| 13   | 2.9874    | 1.0269    |           | 1.1203    |           |           |           |
| 14   | 2.9874    | .9335     | 1.307     | 1.307     |           |           |           |
| 15   | 2.8006    | .9335     |           | 1.307     |           |           |           |
| 16   | 2.9874    | .9431     | 1.4937    | 1.4937    |           |           |           |
| 17   | 2.9874    | 1.2136    |           | 1.4937    |           |           |           |
| 18   | 1.307     |           |           | 1.6804    |           |           |           |
| 19   | 1.4937    | 1.6804    |           | 1.4937    |           |           | 2.915     |
| 20   | 1.4937    | 1.6804    | 1.6804    | 1.4937    |           |           | 2.915     |
| 21   | 1.4937    | 1.587     | 1.4937    |           |           |           | 1.4937    |
| 22   | 1.4937    | 1.307     |           |           |           |           | 1.4937    |
| 23   | 1.8671    | 2.2405    |           | 1.1203    |           | .9335     | 2.3529    |
| 24   | 2.2405    |           | 2.2786    | 1.1203    |           | .9335     |           |
| Max  | 2.9874    | 3.3608    | 2.915     | 2.4272    | 2.9874    | 3.1741    | 3.1741    |
| Min  | 1.1203    | .9335     | .9335     | 1.1203    | 1.1203    | .9335     | .9335     |
| Avg  | 1.9767    | 1.9387    | 1.9939    | 1.6584    | 1.935     | 2.0165    | 2.3394    |



**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174039 / 33 KV KAPSI

Feeder No / Name : 203 / Sai Stone Crusher (Express NON SHEDDABLE EXPRESS HV FEEDERS  
 Fee Feeder KV- 11 / OUTGOING (CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .0914     | .0914     | .0373     |           | .0914     | .0914     | .0914     |
| 2    | .0914     | .0914     | .0373     |           | .0914     | .0914     | .0914     |
| 3    | .0914     | .0914     | .0373     |           | .0914     | .0914     | .0914     |
| 4    | .0914     | .0914     | .0373     | .0914     | .0914     | .0914     | .0914     |
| 5    | .0914     | .0914     | .0373     | .1829     | .0914     | .0914     | .0914     |
| 6    | .0914     | .0914     | .0934     | .1829     | .0914     | .0914     | .0914     |
| 7    | .1829     | .0914     | .0934     | .1829     | .0914     | .1829     |           |
| 8    |           | .0914     | .0934     | .1829     | .0914     | .1829     |           |
| 9    | .1829     | .0914     | .0934     |           | .1829     | .1829     |           |
| 10   | .3658     | .3506     | .1829     | .1829     | .9145     | .7316     |           |
| 11   | .5487     | .4382     |           | .1829     |           | .9145     |           |
| 12   | .7316     | .4382     | .1829     | .3658     | .9145     |           |           |
| 13   | .7316     | .0351     |           | .3658     |           |           |           |
| 14   | .1829     | .0351     | .1829     | .1829     |           |           |           |
| 15   | .1829     | .0895     |           | .1829     |           |           |           |
| 16   | .7316     | .0895     | .0914     | .1829     |           |           |           |
| 17   | .7545     | .0914     |           | .1829     |           |           |           |
| 18   | .7316     | .0351     |           | .0914     |           |           |           |
| 19   | .7316     | .1791     |           | .0914     |           |           | .0373     |
| 20   | .0914     | .1867     | .0914     | .0914     |           |           | .0373     |
| 21   | .0943     | .0373     | .0914     | .0914     |           |           | .0373     |
| 22   | .0914     | .0373     | .0914     |           |           |           | .0373     |
| 23   | .0914     | .0373     |           | .0914     |           | .0914     | .0373     |
| 24   | .0914     |           | .0373     | .0914     |           | .0914     |           |
| Max  | .7545     | .4382     | .1829     | .3658     | .9145     | .9145     | .0914     |
| Min  | .0914     | .0351     | .0373     | .0914     | .0914     | .0914     | .0373     |
| Avg  | .3073     | .1262     | .0889     | .1684     | .2494     | .2251     | .0668     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174039 / 33 KV KAPSI

Feeder No / Name : 204 / Golegaon New

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .9431     | .7545     | .5601     |           |           | 1.1317    | 1.1317    |
| 2    | .9431     | .7545     | .5601     |           |           | 1.1317    | 1.1317    |
| 3    | 1.0374    | .7545     | .5601     |           |           | 1.226     | 1.1317    |
| 4    |           | .9431     | .5601     | .7545     |           | 1.3203    | 1.1317    |
| 5    | 1.226     |           | .6468     | .7545     |           | 1.5089    | 1.3203    |
| 6    | 1.5089    | 1.3203    | .7468     | .9431     |           |           | 1.6975    |
| 7    | 1.6975    | 1.5089    | .8402     | 1.1317    | .9431     |           |           |
| 8    |           | 1.6975    | .8402     | 1.1317    | 1.1317    |           |           |
| 9    | 1.1317    | 1.5089    |           |           | .9431     |           |           |
| 10   | .9431     | 1.286     | 1.3203    | .9431     | 1.1317    | 1.1317    |           |
| 11   | .7545     | 1.3146    |           | 1.1317    |           | 1.5089    |           |
| 12   |           | .6001     | 1.6975    | 1.1317    |           |           |           |
| 13   | .5658     | 1.267     |           |           |           |           |           |
| 14   | .5658     | 1.2003    | 1.6032    | 1.1317    |           |           |           |
| 15   | .5658     | 1.2003    |           |           |           |           |           |
| 16   | .7545     | 1.286     | 1.6975    | 1.3203    |           |           |           |
| 17   | .9431     | 1.267     |           | 1.5089    |           |           |           |
| 18   |           | .4668     |           | 1.3203    |           |           |           |
| 19   | 1.1317    | .6535     |           | 1.3203    |           |           | .724      |
| 20   | 1.3203    | .6535     | 1.5089    | 1.3203    |           |           | .8145     |
| 21   | 1.3203    | .7468     | 1.3203    |           |           |           | 1.0517    |
| 22   | 1.1317    | .6535     | 1.1317    |           |           |           | 1.1393    |
| 23   | .9431     | .6535     |           |           |           | 1.1317    | .7468     |
| 24   | .9431     |           | .6535     |           |           | 1.1317    |           |
| Max  | 1.6975    | 1.6975    | 1.6975    | 1.5089    | 1.1317    | 1.5089    | 1.6975    |
| Min  | .5658     | .4668     | .5601     | .7545     | .9431     | 1.1317    | .724      |
| Avg  | 1.0185    | 1.0223    | 1.0155    | 1.1317    | 1.0374    | 1.2470    | 1.0928    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174051 / 33 KV SHIRADHON

Feeder No / Name : 201 / GOLEGAON

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .1311     | .2949     |           |           |           |           |           |
| 2    | .1311     | .3277     | .3083     | .274      |           | .2058     |           |
| 3    | .1147     | .3277     |           |           |           |           |           |
| 4    | .1147     | .3277     | .3426     | .274      |           | .2401     |           |
| 5    | .1147     | .3932     |           |           |           |           |           |
| 6    | .1311     | .3932     | .4111     | .3426     |           | .3429     |           |
| 7    | .1475     | .4096     |           |           |           |           |           |
| 8    | .1147     | .4096     | .1541     | .5138     |           | .4115     |           |
| 9    | .1638     |           |           | .1311     |           | .1543     |           |
| 10   | .3932     | .0847     | .137      | .1147     |           | .12       |           |
| 11   | .3441     |           |           | .0983     |           | .12       |           |
| 12   | .3441     | .1028     | .1028     | .0819     |           |           |           |
| 13   | .3605     |           |           | .0983     |           |           |           |
| 14   | .3605     | .0856     | .1199     | .0819     |           |           |           |
| 15   | .3768     |           |           | .0819     | .0343     |           |           |
| 16   | .3768     | .0685     | .1199     | .0819     |           |           |           |
| 17   | .4588     |           |           | .0983     |           |           |           |
| 18   |           | .1028     | .1199     | .1147     | .2229     |           |           |
| 19   | .1311     |           |           | .1311     |           |           |           |
| 20   | .1311     | .1541     | .137      | .1475     | .1715     |           | .5144     |
| 21   | .1311     |           |           | .1311     |           |           |           |
| 22   | .1311     | .137      | .137      |           | .1715     |           |           |
| 23   | .2294     |           |           |           |           |           |           |
| 24   | .1311     | .2622     | .3083     | .2055     |           | .2058     |           |
| Max  | .4588     | .4096     | .4111     | .5138     | .2229     | .4115     | .5144     |
| Min  | .1147     | .0685     | .1028     | .0819     | .0343     | .12       | .5144     |
| Avg  | .2201     | .2426     | .1998     | .1668     | .1501     | .2251     | .5144     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174051 / 33 KV SHIRADHON

Feeder No / Name : 202 / SHIRADHON

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .0328     | .1966     |           |           | .0655     |           |           |
| 2    | .0328     | .1966     | .274      | .2398     | .0655     | .1715     | .12       |
| 3    | .0328     | .1966     |           |           | .0655     |           |           |
| 4    | .0328     | .2294     | .3083     | .2055     | .0655     | .2572     | .1715     |
| 5    | .0328     | .2458     |           |           | .0819     |           |           |
| 6    | .0328     | .2458     | .3083     | .274      | .0983     | .3086     | .2743     |
| 7    | .0328     | .3441     |           |           | .1638     |           |           |
| 8    | .0328     | .4096     | .0685     | .3426     | .2622     | .4801     |           |
| 9    | .0983     |           |           | .0983     |           | .0857     |           |
| 10   | .1311     | .0514     | .0685     | .0819     |           | .0857     |           |
| 11   | .2294     |           |           | .0655     | .0686     | .0686     |           |
| 12   | .2622     | .0343     | .0685     | .0655     | .0686     |           |           |
| 13   | .2622     |           |           | .0655     |           |           |           |
| 14   | .2622     | .0343     | .0685     | .0655     |           |           |           |
| 15   | .2622     |           |           | .0655     | .0343     |           |           |
| 16   | .2458     | .0343     | .0685     | .0655     | .0514     |           |           |
| 17   | .3113     |           |           | .0655     | .0857     |           |           |
| 18   | .0655     | .0343     | .0514     | .0819     | .1029     |           |           |
| 19   | .0655     |           |           | .0819     |           |           |           |
| 20   | .0655     | .0343     | .0343     | .0819     | .0857     |           | .3772     |
| 21   | .0819     |           |           | .0655     |           |           |           |
| 22   | .0983     | .0343     | .0343     |           | .0686     |           |           |
| 23   | .1311     |           |           | .0655     |           | .0686     |           |
| 24   | .0328     | .2294     | .274      | .3083     | .0655     | .1372     | .0514     |
| Max  | .3113     | .4096     | .3083     | .3426     | .2622     | .4801     | .3772     |
| Min  | .0328     | .0343     | .0343     | .0655     | .0343     | .0686     | .0514     |
| Avg  | .1195     | .1594     | .1356     | .1256     | .0882     | .1848     | .1989     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174051 / 33 KV SHIRADHON

Feeder No / Name : 203 / JOSHI SANGVI

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3277     | .1966     |           |           | .2622     |           |           |
| 2    | .3605     | .1966     | .2398     | .274      |           | .1715     | .1029     |
| 3    | .3932     | .1966     |           |           |           |           |           |
| 4    | .4588     | .2294     | .274      | .3083     | .2949     | .1715     | .12       |
| 5    | .4915     | .2294     |           |           | .3277     |           |           |
| 6    | .6554     | .2622     | .3254     | .3254     | .3277     | .2401     | .2058     |
| 7    | .7865     | .2949     |           |           | .3277     |           |           |
| 8    | .9175     | .3277     | .274      | .274      | .2949     | .2401     |           |
| 9    |           |           |           |           |           | .2572     |           |
| 10   |           | .7194     | .3426     | .4915     |           | .4115     |           |
| 11   | .1966     |           |           | .6226     | .5144     | .3772     |           |
| 12   | .1966     | 1.0962    | .9934     | .7209     | .6001     |           |           |
| 13   | .1966     |           |           | .7537     | .5144     |           |           |
| 14   | .1638     | 1.1647    | 1.3017    | .7537     | .5144     |           |           |
| 15   | .1638     |           |           | .7865     | .583      |           |           |
| 16   | .1638     | 1.0962    | 1.3017    | .8192     | .6001     |           |           |
| 17   | .1638     |           |           | .8192     | .8059     |           |           |
| 18   | .2622     | .274      | .274      | .2949     | .1886     |           |           |
| 19   | .2622     |           |           | .3277     |           |           |           |
| 20   | .2622     | .3083     | .3083     | .3277     | .1715     |           | .7888     |
| 21   | .2622     |           |           |           |           |           |           |
| 22   | .2294     | .274      | .274      |           | .1886     |           |           |
| 23   | .2294     |           |           | .2949     |           | .12       |           |
| 24   | .2294     | .1638     | .2398     | .274      | .2622     | .1715     | .1029     |
| Max  | .9175     | 1.1647    | 1.3017    | .8192     | .8059     | .4115     | .7888     |
| Min  | .1638     | .1638     | .2398     | .274      | .1715     | .12       | .1029     |
| Avg  | .3351     | .4394     | .5124     | .4981     | .3987     | .2401     | .2641     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174051 / 33 KV SHIRADHON

Feeder No / Name : 205 / Osmanagar SINGLE PHASING  
Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3932     | .0983     |           |           |           |           |           |
| 2    | .3277     | .0819     | .1028     | .1028     |           | .0686     | .0686     |
| 3    | .3277     | .0819     |           |           |           |           |           |
| 4    | .3277     | .0983     | .1199     | .1028     |           | .0686     | .0857     |
| 5    | .3277     | .1147     |           |           |           |           |           |
| 6    | .4588     | .1311     | .137      | .1028     |           | .0686     | .1372     |
| 7    | .4915     | .1147     |           |           |           |           |           |
| 8    | .4915     | .1147     | .1028     | .0856     |           | .0686     |           |
| 9    | .0819     |           |           | .0819     |           | .1029     |           |
| 10   | .0819     | .8564     | .4796     | .2622     |           | .2229     |           |
| 11   | .1147     |           |           | .3277     |           | .2743     |           |
| 12   | .0819     | 1.0277    | 1.1304    | .3605     |           |           |           |
| 13   | .0819     |           |           | .3277     | .2229     |           |           |
| 14   | .0819     | 1.0962    | 1.0962    | .3277     | .2229     |           |           |
| 15   | .0655     |           |           | .3605     | .2229     |           |           |
| 16   | .0655     | 1.2332    | 1.336     | .3768     | .2229     |           |           |
| 17   | .0819     |           |           | .3932     | .3772     |           |           |
| 18   | .0983     | .1028     | .137      | .0983     | .0857     |           |           |
| 19   | .0983     |           |           | .1147     |           |           |           |
| 20   | .0983     | .1199     | .137      | .0983     | .0686     |           | .6173     |
| 21   | .0983     |           |           | .0819     |           |           |           |
| 22   | .0983     | .1028     | .1028     |           | .0514     |           |           |
| 23   | .0983     |           |           |           |           | .0514     |           |
| 24   | .1311     | .0983     | .1028     | .1028     |           | .0686     | .0686     |
| Max  | .4915     | 1.2332    | 1.336     | .3932     | .3772     | .2743     | .6173     |
| Min  | .0655     | .0819     | .1028     | .0819     | .0514     | .0514     | .0686     |
| Avg  | .1918     | .3421     | .4154     | .2060     | .1843     | .1105     | .1955     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174051 / 33 KV SHIRADHON

Feeder No / Name : 206 / 11 KV GAOTHAN FEEDER  
Feeder KV- 11 / OUTGOING

SEPARATED GAOTHAN FEEDERS

| DATE | 08-APR-18 | 09-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3277     | .3277     |           | .2949     |           |           |
| 2    | .2949     | .1311     |           | .2949     | .4287     | .4458     |
| 3    | .2949     | .3277     |           | .2949     |           |           |
| 4    | .2949     | .2949     |           | .3277     | .4287     | .5144     |
| 5    | .2949     | .4588     |           | .4915     |           |           |
| 6    | .3277     | .4915     |           | .5571     | .5144     | .583      |
| 7    | .4588     | .5571     |           | .5898     |           |           |
| 8    | .6226     | .5898     |           | .6226     | .583      |           |
| 9    | .6226     |           |           |           |           |           |
| 10   | .4915     |           | .3932     |           | .4801     |           |
| 11   | .4424     |           | .3932     | .4115     | .5144     |           |
| 12   | .426      |           | .3932     | .3429     |           |           |
| 13   | .3932     |           | .3605     | .2915     |           |           |
| 14   | .3605     |           | .3605     | .2915     |           |           |
| 15   | .3277     |           | .3277     | .3086     |           |           |
| 16   | .3277     |           | .2949     | .3429     |           |           |
| 17   | .4096     |           | .426      | .4458     |           |           |
| 18   | .4915     |           | .5898     | .463      |           |           |
| 19   | .5898     |           | .6226     |           |           |           |
| 20   | .5571     |           | .5571     | .5487     |           | .583      |
| 21   | .5243     |           |           |           |           |           |
| 22   | .4915     |           |           | .5144     |           |           |
| 23   | .426      |           | .3932     |           | .1886     |           |
| 24   | .3277     | .3932     |           | .3647     | .4801     | .3086     |
| Max  | .6226     | .5898     | .6226     | .6226     | .583      | .583      |
| Min  | .2949     | .1311     | .2949     | .2915     | .1886     | .3086     |
| Avg  | .4219     | .3969     | .4260     | .4105     | .4523     | .4870     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174052 / 33 KV SONKHED

Feeder No / Name : 201 / SONKHED GAOTHAN

GAOTHAN FEEDER

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .3658     | .4572     | .3696     | .3696     |           | .3696     |
| 2    |           | .3696     | .4572     | .3696     | .3511     |           | .3696     |
| 3    |           | .3881     | .4572     | .3696     | .3696     |           | .3696     |
| 4    |           | .4435     | .5487     | .3696     | .4251     |           | .462      |
| 5    |           | .5914     | .5487     | .462      | .5544     |           | .5544     |
| 6    |           | .7023     | .6401     | .6468     | .7023     |           | .6468     |
| 7    |           | .7762     | .7316     | .6468     | .7762     |           | .7392     |
| 8    | .695      | .6653     | .7316     | .5544     | .7762     | .7964     | .7392     |
| 9    | .6468     | .6468     | .6401     | .462      | .7207     | .7023     | .7392     |
| 10   | .4938     | .5359     | .5544     | .462      |           | .462      | .5359     |
| 11   | .4938     | .4435     | .4805     | .3696     | .462      | .462      | .5175     |
| 12   | .462      | .3696     | .3511     | .4066     | .4435     | .462      | .4435     |
| 13   | .4251     | .3881     | .5359     | .4251     |           | .462      |           |
| 14   |           | .4066     | .5544     | .3326     | .3881     | .3696     | .3881     |
| 15   |           | .4066     | .5544     |           |           | .3506     | .4251     |
| 16   | .4938     | .4435     | .5544     | .4251     |           |           | .4435     |
| 17   | .439      | .462      | .5544     | .5359     |           | .3696     | .4805     |
| 18   | .5487     | .5544     | 1.4784    | .6283     | .6413     | .5544     | .5729     |
| 19   | .6767     | .6468     | .6468     | .7023     |           | .7392     | .6283     |
| 20   | .5487     | .6468     | .6468     | .6283     |           | .5544     | .5729     |
| 21   | .4572     | .462      | .462      |           |           | .462      | .499      |
| 22   | .439      | .462      | .5544     | .499      |           | .462      | .4805     |
| 23   | .4024     | .6468     | .3696     | .4251     | .4527     | .462      | .462      |
| 24   | .3361     | .4024     | .6468     | .3696     | .4066     | .3921     | .5544     |
| Max  | .695      | .7762     | 1.4784    | .7023     | .7762     | .7964     | .7392     |
| Min  | .3361     | .3658     | .3511     | .3326     | .3511     | .3506     | .3696     |
| Avg  | .5039     | .5094     | .5899     | .4755     | .5226     | .5039     | .5215     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174052 / 33 KV SONKHED

Feeder No / Name : 202 / SHEVADI

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | 1.1919    | 1.0974    | 1.0059    | 1.0166    |           | 1.1888    |
| 2    |           | 1.2269    | 1.0974    | 1.0059    | 1.0867    |           | 1.1888    |
| 3    |           |           | 1.1888    | 1.0059    | 1.0974    |           | 1.1888    |
| 4    |           | 1.5261    | 1.1888    | 1.0974    | 1.153     |           | 1.2803    |
| 5    |           | 1.6617    | 1.2803    | 1.0974    | 1.2548    |           | 1.2803    |
| 6    |           | 1.8233    | 1.5546    | 1.2803    | 1.2742    |           | 1.6461    |
| 7    |           | 1.9559    | 1.829     | 1.4632    | 1.326     |           | 1.7375    |
| 8    | .6722     | 1.6907    | 1.5546    | 1.3717    | 1.4255    | 1.5565    | 1.829     |
| 9    | .7282     | .7842     | .6401     | .823      | .6413     | .6554     | .9145     |
| 10   |           | .8299     | .7167     | .7316     |           | .6554     | .8402     |
| 11   |           |           |           | .7733     | .5975     | .6554     | .7922     |
| 12   |           | .7167     | .7545     | .7167     | .6908     | .7316     | .7167     |
| 13   | .961      | .7167     | .7167     | .7922     |           | .7316     |           |
| 14   |           | .679      | .7545     | .7545     | .6767     |           | .7922     |
| 15   |           | .6602     | .7922     | .8676     |           |           | .8676     |
| 16   | 1.4918    | .8299     | .9431     | .9242     | .695      | .823      | .9242     |
| 17   | 1.6575    | 1.0374    | .9431     | .9808     |           | .823      | .9242     |
| 18   |           | .9431     | .7316     | 1.0185    | .9149     | .823      | .9431     |
| 19   | 1.1203    | 1.1088    | 1.0974    | 1.1203    |           | .9145     | 1.2637    |
| 20   | 1.0642    | 1.0059    | .9145     | 1.1016    |           | 1.0059    | 1.094     |
| 21   | 1.0082    | 1.0059    | .9145     |           |           | .9145     | 1.0185    |
| 22   | .9335     | .9145     | .9145     | .6722     |           | .823      | .9808     |
| 23   | 1.262     | 1.0059    | .823      | .9709     | .9511     | 1.0974    | 1.2269    |
| 24   | .415      | 1.1104    | 1.0059    | 1.0059    | .9593     | 1.0498    | 1.1888    |
| Max  | 1.6575    | 1.9559    | 1.829     | 1.4632    | 1.4255    | 1.5565    | 1.829     |
| Min  | .415      | .6602     | .6401     | .6722     | .5975     | .6554     | .7167     |
| Avg  | 1.0285    | 1.1102    | 1.0197    | .9818     | .9851     | .884      | 1.1229    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174052 / 33 KV SONKHED

Feeder No / Name : 203 / Dagadgaon SINGLE PHASING  
Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .1638     | .3277     |           | .1966     |           | .3277     |
| 2    |           | .1638     | .3277     | .1638     | .1638     |           | .3277     |
| 3    |           | .1966     | .3277     | .1638     | .2294     |           | .3277     |
| 4    |           | .213      | .3277     | .1638     | .2949     |           | .3277     |
| 5    |           | .2214     | .3277     | .2458     | .3605     |           | .3277     |
| 6    |           | .2622     | .4096     | .0819     | .3932     |           | .4096     |
| 7    |           |           | .3277     | .1638     | .4588     |           | .4096     |
| 8    |           | .2622     | .3277     | .1638     | .5079     | .3277     | .5735     |
| 9    |           | .3441     | .4915     | .2458     | .5571     | .426      | .4915     |
| 10   |           | .2622     | .9503     | .5735     |           | .9831     | .8848     |
| 11   | .2294     | .7865     |           | 1.0486    | .9503     | 1.3108    | 1.3108    |
| 12   | .1966     | 1.1633    | 1.3763    | 1.1961    | 1.278     | 1.3927    | .7865     |
| 13   | .1966     | 1.2125    | 1.4091    | 1.2125    |           | 1.3927    | 1.0322    |
| 14   |           | 1.2452    | 1.4091    | 1.2452    | 1.3108    | .9012     | 1.1142    |
| 15   |           | 1.2944    | 1.4091    | 1.2125    |           | 1.065     | 1.1797    |
| 16   | .1311     | 1.3435    | 1.5074    |           | 1.4255    | 1.3108    | 1.2125    |
| 17   | .1475     | 1.4746    | 1.5565    | 1.2452    |           | 1.3108    | 1.0486    |
| 18   | .2294     | .2458     | .2458     |           | .4096     | .3277     | .2949     |
| 19   | .213      | .4096     | .1638     | .6226     |           | .4096     | .6062     |
| 20   | .2949     | .3277     | .1638     | .5407     |           | .3277     | .5079     |
| 21   | .2622     | .3277     | .1638     |           |           | .3277     | .4588     |
| 22   | .2294     | .4096     | .1638     | .2294     |           | .3277     | .426      |
| 23   | .213      | .4096     |           | .2458     | .3113     | .3277     | .3932     |
| 24   |           | .1638     | .3277     |           | .2294     | .2949     | .3277     |
| Max  | .2949     | 1.4746    | 1.5565    | 1.2452    | 1.4255    | 1.3927    | 1.3108    |
| Min  | .1311     | .1638     | .1638     | .0819     | .1638     | .2949     | .2949     |
| Avg  | .2130     | .5610     | .6383     | .5666     | .5673     | .7508     | .6294     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174052 / 33 KV SONKHED

Feeder No / Name : 204 / Dapshed Feeder

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .3772     | .4715     | .4715     | .3584     |           | .4715     |
| 2    |           | .3961     | .4715     | .4715     | .3772     |           | .4715     |
| 3    |           | .4338     | .4715     | .4715     | .415      |           | .4715     |
| 4    |           | .4715     | .5658     | .4715     | .4527     |           | .4715     |
| 5    |           | .5281     | .5658     | .4715     | .6036     |           | .5658     |
| 6    |           | .6036     | .7545     | .6602     | .7167     |           | .7545     |
| 7    |           | .7167     | .7545     |           | .7922     |           | .8488     |
| 8    | .5601     | .6602     | .6602     | .8488     | .7545     |           | .7545     |
| 9    | .6602     | .6602     | .6602     | .6602     | .7167     | .7207     | .7545     |
| 10   |           | .6602     | .5281     | .5658     |           | .5658     | .547      |
| 11   | .5041     | .547      | .5281     | .4715     | .4715     | .5658     | .4904     |
| 12   | .4108     | .5658     | .547      | .4904     | .4715     | .4715     | .4527     |
| 13   | .2801     | .5281     | .5093     | .4715     |           | .4715     | .4338     |
| 14   |           | .5093     | .5093     | .5093     | .4481     | .4715     | .4527     |
| 15   |           | .4904     | .5093     | .5093     |           | .4715     | .4715     |
| 16   | .4481     | .547      | .5847     | .9808     | .5041     | .4715     | .4904     |
| 17   | .4481     | .6602     | .6602     | .4715     |           | .4715     | .5093     |
| 18   | .6224     | .5658     | .5658     | .5658     | .5281     | .4715     | .6602     |
| 19   | .7167     | .6602     | .7545     | .6979     |           | .5658     | .7922     |
| 20   | .5658     | .6602     | .6602     | .6036     |           | .6602     | .6602     |
| 21   | .5281     | .5658     | .5658     |           |           | .5658     | .547      |
| 22   | .4904     | .4715     | .4715     | .3772     |           | .3772     | .5093     |
| 23   | .4527     | .4715     | .4715     | .3772     | .4715     | .4715     | .4715     |
| 24   | .3395     | .415      | .4715     | .4715     | .3772     | .415      | .4715     |
| Max  | .7167     | .7167     | .7545     | .9808     | .7922     | .7207     | .8488     |
| Min  | .2801     | .3772     | .4715     | .3772     | .3584     | .3772     | .4338     |
| Avg  | .5019     | .5486     | .5713     | .5495     | .5287     | .5130     | .5635     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174064 / 33 KV MALAKOLI

Feeder No / Name : 201 / MALAKOLI

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .2407     | .6401     | .5401     | .6626     | .5601     | .7362     | .6401     |
| 2    | .2415     | .6653     | .5487     | .6301     | .5975     | .7392     | .7468     |
| 3    | .2417     | .7207     | .5521     | .6441     | .5975     | .743      | .7468     |
| 4    | .2789     | .7762     | .6542     | .7362     | .6348     | .7506     | .7468     |
| 5    | .3354     | .8419     | .8522     | .8282     | .6535     | .8505     | .7842     |
| 6    | .4103     | .8419     | .8539     | .882      | .7842     | .9478     | .8962     |
| 7    | .412      | .9431     | .8539     | .9054     | .8402     | .9507     | .9335     |
| 8    | .3381     | .9072     | .7583     | .8548     | .9335     | .9507     | .8402     |
| 9    | 1.0719    | .3142     | .3306     | .3326     | .2966     | .37       | .2926     |
| 10   | .7354     | .2755     | .9145     | .3142     | .2783     | .2926     | .2781     |
| 11   | .7131     | .2743     | .9145     | .2402     | .2752     | .2378     | .2378     |
| 12   | .677      | .2939     | .8733     | .2195     | .2758     | .2561     | .237      |
| 13   | .6568     | .2942     | .8704     | .2743     | .296      | .2743     | .2746     |
| 14   | .6568     | .2365     | .924      | .2743     | .2981     | .2926     | .2752     |
| 15   | .6568     | .2729     | .924      | .2926     | .3168     |           | .3122     |
| 16   | .6568     | .2738     | .8825     | .3109     |           |           | .3106     |
| 17   | .7362     | .2375     | .9145     |           |           | .2957     | .3083     |
| 18   | .8145     | .3278     | .9097     |           | .238      | .3109     | .3272     |
| 19   | 1.0112    | .4024     | 1.1888    | .4435     | .3125     | .3658     | .3677     |
| 20   | .9744     | .3853     | 1.1888    |           | .3857     | .3734     | .3688     |
| 21   | 1.0059    | .3692     | 1.0974    |           | .4036     | .4024     | .332      |
| 22   | .9511     | .3333     | 1.0608    |           | .3677     | .3658     | .3125     |
| 23   | .6368     | .555      | .6914     | .6468     | .547      | .5487     | .5521     |
| 24   | .24       | .695      | .6368     |           | .5544     | .6401     | .6401     |
| Max  | 1.0719    | .9431     | 1.1888    | .9054     | .9335     | .9507     | .9335     |
| Min  | .24       | .2365     | .3306     | .2195     | .238      | .2378     | .237      |
| Avg  | .6122     | .4949     | .8306     | .5274     | .4749     | .5316     | .4901     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174064 / 33 KV MALAKOLI

Feeder No / Name : 202 / MALEGAON

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .9145     | .9002     | .8238     | .7392     | .9202     | .9335     |
| 2    |           | .961      | .8779     | .9002     | .7392     | 1.0164    | .9709     |
| 3    |           | .961      | .8466     | 1.1043    | .7762     | 1.0774    | 1.0269    |
| 4    |           | 1.0164    | 1.1027    | 1.2699    | .8215     | 1.2198    | 1.1203    |
| 5    |           | 1.029     | 1.2309    | 1.4355    | .8402     | 1.4553    | 1.1694    |
| 6    |           | 1.029     | 1.8027    | 1.689     | 1.2136    | 1.7061    | 1.7918    |
| 7    |           | 1.3203    | 2.0114    | 2.037     | 1.6032    | 1.8063    | 1.9239    |
| 8    | .3193     | 1.4364    | 1.8767    | 1.8995    | 1.7918    | 1.8253    | 2.0748    |
| 9    | .8316     | .2772     | .2939     | .3142     | .2781     | .3515     | .2743     |
| 10   | 1.0112    |           | .6036     | .2772     | .2598     | .2772     |           |
| 11   | 1.2198    | .1829     | .5487     | .2587     | .2202     | .2743     | .2012     |
| 12   | 1.3163    | .1653     | .4913     | .2195     | .2022     | .2561     | .1459     |
| 13   | 1.3136    | .1471     | .5        | .1829     | .185      | .1829     | .1831     |
| 14   | 1.2949    | .1456     | .499      | .2195     | .1491     | .1829     | .1835     |
| 15   | 1.2198    | .1456     | .5544     | .2561     | .1491     |           | .202      |
| 16   | 1.0697    | .1278     | .6067     | .2743     |           |           | .1644     |
| 17   | .9202     | .1279     | .6584     | .2926     |           | .2195     | .1995     |
| 18   | .6516     | .1821     | .7824     | .3109     | .1648     | .2561     | .1999     |
| 19   | .8273     | .2926     | .9145     | .3361     | .2758     | .3109     | .2942     |
| 20   | .9193     | .3119     | 1.1706    | .3475     | .349      | .3292     | .3135     |
| 21   | .8596     | .2769     | .9145     |           | .3302     | .3292     | .3135     |
| 22   | .823      | .2407     | .7682     |           | .2942     | .3109     | .2758     |
| 23   | .7278     | .777      | .8188     | .7682     | .8934     | .6401     | .6994     |
| 24   |           | .8962     | 1.0007    |           | .6468     | .823      | .9709     |
| Max  | 1.3163    | 1.4364    | 2.0114    | 2.037     | 1.7918    | 1.8253    | 2.0748    |
| Min  | .3193     | .1278     | .2939     | .1829     | .1491     | .1829     | .1459     |
| Avg  | .9578     | .5637     | .9073     | .7246     | .5874     | .7168     | .6797     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174064 / 33 KV MALAKOLI

Feeder No / Name : 203 / ASHTUR

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .7316     |           | .6984     |           |           |
| 2    |           | .7207     |           | .6842     |           | .2926     |
| 3    |           | .6653     |           | .6626     |           | .3109     |
| 4    |           | .8316     |           | .7178     |           | .3292     |
| 5    |           | 1.1038    |           | .8834     |           | .3475     |
| 6    |           | 1.3283    |           | 1.0321    |           | .4572     |
| 7    | .0375     | 1.3957    |           | 1.2449    |           |           |
| 8    | .3006     | 1.4175    |           | 1.2537    |           |           |
| 9    | 1.0349    |           | .3122     | .3658     | .2987     |           |
| 10   | .956      |           | .9328     | 1.0269    |           |           |
| 11   | .7506     |           | 1.0059    | .9335     | .6908     |           |
| 12   | .8462     |           | 1.0007    | 1.0082    | .7842     |           |
| 13   | .6756     |           | .9259     |           | .8402     |           |
| 14   | .7319     |           | .7392     | .9709     | .9709     |           |
| 15   | .7319     |           | .8316     |           |           |           |
| 16   | .7882     |           | .8825     |           |           |           |
| 17   |           |           | .8048     |           | 1.1576    |           |
| 18   |           |           | .8551     |           | .2926     |           |
| 19   | 1.2502    |           | 1.134     |           | .3174     |           |
| 20   | 1.1031    |           | 1.1523    |           | .3361     |           |
| 21   | .9694     |           | 1.0974    |           | .3547     |           |
| 22   | .9145     |           | .7682     |           | .3142     |           |
| 23   | .8188     |           | .7278     |           | .2801     |           |
| 24   |           | .7682     |           |           |           | .2743     |
| Max  | 1.2502    | 1.4175    | 1.1523    | 1.2537    | 1.1576    | .4572     |
| Min  | .0375     | .6653     | .3122     | .3658     | .2801     | .2743     |
| Avg  | .7940     | .9959     | .8780     | .8833     | .5531     | .3353     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174064 / 33 KV MALAKOLI

Feeder No / Name : 204 / Limboti Dam Express  
Feeder KV- 11 / OUTGOINGNON SHEDDABLE EXPRESS HV FEEDERS  
(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .0183     |           |           | .0156     |           |
| 2    |           | .0185     |           | .018      | .0156     |           |
| 3    |           | .0185     |           | .0184     | .0156     |           |
| 4    | .0186     | .0185     | .0187     | .0368     | .0156     |           |
| 5    | .0186     | .0374     | .0379     | .0368     | .0156     | .0189     |
| 6    | .0373     | .0374     | .038      | .0375     | .0324     | .0379     |
| 7    | .0187     | .0377     | .038      | .0377     | .0328     | .038      |
| 8    | .0188     | .0378     | .0379     | .038      | .0328     | .038      |
| 9    | .037      | .037      | .0368     | .0324     | .0371     | .037      |
| 10   | .0184     |           | .0549     | .0328     | .0371     | .0328     |
| 11   | .0375     | .0183     | .0366     | .0324     | .0367     |           |
| 12   | .0376     | .0184     | .0364     | .0324     | .0368     |           |
| 13   | .0375     | .0184     | .0185     | .0324     | .037      |           |
| 14   | .0375     | .0182     | .0185     | .0328     | .0373     |           |
| 15   | .0375     | .0182     | .037      | .0328     | .0373     |           |
| 16   | .0375     | .0183     | .0368     | .0324     |           |           |
| 17   | .0368     | .0183     | .0183     | .0328     |           |           |
| 18   | .0362     | .0182     | .0546     | .0328     |           |           |
| 19   | .0552     | .0183     | .0366     | .0328     |           |           |
| 20   | .0368     | .0183     | .0366     | .0324     | .0184     |           |
| 21   | .0366     |           | .0366     |           |           |           |
| 22   | .0183     |           | .0183     |           |           |           |
| 23   | .0182     |           |           | .0312     |           |           |
| 24   |           | .0183     |           |           | .0156     |           |
| Max  | .0552     | .0378     | .0549     | .038      | .0373     | .038      |
| Min  | .0182     | .0182     | .0183     | .018      | .0156     | .0189     |
| Avg  | .0315     | .0231     | .0341     | .0323     | .0276     | .0338     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174075 / 33 KV PENUR

Feeder No / Name : 201 / PENUR

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .3944     | .4115     |           | .3048     | .3944     | .503      |
| 2    | .381      | .4115     | .4973     |           | .3048     | .3963     | .5426     |
| 3    | .381      | .463      | .6344     |           | .3048     | .5316     | .5935     |
| 4    | .381      | .5144     | .6173     |           | .3048     | .5182     | .6274     |
| 5    | .4572     | .6173     | .6859     |           | .3048     | .503      | .6783     |
| 6    | .4572     | .6173     | .703      |           | .3048     | .6001     | .6952     |
| 7    | .4572     | .6516     | .6097     |           | .3048     | .5487     | .7122     |
| 8    | .4572     | .7202     | .6097     |           | .4572     | .6001     | .6401     |
| 9    | .5868     | .6173     | .5944     |           | .3048     | .4973     | .5487     |
| 10   | .4024     | .583      |           |           | .3048     | .2347     | .3963     |
| 11   | .4694     | .6687     | .4877     |           | .3048     | .285      | .3658     |
| 12   | .4191     | .5658     | .4877     |           | .3048     | .4024     | .3201     |
| 13   | .4359     | .5658     | .5182     |           | .3048     | .503      | .3963     |
| 14   | .4359     | .583      | .4725     |           | .3429     | .3429     | .381      |
| 15   | .4359     | .583      | .5182     |           | .3429     |           | .3963     |
| 16   |           | .5316     | .4877     |           |           |           | .381      |
| 17   |           | .5658     | .4725     | .6097     |           | .503      |           |
| 18   | .5365     | .5144     | .4115     | .6097     | .4973     | .5365     | .3963     |
| 19   | .6371     | .6516     | .3963     | .6097     | .5144     | .6706     | .5792     |
| 20   | .6706     | .6687     | .4572     | .6097     | .5658     | .6371     | .6249     |
| 21   | .4572     | .6516     | .503      |           | .5316     | .5868     | .5335     |
| 22   | .5144     | .583      |           | .5335     | .5658     | .5583     | .4572     |
| 23   | .3963     | .4801     |           | .5335     | .3944     | .4024     | .381      |
| 24   | .381      | .4287     | .4287     |           | .5335     | .3772     | .4191     |
| Max  | .6706     | .7202     | .703      | .6097     | .5658     | .6706     | .7122     |
| Min  | .381      | .3944     | .3963     | .5335     | .3048     | .2347     | .3201     |
| Avg  | .4643     | .5680     | .5240     | .5843     | .3820     | .4832     | .503      |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174075 / 33 KV PENUR

Feeder No / Name : 202 / ANTESHWAR

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .6859     | .7011     |           | .4572     | .1524     |           |
| 2    |           | .823      | .7621     |           | .4572     | .1715     | .1677     |
| 3    |           | .8573     | .8078     |           | .4572     | .3429     | .2035     |
| 4    |           | .9774     | 1.0974    |           | .4572     | .4725     | .285      |
| 5    |           | 1.0288    | 1.0802    |           | .4572     | .5316     | .3353     |
| 6    |           | 1.1488    | 1.0669    |           | .4572     | .6173     | .3856     |
| 7    |           | 1.2003    | 1.2346    |           | .4572     | .6859     | .4191     |
| 8    |           | 1.2193    | 1.3108    |           | .5335     | .6097     |           |
| 9    |           | .3429     | .2286     |           | .5335     | .2572     | .381      |
| 10   |           | .2572     | .2286     |           | .9145     | 1.073     | 1.0822    |
| 11   |           | .1715     | .2286     |           | .9145     | 1.1736    | 1.2193    |
| 12   |           | .1715     | .1524     |           | .9145     | 1.1736    | .381      |
| 13   |           | .1715     | .1524     |           | .9145     | 1.0898    | .7926     |
| 14   |           | .1715     | .1524     |           | 1.0802    | 1.2239    | .9907     |
| 15   |           | .1715     | .1524     |           | 1.0974    |           | 1.0974    |
| 16   |           | .1524     | .1524     |           |           |           | 1.2193    |
| 17   |           | .1524     | .1524     | .3048     |           | 1.1736    |           |
| 18   | 1.0288    | .1715     |           | .3048     | .2572     | .4359     | .3048     |
| 19   | .3429     | .1715     | .381      | .3048     | .3429     | .4694     | .381      |
| 20   | .3429     | .2572     | .5335     | .3048     | .3048     | .3353     | .381      |
| 21   | .2058     | .3429     | .3048     |           | .2286     | .2012     | .1524     |
| 22   | .1372     | .2572     |           |           | .1715     | .1509     | .1372     |
| 23   | .381      | .7373     |           | .3048     | .1715     | .1677     | .1524     |
| 24   |           | .6001     | .9088     |           | .3048     | .1715     | .1677     |
| Max  | 1.0288    | 1.2193    | 1.3108    | .3048     | 1.0974    | 1.2239    | 1.2193    |
| Min  | .1372     | .1524     | .1524     | .3048     | .1715     | .1509     | .1372     |
| Avg  | .4064     | .5100     | .5614     | .3048     | .5402     | .5764     | .5065     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174075 / 33 KV PENUR

Feeder No / Name : 203 / Godawari Ag Feeder

FEEDER SEPERATION/PURE AG

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .9145     | 1.6804    | 1.4918    |           |           |           |           |
| 2    | .9145     | 1.3717    | 1.4918    |           |           |           |           |
| 3    | .9145     | 1.4575    | 1.5432    |           |           |           |           |
| 4    | .9145     | 1.4918    | 1.3565    |           |           |           |           |
| 5    | .9145     | 1.5089    | 1.4918    |           |           |           |           |
| 6    | .9145     | 1.5261    | 1.5432    |           |           |           |           |
| 7    | .4572     | 1.5261    | 1.5699    |           |           |           |           |
| 8    | .9145     | 1.7147    | 1.6309    |           |           |           |           |
| 10   |           |           |           |           | 1.5242    | 1.6787    | 1.6766    |
| 11   |           |           |           |           | 1.5242    | 2.0348    | 1.9052    |
| 12   |           |           |           |           | 1.6766    | 2.0348    | .381      |
| 13   |           |           |           |           | 1.5242    | 2.0687    | .7621     |
| 14   |           |           |           |           | 1.6632    | 2.0348    | 1.448     |
| 15   |           |           |           |           | 1.7661    |           | 1.6309    |
| 16   |           |           |           |           |           |           | 1.7071    |
| 17   |           |           |           | 1.2193    |           | 1.95      |           |
| 23   | 1.406     | 1.0288    |           |           |           |           |           |
| 24   | .9145     | 1.6289    | 1.4403    |           |           |           |           |
| Max  | 1.406     | 1.7147    | 1.6309    | 1.2193    | 1.7661    | 2.0687    | 1.9052    |
| Min  | .4572     | 1.0288    | 1.3565    | 1.2193    | 1.5242    | 1.6787    | .381      |
| Avg  | .9179     | 1.4935    | 1.5066    | 1.2193    | 1.6131    | 1.9670    | 1.3587    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174087 / 33 KV MOHANPURA

Feeder No / Name : 201 / Mohanpura Gaothan  
Feeder KV- 11 / OUTGOING

GAOTHAN FEEDER

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3012     | .4527     | .5601     | .3429     | .4668     | .3429     | .3734     |
| 2    | .2984     | .4527     | .4668     | .3429     | .4518     | .3429     | .3734     |
| 3    | .2996     | .4904     | .4668     | .3429     | .3757     | .3429     | .3742     |
| 4    | .3012     | .5975     | .5601     | .3772     | .3757     | .4458     | .4879     |
| 5    | .3772     | .8215     | .6535     | .5144     | .5676     | .5487     | .5653     |
| 6    | .679      | .8589     | .7392     | .6687     | .6615     | .6859     | .6602     |
| 7    | .9459     | .9431     | .7392     | .3772     | .6804     | .7202     | .6615     |
| 8    | .9081     | .9808     | .7392     | .4801     | .6622     | .7545     |           |
| 9    | .703      | .8127     | .6036     | .3734     | .4458     | .563      | .5072     |
| 10   | .5487     | .7167     | .5658     | .2801     | .3772     | .4706     | .2801     |
| 11   | .4115     | .603      | .5281     | .2801     | .3258     |           | .2801     |
| 12   | .3429     | .412      | .4904     |           | .2743     | .3381     |           |
| 13   | .3429     | .4129     | .4527     | .2801     | .2572     | .3368     | .2801     |
| 14   | .3258     | .4129     | .2263     | .2801     | .2743     | .3368     | .2801     |
| 15   | .3429     | .4864     |           | .3734     | .2743     | .3569     | .3734     |
| 16   | .4458     | .5459     | .3772     |           | .2915     | .3765     | .3734     |
| 17   | .5658     | .5601     | .3429     |           | .3601     | .3768     | .4696     |
| 18   | .6413     | .7468     | .3772     | .5647     | .4287     | .4527     | .4527     |
| 19   | .7922     | .9335     | .5658     | .5658     | .6516     | .5281     | .5292     |
| 20   | .7167     | .9335     | .5144     | .567      | .6001     | .567      | .5676     |
| 21   | .6413     | .8402     | .4801     | .4715     | .4801     | .4904     | .5108     |
| 22   | .5658     | .5601     | .4115     | .4706     | .4287     | .4338     | .4508     |
| 23   | .4904     | .5601     | .3772     |           | .4287     | .3953     | .4129     |
| 24   | .3015     | .4527     | .5601     | .3429     | .4481     | .3772     | .3757     |
| Max  | .9459     | .9808     | .7392     | .6687     | .6804     | .7545     | .6615     |
| Min  | .2984     | .412      | .2263     | .2801     | .2572     | .3368     | .2801     |
| Avg  | .5120     | .6495     | .5130     | .4148     | .4412     | .4602     | .4382     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174087 / 33 KV MOHANPURA

Feeder No / Name : 203 / Betsangavi Agri  
Feeder KV- 11 / OUTGOING

FEEDER SEPERATION/PURE AG

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | 1.8138    | 1.9662    |           | .6622     | 1.5242    | 1.6956    |
| 2    |           | 1.8778    | 1.9662    |           | .6546     | 1.6004    | 2.0833    |
| 3    |           | 1.8785    | 1.9662    |           | .7037     | 1.6004    | 2.2018    |
| 4    |           | 1.9227    | 2.13      |           | .7883     | 1.6766    | 2.4132    |
| 5    |           | 1.9109    | 2.2939    |           | .8126     | 1.89      | 2.586     |
| 6    |           | 1.9109    | 2.2939    |           | .9271     | 1.9509    | .492      |
| 7    |           | 1.9433    | 2.2939    |           | 1.0048    | 1.7375    | .1304     |
| 8    |           | 1.9829    | 2.2939    |           | 1.0048    | 1.829     |           |
| 9    |           | .1256     | .1509     |           | .1372     | .1507     | .1507     |
| 10   |           | .1223     | .1509     |           | .1372     |           | .1867     |
| 11   | .6097     | .0843     | .1132     |           | .1372     |           | .1867     |
| 12   | .3658     |           | .1132     |           | .1372     | .0959     | .1867     |
| 13   | .3048     |           | .1132     | .0934     | 1.4632    | .132      | .1867     |
| 14   | 1.0669    |           | .1132     | .1867     |           | .1132     | .1867     |
| 15   | 1.5242    |           | .1132     | .1867     |           | .112      | .1867     |
| 16   | 2.0062    |           | .0943     |           |           | .1132     | .1867     |
| 17   | 1.8138    |           | .0857     |           |           | .087      | .0879     |
| 18   | .1509     | .1867     | .1372     | .1248     | .1372     | .0879     | .0734     |
| 19   | .1886     | .2801     | .2058     | .1248     | .1715     | .113      | .1248     |
| 20   | .1886     | .2801     | .2058     | .1198     | .2058     | .1113     | .1373     |
| 21   | .1509     | .1867     | .1715     |           | .1715     | .1123     | .1198     |
| 22   | .1132     | .1867     | .1372     | .1185     | .1372     | .0991     | .0998     |
| 23   | 1.2955    | 1.6804    |           |           | 1.3717    | 1.3291    | 1.1962    |
| 24   |           | 1.4586    | 1.6004    |           | .5728     | 1.4327    | 1.546     |
| Max  | 2.0062    | 1.9829    | 2.2939    | .1867     | 1.4632    | 1.9509    | 2.586     |
| Min  | .1132     | .0843     | .0857     | .0934     | .1372     | .087      | .0734     |
| Avg  | .7522     | 1.1018    | .9004     | .1364     | .5669     | .8136     | .7150     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174087 / 33 KV MOHANPURA

Feeder No / Name : 204 / Jawala

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .2263     | .2801     | .2572     | .2201     | .2572     | .2347     |
| 2    | .2345     | .2263     | .2801     | .2572     | .2201     | .2572     | .2054     |
| 3    | .2679     | .2263     | .2801     | .2572     | .2201     | .2572     | .2051     |
| 4    | .3315     | .3018     | .3734     | .3086     | .2206     | .3429     | .2347     |
| 5    | .3668     | .415      | .3734     | .3086     | .2661     | .3772     | .2945     |
| 6    | .4019     | .4527     | .4668     | .3429     | .282      | .4801     | .3696     |
| 7    | .4354     | .5093     | .5601     | .4801     | .2968     | .4801     | .353      |
| 8    | .6077     | .3206     | .5601     | .3772     | .2964     | .4458     | .3265     |
| 9    | .3086     | .2059     | .4527     | .3734     | .2572     | .2647     | .2054     |
| 10   | .2915     | .6385     | .5365     | .6706     | .5792     | .5402     | .6554     |
| 11   | .2572     | .8807     | .788      | .8383     | .7164     |           | .6554     |
| 12   | .1886     | .8183     | .8048     | .8383     | .7316     | .7782     | .7373     |
| 13   | .1029     | .8048     | .8288     | .8383     | .1372     | .7712     | .7373     |
| 14   | .1715     | .8066     | .7773     | .7373     | .6859     | .7377     | .7545     |
| 15   | .1715     | .8048     | .7625     | .7373     | .6859     | .6802     | .7545     |
| 16   | .2058     | .829      | .7712     | .7373     | .6859     | .663      | .7545     |
| 17   | .2957     | .8383     |           | .7613     | .7468     | .6554     | .5908     |
| 18   | .3584     | .1867     | .2572     | .2206     | .2058     | .1324     | .2201     |
| 19   | .4527     | .3734     | .3258     | .2206     | .2572     | .2353     | .2934     |
| 20   | .3772     | .3734     | .3429     | .2206     | .3429     | .2641     | .3081     |
| 21   | .3772     | .3734     | .4115     |           | .3429     | .2934     | .2945     |
| 22   | .3395     | .2801     | .3429     | .2209     | .3258     | .2934     | .2634     |
| 23   | .3018     | .2801     | .3086     |           | .3086     | .2491     | .2478     |
| 24   | .2167     | .2641     | .2801     | .2572     | .1912     | .3086     | .2353     |
| Max  | .6077     | .8807     | .8288     | .8383     | .7468     | .7782     | .7545     |
| Min  | .1029     | .1867     | .2572     | .2206     | .1372     | .1324     | .2051     |
| Avg  | .3071     | .4765     | .4854     | .4664     | .3843     | .4245     | .4138     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174089 / 33 KV WADEPURI

Feeder No / Name : 201 / Janapuri

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .2263     | .3052     | .2713     | .2267     | .2883     | .3018     | .4409     |
| 2    | .2641     | .3222     | .3018     | .2591     | .2883     | .3353     | .4748     |
| 3    | .2641     | .3391     | .3353     | .2915     | .3052     | .3647     | .503      |
| 4    | .3018     | .3772     | .3932     | .3239     | .3086     | .3978     | .5365     |
| 5    | .3395     | .3988     | .4534     | .3605     | .3772     | .4973     | .6062     |
| 6    | .3772     | .5201     | .6706     | .4096     | .5548     | .663      | .7773     |
| 7    | .4338     | .7888     | .7209     | .6802     | .9602     | .8192     | .9717     |
| 8    | .3961     | .8478     | .7865     | .8642     | 1.0513    | 1.004     | 1.0242    |
| 9    | .3961     | .3206     | .3395     | .3018     | .3206     | .3429     |           |
| 10   | .5735     | .2641     | .3018     | .3018     | .3018     | .3395     | .2829     |
| 11   | .7042     | .1867     | .2075     | .2452     | .2641     | .2641     | .2263     |
| 12   | .7682     | .1867     | .1509     | .1698     | .2075     |           | .1886     |
| 13   | .8322     |           | .2075     | .2075     | .2263     | .2641     | .2263     |
| 14   | .7042     | .1886     | .2263     | .2263     | .2075     | .2452     | .2402     |
| 15   | .6316     | .2263     | .2263     | .2263     | .1886     | .2263     | .1867     |
| 16   | .7611     | .2452     | .1886     | .2641     | .2452     | .2641     | .2075     |
| 17   | .7209     | .2829     | .2641     | .2075     | .2829     | .2829     | .3018     |
| 18   | .3206     | .3018     | .2075     | .2263     | .2263     | .2452     | .3018     |
| 19   | .3395     | .3772     | .3772     | .3206     | .3206     | .3772     | .3395     |
| 20   | .3772     | .3772     | .3395     | .3772     | .3961     | .3772     | .3395     |
| 21   | .3395     | .3206     | .3395     |           | .3395     | .3584     | .3018     |
| 22   | .3018     | .3018     | .3018     | .2263     | .3206     | .3395     | .2829     |
| 23   | .2103     | .2035     | .1772     | .2328     | .1696     | .3467     | .2374     |
| 24   | .2263     | .2543     | .2374     | .1943     | .2543     | .2374     | .4287     |
| Max  | .8322     | .8478     | .7865     | .8642     | 1.0513    | 1.004     | 1.0242    |
| Min  | .2103     | .1867     | .1509     | .1698     | .1696     | .2263     | .1867     |
| Avg  | .4504     | .3451     | .3344     | .3106     | .3502     | .3867     | .4098     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174089 / 33 KV WADEPURI

Feeder No / Name : 202 / Wadepuri

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .2427     | .4715     | .5093     | .5281     | .4715     | .5093     | .5093     |
| 2    | .2743     | .4715     | .5093     | .5658     | .4715     | .4527     | .4904     |
| 3    | .3018     | .4715     | .5093     | .6413     | .4904     | .4527     | .4904     |
| 4    | .3353     | .4904     | .5658     | .679      | .3772     | .5093     | .5093     |
| 5    | .3647     | .5658     | .6036     | .7545     | .5281     | .5658     | .5658     |
| 6    | .3932     | .7922     | .8299     | .8676     | .7167     | .811      | .811      |
| 7    | .6062     | .9054     | .8488     | .9242     | .8488     | .9619     | .7922     |
| 8    | .6882     | .8488     | .811      | .8299     | .8488     | .7922     | .8488     |
| 9    | .7167     | .7545     | .7545     | .7922     | .8299     | .7545     | .7545     |
| 10   | .6979     | .5548     | .407      | .426      | .4382     | .463      | .3932     |
| 11   | .5658     | .5571     | .5487     | .421      | .4024     |           | .4973     |
| 12   | .4904     | .5243     |           | .3401     | .3856     |           | .4321     |
| 13   | .3961     | .4534     | .3856     | .3437     | .4475     | .373      | .4534     |
| 14   | .3772     | .4372     | .4024     | .3749     | .4191     | .3561     | .421      |
| 15   | .3961     | .4534     | .4359     | .3841     | .3856     | .4239     | .4161     |
| 16   | .4527     | .5506     | .4409     | .4001     | .3812     | .503      | .4424     |
| 17   | .4715     | .6226     | .5243     | .4534     | .4191     | .5256     | .4641     |
| 18   | .5658     | .5093     | .5847     | .4904     | .5093     | .4904     | .5847     |
| 19   | .7733     | .7545     | .7356     | .7167     | .7922     | .6979     | .811      |
| 20   | .679      | .7545     | .679      | .7545     | .8299     | .7545     | .7167     |
| 21   | .6036     | .6224     | .6224     |           | .679      | .6602     | .6224     |
| 22   | .5658     | .5658     | .5658     | .5658     | .6036     | .5658     | .5658     |
| 23   | .5281     | .5281     | .547      | .5093     | .547      | .5281     | .5281     |
| 24   | .2103     | .4904     | .5093     | .5281     | .5093     | .5093     | .5093     |
| Max  | .7733     | .9054     | .8488     | .9242     | .8488     | .9619     | .8488     |
| Min  | .2103     | .4372     | .3856     | .3401     | .3772     | .3561     | .3932     |
| Avg  | .4874     | .5896     | .5796     | .5779     | .5555     | .5755     | .5679     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174089 / 33 KV WADEPURI

Feeder No / Name : 203 / Ratneshwari Gaothan  
Feeder KV- 11 / OUTGOING

GAOTHAN FEEDER

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .0179     | .0179     | .0181     | .0175     | .0179     | .0181     | .0179     |
| 2    | .0179     | .0179     | .0181     | .0175     | .0179     | .0181     | .0181     |
| 3    | .0179     | .0179     | .0181     | .0177     | .0179     | .0181     | .0181     |
| 4    | .0179     | .0179     | .0181     | .0177     | .0179     | .0175     | .0181     |
| 5    | .0177     | .0179     | .0181     | .0177     | .0179     | .0175     | .0181     |
| 6    | .0175     | .0177     |           | .0179     | .0179     | .0175     | .0181     |
| 7    | .0175     | .0175     | .0166     | .0179     | .0179     | .0175     | .0181     |
| 8    | .0175     | .0343     | .0164     | .0179     | .0177     | .0187     | .032      |
| 9    | .0175     | .0343     | .0164     | .0179     | .0351     | .0187     | .032      |
| 10   | .0175     | .0339     | .0343     | .0175     | .0347     | .0183     | .0339     |
| 11   | .0175     |           | .0343     | .0168     | .0175     |           | .052      |
| 12   | .0175     | .0171     | .0343     | .0168     | .0351     |           | .0324     |
| 13   | .0175     | .0171     | .0514     | .0166     | .0351     | .0175     | .0164     |
| 14   | .0175     | .0175     | .0514     | .0166     | .0351     | .0175     | .0181     |
| 15   | .0175     | .0175     | .0339     | .0183     | .0351     | .0171     |           |
| 16   | .0351     | .0351     | .0335     | .0183     | .0351     | .017      | .0183     |
| 17   | .0351     | .0343     | .0351     | .0181     | .0175     | .0171     | .0179     |
| 18   | .0351     | .0328     | .0351     | .0181     | .0177     | .0171     | .0179     |
| 19   | .0358     | .017      | .0175     | .0179     | .0183     | .0175     | .0179     |
| 20   | .0358     | .017      | .0175     | .0173     | .0183     | .0354     | .0179     |
| 21   | .0179     | .0181     | .0175     |           | .0183     | .0358     | .0179     |
| 22   | .0179     | .0181     | .0175     | .0179     | .0183     | .0179     | .0179     |
| 23   | .0179     | .0181     | .0175     | .0179     | .0181     | .0179     | .0179     |
| 24   | .0179     | .0179     | .0181     | .0175     | .0179     | .0181     | .0179     |
| Max  | .0358     | .0351     | .0514     | .0183     | .0351     | .0358     | .052      |
| Min  | .0175     | .017      | .0164     | .0166     | .0175     | .017      | .0164     |
| Avg  | .0214     | .0219     | .0256     | .0176     | .0229     | .0194     | .0219     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174129 / 33 KV MALEGAON YATRA

Feeder No / Name : 201 / 11KV Nehru Nagar SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .6859     | .4458     | .1372     |           |           | .1715     | .1052     |
| 2    | .7202     | .4458     | .1372     |           | .1715     | .1715     | .1402     |
| 3    | .6859     | .5144     | .1715     |           |           | .2058     | .1402     |
| 4    | .5487     | .6173     | .1715     |           | .2401     | .2401     | .1753     |
| 5    | .5144     | .6173     | .1715     |           | .2743     | .2743     | .2804     |
| 6    | .5144     | .6173     | .2743     |           | .2743     | .3086     | .3155     |
| 7    | .6173     | .6516     | .3086     |           | .3086     | .3429     | .3506     |
| 8    | .6173     | .6516     | .3086     | .2058     | .3086     | .3429     | .2103     |
| 9    | .1372     | .2058     | .2401     | .1715     | .2743     | .2401     | .1753     |
| 10   | .1029     | .5144     | .6173     | .6859     | .6516     | .5258     | .5201     |
| 11   | .1029     | .6173     | .6859     | .7888     | .6173     | .7712     | .7362     |
| 12   | .1029     | .6516     | .6859     | .8573     | .6516     | .7712     | .8063     |
| 13   | .1029     | .6516     |           | .8916     | .6173     | .8063     | .8764     |
| 14   |           | .6516     |           | .8573     | .583      | .8063     | .9114     |
| 15   | .1029     | .6173     |           | .7888     | .6173     |           | .8764     |
| 16   | .1029     | .6173     |           | .7545     |           | .5258     | .8063     |
| 17   | .1029     | .7545     | .6173     | .6859     |           | .1753     | .8413     |
| 18   | .1715     | .2401     | .2058     | .2058     | .1372     | .1753     | .1402     |
| 19   | .2401     | .2401     | .2401     | .2058     | .1715     | .3155     | .1433     |
| 20   | .2401     | 1.406     | .2743     |           | .1715     | .3155     | .1753     |
| 21   | .2401     | .2058     | .2401     |           | .1715     | .2103     | .1753     |
| 22   | .1715     | .1715     | .2058     |           | .1715     | .1791     | .1753     |
| 23   |           |           | .1715     | .1715     | .1715     | .1402     | .1402     |
| 24   | .6859     | .4458     | .1372     |           | .1372     | .1715     | .1052     |
| Max  | .7202     | 1.406     | .6859     | .8916     | .6516     | .8063     | .9114     |
| Min  | .1029     | .1715     | .1372     | .1715     | .1372     | .1402     | .1052     |
| Avg  | .3414     | .5457     | .3001     | .5593     | .3361     | .3560     | .3884     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174129 / 33 KV MALEGAON YATRA

Feeder No / Name : 202 / 11 KV Malegaon(Yatra) SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .7202     | .6859     | .3772     |           |           | .4115     | .3856     |
| 2    | .7202     | .6859     | .3772     |           | .3772     | .4458     | .4207     |
| 3    | .7545     | .8573     | .4115     |           |           | .4801     | .4557     |
| 4    | .7888     | 1.0288    | .4115     |           | .4458     | .5144     | .5373     |
| 5    | .7888     | 1.0631    | .463      |           | .4115     | .5487     | .5609     |
| 6    | .7888     | 1.0631    | .4801     |           | .4458     | .5487     | .5959     |
| 7    | 1.0631    | 1.1317    | .4801     |           |           | .583      | .5959     |
| 8    | 1.166     | 1.166     | .5144     | .4458     | .4458     | .583      | .5609     |
| 9    | .3429     | .3772     | .4115     | .4115     | .4115     | .4801     | .4908     |
| 10   | .3429     |           | .8573     | 1.2003    | .9259     | 1.2269    | 1.1568    |
| 11   | .3086     | 1.0288    | 1.0288    | 1.0974    | 1.0974    | 1.4373    | 1.6126    |
| 12   | .3086     | 1.1317    | 1.3032    | 1.2003    | 1.3717    | 1.4373    | 1.4373    |
| 13   | .3086     | 1.2003    | 1.3717    | 1.2003    | 1.3717    | 1.4022    | 1.5775    |
| 14   | .3086     | 1.3717    | 1.3717    | 1.2689    | 1.3032    | 1.4685    | 1.6476    |
| 15   | .3086     | 1.3717    | 1.3032    | 1.3717    | 1.2003    |           | 1.6126    |
| 16   | .2743     | 1.406     | 1.2689    | 1.4746    |           | .8764     | 1.5775    |
| 17   | .2743     | 1.3032    | 1.2003    | 1.3717    |           | 1.0745    | 1.6126    |
| 18   | .4801     | .3772     | .3086     | .4458     | .3772     | .3856     | .3155     |
| 19   | .5144     | .4115     | .4115     | .5144     | .4115     | .631      | .3155     |
| 20   | .4458     | .4801     | .4801     |           | .4458     | .6661     | .3582     |
| 21   | .4458     | .4458     | .4458     |           | .4801     | .5014     | .3856     |
| 22   | .4115     | .4458     | .4115     | .4115     | .4801     | .4557     | .4207     |
| 23   |           |           | .3772     | .3772     | .4458     | .4207     | .4207     |
| 24   | .7202     | .6173     | .3429     |           | .3429     | .4115     | .3856     |
| Max  | 1.166     | 1.406     | 1.3717    | 1.4746    | 1.3717    | 1.4685    | 1.6476    |
| Min  | .2743     | .3772     | .3086     | .3772     | .3429     | .3856     | .3155     |
| Avg  | .5472     | .8932     | .6837     | .9137     | .6732     | .7387     | .81       |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174129 / 33 KV MALEGAON YATRA

Feeder No / Name : 203 / 11KV Gaoundgaon SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .1029     | .1372     | 1.0288    |           |           | .8573     | 1.5074    |
| 2    | .0686     | .1372     | 1.2003    |           | .7888     | 1.0288    | 1.5775    |
| 3    | .0686     | .1372     | 1.3375    |           |           | 1.2003    | 1.7528    |
| 4    | .1372     | .2058     | 1.3717    |           | 1.0288    | 1.3717    | 1.8404    |
| 5    | .1715     | .2401     | 1.3717    |           | 1.1317    | 1.5432    | 1.893     |
| 6    | .2058     | .2743     | 1.5432    |           | 1.2003    | 1.7147    | 1.9281    |
| 7    | .2401     | .2401     | 1.7147    |           | 1.2689    | 1.8176    | 1.8229    |
| 8    | .2743     | .2058     | 1.8176    | 1.5432    | 1.3032    | 1.8861    | .3856     |
| 9    | .2401     | 1.3717    | .3086     | 1.5432    | .1715     | .3429     | .3506     |
| 10   | 1.4746    | .2058     | .2743     | .1715     | .1372     | .2804     | .1402     |
| 11   | 1.7833    | .1029     | .1029     | .1715     | .1029     | .1753     | .1402     |
| 12   | 1.7833    | .1029     | .0686     | .1372     | .0686     | .1753     | .1052     |
| 13   | 1.1888    | .1029     |           | .1372     | .0686     | .1402     | .1052     |
| 14   | 1.7147    | .1029     |           | .1029     | .1029     | .1402     | .1402     |
| 15   | 1.7147    | .1029     |           | .1029     | .1029     |           |           |
| 16   | 1.7147    | .1029     |           | .1372     |           | .1402     | .1753     |
| 17   | 1.3717    | .2058     | .2058     | .2401     |           | .2149     | .2103     |
| 18   | .2058     | .2743     | .2401     | .3086     | .1715     | .3856     | .2103     |
| 19   | .2401     | .2743     | .2743     | .3772     | .1715     | .3856     | .2103     |
| 20   | .2401     | .2401     | .3086     |           | .1715     | .3856     | .2103     |
| 21   | .2401     | .2058     | .2743     |           | .1715     | .2454     | .2103     |
| 22   | .1715     | .1715     | .2401     | .2401     | .2058     | .1753     | .2149     |
| 23   |           |           | .2058     | .5144     | .5144     | 1.4373    | 1.3672    |
| 24   | .1029     | .1372     | .6859     |           | .583      | .6859     |           |
| Max  | 1.7833    | 1.3717    | 1.8176    | 1.5432    | 1.3032    | 1.8861    | 1.9281    |
| Min  | .0686     | .1029     | .0686     | .1029     | .0686     | .1402     | .1052     |
| Avg  | .6720     | .2296     | .7287     | .4091     | .4733     | .7274     | .7499     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174133 / 33/11 KV KIWALA STN

Feeder No / Name : 201 / 11 KV KIWLA GAOTHAN

SEPARATED GAOTHAN FEEDERS

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .415      | .3772     | .3395     | .3048     | .3395     | .3395     | .3048     |
| 2    | .4527     | .4715     | .415      | .3429     | .3395     | .3772     | .3429     |
| 3    | .5281     | .4527     | .4527     | .381      | .3772     | .3772     | .381      |
| 4    | .5658     | .5281     | .5281     | .4572     | .4527     | .5281     | .5335     |
| 5    | .6413     | .5658     | .6413     | .4954     | .4904     | .679      | .5716     |
| 6    | .679      | .7167     | .7167     | .6859     | .5281     | .6413     | .7621     |
| 7    | .7167     | .7545     | .7545     | .6097     | .5658     | .679      | .6859     |
| 8    | .7545     | .7545     | .7167     |           | .6036     |           | .6097     |
| 9    |           | .6036     | .6447     | .6859     | .4904     | .7167     | .5335     |
| 10   | .5658     | .4904     | .5731     | .4904     | .415      | .5281     | .5335     |
| 11   | .5281     | .4527     | .6219     | .3772     | .3395     | .5658     | .4904     |
| 12   | .4904     | .3772     | .5853     | .3772     |           | .5281     | .3772     |
| 13   | .3772     |           | .5487     | .3395     | .3395     | .4904     | .3772     |
| 14   | .3395     | .3395     | .439      | .3018     | .3018     | .3772     | .017      |
| 15   | .0377     | .3772     | .4066     | .3395     | .3395     | .3772     | .3018     |
| 16   | .415      | .415      | .3658     | .3772     | .3772     | .4191     | .3395     |
| 17   | .4904     | .4904     | .4024     | .4527     | .4904     | .4572     | .3772     |
| 18   | .5658     | .5658     | .5121     | .5281     | .5281     |           | .4904     |
| 19   | .5281     | .6036     | .5853     | .6036     | .5658     | .4954     | .5281     |
| 20   | .4904     | .5281     | .7316     | .6413     | .5281     | .4954     | .5658     |
| 21   | .4527     | .4904     |           |           | .5281     | .5716     | .4904     |
| 22   | .415      | .4527     | .4024     | .3395     | .415      | .4191     | .415      |
| 23   | .415      | .3772     | .3292     | .3018     | .3772     | .381      | .415      |
| 24   | .3772     | .3772     | .3395     | .3048     | .3018     | .3395     | .3429     |
| Max  | .7545     | .7545     | .7545     | .6859     | .6036     | .7167     | .7621     |
| Min  | .0377     | .3395     | .3292     | .3018     | .3018     | .3395     | .017      |
| Avg  | .4888     | .5027     | .5240     | .4426     | .4363     | .4901     | .4494     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446]

BU 2453

Substation No/ Name :- 174133 / 33/11 KV KIWALA STN

Feeder No / Name : 202 / 11 KV BORGAON AGP FEEDER

FEEDER SEPERATION/PURE AG

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .5658     | .5281     |           | .3772     | .3772     | .4191     |
| 2    |           | .6413     | .6413     |           | .3772     | .415      | .4954     |
| 3    |           | .7167     | .7545     |           | .415      | .4527     | .6097     |
| 4    |           | .7545     | .8865     |           | .4527     | .5281     | .724      |
| 5    |           | .9054     | .9431     |           | .4527     | .5658     | .7621     |
| 6    |           | .9431     | 1.0185    | .381      | .4904     | .5847     | .7621     |
| 7    |           | 1.0374    | .7733     | .6287     | .4904     | .7545     | .9526     |
| 8    |           | 1.0751    | .9054     | 1.094     | .5658     | .8488     | .9526     |
| 10   | .9054     |           |           | 1.105     |           |           |           |
| 11   | 1.0374    |           |           |           |           |           |           |
| 12   | 1.0751    |           |           |           |           |           |           |
| 13   | .8865     |           |           |           |           |           |           |
| 14   | .9808     |           |           |           |           |           |           |
| 15   | 1.0562    |           |           |           |           |           |           |
| 16   | 1.094     |           |           |           |           |           |           |
| 17   | 1.0751    |           |           |           |           |           |           |
| 23   | .4338     | .3584     | .1463     | .3206     | .2075     | .4191     | .3206     |
| 24   |           | .4904     | .4527     | .1132     | .3395     | .3018     | .4763     |
| Max  | 1.094     | 1.0751    | 1.0185    | 1.105     | .5658     | .8488     | .9526     |
| Min  | .4338     | .3584     | .1463     | .1132     | .2075     | .3018     | .3206     |
| Avg  | .9494     | .7488     | .7050     | .6071     | .4168     | .5248     | .6475     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

LOHA (R) S/DN[446] BU 2453

Substation No/ Name :- 174133 / 33/11 KV KIWALA STN

Feeder No / Name : 203 / 11 KV DHAKANI AGP FEEDER FEEDER SEPERATION/PURE AG  
Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .3772     | .3395     |           | .2263     | .1886     | .381      |
| 2    |           | .5281     | .3395     |           | .2263     | .2263     | .4191     |
| 3    |           | .5658     | .415      |           | .2263     | .2641     | .4763     |
| 4    |           | .5281     | .4527     |           |           | .3395     | .5335     |
| 5    |           | .5281     | .5093     |           | .3018     | .3772     | .5716     |
| 6    |           | .5658     | .5658     | .2667     | .2641     | .4338     | .5335     |
| 7    |           | .547      | .6224     | .4382     | .2641     |           | .4763     |
| 8    |           | .6224     | .4904     | .724      | .2641     |           | .5144     |
| 10   | .415      |           |           |           |           |           |           |
| 11   | .4715     |           |           |           |           |           |           |
| 12   | .5281     |           |           |           |           |           |           |
| 13   | .5658     |           |           |           |           |           |           |
| 14   | .6036     |           |           |           |           |           |           |
| 15   | .6413     |           |           |           |           |           |           |
| 16   | .6036     |           |           |           |           |           |           |
| 17   | .4715     |           |           |           |           |           |           |
| 23   | .2829     | .2263     | .1991     | .1698     | .1132     | .3429     | .132      |
| 24   |           | .3395     | .2641     |           | .1886     | .132      | .381      |
| Max  | .6413     | .6224     | .6224     | .724      | .3018     | .4338     | .5716     |
| Min  | .2829     | .2263     | .1991     | .1698     | .1132     | .132      | .132      |
| Avg  | .5093     | .4828     | .4198     | .3997     | .2305     | .2881     | .4419     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

MUDKHED SUB-DIVISION[791] BU 4791

Substation No/ Name :- 174022 / 33 KV MUDKHED

Feeder No / Name : 201 / 11KV MUDKHED (U)

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.2003    |           |           | 1.1145    | 1.2003    | 1.2269    |           |
| 2    | 1.2003    |           | 1.2269    | 1.1145    | 1.2003    | 1.2269    |           |
| 3    | 1.2003    |           |           | 1.1145    | 1.2003    | 1.2269    |           |
| 4    | 1.2003    |           | 1.1393    | 1.1145    | 1.2003    | 1.2269    |           |
| 5    | 1.2003    |           |           | 1.1145    | 1.2003    | 1.3146    |           |
| 6    | 1.3717    |           | 1.3146    | 1.3717    | 1.286     | 1.3146    |           |
| 7    | 1.4575    |           |           | 1.4575    | 1.3717    | 1.4022    |           |
| 8    |           | 1.3146    |           | 1.286     | 1.4022    | 1.4022    |           |
| 9    |           |           | 1.286     | 1.2003    |           | 1.3717    | 1.2193    |
| 10   |           | 1.2269    | 1.1145    | 1.0288    | 1.2269    | 1.2003    | 1.1431    |
| 11   |           |           | 1.1145    | .9431     |           | 1.286     | 1.1431    |
| 12   |           | 1.2269    | 1.2003    | 1.0288    | 1.3146    | 1.286     | 1.1431    |
| 13   |           |           | 1.286     | 1.0288    | 1.2269    | 1.2003    | 1.1431    |
| 14   |           | 1.1393    | 1.2003    | 1.0288    |           | 1.2003    | 1.1431    |
| 15   |           |           | 1.2003    | 1.0288    |           | 1.1145    | 1.1431    |
| 16   | 1.2269    | 1.3146    | 1.1145    | 1.1145    |           | 1.0288    | 1.0669    |
| 17   |           |           | 1.1145    | 1.2003    |           | 1.1145    | 1.0669    |
| 18   |           | 1.2269    | 1.2003    | 1.286     |           | 1.2003    | 1.286     |
| 19   | 1.4899    | 1.4899    | 1.286     | 1.286     | 1.8404    | 1.286     | 1.286     |
| 20   |           |           | 1.2193    | 1.3717    |           | 1.286     | 1.286     |
| 21   |           | 1.4022    | 1.3717    | 1.286     | 1.7528    | 1.3717    | 1.286     |
| 22   |           |           | 1.286     | 1.1431    | 1.6651    | 1.3717    | 1.286     |
| 23   |           | 1.3146    | 1.2003    | 1.286     | 1.4022    | 1.286     | 1.286     |
| 24   | 1.2003    | 1.2269    | 1.3146    | 1.1145    | 1.2003    | 1.3146    | 1.2003    |
| Max  | 1.4899    | 1.4899    | 1.3717    | 1.4575    | 1.8404    | 1.4022    | 1.286     |
| Min  | 1.2003    | 1.1393    | 1.1145    | .9431     | 1.2003    | 1.0288    | 1.0669    |
| Avg  | 1.2748    | 1.2883    | 1.2205    | 1.1693    | 1.3557    | 1.2608    | 1.1955    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

MUDKHED SUB-DIVISION[791] BU 4791

Substation No/ Name :- 174022 / 33 KV MUDKHED

Feeder No / Name : 202 / 11KV MENDAKA

SINGLE PHASING

Feeder KV- 11 / INCOMING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .9907     |           |           |           | .6097     | .6249     | 1.1145    |
| 2    | .9907     |           | .6249     |           | .6097     | .5468     | 1.1145    |
| 3    | 1.0669    |           |           |           | .6097     | .5468     | 1.1145    |
| 4    | 1.0669    |           | .6249     |           | .6097     | .5468     | 1.1145    |
| 5    | 1.2193    |           |           |           | .6097     | .6249     | 1.2003    |
| 6    | 1.2193    |           | .7811     |           | .6859     | .703      | 1.286     |
| 7    | 1.2955    |           |           |           | .6859     | .6249     | 1.3717    |
| 8    |           | .7011     |           |           | .6249     | .6249     | 1.286     |
| 9    |           |           | .5335     |           |           | .5335     | .5335     |
| 10   |           | 1.7185    | 1.6004    | 1.1431    | 1.4842    | 1.7528    | 1.5242    |
| 11   |           |           | 1.9814    | 1.6766    |           | 1.9814    | 1.9052    |
| 12   |           | 2.1091    | 1.7528    | 1.5242    | 1.406     | 1.829     | 1.7528    |
| 13   |           |           | 1.6766    | 1.5242    |           | 1.6766    | 1.6004    |
| 14   |           | 1.7966    | 1.5242    | 1.448     | 1.4842    | 1.5242    | 1.5242    |
| 15   |           |           | 1.7528    | 1.5242    |           | 1.448     | 1.3717    |
| 16   | .5258     | 1.7966    | 1.829     | 1.5242    | 1.6404    | 1.1431    | 1.5242    |
| 17   |           |           | 1.9052    | 1.6004    | 1.5623    | 1.5242    | 1.6004    |
| 18   |           | .5468     | .5335     | .4572     | .4687     | .5335     | .5335     |
| 19   | .7888     | .703      | .6097     | .4572     | .703      | .8573     | .6097     |
| 20   |           |           | .6859     | .6097     | .703      | .6859     | .6859     |
| 21   |           | .703      | .6859     | .6097     | .703      | .6859     | .6859     |
| 22   |           |           | .6859     | .6097     | .6249     | .6859     | .6097     |
| 23   |           | .6249     | .6097     | .6097     | .6249     | .6097     | .6097     |
| 24   | .7621     | .7011     | .6249     |           | .6097     | .6249     | .6097     |
| Max  | 1.2955    | 2.1091    | 1.9814    | 1.6766    | 1.6404    | 1.9814    | 1.9052    |
| Min  | .5258     | .5468     | .5335     | .4572     | .4687     | .5335     | .5335     |
| Avg  | .9926     | 1.1401    | 1.1064    | 1.0942    | .8530     | .9558     | 1.1368    |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

MUDKHED SUB-DIVISION[791] BU 4791

Substation No/ Name :- 174022 / 33 KV MUDKHED

Feeder No / Name : 203 / 11KV IZALI

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           |           | .6097     | 1.2193    | .7811     | .9145     |
| 2    |           |           | .9374     | .6859     | 1.2193    | .7811     | .9907     |
| 3    |           |           |           | .7621     | 1.2955    | .7811     | .9907     |
| 4    |           |           | 1.1717    | .7621     | 1.448     | .9374     | .9907     |
| 5    |           |           |           | .9145     | 1.448     | 1.0155    | .9907     |
| 6    |           |           | 1.3279    | 1.2193    | 1.5242    | 1.1717    | 1.2955    |
| 7    | .6097     |           |           | 1.4575    | 1.5242    | 1.6404    | 1.6004    |
| 8    |           | 2.0157    |           | 1.448     | 1.6404    |           | 1.829     |
| 9    |           |           | .3048     |           |           | .5792     | .4572     |
| 10   |           | .3125     | .381      |           | .3125     | .381      |           |
| 11   |           |           | .2286     |           |           |           |           |
| 12   |           | .2343     |           |           |           |           |           |
| 13   |           |           | .3048     |           |           |           |           |
| 14   |           |           | .2286     |           |           | .3048     |           |
| 15   |           |           | .2286     |           |           | .3048     |           |
| 16   | 1.5775    |           | .2286     |           |           | .3048     | .381      |
| 17   |           |           | .3048     |           |           | .381      |           |
| 18   |           | .4687     | .4572     |           | .3906     | .381      |           |
| 19   | .6135     | .5468     | .5335     |           | .6249     | .5335     |           |
| 20   |           |           | .5335     |           | .6249     | .5335     |           |
| 21   |           | .5468     | .5335     |           | .5468     | .5335     |           |
| 22   |           |           | .5335     |           | .4687     | .5335     |           |
| 23   |           | .703      | .6859     | .6859     | .6249     | .6097     | .6859     |
| 24   | .4572     | .964      | .7811     | .6097     | .9145     | .703      | .9145     |
| Max  | 1.5775    | 2.0157    | 1.3279    | 1.4575    | 1.6404    | 1.6404    | 1.829     |
| Min  | .4572     | .2343     | .2286     | .6097     | .3125     | .3048     | .381      |
| Avg  | .8145     | .7240     | .5392     | .9155     | .9892     | .6596     | 1.0034    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

MUDKHED SUB-DIVISION[791] BU 4791

Substation No/ Name :- 174022 / 33 KV MUDKHED

Feeder No / Name : 204 / 11KV DONGAON

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .9907     |           |           | .5335     | .6859     | .6249     | .5335     |
| 2    | 1.0669    |           | .6249     | .5335     | .7621     | .6249     | .5335     |
| 3    | 1.2193    |           |           | .5335     | .7621     | .6249     | .5335     |
| 4    | 1.2193    |           | .6249     | .5335     | .9145     | .6249     | .5335     |
| 5    | 1.2193    |           |           | .5335     | .9907     | .703      | .6097     |
| 6    | 1.448     |           | .703      | .7316     | 1.1431    | .7811     | .6859     |
| 7    | 1.5242    |           |           | .6859     | 1.2193    | .6249     | .7545     |
| 8    |           | .7011     |           | .7316     | .6249     | .6249     | .5335     |
| 9    |           |           | .5335     | .4572     |           | .5792     | .4572     |
| 10   |           | 1.3279    | 1.2193    | .7621     | 1.1717    | 1.3717    | 1.3717    |
| 11   |           |           | 1.6766    | 1.2193    |           | 1.9281    | 1.6766    |
| 12   |           | 1.5623    | 1.6766    | 1.2193    | 1.3279    | 1.7528    | 1.5242    |
| 13   |           |           | 1.5242    | 1.2193    |           | 1.6004    | 1.448     |
| 14   |           | 1.406     | 1.5242    | 1.2193    |           | 1.5242    | 1.3717    |
| 15   |           |           | 1.5242    | 1.2955    |           | 1.1431    | 1.2193    |
| 16   | .4382     | 1.4842    | 1.3717    | 1.2955    |           | .8383     | 1.2955    |
| 17   |           |           | 1.5242    | 1.2193    |           | 1.2955    | 1.3717    |
| 18   |           | .4687     | .4572     | .4572     | .5468     | 1.2955    | .5335     |
| 19   | .7011     | .6249     | .5335     | .5335     | .6249     | .5335     | .6097     |
| 20   |           |           | .6097     | .6097     | .703      | .6097     | .6097     |
| 21   |           | .6249     | .6097     | .6097     | .703      | .6097     | .6097     |
| 22   |           |           | .6097     | .6097     | .6249     | .5335     | .5335     |
| 23   |           | .6249     | .6097     | .6097     | .6249     | .5335     |           |
| 24   | .6097     | .7011     | .6249     | .5335     | .6097     | .6249     | .6001     |
| Max  | 1.5242    | 1.5623    | 1.6766    | 1.2955    | 1.3279    | 1.9281    | 1.6766    |
| Min  | .4382     | .4687     | .4572     | .4572     | .5468     | .5335     | .4572     |
| Avg  | 1.0437    | .9526     | .9780     | .7786     | .8258     | .9170     | .8674     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

MUDKHED SUB-DIVISION[791] BU 4791

Substation No/ Name :- 174022 / 33 KV MUDKHED

Feeder No / Name : 205 / 11KV CRPF EXPRESS FEEDER NON SHEDDABLE EXPRESS HV FEEDERS  
 Feeder KV- 11 / OUTGOING (CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .1086     |           |           | .1372     | .1086     |           | .1029     |
| 2    | .1086     |           |           | .12       | .1086     |           | .1029     |
| 3    | .1086     |           |           | .12       |           |           | .1029     |
| 4    | .1086     |           |           | .12       | .1086     |           | .1029     |
| 5    | .1086     |           |           | .1372     | .1086     |           | .1029     |
| 6    | .1086     |           |           | .1543     | .1086     |           | .12       |
| 7    | .1086     |           |           | .1543     | .1267     |           | .12       |
| 8    |           | .1402     |           | .1543     |           |           | .3086     |
| 9    |           |           | .1543     | .181      |           | .1543     | .1448     |
| 10   |           |           | .1372     | .1629     |           | .1543     | .1448     |
| 11   |           |           | .1029     | .1629     |           | .12       | .1448     |
| 12   |           |           | .1029     | .1629     |           | .1372     | .1448     |
| 13   |           |           | .0857     | .1448     |           | .1029     | .1267     |
| 14   |           |           | .0857     | .1267     |           | .0857     | .1267     |
| 15   |           |           | .12       | .1267     |           | .0857     | .1267     |
| 16   | .1227     |           | .1372     | .1267     |           | .1543     | .0991     |
| 17   |           |           | .1543     | .1448     |           | .1715     | .181      |
| 18   |           |           | .1715     | .1629     |           | .1886     | .181      |
| 19   | .1753     |           | .2229     | .1629     |           | .2229     | .181      |
| 20   |           |           | .2058     | .181      |           | .2058     | .181      |
| 21   |           |           | .2058     | .1629     |           | .1715     | .181      |
| 22   |           |           | .1715     | .1448     |           | .1543     | .1448     |
| 23   |           |           | .1543     | .1267     |           | .1372     | .1267     |
| 24   | .1086     | .1052     |           | .1372     | .1086     |           | .12       |
| Max  | .1753     | .1402     | .2229     | .181      | .1267     | .2229     | .3086     |
| Min  | .1086     | .1052     | .0857     | .12       | .1086     | .0857     | .0991     |
| Avg  | .1167     | .1227     | .1475     | .1465     | .1112     | .1497     | .1424     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

MUDKHED SUB-DIVISION[791] BU 4791

Substation No/ Name :- 174024 / 33 KV BARAD

Feeder No / Name : 201 / NAGELI

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .1372     | 1.1869    | .9835     | .5792     | .8478     | .9496     | 1.0669    |
| 2    | .1372     | 1.1869    | 1.0513    | .6097     | 1.0174    | 1.0513    | 1.0669    |
| 3    | .1524     | 1.1869    | 1.1022    | .6859     | 1.0174    | 1.153     | 1.2193    |
| 4    | .1524     | 1.2717    | 1.3395    | .7621     | 1.0174    | 1.2548    | 1.2193    |
| 5    | .1524     | 1.3565    | 1.4752    | .9145     | 1.1869    | 1.3904    | 1.3717    |
| 6    | .1677     | 1.5261    | 1.56      | 1.1279    | 1.3565    | 1.4922    | 1.4937    |
| 7    | .1677     | 1.5261    | 1.5939    | 1.0974    | 1.5261    | 1.5261    | 1.5546    |
| 8    | .1372     | 1.5261    | 1.56      | 1.0974    | 1.5261    | 1.4243    | 1.4784    |
| 9    | .1372     | .12       |           | .1067     | .0857     | .0914     | .0762     |
| 10   | 1.2193    | .0857     | .0914     | .0914     | .0857     | .0914     | .0762     |
| 11   | 1.3717    | .0857     | .0914     | .0762     |           | .0914     | .0762     |
| 12   | 1.3717    | .0857     | .0914     | .0762     |           | .0914     | .0762     |
| 13   | 1.2193    | .0857     | .0914     | .0762     |           | .0914     | .0762     |
| 14   | 1.2193    | .0857     | .0914     | .0762     | .0857     |           | .0762     |
| 15   | 1.2193    | .1029     | .0914     |           | .0857     | .0914     | .0762     |
| 16   | 1.2193    | .1029     | .0914     |           | .1029     | .0914     | .0762     |
| 17   | 1.0669    | .1029     | .0914     | .0914     | .1029     | .0914     | .0914     |
| 18   | .0914     | .1029     | .0914     | .0914     | .12       |           | .1219     |
| 19   | .1524     | .1715     | .1372     | .0914     | .1543     | .1372     | .1219     |
| 20   | .1677     | .1715     | .1372     | .1524     | .1715     | .1524     | .1524     |
| 21   | .1677     | .1715     | .1524     | .1677     | .1715     | .1524     | .1524     |
| 22   | .1677     | .1886     | .1524     | .5144     | .1715     | .1524     | .1524     |
| 23   | .9145     | .6859     | .1372     | .5144     | .8478     | .9755     | .6859     |
| 24   | .1372     | 1.2003    | .5335     |           | .8478     | 1.0059    |           |
| Max  | 1.3717    | 1.5261    | 1.5939    | 1.1279    | 1.5261    | 1.5261    | 1.5546    |
| Min  | .0914     | .0857     | .0914     | .0762     | .0857     | .0914     | .0762     |
| Avg  | .5436     | .5965     | .5538     | .4286     | .5966     | .6159     | .5460     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

MUDKHED SUB-DIVISION[791] BU 4791

Substation No/ Name :- 174024 / 33 KV BARAD

Feeder No / Name : 202 / 11KV BARASGAON

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.0669    | .7545     | .7545     | .5487     | .6859     | .7202     | .5487     |
| 2    | .9145     | .7202     | .7888     | .5487     | .6516     | .7373     | .5487     |
| 3    | .945      | .6859     | .8059     | .5182     | .6516     | .7545     | .5792     |
| 4    | .945      | .6516     | .823      | .5792     | .6516     | .7373     | .7316     |
| 5    | .9755     | .6859     | .8402     | .6706     | .6859     | .7716     |           |
| 6    | .9755     | .7545     | .8745     | .6706     | .7545     | .823      | .7621     |
| 7    | 1.0059    | .823      | .8402     | .6401     | .7716     | .7716     | .6859     |
| 8    | 1.0364    | .7545     | .7202     | .7011     | .7202     | .7202     | .6401     |
| 9    | .5182     | .6516     |           | .5182     | .6516     | .5792     | .5792     |
| 10   | .5182     | 1.95      | 1.7375    | .4572     | 1.5769    | 1.448     | 1.6766    |
| 11   | .5335     | 2.0348    | 1.9052    | 1.2193    | 1.6956    | 1.4937    | 1.9052    |
| 12   | .4572     | 1.8652    | 1.9052    | 1.2193    |           | 1.6004    | 1.9052    |
| 13   | .4268     | 1.7804    | 1.7985    | 1.2193    |           | 1.6461    | 1.829     |
| 14   | .3963     | 1.7295    | 1.6766    | 1.2193    | 1.6448    |           | 1.6766    |
| 15   | .3963     | 1.6956    | 1.6004    |           | 1.6956    | 1.4327    | 1.5242    |
| 16   | .3658     | 1.6108    | 1.6766    | 1.2955    | 1.6956    | 1.448     | 1.5242    |
| 17   | .3353     | 1.7295    | 1.6766    | 1.2955    | 1.7974    | 1.6766    | 1.5242    |
| 18   | .5182     |           | .5487     | .5182     | .8916     |           | .5792     |
| 19   | .5487     | .7202     | .7316     | .5792     | .8573     | .7621     | .6097     |
| 20   | .6097     | .7888     | .7621     | .6706     | .823      | .7621     | .6401     |
| 21   | .6706     | .7888     | .7621     | .7621     | .7888     | .7316     | .6859     |
| 22   | .6706     | .7716     |           | .7888     | .7545     | .6859     | .6706     |
| 23   | .6706     | .7545     |           | .7545     | .7202     | .6097     | .6097     |
| 24   | 1.3717    | .6706     | .6401     |           | .6859     | .5792     |           |
| Max  | 1.3717    | 2.0348    | 1.9052    | 1.2955    | 1.7974    | 1.6766    | 1.9052    |
| Min  | .3353     | .6516     | .5487     | .4572     | .6516     | .5792     | .5487     |
| Avg  | .7030     | 1.1031    | 1.1366    | .7906     | .9933     | .9769     | 1.0198    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

MUDKHED SUB-DIVISION[791] BU 4791

Substation No/ Name :- 174024 / 33 KV BARAD

Feeder No / Name : 203 / BARAD

GAOTHAN FEEDER

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .5144     | .3601     | .583      | .463      | .463      | .5144     | .5144     |
| 2    | .4801     | .4801     | .6001     | .4801     | .463      | .5316     | .5144     |
| 3    | .4801     | .4801     | .6173     | .4801     | .4801     | .5487     | .4801     |
| 4    | .4801     | .5144     | .583      | .5144     | .4801     | .583      | .4801     |
| 5    | .5144     | .5487     | .5658     | .5487     | .5144     | .5487     | .5144     |
| 6    | .5144     | .583      | .5658     | .5487     | .5316     | .5487     | .5487     |
| 7    | .5487     | .6001     | .5487     | .5316     | .5316     | .583      | .5316     |
| 8    | .5316     | .4973     | .5316     | .4801     | .5144     | .5487     | .5316     |
| 9    | .5144     | .4973     |           | .463      | .4801     | .5658     | .5316     |
| 10   | .4801     | .4287     | .4801     | .4801     | .4287     | .4973     | .4801     |
| 11   | .4287     | .3772     | .4458     | .4115     | .3772     | .4801     | .4801     |
| 12   | .4458     | .4115     | .4115     | .4115     |           | .4115     | .4801     |
| 13   | .4801     | .4115     | .463      | .4287     |           | .4801     | .4801     |
| 14   | .4801     | .4115     | .4458     | .4287     | .463      |           | .4801     |
| 15   | .4801     | .4458     | .4287     |           | .4458     | .4973     | .4801     |
| 16   | .4801     | .463      | .4287     | .3963     | .4458     | .4973     | .463      |
| 17   | .4801     |           | .4458     | .463      |           | .4973     | .463      |
| 18   | .3429     |           | .4973     | .5316     |           |           | .463      |
| 19   | .4458     |           | .5658     | .5487     | .6516     | .6687     | .4801     |
| 20   | .4973     | .6516     | .583      | .6001     | .6516     | .6859     | .5487     |
| 21   | .5487     | .6173     | .6173     | .6516     | .6173     | .6859     | .6001     |
| 22   | .5487     | .6001     | .583      | .5487     | .583      | .6344     | .583      |
| 23   | .5487     | .583      | .5144     | .5144     | .5658     | .5487     | .583      |
| 24   | .4877     | .5316     | .5144     |           | .463      | .5144     |           |
| Max  | .5487     | .6516     | .6173     | .6516     | .6516     | .6859     | .6001     |
| Min  | .3429     | .3601     | .4115     | .3963     | .3772     | .4115     | .463      |
| Avg  | .4897     | .4997     | .5226     | .4966     | .5076     | .5487     | .5092     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

MUDKHED SUB-DIVISION[791] BU 4791

Substation No/ Name :- 174024 / 33 KV BARAD

Feeder No / Name : 204 / SHEMBOLI

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .5182     | 1.5261    | 1.56      |           | .583      | 1.2548    | 1.5242    |
| 2    | .5182     | 1.5261    | 1.6956    |           | .5487     | 1.4582    | 1.6004    |
| 3    | .5182     | 1.5261    | 1.8482    |           | .5487     | 1.6108    | 1.6766    |
| 4    | .5487     | 1.6108    | 2.0008    |           | .5487     | 1.7974    | 1.6766    |
| 5    | .5792     | 1.6108    | 2.4078    |           | .6001     | 2.0348    | 1.9052    |
| 6    | .6097     | 1.8652    | 2.5434    |           | .6516     | 2.2721    | 1.9814    |
| 7    | .6401     | 2.2043    | 2.6113    |           | 1.286     | 2.34      | 2.0119    |
| 8    | .5792     | 2.2043    | 2.4756    |           | 1.4413    | 2.4417    | 2.3624    |
| 9    | .5487     | .4458     |           | 1.8595    | 1.6108    | .5487     | .5335     |
| 10   | 1.9814    | .4115     | .4268     | .6401     | 1.4582    | .4572     | .4572     |
| 11   | 2.21      | .3772     | .3963     | .5335     | .4287     | .4268     | .3963     |
| 12   | 2.1338    | .3772     | .3658     | .4572     |           | .3963     | .4268     |
| 13   | 1.9814    | .3601     | .3658     | .4268     |           | .3658     | .4268     |
| 14   | 1.9814    | .3772     | .3963     | .381      | .4115     |           | .4268     |
| 15   | 1.9814    | .4458     | .3963     | .3963     | .4458     | .381      | .4268     |
| 16   | 1.9814    | .4115     | .381      | .4268     | .4458     | .3963     | .4268     |
| 17   | 1.9814    | .5144     | .4268     | .4268     | .463      |           | .4268     |
| 18   | .4877     | .5144     | .3963     | .4877     | .6001     |           | .503      |
| 19   | .4877     | .6859     | .5335     | .5487     | .6859     | .6706     | .5182     |
| 20   | .5182     | .6516     | .5792     | .5792     | .7202     | .6706     | .5487     |
| 21   | .5182     | .6344     | .6097     | .6097     | .6859     | .6097     | .5487     |
| 22   | .5182     | .583      |           | .6173     | .6859     | .5792     | .5335     |
| 23   | 1.2193    | .8817     |           | .583      |           | 1.4327    | 1.448     |
| 24   | .5182     | 1.3717    | 1.3565    |           | .583      | 1.448     |           |
| Max  | 2.21      | 2.2043    | 2.6113    | 1.8595    | 1.6108    | 2.4417    | 2.3624    |
| Min  | .4877     | .3601     | .3658     | .381      | .4115     | .3658     | .3963     |
| Avg  | 1.0650    | .9632     | 1.1320    | .5982     | .7349     | 1.1235    | .9907     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

MUDKHED SUB-DIVISION[791] BU 4791

Substation No/ Name :- 174024 / 33 KV BARAD

Feeder No / Name : 205 / Barad AG

FEEDER SEPERATION/PURE AG

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .7011     |           |           |           |           |           |           |
| 2    | .7888     |           |           |           |           |           |           |
| 3    | .7316     |           |           |           |           |           |           |
| 4    | .7926     |           |           |           |           |           |           |
| 5    | .8535     |           |           |           |           |           |           |
| 6    | .9145     |           |           |           |           |           |           |
| 7    | .9907     |           |           |           |           |           |           |
| 8    | 1.0669    |           |           |           |           |           |           |
| 10   |           | 1.3565    | 1.0669    | .9145     | 1.0682    | .9602     | .9907     |
| 11   |           | 1.2717    | 1.1431    | 1.0669    | 1.2039    | 1.1431    | 1.0669    |
| 12   |           | 1.2378    | 1.1126    | .9145     |           | 1.0822    | 1.0669    |
| 13   |           | 1.2887    | 1.0669    | .9145     |           | .9907     | 1.0669    |
| 14   |           | 1.2039    | 1.0669    | .8383     | 1.2209    |           | .9145     |
| 15   |           | 1.1361    | 1.0669    | .8383     | 1.2209    | .9297     | .9145     |
| 16   |           | 1.1361    | .9907     | .8383     | 1.1869    | .9755     | .9907     |
| 17   |           | 1.1022    | .9907     |           | 1.17      | .9907     | .9907     |
| 24   | .6706     |           |           |           |           |           |           |
| Max  | 1.0669    | 1.3565    | 1.1431    | 1.0669    | 1.2209    | 1.1431    | 1.0669    |
| Min  | .6706     | 1.1022    | .9907     | .8383     | 1.0682    | .9297     | .9145     |
| Avg  | .8345     | 1.2166    | 1.0631    | .9036     | 1.1785    | 1.0103    | 1.0002    |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

MUDKHED SUB-DIVISION[791] BU 4791

Substation No/ Name :- 174024 / 33 KV BARAD

Feeder No / Name : 206 / AMBEGAON AG

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3048     | 1.1022    | 1.0852    | .7621     | .8478     | 1.0852    | .9145     |
| 2    | .3048     | 1.1022    | 1.1869    | .7621     | .8478     | 1.2209    | .9755     |
| 3    | .3048     | 1.1022    | 1.2887    | .7621     | .8478     | 1.2887    | .9755     |
| 4    | .3048     | 1.1869    | 1.3904    | .8535     | 1.0174    | 1.3565    | 1.0669    |
| 5    | .3353     | 1.1869    | 1.4922    | .9145     | 1.1869    | 1.4243    | 1.0669    |
| 6    | .3353     | 1.3565    | 1.5939    | 1.0059    | 1.3565    | 1.5091    | 1.1584    |
| 7    | .3658     | 1.5261    | 1.5939    | 1.0669    | 1.4413    | 1.4922    | 1.1888    |
| 8    | .3201     | 1.5261    | 1.5261    | 1.2193    | 1.3565    | 1.4922    | 1.2498    |
| 9    | .2743     | .2401     |           | .2134     | .3429     | .2439     | .2439     |
| 10   | 1.5242    | .1715     | .2134     | .2134     | .1715     | .1829     | .2439     |
| 11   | 1.6004    | .1372     | .1829     | .0914     | .1715     | .1829     | .2134     |
| 12   | 1.6004    | .1715     | .1524     | .0914     |           |           |           |
| 13   | 1.5242    | .1715     | .1524     |           |           | .1829     | .2439     |
| 14   | 1.5242    | .1715     | .1829     | .1829     | .1715     |           | .2439     |
| 15   |           | .1715     | .1829     | .2134     | .1715     | .2134     | .2439     |
| 16   | 1.448     | .2058     | .2134     | .2439     | .2058     | .1829     | .2743     |
| 17   | 1.448     | .2058     | .2134     | .2743     | .2058     | .2439     | .2439     |
| 18   | .2439     | .2401     | .2439     | .2439     | .2058     |           | .2743     |
| 19   | .2743     | .3772     | .3963     | .3048     | .3772     | .3963     | .3048     |
| 20   | .3048     | .3772     | .3963     | .3658     | .3772     | .4268     | .3353     |
| 21   | .3048     | .4115     | .3658     | .4268     | .3429     | .4268     | .3658     |
| 22   | .3048     | .4115     |           | .4748     | .3429     | .3963     | .3658     |
| 23   | .9145     | .78       | .3048     | .4409     | .9326     | .9145     | .7621     |
| 24   | .3353     | .9907     | .7011     |           | .8478     | .9145     |           |
| Max  | 1.6004    | 1.5261    | 1.5939    | 1.2193    | 1.4413    | 1.5091    | 1.2498    |
| Min  | .2439     | .1372     | .1524     | .0914     | .1715     | .1829     | .2134     |
| Avg  | .7044     | .6385     | .6845     | .5058     | .6259     | .7513     | .5889     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

MUDKHED SUB-DIVISION[791] BU 4791

Substation No/ Name :- 174024 / 33 KV BARAD

Feeder No / Name : 207 / DONGARGAON AG

FEEDER SEPERATION/PURE AG

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .823      | .1715     | .1372     | .0914     | .1029     | .1029     | .0914     |
| 2    | .8535     | .1715     | .1029     | .0914     | .1029     | .1029     | .0914     |
| 3    | .884      | .1715     | .1029     | .0914     | .1029     | .1029     | .0914     |
| 4    | .9145     | .1715     | .1029     | .0914     | .1029     | .1029     | .0914     |
| 5    | .945      | .1715     | .0686     | .0914     | .1029     | .1029     | .1219     |
| 6    | .9907     | .1715     | .1029     | .0914     | .1029     | .1029     | .1219     |
| 7    | 1.0364    |           |           |           |           |           |           |
| 8    | 1.0822    |           |           |           |           |           |           |
| 10   |           | 1.5261    | 1.0364    | .823      | 1.2689    | 1.1888    | 1.2193    |
| 11   |           | 1.4582    | 1.4022    | .9907     | 1.3717    | 1.1888    | 1.2955    |
| 12   |           | 1.3565    | 1.3108    | .9907     |           | 1.0669    | 1.2955    |
| 13   |           | 1.1191    | 1.1888    | .9145     |           | 1.0669    | 1.2193    |
| 14   |           | 1.0852    | 1.0974    | .9145     | 1.1869    |           | 1.0669    |
| 15   |           | 1.0852    | 1.0669    |           | 1.153     | .9755     | .9907     |
| 16   |           | 1.2209    | 1.0974    | .9907     | 1.1191    | 1.0364    | 1.0669    |
| 17   |           | 1.2887    | 1.1279    | .9907     | 1.2209    | 1.1279    | 1.0669    |
| 19   | .1219     | .1029     | .1219     | .0914     | .1029     | .0914     | .0914     |
| 20   | .1524     | .1372     | .1219     | .0914     | .1029     | .0914     | .1219     |
| 21   | .1524     | .1372     | .1219     | .0914     | .1029     | .0914     | .1219     |
| 22   | .1524     | .1372     | .0914     | .1372     | .1029     | .1219     | .1219     |
| 23   | .1524     | .1372     | .0914     | .1372     | .1029     | .1219     | .1219     |
| 24   | .7926     | .1524     | .0914     |           | .1029     | .0914     |           |
| Max  | 1.0822    | 1.5261    | 1.4022    | .9907     | 1.3717    | 1.1888    | 1.2955    |
| Min  | .1219     | .1029     | .0686     | .0914     | .1029     | .0914     | .0914     |
| Avg  | .6467     | .5987     | .5293     | .4284     | .4753     | .4673     | .5479     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

MUDKHED SUB-DIVISION[791] BU 4791

Substation No/ Name :- 174081 / 33kv Niwgha

Feeder No / Name : 201 / 11 Kv Niwgha

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .8421     | 1.0364    | 1.0688    | .7287     | .5182     | .7773     | .9717     |
| 2    | .8421     | 1.0364    | 1.0688    | .7287     | .5182     | .8421     | .9717     |
| 3    | .8421     | 1.0364    | 1.085     | .7773     | .5182     | .9069     | 1.0364    |
| 4    | 1.0364    | 1.0364    | 1.1174    | .9069     | .583      | .9717     | 1.1012    |
| 5    | 1.0364    | 1.0364    | 1.166     | 1.0202    | .6478     | 1.004     | 1.166     |
| 6    | 1.2955    | 1.0364    | 1.2631    | 1.166     | .6478     | 1.0364    | 1.166     |
| 7    |           | 1.2955    | 1.6194    | 1.4575    | .9069     | .9717     | 1.6194    |
| 8    | 1.2955    | 1.3279    | 1.2631    | 1.2146    | .9717     | .8745     | 1.5223    |
| 9    | 1.0364    | .8745     |           | .7287     |           |           |           |
| 10   | .7449     | .8097     | .8259     |           | .8097     | .6154     | .7125     |
| 11   | .6802     | .7125     | .6154     | .7125     | .6478     | .6154     | .6478     |
| 12   | .6478     | .5182     | .5506     | .583      | .5506     |           | .583      |
| 13   |           | .5182     | .5506     | .583      | .4858     | .4858     | .4534     |
| 14   | .6154     | .5344     | .583      | .0286     | .4858     | .5182     | .3563     |
| 15   | .6154     | .5506     | .583      | .5182     | .4858     | .5182     | .5182     |
| 16   | .6154     | .5506     | .664      | .6478     | .5182     | .6154     | .5182     |
| 17   | 1.5223    | .6478     | .7449     | .7125     | .4858     | .7449     | .7773     |
| 18   | 1.4575    | .664      | .8745     | .8421     |           | .9717     | .8421     |
| 19   | 1.1984    | .9069     | 1.0364    | 1.1012    | 1.004     | 1.004     | 1.0364    |
| 20   | 1.1984    | .8421     | .9231     | 1.1012    | .9393     | .9717     | .8421     |
| 21   | 1.166     | .8097     | .8259     | .9717     | .8421     | .9717     | .8421     |
| 22   | 1.1336    | .8097     | .7287     |           | .7773     | .9717     | .8421     |
| 23   | 1.0688    | .7935     | .7287     | .8097     | .7449     | .8745     | .7773     |
| 24   | .9717     | 1.0364    | .7773     | .7287     | .7773     | .7611     | .8097     |
| Max  | 1.5223    | 1.3279    | 1.6194    | 1.4575    | 1.004     | 1.0364    | 1.6194    |
| Min  | .6154     | .5182     | .5506     | .0286     | .4858     | .4858     | .3563     |
| Avg  | .9937     | .8509     | .8984     | .8213     | .6757     | .8193     | .8745     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

MUDKHED SUB-DIVISION[791] BU 4791

Substation No/ Name :- 174081 / 33kv Niwgha

Feeder No / Name : 202 / 11 kv Pardi

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.4251    | .2591     | .3239     | .2429     |           | .3563     | .2915     |
| 2    | 1.4251    | .2915     | .3239     | .2429     |           | .3563     | .3239     |
| 3    | 1.4251    | .2915     | .3401     | .2591     |           | .3563     | .3563     |
| 4    | 1.4899    | .3239     | .3725     | .2591     |           | .3563     | .3887     |
| 5    | 1.4899    | .3563     | .421      | .2753     |           | .3563     | .3887     |
| 6    | 1.5546    | .3887     | .421      | .2915     |           | .3887     | .3887     |
| 7    | 1.6194    | .3563     | .421      | .3077     |           | .3887     | .421      |
| 8    | 1.6194    | .3563     | .3887     | .3239     |           | .3563     |           |
| 9    | .3239     | 1.9109    | 1.7814    | 1.7004    |           | 1.587     | 1.7814    |
| 10   | .2915     | 1.8785    | 1.9433    | 1.2955    |           | 1.6194    | 1.749     |
| 11   | .3077     | 1.7814    | 1.6356    | 1.6194    | 1.3927    | 1.668     | 1.6194    |
| 12   | .2429     | 1.7166    | 1.6032    | 1.2955    | 1.4575    | 1.6842    | 1.6194    |
| 13   | .2429     | 1.6842    | 1.4899    | 1.2955    | 1.3927    | 1.6518    | 1.5546    |
| 14   | .2267     | 1.6842    | 1.4899    | 1.2955    | 1.3927    | 1.6518    | 1.5546    |
| 15   | .2267     | 1.7004    | 1.5223    | 1.4251    | 1.3603    | 1.587     | 1.4899    |
| 16   | .2267     | 1.749     | 1.5708    | 1.4251    | 1.3279    | 1.5546    | 1.4251    |
| 17   | .2591     | .1943     | .2915     | .2591     | .2591     | .3563     | .2591     |
| 18   | .2915     | .2753     | .3239     | .2591     | .2591     | .3887     | .2591     |
| 19   | .2915     | .3401     | .3887     | .3887     | .3563     | .3887     | .3239     |
| 20   | .2915     | .3725     | .3401     | .3887     | .3563     | .3887     | .3239     |
| 21   | .2915     | .3563     | .3563     | .3239     | .3563     | .3563     | .3239     |
| 22   | .2591     | .3401     | .3563     |           | .3563     | .3239     | .2591     |
| 23   | .2591     | .3239     | .3563     |           | .3563     | .3239     | .2591     |
| 24   | .2591     | .2267     | .3239     | .2429     |           | .3401     | .2915     |
| Max  | 1.6194    | 1.9109    | 1.9433    | 1.7004    | 1.4575    | 1.6842    | 1.7814    |
| Min  | .2267     | .1943     | .2915     | .2429     | .2591     | .3239     | .2591     |
| Avg  | .6808     | .7983     | .7827     | .7008     | .8172     | .7827     | .7675     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

MUDKHED SUB-DIVISION[791] BU 4791

Substation No/ Name :- 174081 / 33kv Niwgha

Feeder No / Name : 203 / 11 KV Khambal feeder

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .0972     | .0972     | .0648     | .0648     |           | .0648     | .0972     |
| 2    | .0972     | .0972     | .0648     |           |           | .081      | .0972     |
| 3    | .0972     | .0972     | .0648     |           |           | .081      | .0972     |
| 4    | .0972     | .0972     | .0648     |           |           | .081      | .0972     |
| 5    | .0972     | .0972     | .081      |           |           | .081      | .0972     |
| 6    | .0972     | .0972     | .0972     |           |           | .081      | .1134     |
| 7    | .0972     | .0972     | .0972     |           |           | .0972     | .1134     |
| 8    | .0972     | .0972     | .0972     |           |           | .0972     | .1134     |
| 9    | 2.2672    | .081      | .0972     |           |           | .081      | .081      |
| 10   | 1.7166    | .0648     | .0648     |           |           | .0648     | .0972     |
| 11   | 1.9757    | .0648     |           |           |           | .0486     | .0972     |
| 12   | 1.6518    | .0648     | .0648     |           |           | .0486     | .0648     |
| 13   | 1.6518    | .0648     | .0486     |           |           | .0486     | .0648     |
| 14   | 1.9109    | .0648     | .0648     | .0648     |           |           | .0648     |
| 15   | 1.9757    | .0648     | .0486     | .0972     | .0486     |           | .0648     |
| 16   | 2.0405    | .0648     | .0486     | .0972     | .0486     | .0486     | .0648     |
| 17   | .0972     | 2.6558    | 2.672     | 1.8785    | 2.4615    | 2.1376    | 2.915     |
| 18   | .0972     | 2.5101    | 2.4291    | 1.8785    | 2.5587    | 2.17      | 2.5911    |
| 19   | .0972     | 2.2024    | 2.1376    | 1.8785    | 2.2996    | 2.17      | 1.9433    |
| 20   | .0972     | 2.0081    | 1.9919    | 1.4899    | 1.9757    | 2.1376    | 1.8785    |
| 21   | .0972     | 1.9433    | 1.9271    | 1.4251    | 1.9433    | 2.1052    | 1.8785    |
| 22   | .0972     | 1.9433    |           |           | 1.9109    | 2.0405    | 1.8138    |
| 23   | .0972     | 1.7814    | .081      | .0972     | 1.8461    | 1.9433    | 1.749     |
| 24   | .0972     | .0972     | 1.7814    | .0648     |           | 1.8461    | 1.8138    |
| Max  | 2.2672    | 2.6558    | 2.672     | 1.8785    | 2.5587    | 2.17      | 2.915     |
| Min  | .0972     | .0648     | .0486     | .0648     | .0486     | .0486     | .0648     |
| Avg  | .6977     | .6856     | .6404     | .8215     | 1.677     | .7979     | .7504     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

MUDKHED SUB-DIVISION[791] BU 4791

Substation No/ Name :- 174108 / 33 Kv Malkautha

Feeder No / Name : 201 / 11 KV Mahati

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .4534     | 1.3927    | 1.4167    |           |           |           | 1.0688    |
| 2    | .4561     | 1.3927    | 1.5133    |           |           |           | 1.0688    |
| 3    | .4588     | 1.3927    | 1.587     |           |           | .3239     | 1.1012    |
| 4    | .4858     | 1.3927    | 1.6099    |           |           | .3239     | 1.1012    |
| 5    | .3744     | 1.5061    | 1.6518    |           |           | .3239     | 1.1012    |
| 6    | .5565     | 1.5741    | 1.8547    |           |           | .4534     | 1.1336    |
| 7    | .5853     | 1.8343    | 2.1216    |           |           |           | 1.1012    |
| 8    |           | 1.8299    | 1.7387    |           |           | .5182     | 1.0688    |
| 9    | .4961     | .4081     | .3887     |           |           | .3734     | .3734     |
| 10   | 1.4232    | .3854     | .3201     |           |           | .4534     | .3467     |
| 11   | 1.7284    | .367      | .2743     |           |           | .3734     | .3201     |
| 12   | 1.6762    | .3487     | .2743     |           |           | .3201     | .2801     |
| 13   | 1.7711    | .3254     | .2743     |           |           | .3201     | .2667     |
| 14   | 1.8027    |           | .2698     |           |           | .3201     |           |
| 15   | 1.7394    |           | .3429     |           |           | .3467     | .3467     |
| 16   | 1.6644    |           | .3658     |           |           | .3601     | .3734     |
| 17   | 1.9204    | .399      | .3658     |           |           |           | .3868     |
| 18   | .421      | .4915     | .4115     |           |           | .5335     | .4001     |
| 19   | .4681     | .582      | .5281     | .5641     | .4725     | .5335     | .5335     |
| 20   | .4458     | .5533     | .5281     |           | .567      | .5468     | .5335     |
| 21   | .3898     | .5106     | .4321     |           | .4801     | .4801     | .5068     |
| 22   | .3426     | .4851     | .4321     |           |           | .4534     | .4534     |
| 23   | 1.3763    | 1.0242    |           |           | .2591     | 1.0688    | 1.1012    |
| 24   | .3744     | 1.3443    | 1.3443    |           |           | .2591     | 1.0688    |
| Max  | 1.9204    | 1.8343    | 2.1216    | .5641     | .567      | 1.0688    | 1.1336    |
| Min  | .3426     | .3254     | .2698     | .5641     | .2591     | .2591     | .2667     |
| Avg  | .9309     | .9305     | .8716     | .5641     | .4447     | .4343     | .6972     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

MUDKHED SUB-DIVISION[791] BU 4791

Substation No/ Name :- 174108 / 33 Kv Malkautha

Feeder No / Name : 202 / 11 KV Malkautha

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.8233    | .6935     | .643      |           | .6573     | .852      | .6401     |
| 2    | 1.8787    | .6935     | .643      |           | .0657     | .852      | .6401     |
| 3    | 1.9446    | .7202     | .6944     |           | .6573     | .7133     | .6401     |
| 4    | 2.0005    | .7404     | .7682     |           | .7099     | .823      | .6401     |
| 5    | 2.0119    | .8802     | .823      |           | .7773     | .823      | .7468     |
| 6    | 2.6113    | .9305     | .8356     |           | .9069     | .823      | .8535     |
| 7    | 2.7282    | .8421     |           |           | .9069     | .7682     | .8002     |
| 8    |           | .7659     | .8299     |           | .8421     | .7682     | .7735     |
| 9    | .6935     | .5898     | .7316     |           | .7956     | .6401     |           |
| 10   | .5853     | 2.3594    | 1.9997    |           | 1.8351    | 1.9757    | 1.9433    |
| 11   |           | 2.4863    | 2.2497    |           | 1.9662    | 2.2348    | 2.17      |
| 12   | .5106     | 2.5526    | 2.2497    | 1.6194    |           | 2.4291    | 2.3644    |
| 13   | .4801     |           | 2.6246    | 1.8138    |           | 2.3967    | 2.3482    |
| 14   | .4268     | 2.4366    | 2.4996    | 1.9433    |           | 2.2996    | 2.332     |
| 15   | .4534     | 2.5379    | 2.6246    | 2.0729    |           | 2.2024    | 2.2672    |
| 16   |           | 2.7027    | 2.6246    | 1.9204    |           | 2.1052    | 2.2672    |
| 17   | .5601     | 2.7846    | 2.5621    | 1.9433    |           | 2.0405    | 2.2672    |
| 18   | .7331     | .5898     |           | .7331     | .6584     | .5868     | .5868     |
| 19   | .8535     | .8421     |           | .8928     | .9877     | .8002     | .7202     |
| 20   | .9602     | .8109     | .7804     |           | .8779     | .8535     | .8535     |
| 21   | .9198     | .7659     | .7804     |           | .7316     | .9069     | .8269     |
| 22   | .8116     | .6893     |           |           | .6828     | .8002     | .7735     |
| 23   | .6967     | .6658     |           |           | .6341     | .6935     | .7068     |
| 24   | 1.7404    | .6836     | .643      |           | .6668     | .6341     | .6668     |
| Max  | 2.7282    | 2.7846    | 2.6246    | 2.0729    | 1.9662    | 2.4291    | 2.3644    |
| Min  | .4268     | .5898     | .643      | .7331     | .0657     | .5868     | .5868     |
| Avg  | 1.2106    | 1.2941    | 1.4530    | 1.6174    | .8533     | 1.2509    | 1.2534    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

MUDKHED SUB-DIVISION[791] BU 4791

Substation No/ Name :- 174108 / 33 Kv Malkautha

Feeder No / Name : 203 / 11 KV Rohipimpalgaon  
Feeder KV- 11 / OUTGOING

SINGLE PHASING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .2103     | 1.0867    | 1.1595    |           | 1.0288    | .9389     | 1.0688    |
| 2    | .2119     | 1.0867    | 1.1595    |           | 1.0288    | .9389     | 1.0688    |
| 3    | .2366     | 1.0867    | .9402     |           | 1.0288    | .9389     | 1.1012    |
| 4    | .2913     | 1.0867    | .9402     |           | 1.0288    | 1.0059    | 1.1012    |
| 5    | .3155     | 1.1919    | 1.2069    |           | .9945     | 1.0059    | 1.1336    |
| 6    | .3195     | 1.2689    | 1.326     |           | 1.1022    | 1.0059    | 1.1822    |
| 7    | .3318     | 1.3375    | 1.3765    |           | 1.2209    | 1.2071    | 1.2146    |
| 8    |           | 1.4022    | 1.2551    |           | 1.2795    | 1.2071    | 1.2631    |
| 9    | .2934     | .2075     | .2557     |           | .1707     | .2667     | .2401     |
| 10   | 1.3717    | .1627     | .1859     |           | .1463     | .16       | .2401     |
| 11   | 1.4746    | .1627     | .1395     |           | .1463     | .16       | .2134     |
| 12   | 1.4403    | .1383     | .093      | .1787     |           | .16       | .16       |
| 13   | 1.406     | .1383     | .1417     | .1787     |           | .16       | .16       |
| 14   | 1.387     | .1395     | .1417     | .1894     |           | .16       | .16       |
| 15   | 1.387     | .1854     | .1417     | .1509     |           | .16       | .1867     |
| 16   | 1.3523    | .1862     | .1395     | 1.326     |           | .1867     | .2134     |
| 17   | 1.4373    | .2143     | .1162     | .2366     |           |           | .2401     |
| 18   | .2572     | .2414     | .189      | .2256     | .2439     | .1867     | .2667     |
| 19   | .285      | .2955     | .2439     | .3319     | .2881     | .2667     | .2934     |
| 20   | .3067     |           | .2439     |           | .2881     | .3201     | .3201     |
| 21   | .2934     | .266      | .2439     |           | .3292     | .3067     | .2934     |
| 22   | .2667     | .2407     | .2439     |           | .2439     | .2667     | .2401     |
| 23   | 1.0974    | .8827     |           |           | .9389     | 1.0688    | 1.004     |
| 24   | .2629     | 1.1096    | 1.1595    |           | 1.0343    | 1.0059    | 1.0688    |
| Max  | 1.4746    | 1.4022    | 1.3765    | 1.326     | 1.2795    | 1.2071    | 1.2631    |
| Min  | .2103     | .1383     | .093      | .1509     | .1463     | .16       | .16       |
| Avg  | .7059     | .6138     | .5671     | .3522     | .6968     | .5689     | .6014     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

MUDKHED SUB-DIVISION[791] BU 4791

Substation No/ Name :- 174108 / 33 Kv Malkautha

Feeder No / Name : 204 / DAREGAON

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .4614     | .502      | .5603     |           | .4915     | .4915     | .4858     |
| 2    | .4285     | .4858     | .5933     |           | .4915     | .4915     | .4858     |
| 3    | .426      | .4858     | .6262     |           | .4915     | .4915     | .4858     |
| 4    | .4614     | .4858     | .6554     |           | .5243     | .4915     | .5506     |
| 5    | .4614     | .5182     | .6554     |           | .5898     | .5571     | .6478     |
| 6    | .8049     | .5506     | .6882     |           | .7373     | .5571     | .7287     |
| 7    | .9337     | .4534     | .5898     |           | .6554     | .4915     | .6478     |
| 8    |           | .3725     | .4944     |           | .5243     | .426      | .4534     |
| 9    |           | .3605     | .3277     |           | .426      |           | .3887     |
| 10   |           | 1.0547    | 1.2125    |           | .8848     | 1.166     | 1.2146    |
| 11   |           | 1.3592    | 1.3435    |           | 1.0159    | 1.2631    | 1.2308    |
| 12   | .3277     | 1.3923    | 1.2125    |           |           | 1.3441    | 1.2631    |
| 13   | .3077     | 1.3184    | 1.1142    |           |           | 1.2955    | 1.1336    |
| 14   | .2915     | 1.1866    | 1.0486    | 1.0159    |           | 1.2631    | 1.0526    |
| 15   | .3077     | 1.1469    | 1.0486    | 1.0814    |           | 1.2146    | 1.0202    |
| 16   | .3077     | 1.1797    | 1.0486    | .9831     |           | 1.1336    | 1.0202    |
| 17   | .3887     | 1.1797    | 1.0486    | .9503     |           | 1.1012    | 1.0202    |
| 18   | .421      | .3923     | .3932     | .5243     | .3932     |           | .421      |
| 19   | .5992     | .6212     | .6554     | .6882     | .6554     | .4858     | .6478     |
| 20   | .6154     | .5898     | .6554     |           | .6882     | .6316     | .6802     |
| 21   | .583      | .5571     | .5243     |           | .6554     | .664      | .6316     |
| 22   | .5668     | .5558     | .5243     |           | .5571     | .6154     | .583      |
| 23   | .5182     | .5558     |           |           | .4915     | .5506     | .5344     |
| 24   |           | .5344     | .5603     |           | .4915     | .4915     | .5182     |
| Max  | .9337     | 1.3923    | 1.3435    | 1.0814    | 1.0159    | 1.3441    | 1.2631    |
| Min  | .2915     | .3605     | .3277     | .5243     | .3932     | .426      | .3887     |
| Avg  | .4848     | .7433     | .7644     | .8739     | .5980     | .7826     | .7436     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

MUDKHED SUB-DIVISION[791] BU 4791

Substation No/ Name :- 174108 / 33 Kv Malkautha

Feeder No / Name : 205 / Chikala

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3258     | .9503     | .9854     |           | .7537     | .9717     | .8745     |
| 2    | .3258     | .9503     | 1.0182    |           | .7537     | .9831     | .9069     |
| 3    | .3542     | .9503     | 1.0382    |           | .7537     | .9831     | .9069     |
| 4    | .3626     | .9503     | 1.0688    |           | .7537     | 1.065     | .9717     |
| 5    | .3955     | 1.065     | 1.0688    |           | .7865     | 1.1469    | 1.0364    |
| 6    | .6592     | 1.1797    | 1.2706    |           | .9995     | 1.1469    | 1.085     |
| 7    | .6882     | 1.2452    | 1.3032    |           | 1.1469    | 1.1469    | 1.1984    |
| 8    |           | 1.3435    | 1.2525    |           | 1.1469    | 1.2452    | 1.2955    |
| 9    | .5182     | .427      | .426      |           | .5243     | .4858     | .4858     |
| 10   | 1.1822    | .4285     | .3932     |           | .426      | .421      | .3887     |
| 11   | 1.3117    | .3285     | .2949     |           | .3932     | .3563     | .3563     |
| 12   | 1.3765    | .2637     | .2622     |           |           | .2915     | .3239     |
| 13   | 1.3599    | .2294     | .2622     |           |           | .2915     | .3239     |
| 14   | 1.3108    | .1648     | .2622     |           |           | .2915     | .2915     |
| 15   | 1.3108    | .2966     | .2622     | .3605     |           | .3239     | .3077     |
| 16   | 1.3108    | .3626     | .2949     | .426      |           | .3563     | .3563     |
| 17   | 1.3763    | .3955     | .3605     | .3768     |           |           | .421      |
| 18   | .4915     | .3955     | .426      | .5243     | .4588     | .4534     | .421      |
| 19   | .6226     | .5603     | .5571     | .5898     | .6226     | .6154     | .4858     |
| 20   | .6062     | .5261     | .5571     |           | .6226     | .6154     | .4858     |
| 21   | .5344     | .4944     | .4915     |           | .5571     | .502      | .4534     |
| 22   | .426      | .4614     | .4915     |           | .426      | .4534     | .3887     |
| 23   | .7701     | .9558     |           |           | .7537     | .8259     | .8097     |
| 24   | .3296     | .9339     | .9525     |           | .7209     | .9175     | .8745     |
| Max  | 1.3765    | 1.3435    | 1.3032    | .5898     | 1.1469    | 1.2452    | 1.2955    |
| Min  | .3258     | .1648     | .2622     | .3605     | .3932     | .2915     | .2915     |
| Avg  | .7804     | .6608     | .6652     | .4555     | .7000     | .6909     | .6437     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

NANDED RURAL II S/DN[444] BU 2437

Substation No/ Name :- 174010 / 33 KV ARDHAPUR

Feeder No / Name : 201 / ARDHAPUR

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.6575    | 1.5775    | 1.6289    | 1.6194    | 1.406     | 1.6118    | 1.6975    |
| 2    | 1.6766    | 1.5432    | 1.6461    | 1.6194    | 1.3717    | 1.6461    | 1.6975    |
| 3    | 1.6575    | 1.5432    | 1.6804    | 1.6194    | 1.3717    | 1.6461    | 1.6975    |
| 4    | 1.6575    | 1.5432    | 1.7147    | 1.6194    | 1.5775    | 1.6461    | 1.6975    |
| 5    | 1.6575    | 1.5432    | 1.7147    | 1.7147    | 1.5775    | 1.7147    | 1.6975    |
| 6    | 1.6575    | 1.6804    | 1.7661    | 1.829     | 1.6461    | 1.8004    | 1.6975    |
| 7    | 2.0195    | 1.749     | 1.8004    | 1.9624    | 1.8004    | 1.8861    | 1.6975    |
| 8    | 2.0005    | 1.6632    | 1.6804    | 1.9624    | 1.6461    | 1.8861    | 1.829     |
| 9    | 1.9624    | 1.6289    | 1.7147    | 1.7147    | 1.5947    | 1.8861    | .1886     |
| 10   | 1.6461    | 1.6766    | 1.6118    |           | 1.773     | 1.8519    | 1.8099    |
| 11   | 1.4632    | 1.6004    | 1.4232    |           | 1.5655    | 1.7147    | 1.8099    |
| 12   | 1.5089    | 1.5623    | 1.3889    |           | 1.5278    | 1.6118    | 1.7147    |
| 13   | 1.5089    | 1.5623    | 1.3375    |           | 1.4712    |           | 1.7147    |
| 14   | 1.5089    | 1.5623    | 1.166     |           | 1.4712    |           | 1.7147    |
| 15   |           | 1.5623    | 1.286     |           | 1.6975    | 1.6461    | 1.7147    |
| 16   | 1.5089    | 1.5813    | 1.3717    |           | 1.6975    | 1.6461    | 1.7147    |
| 17   | 1.5089    | 1.5432    | 1.7147    | 1.5604    | 1.4575    | 1.6032    |           |
| 18   | 1.6804    | 1.6289    | 2.0767    | 1.749     | 1.5432    |           |           |
| 19   | 1.8519    | 1.8861    | 2.0767    | 1.8176    | 1.6289    | 1.7918    |           |
| 20   | 1.8004    | 1.8004    | 1.9052    | 1.8176    | 1.8004    | 1.9805    |           |
| 21   | 1.7661    | 1.8004    |           | 1.5432    | 1.8004    | 1.829     |           |
| 22   | 1.6632    | 1.7147    |           |           | 1.7147    | 1.8861    |           |
| 23   | 1.6632    |           | 1.829     | 1.5432    | 1.6289    | 1.7918    |           |
| 24   | 1.7718    | 1.6289    | 1.5432    | 1.829     | 1.5432    | 1.6289    | 1.7193    |
| Max  | 2.0195    | 1.8861    | 2.0767    | 1.9624    | 1.8004    | 1.9805    | 1.829     |
| Min  | 1.4632    | 1.5432    | 1.166     | 1.5432    | 1.3717    | 1.6032    | .1886     |
| Avg  | 1.6868    | 1.6340    | 1.6399    | 1.7201    | 1.5964    | 1.7479    | 1.6360    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

NANDED RURAL II S/DN[444] BU 2437

Substation No/ Name :- 174010 / 33 KV ARDHAPUR

Feeder No / Name : 202 / DABHAD

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .9431     | .3772     | .4191     | .463      | .3944     | .3772     |
| 2    |           | .9431     | .4115     | .4191     | .463      | .3944     | .3772     |
| 3    |           | .9431     | .4115     | .4191     | .4458     | .3772     | .3772     |
| 4    |           | .9774     | .4115     | .381      | .4458     | .3772     | .3772     |
| 5    |           | .9945     | .4458     | .381      | .463      | .3772     | .3772     |
| 6    |           | .8916     | .4458     | .4001     | .4973     | .3772     | .3772     |
| 7    | 1.6004    | 1.5261    | .3772     | .4572     | .3772     | .3944     | .3772     |
| 8    | 1.749     | 1.7833    | .3429     | .4001     |           | .3944     | .3772     |
| 9    | 1.7318    | .2572     | .2915     | .362      | .3258     | .3086     | .3772     |
| 10   | .3395     | .3048     | 1.3889    |           | 1.8861    | 1.2517    | 1.3375    |
| 11   | .4572     | .3048     | 1.869     |           | 1.8861    | 1.5432    | 1.5775    |
| 12   | .3292     | .3239     | 1.7147    |           | 1.6975    | 1.5261    | 1.6804    |
| 13   | .3292     | .3601     | 1.6118    |           | 1.6975    |           | 1.6632    |
| 14   | .3395     | .4001     | 1.4575    |           | 1.6975    |           | 1.6289    |
| 15   | .3772     | .4001     | 1.3889    |           | 1.6975    |           | 1.406     |
| 16   | .3658     | .4191     | 1.5947    |           | 1.6975    | 1.5947    | 1.4575    |
| 17   | .3601     | .3772     | 1.3146    |           | 1.4918    | 1.7353    |           |
| 18   | .4287     | .4115     | .4001     |           |           |           |           |
| 19   | .5144     | .4287     | .5716     | .4973     |           | 1.6461    |           |
| 20   | .5316     | .4458     | .5525     | .4801     | .4458     | 1.6461    |           |
| 21   | .4973     | .4458     |           | .4973     | .4801     | 1.6975    |           |
| 22   | .4801     | .463      |           |           | .4801     | .5281     |           |
| 23   | .8916     |           |           |           | .4801     | .4904     |           |
| 24   |           | 1.046     | .3772     |           | .7202     | .4287     | .3772     |
| Max  | 1.749     | 1.7833    | 1.869     | .4973     | 1.8861    | 1.7353    | 1.6804    |
| Min  | .3292     | .2572     | .2915     | .362      | .3258     | .3086     | .3772     |
| Avg  | .6660     | .6691     | .8455     | .4261     | .9447     | .8741     | .8543     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

NANDED RURAL II S/DN[444] BU 2437

Substation No/ Name :- 174010 / 33 KV ARDHAPUR

Feeder No / Name : 203 / Dabhad-II

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.3375    | 1.3889    | .8059     |           | .7716     | .7373     | .7545     |
| 2    | 1.406     | 1.3717    | .8059     |           | .8059     | .7373     | .7545     |
| 3    | 1.406     | 1.3717    | .823      |           | .8059     | .7716     | .9054     |
| 4    | 1.4746    | 1.4575    | .8916     |           | .8402     | .8573     | .7545     |
| 5    | 1.4746    | 1.2346    | .9602     |           | .9945     | .8916     | .9054     |
| 6    | 1.6804    | 1.6975    | 1.0117    |           | 1.1145    | .9431     | .7545     |
| 7    | 1.9204    | 2.1434    | .9774     |           | .9602     | .9774     | .7316     |
| 8    | 2.0748    | 2.2634    | .7716     |           | .9088     | .8402     | .7316     |
| 9    | .6859     | .5658     | .5658     |           | .703      | .5487     | .7545     |
| 10   | .4715     | .5716     | 2.0576    |           | 2.2634    | 1.7318    | 1.9719    |
| 11   | .4572     | .4801     | 2.4348    |           | 2.5274    | 2.1605    | 2.0233    |
| 12   | .4572     | .4458     | 2.2977    |           | 2.2634    | 1.9376    | 2.0576    |
| 13   |           | .4458     |           |           | 2.2634    |           | 1.8519    |
| 14   | .4572     | .4115     |           |           | 1.6975    |           | 1.8519    |
| 15   | .4572     | .463      |           |           | 1.6975    | 1.2517    | 1.8519    |
| 16   | .4904     | .5144     | 1.5947    |           | 1.6975    | 1.4232    | 1.8861    |
| 17   | .4572     | .7716     | 1.4403    | 1.8004    | 2.0405    | 1.5655    |           |
| 18   | .6516     | .8573     | .7049     |           | .6687     |           |           |
| 19   | .8402     | .9431     | 1.0098    | .8916     | .8916     | 1.6975    |           |
| 20   | .8916     | .9259     | 1.0479    | .9431     | .9431     | 1.6975    |           |
| 21   | .8745     | .9088     |           | .9602     | .9945     | 1.6975    |           |
| 22   | .8059     | .8402     |           |           | .8573     | .9431     |           |
| 23   | 1.3717    |           |           | .7716     | .7373     | .8676     |           |
| 24   | 1.3717    | 1.4575    | .7716     |           | .7373     | .7373     | .7545     |
| Max  | 2.0748    | 2.2634    | 2.4348    | 1.8004    | 2.5274    | 2.1605    | 2.0576    |
| Min  | .4572     | .4115     | .5658     | .7716     | .6687     | .5487     | .7316     |
| Avg  | 1.0224    | 1.0231    | 1.1651    | 1.0734    | 1.2577    | 1.1912    | 1.2527    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

NANDED RURAL II S/DN[444] BU 2437

Substation No/ Name :- 174010 / 33 KV ARDHAPUR

Feeder No / Name : 204 / MENDHALA

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .5525     | .5487     | .9945     |           | .7716     | 1.3717    | 1.5089    |
| 2    | .5906     | .5658     | 1.0802    |           | .7716     | 1.4403    | 1.6975    |
| 3    | .724      | .6859     | 1.1317    |           | .8059     | 1.4575    | 2.452     |
| 4    | .8573     | .7716     | 1.4232    |           | .8059     | 1.5775    | 1.6975    |
| 5    |           |           | 1.5261    |           | .8573     | 1.6804    | 1.6975    |
| 6    |           |           | 1.5947    |           | .9602     | 1.8004    | 1.6975    |
| 7    |           |           | 1.8861    |           | 1.5775    | 1.8347    | 1.6461    |
| 8    |           |           | 1.6632    |           | 1.7318    | 1.9204    | 1.6975    |
| 9    |           |           |           |           | .703      | .5487     | 2.037     |
| 10   |           | 2.0576    |           |           |           |           | .5144     |
| 11   |           | 1.8004    |           |           |           |           | .4954     |
| 12   |           | 1.7661    |           |           |           | .4973     | .4954     |
| 13   |           | 1.7661    |           |           |           |           | .4382     |
| 14   |           | 1.6461    |           |           |           |           | .583      |
| 15   |           | 1.7318    |           |           | .4338     | .3601     | .5144     |
| 16   |           | 1.7661    |           |           | .6224     | .4458     |           |
| 17   | 1.8176    | 1.749     | .7373     | 1.2689    | .6859     | .7316     |           |
| 18   | .7888     | .7716     | .7716     |           | .7373     |           |           |
| 19   | .7888     | .6859     | .8764     | .8745     | .7716     |           |           |
| 20   | .6687     | .6516     | .8383     | .5316     | .7716     | .7545     |           |
| 21   | .5316     | .5487     |           | .5316     | .6001     | .7545     |           |
| 22   | .4801     | .4458     |           |           | .5144     | .8488     |           |
| 23   | .463      |           |           | .823      | .7888     | .6602     |           |
| 24   | .4954     | .463      | .9431     |           | .823      | .9259     | 1.6975    |
| Max  | 1.8176    | 2.0576    | 1.8861    | 1.2689    | 1.7318    | 1.9204    | 2.452     |
| Min  | .463      | .4458     | .7373     | .5316     | .4338     | .3601     | .4382     |
| Avg  | .7299     | 1.1345    | 1.1897    | .8059     | .8281     | 1.0895    | 1.3044    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

NANDED RURAL II S/DN[444] BU 2437

Substation No/ Name :- 174010 / 33 KV ARDHAPUR

Feeder No / Name : 205 / NIRML COTTON & GINNING  
Feeder KV- 11 / OUTGOINGNON SHEDDABLE EXPRESS HV FEEDERS  
(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .0381     | .0514     | .0343     | .0572     | .0514     | .0514     | .0377     |
| 2    | .0381     | .0514     | .0343     | .0572     | .0343     | .0514     | .0566     |
| 3    | .0381     | .0514     | .0343     | .0572     | .0343     | .0514     | .0377     |
| 4    | .0381     | .0514     | .0514     | .0572     | .0343     | .0514     | .0377     |
| 5    | .0381     | .0514     | .0514     | .0572     | .0514     | .0514     | .0566     |
| 6    | .0381     | .0514     | .0514     | .0572     | .0686     | .0514     | .0377     |
| 7    | .0381     | .0514     | .0514     | .0572     | .0686     | .0514     | .0377     |
| 8    | .0381     | .0514     | .0514     | .0572     | .0514     | .0514     | .0377     |
| 9    | .0343     | .0514     | .0514     | .0572     | .0514     | .0343     | .0566     |
| 10   | .0377     | .0572     | .0514     |           | .0566     | .1372     | .0514     |
| 11   | .0377     | .0572     | .0514     |           | .0566     | .1372     | .0514     |
| 12   | .0366     | .0572     | .0514     |           | .0566     |           | .0857     |
| 13   | .0377     | .0572     | .0514     |           | .0377     |           | .12       |
| 14   |           | .0572     | .0514     |           | .0566     |           | .0857     |
| 15   | .0377     | .0572     | .0514     |           | .0566     |           | .0857     |
| 16   |           | .0572     | .0514     |           | .0566     |           | .0857     |
| 17   | .0514     | .0343     | .0343     | .0514     | .0514     |           |           |
| 18   | .0514     | .0343     | .0572     |           | .0514     |           |           |
| 19   | .0514     | .0343     | .0572     | .0514     | .0514     | .0377     |           |
| 20   | .0514     | .0343     | .0572     | .0514     | .0514     | .0377     |           |
| 21   | .0514     | .0343     |           | .0514     | .0514     | .0377     |           |
| 22   | .0514     | .0343     |           | .0514     | .0514     | .0377     |           |
| 23   | .0366     |           | .0572     | .0514     | .0514     | .0377     |           |
| 24   | .0381     | .0514     | .0343     | .0572     | .0514     | .0514     | .0377     |
| Max  | .0514     | .0572     | .0572     | .0572     | .0686     | .1372     | .12       |
| Min  | .0343     | .0343     | .0343     | .0514     | .0343     | .0343     | .0377     |
| Avg  | .0413     | .0487     | .0486     | .0550     | .0514     | .0565     | .0588     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

NANDED RURAL II S/DN[444] BU 2437

Substation No/ Name :- 174031 / 33 KV MALEGAON

Feeder No / Name : 201 / MALEGAON

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.0829    | .9556     | .8383     |           | .8551     | .9054     | .9122     |
| 2    | 1.1883    | .9448     | .8383     |           | .9667     | 1.0395    | .9717     |
| 3    | 1.262     | .9556     | .9221     | .8192     | 1.0442    | 1.1401    | 1.0202    |
| 4    | 1.3432    | .9556     | 1.0059    | .8383     | 1.153     | 1.2407    | 1.0814    |
| 5    | 1.5339    | .9835     | 1.0898    | .8478     | 1.3245    | 1.358     | 1.1603    |
| 6    | 1.6108    | 1.0174    | 1.1401    | .8669     | 1.4586    | 1.4083    | 1.2574    |
| 7    | 1.7193    | 1.1961    | 1.4419    | 1.0174    | 1.5424    | 1.7604    | 1.6575    |
| 8    | 1.5927    | 1.2651    | 1.4083    | 1.065     | 1.3889    | 1.6766    | 1.6194    |
| 9    |           | 1.531     | 1.4937    | 1.251     | 1.3443    | 1.6057    | 1.6804    |
| 10   | .9717     | 1.1763    |           | 1.2696    |           | 1.4937    | 1.2826    |
| 11   | 1.0936    | 1.0642    | 1.4003    | 1.1157    |           | 1.307     | 1.1389    |
| 12   | 1.0802    | 1.0456    | 1.3676    | 1.0136    | 1.3443    | 1.2136    | 1.0456    |
| 13   | 1.0669    | 1.0456    | 1.307     | .9979     | 1.1389    | 1.1949    | 1.0082    |
| 14   | 1.0364    | 1.0456    | 1.2136    | .9709     | 1.0269    | 1.2323    | .9709     |
| 15   | 1.0059    | 1.0829    | 1.2567    | 1.0082    | 1.0829    | 1.2696    | 1.0082    |
| 16   | .9907     | 1.1576    | 1.2936    | 1.0562    | 1.1763    | 1.307     | 1.0456    |
| 17   | 1.034     | 1.2136    | 1.1888    |           | 1.2696    | 1.307     | 1.0829    |
| 18   | 1.4377    | 1.419     | 1.5893    |           | 1.3256    | 1.1203    | 1.086     |
| 19   | 1.8671    | 1.7177    | 1.7737    | 1.5655    | 1.6057    | 1.4003    | 1.531     |
| 20   | 1.7737    | 1.6804    | 1.7177    | 1.7164    | 1.8298    | 1.7737    | 1.6991    |
| 21   | 1.6804    | 1.4937    |           | 1.6221    | 1.475     | 1.6804    | 1.6057    |
| 22   | 1.4937    | 1.363     | 1.4003    | 1.4523    | 1.363     | 1.587     | 1.5123    |
| 23   | .9326     | .6371     |           | .5792     | .6706     | .8907     | .724      |
| 24   | 1.0242    | .9496     | .7377     |           | .7888     | .7377     | .8802     |
| Max  | 1.8671    | 1.7177    | 1.7737    | 1.7164    | 1.8298    | 1.7737    | 1.6991    |
| Min  | .9326     | .6371     | .7377     | .5792     | .6706     | .7377     | .724      |
| Avg  | 1.2966    | 1.1624    | 1.2583    | 1.1091    | 1.2352    | 1.3187    | 1.2076    |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

NANDED RURAL II S/DN[444] BU 2437

Substation No/ Name :- 174031 / 33 KV MALEGAON

Feeder No / Name : 202 / UMRI

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3881     | .8886     | 1.0059    |           | .8886     | 1.0059    | .8802     |
| 2    | .4527     | .9116     | 1.0059    |           | .9995     | 1.1401    | .9393     |
| 3    | .4805     | .9556     | 1.0898    | .6226     | 1.1271    | 1.1736    | 1.004     |
| 4    | .5792     | 1.0059    | 1.2071    | .7545     | 1.2209    | 1.2071    | 1.065     |
| 5    | .7023     | 1.0174    | 1.2574    | .9156     | 1.3916    | 1.2574    | 1.1603    |
| 6    | .7964     | 1.153     | 1.2574    | 1.0923    | 1.5581    | 1.3077    | 1.3077    |
| 7    | .8417     | 1.1469    | 1.5927    | 1.3226    | 1.643     | 1.6263    | 1.7072    |
| 8    | .6697     | 1.186     | 1.3077    | 1.4255    | 1.4575    | 1.6263    | 1.587     |
| 9    | .4108     | .4108     | .3921     | .3734     | .4294     | .4294     | .4294     |
| 10   | .8745     | .2427     | .2801     | .2987     | .2801     | .2427     | .2801     |
| 11   | 1.0467    | .2241     | .2241     | .2561     | .2241     | .2427     | .2614     |
| 12   | 1.0494    | .2241     | .1806     | .2353     | .2241     | .2427     | .2427     |
| 13   | 1.0364    | .2241     | .2614     | .2378     | .2241     | .2241     | .2427     |
| 14   | 1.0364    | .2241     | .2801     | .2218     | .1867     | .2614     | .2427     |
| 15   | 1.0364    | .2427     | .2987     | .2427     | .2614     | .2801     | .2987     |
| 16   | 1.0212    | .3734     | .3361     | .2829     | .3361     | .2656     | .3361     |
| 17   | 1.0802    | .4108     | .3864     | .3921     | .3174     | .3361     | .3734     |
| 18   | .4294     | .4294     | .5041     | .5228     | .4294     | .4294     | .4854     |
| 19   | .5228     | .5228     | .5041     | .5281     | .6722     | .4668     | .5041     |
| 20   | .4854     | .5228     | .5228     | .5093     | .5041     | .5228     | .5228     |
| 21   | .4481     | .5041     |           | .4904     | .4854     | .4668     | .4854     |
| 22   | .4294     | .4294     | .3361     | .4527     | .4108     | .4294     | .4668     |
| 23   | .8139     | .8048     |           | .6878     | .8048     | .7449     | .8688     |
| 24   | .3801     | .8478     | .8718     |           | .823      | .8383     | .7842     |
| Max  | 1.0802    | 1.186     | 1.5927    | 1.4255    | 1.643     | 1.6263    | 1.7072    |
| Min  | .3801     | .2241     | .1806     | .2218     | .1867     | .2241     | .2427     |
| Avg  | .7088     | .6210     | .6865     | .565      | .7041     | .6987     | .6865     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

NANDED RURAL II S/DN[444] BU 2437

Substation No/ Name :- 174031 / 33 KV MALEGAON

Feeder No / Name : 203 / DEGAON (KD.)

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .6706     | .6535     | .6535     |           | .6979     | .7095     | .6722     |
| 2    | .6554     | .6722     | .7095     |           | .679      | .7095     | .6722     |
| 3    | .6802     | .7282     | .7842     | .7282     | .7167     | .7842     | .7095     |
| 4    | .7293     | .8029     | .8962     | .7468     | .7095     | .8962     | .8402     |
| 5    | .7125     | .8589     | 1.0082    | .8215     | .7842     | 1.0269    | .9335     |
| 6    | .7459     | .9335     | 1.1203    | .8962     | .8215     | 1.1016    | 1.0269    |
| 7    | .7712     | .7842     | .9709     | .8589     | .8589     | 1.0829    | 1.0456    |
| 8    |           | .5601     | .8589     | .8215     | .5041     | .9522     | .9335     |
| 9    |           | .4668     | .6161     | .8402     | .7282     | .7282     | .7095     |
| 10   | .0566     | 1.0059    | .8579     | .7888     | .8383     | .7655     | .8669     |
| 11   |           | 1.1736    | .8993     | .7712     | 1.0059    | .8697     | .9724     |
| 12   | .3734     | 1.0898    | .873      | .7537     | .8383     | .9172     | .9831     |
| 13   | .4108     | .8383     | .724      | .7287     | .8383     | .9122     | .8855     |
| 14   | .4668     | .8383     | .535      | .7116     | .7545     | .9122     | .5864     |
| 15   | .5228     | .8718     | .5944     | .7449     | .8048     | .9014     | .759      |
| 16   | .5601     | .9389     | .6748     | .7956     | .8048     | .8905     | .8259     |
| 17   | .5601     | 1.0562    | .6539     | .8048     | .8383     | .8065     | 1.0059    |
| 18   | .7095     | .5228     | .7655     | .7842     | .6908     | .7095     | .7421     |
| 19   | .8029     | .8402     | .8215     | .8299     | .8215     |           | .7655     |
| 20   | .7468     | .7468     | .7655     | .811      | .6348     | .7655     | .7468     |
| 21   | .7282     | .7095     |           | .7733     | .6722     | .7095     | .7095     |
| 22   | .6908     | .6535     | .7095     | .7356     | .6722     | .6908     | .6908     |
| 23   | .6535     | .6535     |           | .7167     | .7095     | .7095     | .6516     |
| 24   | .6516     | .6535     | .6535     |           | .7095     | .7095     | .6722     |
| Max  | .8029     | 1.1736    | 1.1203    | .8962     | 1.0059    | 1.1016    | 1.0456    |
| Min  | .0566     | .4668     | .535      | .7116     | .5041     | .6908     | .5864     |
| Avg  | .6142     | .7939     | .7793     | .7840     | .7556     | .8374     | .8086     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

NANDED RURAL II S/DN[444] BU 2437

Substation No/ Name :- 174031 / 33 KV MALEGAON

Feeder No / Name : 204 / KASARKHEDA

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .6539     | .4668     | .4481     |           |           | .4481     | .4668     |
| 2    | .6882     | .4668     | .4481     |           | .4481     | .5228     | .4854     |
| 3    | .7773     | .5601     | .5228     | .4481     | .431      | .6722     | .5601     |
| 4    | .8951     | .6161     | .6722     | .5228     | .5415     | .7842     | .6535     |
| 5    | .9231     | .7468     | .7468     | .6535     | .5847     | .8589     | .7468     |
| 6    | 1.0442    | .8029     | .7655     | .8029     | .6348     | .8775     | .8402     |
| 7    | 1.1233    | .5601     | .7282     | .7842     | .6908     | .7842     | .7842     |
| 8    | 1.2717    | .6161     | .6535     | .7655     | .5975     | .7095     | .5788     |
| 9    | .6036     | .5415     | .5601     | .7842     | .4854     | .5975     | .5975     |
| 10   | .4668     | .9892     | .7526     | .7362     | .8383     | 1.0642    | 1.0056    |
| 11   | .3547     | 1.0562    | .9907     | .9389     | .9389     | 1.0829    | .9724     |
| 12   | .3361     | 1.0059    | .9031     | .9831     | .8886     | 1.0829    | .9503     |
| 13   | .3174     | 1.0059    | .7964     | .9069     | .8718     | .9442     | .9014     |
| 14   | .3547     | .9389     | .7727     | .8381     | .9054     | .9282     | .8642     |
| 15   | .3734     | .9221     | .7876     | .8745     | .9054     | .8855     | .9014     |
| 16   | .3921     | 1.0059    | .8069     | .9116     | .9389     | .8436     | .9231     |
| 17   | .3395     | 1.0898    | .4012     | .8551     | .9556     | .8539     | .9389     |
| 18   | .5228     | .5601     | .5601     | .4294     | .4668     | .4854     | .4525     |
| 19   | .7095     | .6535     | .6535     | .4904     | .6535     | .5228     | .5415     |
| 20   | .6535     | .5415     | .6722     | .547      | .6722     | .6348     | .5975     |
| 21   | .5415     | .5228     |           | .5093     | .5975     | .5601     | .5415     |
| 22   | .5041     | .5041     | .5041     | .4715     | .5228     | .5228     | .5041     |
| 23   | .4668     | .4481     |           | .4527     | .4854     | .4854     | .4525     |
| 24   | .583      | .4668     | .4481     |           | .4481     | .4481     | .4668     |
| Max  | 1.2717    | 1.0898    | .9907     | .9831     | .9556     | 1.0829    | 1.0056    |
| Min  | .3174     | .4481     | .4012     | .4294     | .431      | .4481     | .4525     |
| Avg  | .6207     | .712      | .6634     | .7003     | .6740     | .7333     | .6970     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

NANDED RURAL II S/DN[444] BU 2437

Substation No/ Name :- 174040 / 33 kv LAHAN substation

Feeder No / Name : 201 / LAHAN SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .3772     | .7545     | .7202     | .6859     | .8573     | .9259     |
| 2    |           | .3429     | .7545     | .7202     | .6859     | .9431     | 1.0288    |
| 3    |           | .3429     | .823      | .7888     | .7545     | 1.0631    | 1.1317    |
| 4    |           | .3772     | .8916     | .823      | .7545     | 1.1145    | 1.2003    |
| 5    |           | .4287     | .9602     | .8573     | .823      | 1.166     | 1.3032    |
| 6    | .4801     | .4801     | 1.0288    | .8916     | .8916     | 1.2003    | 1.3717    |
| 7    |           | .463      | 1.3717    | 1.0974    | 1.0974    | 1.3203    | 1.5089    |
| 8    |           | .4973     | 1.4403    | 1.0288    | 1.3032    | 1.4403    | 1.4403    |
| 9    | .3429     |           | .4115     | .4115     | .3429     | .4115     | .4115     |
| 10   | .7716     |           |           |           | .4115     | .3429     |           |
| 11   | .823      |           | .4115     |           | .3429     | .3772     |           |
| 12   | .8573     |           | .4115     | .3429     | .3086     | .4115     |           |
| 13   | .8402     |           | .3772     |           | .3429     | .3772     |           |
| 14   | .9431     |           | .3772     | .2743     | .3429     |           |           |
| 15   | 1.0288    |           | .3429     |           | .3429     | .3429     |           |
| 16   | 1.1145    | 1.3717    | .3772     |           | .3429     | .5487     |           |
| 17   | 1.1317    | 1.3717    | .3772     |           | .3772     | .4115     | .4115     |
| 18   | .4287     |           | .4115     |           |           |           |           |
| 19   | .5144     |           | .5144     |           | .4801     | .5487     |           |
| 20   | .5487     | .4801     | .5487     | .4801     |           | .5487     | .5487     |
| 21   | .583      |           | .4801     |           | .583      | .5487     |           |
| 22   | .5316     |           | .4801     |           | .5487     | .5487     |           |
| 23   | .5144     | .6859     | .6859     | .6859     | .6859     | .7545     | .7545     |
| 24   |           | .4801     | .7545     | .6859     |           | .7716     | .823      |
| Max  | 1.1317    | 1.3717    | 1.4403    | 1.0974    | 1.3032    | 1.4403    | 1.5089    |
| Min  | .3429     | .3429     | .3429     | .2743     | .3086     | .3429     | .4115     |
| Avg  | .7159     | .5922     | .6516     | .7006     | .5928     | .7295     | .9892     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

NANDED RURAL II S/DN[444] BU 2437

Substation No/ Name :- 174040 / 33 kv LAHAN substation

Feeder No / Name : 202 / CHABHARA

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | 1.4575    |           | .3429     |           | .5087     | .3772     |
| 2    |           | 1.5604    |           | .3429     |           | .4801     | .3772     |
| 3    |           | 1.8861    |           | .4115     |           | .4801     | .4458     |
| 4    |           | 2.0576    |           | .4801     |           | .5144     | .5144     |
| 5    |           | 2.1948    |           | .5144     |           | .5487     | .6859     |
| 6    | .4287     | 2.3148    |           | .6173     |           | .6001     | .7545     |
| 7    |           | 2.3491    |           | .6173     | .3772     | .6344     | .6516     |
| 8    |           | 1.8004    |           | .5487     | .3086     | .5658     | .4458     |
| 9    | 1.6289    | .463      | .1372     | .4801     | .3429     |           | .4801     |
| 10   | .3601     |           | 1.3375    |           | 1.5432    | 1.8861    |           |
| 11   | .3086     |           | 1.5089    |           | 1.7147    | 2.0233    |           |
| 12   | .2915     |           | 2.4006    | 2.0576    | 1.7147    | 2.1605    |           |
| 13   | .2572     |           | 2.332     |           | 1.749     | 1.8861    |           |
| 14   | .2572     |           | 2.1262    | 1.9719    | 1.7147    |           |           |
| 15   | .2743     |           | 2.0233    |           | 1.749     | 1.3717    |           |
| 16   | .2915     |           | 2.0233    |           | 1.7147    | 1.8176    |           |
| 17   | .3086     |           | 2.0233    |           | 1.749     | 1.8176    | 1.7147    |
| 18   | .3772     | .4287     | .4458     |           |           |           |           |
| 19   | .4458     |           | .4801     |           | .5144     |           |           |
| 20   | .5144     | .4287     | .5144     | .5144     | .583      | .583      | .5144     |
| 21   | .4801     |           | .4801     |           | .5487     | .5144     |           |
| 22   | .4287     |           | .4115     |           | .5144     | .5144     |           |
| 23   | 1.2346    | .4287     | .3772     | .4287     | .5144     | .4458     | .4287     |
| 24   |           | 1.3717    |           | .3772     |           | .5144     | .4115     |
| Max  | 1.6289    | 2.3491    | 2.4006    | 2.0576    | 1.749     | 2.1605    | 1.7147    |
| Min  | .2572     | .4287     | .1372     | .3429     | .3086     | .4458     | .3772     |
| Avg  | .4930     | 1.4417    | 1.2414    | .6932     | 1.0845    | .9934     | .6001     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

NANDED RURAL II S/DN[444] BU 2437

Substation No/ Name :- 174040 / 33 kv LAHAN substation

Feeder No / Name : 203 / LONI

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .8573     | 1.1145    | 1.3375    | 1.286     | 1.6289    | 1.5432    |
| 2    |           | .9431     | 1.2003    | 1.3717    | 1.286     | 2.0576    |           |
| 3    |           | .9431     | 1.2003    | 1.4746    | 1.286     | 2.3663    | 1.989     |
| 4    |           | 1.0288    | 1.3717    | 1.4746    | 1.3717    | 2.4863    | 2.0233    |
| 5    |           | 1.286     | 1.6289    | 1.6118    | 1.4575    | 2.572     | 2.0576    |
| 6    | 1.4575    | 1.4918    | 1.8004    | 1.7147    | 1.5432    | 2.7263    | 2.0576    |
| 7    |           | 1.5947    | 2.3148    | 2.2977    | 2.2291    | 2.7606    | 2.572     |
| 8    |           | 1.2346    | 2.4006    | 2.332     | 2.2291    | 2.6406    | 2.2634    |
| 9    | 1.1145    | .9945     | 1.1145    | 1.0974    | 1.1145    | 1.2003    | 1.0974    |
| 10   | 1.9376    |           | .7202     |           | .8916     | 1.2003    |           |
| 11   | 1.9376    |           | .6859     |           | .8573     | .8573     |           |
| 12   | 1.8004    |           | .583      | .5144     | .6859     | .6859     |           |
| 13   | 1.8861    |           | .6173     |           | .583      | .6859     |           |
| 14   | 1.9719    |           | .6173     | .5144     | .6173     |           |           |
| 15   | 1.989     |           | .6173     |           | .583      | .6859     |           |
| 16   | 2.0233    | 1.9719    | .6859     |           | .6859     | .7202     |           |
| 17   | 2.1262    | 1.9719    | .7545     |           | .7545     | .8573     | .8573     |
| 18   | 1.0288    | 1.0288    | 1.0288    |           |           |           |           |
| 19   | 1.2003    |           | 1.1317    |           | 1.1317    | .8573     |           |
| 20   | 1.1145    | 1.2003    | 1.166     | 1.286     | 1.2689    | 1.0288    | 1.1145    |
| 21   | 1.0288    |           | .9945     |           | 1.1145    | 1.2003    |           |
| 22   | .9602     |           | .8916     |           | .9602     | 1.0288    |           |
| 23   | .9431     | 1.0288    | 1.2689    | 1.286     | 1.1145    | 1.2689    | 1.286     |
| 24   |           |           | 1.0288    | 1.3032    |           | 1.2003    | 1.3717    |
| Max  | 2.1262    | 1.9719    | 2.4006    | 2.332     | 2.2291    | 2.7606    | 2.572     |
| Min  | .9431     | .8573     | .583      | .5144     | .583      | .6859     | .8573     |
| Avg  | 1.5325    | 1.2554    | 1.1224    | 1.4011    | 1.1387    | 1.4871    | 1.6861    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

NANDED RURAL II S/DN[444] BU 2437

Substation No/ Name :- 174040 / 33 kv LAHAN substation

Feeder No / Name : 204 / 11KV SONALA SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .8573     | 1.0288    |           | .3772     |           | .5487     | .5487     |
| 2    | .8573     | 1.2003    |           | .3772     |           | .5487     | .5487     |
| 3    | .8573     | 1.286     |           | .4458     |           | .6001     | .6173     |
| 4    | .8573     | 1.3717    |           | .5144     |           | .6859     | .7545     |
| 5    | .9431     | 1.4918    |           | .6859     |           | .823      | .8573     |
| 6    | 1.0288    | 1.5432    |           | .823      |           | .8573     | .9259     |
| 7    |           | 1.6632    |           | .7888     | .9431     | .9259     | .9259     |
| 8    |           | 1.6289    | .7716     | .6859     | .8573     | .823      | .7202     |
| 9    | .5144     | .6516     | .6516     | .6859     | .6001     | .7202     | .6516     |
| 10   | .4973     |           | 1.3375    |           | .8916     | 1.166     |           |
| 11   | .4801     |           | 1.5089    |           | .8573     | 1.2346    |           |
| 12   | .4115     |           | 1.6804    | 1.2003    | 1.1145    | 1.5089    |           |
| 13   | .3601     |           | 1.6118    |           | 1.3032    | 1.5089    |           |
| 14   | .3429     |           | 1.5432    | 1.1145    | 1.1317    |           |           |
| 15   | .3258     |           | 1.4403    |           | 1.1145    | .8573     |           |
| 16   |           |           | 1.3717    |           | 1.166     | 1.5089    |           |
| 17   | .4458     |           | 1.2689    |           | 1.2003    | 1.2689    | 1.2003    |
| 18   | .6173     | .5144     | .6173     |           |           |           |           |
| 19   | .6516     |           | .6516     |           | .6516     | .7202     |           |
| 20   | .6859     | .6859     | .6516     | .7716     | .7373     | .7202     |           |
| 21   | .6516     |           | .583      |           | .6859     | .7202     |           |
| 22   | .6001     |           | .4801     |           | .6516     | .6516     |           |
| 23   | .7202     | .6516     | .4458     | .5144     | .6001     | .6173     | .6001     |
| 24   | .8573     | .7716     |           | .4115     |           | .5487     | .583      |
| Max  | 1.0288    | 1.6632    | 1.6804    | 1.2003    | 1.3032    | 1.5089    | 1.2003    |
| Min  | .3258     | .5144     | .4458     | .3772     | .6001     | .5487     | .5487     |
| Avg  | .6459     | 1.1145    | 1.0385    | .6712     | .9066     | .8893     | .7445     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

NANDED RURAL II S/DN[444] BU 2437

Substation No/ Name :- 174088 / 33 kV SUB-STATION PARDI (M)

Feeder No / Name : 201 / PARDI (M) SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .5281     | .6413     | .8539     | .2012     | .4858     | .8642     | .9012     |
| 2    | .5281     | .7167     | .8855     | .1989     | .4801     | .9282     | .9945     |
| 3    | .5658     | .7167     | .8855     | .2155     | .5441     | .9602     | 1.0774    |
| 4    | .6413     | .7545     | .9488     | .2321     | .6081     | 1.0562    | 1.0774    |
| 5    | .7167     | .7938     | .9804     | .2984     | .6478     | 1.0669    | 1.1603    |
| 6    | .7545     | .9054     | 1.0437    | .3315     | .7362     | 1.1584    | 1.2289    |
| 7    | .7545     | .8676     | 1.3123    | .3315     | .9602     | 1.2803    | 1.2289    |
| 8    | .8299     | .7545     | 1.1873    | .3647     | 1.0242    | 1.2193    | 1.1717    |
| 9    | .6036     | .6036     | .6413     | .3772     | .5658     | .6224     | .5658     |
| 10   | .7682     | .9633     | .2641     | .3395     | .4527     | .5658     | .5281     |
| 11   | 1.2163    | 1.1279    | .2641     | .3018     | .5093     | .4904     | .4904     |
| 12   | 1.1561    | .9755     | .3018     | .415      | .4338     |           | .4527     |
| 13   | 1.0936    | .9907     | .3018     | .415      |           |           | .5281     |
| 14   | 1.0494    | .9755     | .3395     | .415      |           |           | .5281     |
| 15   | 1.0185    | .9145     | .3772     |           |           |           | .4904     |
| 16   | .9259     | .9877     | .4527     | .5281     | .6036     | .5658     | .5281     |
| 17   | 1.0437    | 1.0235    | .4527     | .6036     | .6036     | .5658     | .6036     |
| 18   | .415      | .4904     | .4904     | .7545     | .6602     |           | .679      |
| 19   | .7204     | .7733     | .7167     | .7545     | .9054     | .7167     | .7922     |
| 20   | .7545     | .7545     | .679      | .7545     | .9054     | .7167     | .7167     |
| 21   | .679      | .7167     |           | .7545     | .8676     | .679      | .7545     |
| 22   | .6824     | .6413     |           |           | .7545     | .679      | .679      |
| 23   | .6824     | .6642     |           |           | .7682     | .7865     | .6802     |
| 24   | .5281     | .6445     | .7907     | .2012     | .4858     | .7682     |           |
| Max  | 1.2163    | 1.1279    | 1.3123    | .7545     | 1.0242    | 1.2803    | 1.2289    |
| Min  | .415      | .4904     | .2641     | .1989     | .4338     | .4904     | .4527     |
| Avg  | .7773     | .8082     | .6747     | .4185     | .6668     | .8258     | .7764     |



**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

NANDED RURAL II S/DN[444] BU 2437

Substation No/ Name :- 174088 / 33 kV SUB-STATION PARDI (M)

Feeder No / Name : 202 / CHORAMBA SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | 1.3443    | .6413     | .5281     | .6036     | .6413     | .6413     |
| 2    | .9116     | 1.4251    | .6036     | .5281     | .6036     | .6036     | .6413     |
| 3    | .9945     | 1.4403    | .6036     | .5281     | .6413     | .6036     | .6413     |
| 4    | 1.1603    | 1.4723    | .6036     | .6413     | .6413     | .6413     |           |
| 5    | 1.2289    | 1.5364    | .7167     | .7167     | .7167     | .7167     | .679      |
| 6    | 1.326     | 1.7185    | .7922     | .7545     | .7545     | .7922     | .7167     |
| 7    | 1.4089    | 1.9753    | .7167     | .7545     | .7545     | .7167     | .7167     |
| 8    | 1.326     | 1.9608    | .6036     | .7545     | .7167     | .6036     | .7545     |
| 9    | .5658     | .4527     | .4904     | .6036     | .4527     | .5658     | .5658     |
| 10   | .5658     | .415      | 1.7341    | 1.7604    | 1.6975    | 1.326     | .8907     |
| 11   | .3772     | .3772     | 1.9509    |           | 1.4352    | 1.4918    | 1.7185    |
| 12   | .3772     | .3772     | 2.0719    | 1.1069    | 1.4352    | 1.4918    | 1.8336    |
| 13   | .3772     | .3772     | 2.0719    | 1.7604    | 1.4506    | 1.5746    | 1.7791    |
| 14   |           |           | 1.989     | 1.7924    | 1.4506    |           | 1.7071    |
| 15   | .415      | .3772     | 1.8023    | 1.7284    | 1.4198    | .8192     | 1.6257    |
| 16   | .415      | .415      | 1.6385    | 1.7284    | 1.4815    | 1.5565    | 1.6358    |
| 17   | .415      | .4904     | 1.5746    | 1.6872    | 1.4022    | 1.4746    | 1.2186    |
| 18   | .5281     | .5281     | .4904     | .5281     | .5281     |           | .5281     |
| 19   | .7583     | .7922     | .7545     | .7545     | .7733     | .7922     | .679      |
| 20   | .7922     | .7733     | .7545     | .8299     | .8299     | .7922     | .7545     |
| 21   | .7606     | .7545     |           | .7922     | .7922     | .7167     | .7167     |
| 22   | .7204     | .679      |           |           | .7167     | .7167     | .679      |
| 23   | .9175     | .6413     |           |           | .679      | .6602     | .6413     |
| 24   | .9012     | 1.3123    | .6413     |           | .6036     | .6413     |           |
| Max  | 1.4089    | 1.9753    | 2.0719    | 1.7924    | 1.6975    | 1.5746    | 1.8336    |
| Min  | .3772     | .3772     | .4904     | .5281     | .4527     | .5658     | .5281     |
| Avg  | .7838     | .9407     | 1.1069    | 1.0139    | .9408     | .9063     | .9893     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

NANDED RURAL II S/DN[444] BU 2437

Substation No/ Name :- 174088 / 33 kV SUB-STATION PARDI (M)

Feeder No / Name : 203 / Delub Bk SINGLE PHASING  
Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .6036     | 1.012     | .7956     | .6802     | .9282     | .9116     |
| 2    |           | .6036     | 1.012     | .8288     | .7042     | .9282     | .9831     |
| 3    |           | .6036     | 1.0437    | .8288     | .7042     | .9602     | 1.0774    |
| 4    |           | .6413     | 1.0437    | .9116     | .7682     | 1.0562    | 1.1469    |
| 5    |           | .679      | 1.1069    | .9116     | .8642     | 1.0974    | 1.4746    |
| 6    |           | .8299     | 1.1561    | .9116     | .9393     | 1.1888    |           |
| 7    | .3018     | .7922     | 1.3748    | .9945     | 1.2651    | 1.3108    | 1.5565    |
| 8    | .7545     | .7167     | 1.3123    | .9945     | 1.2803    | 1.2803    | 1.5746    |
| 9    | .679      | .6036     | .5281     | .4527     | .6036     | .5658     | .5658     |
| 10   | .7202     | 1.4712    | .4527     | .4527     | .415      | .415      | .4527     |
| 11   | 1.2498    | 1.2346    | .415      | .3018     | .4527     |           | .3772     |
| 12   | 1.2654    | 1.1888    | .415      | .3395     | .3772     | .415      | .3772     |
| 13   | 1.2346    | 1.1126    | .415      | .3395     |           | .4527     | .3772     |
| 14   | 1.2037    | .9145     | .415      | .3395     |           |           | .3772     |
| 15   | 1.1728    | 1.0517    | .4527     | .3423     |           | .3772     | .3772     |
| 16   | 1.2498    | 1.0669    | .4527     | .415      | .415      | .5281     | .415      |
| 17   | 1.2498    | 1.0974    | .4527     | .5281     | .4904     | .5658     | .5281     |
| 18   | .5308     | .5658     | .5281     | .679      | .6413     |           | .7167     |
| 19   | .6445     | .7922     | .7545     | .7167     | .7733     | .7167     | .8299     |
| 20   | .679      | .679      | .679      | .679      | .7922     | .7167     | .7167     |
| 21   | .6824     | .6413     |           | .6413     | .7167     | .679      | .6413     |
| 22   | .6445     | .6036     |           |           | .6413     | .679      | .6413     |
| 23   | .6066     | .8223     |           |           | .8322     | .8192     | .9069     |
| 24   |           | .6066     | .9488     | .4641     | .6478     | .8642     |           |
| Max  | 1.2654    | 1.4712    | 1.3748    | .9945     | 1.2803    | 1.3108    | 1.5746    |
| Min  | .3018     | .5658     | .415      | .3018     | .3772     | .3772     | .3772     |
| Avg  | .8747     | .8301     | .7605     | .6304     | .7145     | .7878     | .7739     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

NANDED RURAL II S/DN[444] BU 2437

Substation No/ Name :- 174105 / 33 KV KAMTHA (BK.)

Feeder No / Name : 201 / KAMTHA (BK.)

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .1886     | .3772     | .5601     |           | .5658     | .462      | .5601     |
| 2    | .1886     | .4715     | .5601     |           | .5658     | .4668     | .5544     |
| 3    | .2075     | .4715     | .5228     | .3772     | .5658     | .5175     | .5601     |
| 4    | .2263     | .5658     | .5975     | .3772     | .6036     | .5228     | .6535     |
| 5    | .2641     | .5658     | .6161     | .3772     | .6036     | .5975     | .6722     |
| 6    | .2829     | .6602     | .6535     | .4715     | .6036     | .6722     | .7095     |
| 7    | .3206     | .679      | .6722     | .4715     | .6602     | .6468     | .7095     |
| 8    | .2641     | .679      | .6602     | .4904     | .6224     | .6468     | .6535     |
| 9    | .2452     | .2263     | .1886     | .1698     | .2263     | .2263     | .1509     |
| 10   | .5658     | .1698     | .1886     | .1698     | .1886     | .1698     | .1867     |
| 11   | .6602     |           | .1509     | .1509     | .1886     | .1698     | .2054     |
| 12   | .6602     |           | .1509     | .1509     | .1886     | .1698     | .168      |
| 13   | .5658     |           | .1509     | .132      | .1509     | .1509     | .1698     |
| 14   | .5658     | .1698     | .1509     |           | .1509     | .1509     | .1698     |
| 15   | .5658     | .1886     | .1509     | .1698     | .1509     | .1509     | .1698     |
| 16   | .6036     | .1698     | .1698     | .1698     | .1509     | .1509     | .1698     |
| 17   | .6413     | .1494     | .1698     | .2075     | .168      | .1698     | .1886     |
| 18   | .2263     | .1867     | .2263     | .2263     | .1867     | .2075     | .2075     |
| 19   | .2452     | .2614     | .2263     | .2452     | .2427     | .2452     | .2452     |
| 20   | .2452     | .2427     | .2263     | .2641     | .2614     | .2614     | .2829     |
| 21   | .2263     | .2241     |           | .2452     | .2614     | .1867     | .2641     |
| 22   | .1886     | .1867     |           | .2263     | .1867     | .168      | .2263     |
| 23   | .3772     | .4668     |           | .4715     | .4668     | .4668     | .4715     |
| 24   | .2075     | .3772     | .5601     |           | .4715     | .4668     | .5601     |
| Max  | .6602     | .679      | .6722     | .4904     | .6602     | .6722     | .7095     |
| Min  | .1886     | .1494     | .1509     | .132      | .1509     | .1509     | .1509     |
| Avg  | .3639     | .3566     | .3597     | .2782     | .3513     | .3352     | .3712     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

NANDED RURAL II S/DN[444] BU 2437

Substation No/ Name :- 174105 / 33 KV KAMTHA (BK.)

Feeder No / Name : 202 / GANPUR

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .8488     | .1509     | .1509     |           | .1509     | .1307     | .1307     |
| 2    | .8488     | .1509     | .1509     |           | .1698     | .1307     | .1494     |
| 3    | 1.1317    | .1886     | .168      |           | .1886     | .1494     | .1494     |
| 4    | 1.1317    | .2452     | .1886     |           | .2263     | .1509     | .1867     |
| 5    | 1.4146    | .2829     | .2452     |           | .2452     | .2452     | .2427     |
| 6    | 1.5089    | .3206     | .2801     |           | .2641     | .2801     | .2801     |
| 7    | 1.6975    | .3206     | .3547     |           | .2829     | .3361     | .3361     |
| 8    | 1.7918    | .2829     | .3018     |           | .2641     | .2801     |           |
| 9    | .1698     | .2263     | .2075     |           | .2263     | .2263     | .2452     |
| 10   | .1698     | 1.4146    | 1.5466    |           | 1.1317    | 1.4146    | 1.4784    |
| 11   | .1509     | 1.5089    | 1.7918    |           | 1.4146    | 1.6975    | 1.5708    |
| 12   | .132      | 1.5089    | 1.6975    | .7545     | 1.4146    | 1.6598    | 1.5893    |
| 13   | .132      | 1.5466    | 1.6032    | .9808     | 1.4146    | 1.6409    | 1.5278    |
| 14   | .132      | 1.5089    | 1.6409    | 1.0374    | 1.3203    | 1.5089    | 1.5089    |
| 15   | .132      | 1.3203    | 1.4146    | 1.3203    | 1.3203    | 1.5655    | 1.5466    |
| 16   | .1509     | 1.5089    | 1.5278    | 1.226     | 1.3203    | 1.5466    | 1.6032    |
| 17   | .1698     | 1.4937    | 1.5278    | 1.358     | 1.2136    | 1.5844    | 1.5844    |
| 18   | .1886     | .2241     | .2263     | .2641     | .1867     | .1886     | .1886     |
| 19   | .2263     | .2801     | .2452     | .2452     | .2427     | .2641     | .2829     |
| 20   | .2263     | .2427     | .2452     | .2263     | .2241     | .2241     | .2263     |
| 21   | .2263     | .2241     | .2263     | .1886     | .1867     | .1867     | .2075     |
| 22   | .1886     | .1867     |           |           | .1307     | .1494     | .1509     |
| 23   | .1886     | .1867     |           | .1509     | .1307     | .1494     | .1509     |
| 24   | .6602     | .1509     | .1886     |           | .1509     | .1307     | .1307     |
| Max  | 1.7918    | 1.5466    | 1.7918    | 1.358     | 1.4146    | 1.6975    | 1.6032    |
| Min  | .132      | .1509     | .1509     | .1509     | .1307     | .1307     | .1307     |
| Avg  | .5674     | .6448     | .7241     | .7047     | .5759     | .6600     | .6725     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-APR-18 and 14-APR-18

NANDED ZONE[066]

NANDED CIRCLE[690]

NANDED RURAL DIVISION[242]

NANDED RURAL II S/DN[444] BU 2437

Substation No/ Name :- 174105 / 33 KV KAMTHA (BK.)

Feeder No / Name : 203 / NANDUSA

SINGLE PHASING

Feeder KV- 11 / OUTGOING

| DATE | 08-APR-18 | 09-APR-18 | 10-APR-18 | 11-APR-18 | 12-APR-18 | 13-APR-18 | 14-APR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .1132     | .4715     | .5228     |           | .5658     | .3921     | .5041     |
| 2    | .1132     | .4715     | .5228     |           | .5658     | .4481     | .4668     |
| 3    | .132      | .4715     | .5601     |           | .5658     | .4435     | .5415     |
| 4    | .132      | .5658     | .6535     |           | .6413     | .4668     | .6535     |
| 5    | .132      | .6602     | .8402     |           | .6413     | .5601     | .9335     |
| 6    | .1509     | .7545     | .8402     |           | .679      | .8402     | 1.0082    |
| 7    | .1509     | .8865     | .9522     |           | .7545     | .8962     | 1.0269    |
| 8    | .1509     | 1.0185    | .9054     |           | .8865     | .8488     | .9335     |
| 9    | .132      | .132      | .1132     |           | .1698     | .132      | .0754     |
| 10   | .6602     | .1132     | .0943     |           | .0754     | .0943     | .0934     |
| 11   | .2452     | .0943     | .0943     |           | .0754     | .0943     | .0943     |
| 12   | .2641     | .0754     | .0943     |           | .0754     | .0943     | .0934     |
| 13   | .7545     | .0754     | .0943     |           | .0566     | .0943     | .0754     |
| 14   | .7545     | .0566     | .0943     |           | .0747     | .0943     | .0754     |
| 15   | .7545     |           | .0943     |           | .0934     | .0943     | .0754     |
| 16   | .7922     |           | .0943     | .2829     | .0943     | .0943     | .0754     |
| 17   | .7545     | .0934     | .0754     | .0943     | .0934     | .0943     | .0943     |
| 18   | .132      | .1307     | .0943     | .132      |           | .1132     | .1132     |
| 19   | .132      | .1494     | .3395     | .1698     |           | .132      | .132      |
| 20   | .3772     | .1494     | .1132     | .1509     | .168      | .1494     | .132      |
| 21   | .132      |           | .1132     | .1509     | .1494     | .1307     | .1509     |
| 22   | .1132     | .112      |           | .132      | .1307     | .1307     | .132      |
| 23   | .3772     | .4668     |           | .4904     | .3361     | .4668     | .4527     |
| 24   | .1132     | .4715     | .4668     |           | .5281     | .3921     | .5228     |
| Max  | .7922     | 1.0185    | .9522     | .4904     | .8865     | .8962     | 1.0269    |
| Min  | .1132     | .0566     | .0754     | .0943     | .0566     | .0943     | .0754     |
| Avg  | .3152     | .3533     | .3533     | .2004     | .3373     | .3040     | .3523     |